

ATLAS JSV. MOVE YOUR WORLD.

THIS IS NO UTV. IT'S A JOB SITE VEHICLE.



GRAVELLY

GRAVELLY

**RULE THE JOBSITE
WITH THE ALL-NEW
ATLAS JSV FROM GRAVELY.**





The jobsite can be unforgiving. Unapologetic. It's a world unto itself, with its own rules, tools and terrain. And that's exactly why we built the Atlas. From its fabricated steel cargo bed right down to pedal spacing optimized for work boots, everything about Atlas is designed for the jobsite. It's a smooth-riding, quick-moving, mass-hauling workhorse of a vehicle, with the class-leading payload and towing capacity to prove it.

**THIS IS NO UTV.
IT'S A JOB SITE VEHICLE.
AND IT CAME TO WORK.**

ATLAS JSV-3000



ATLAS JSV-6000



ATLAS JSV. MOVE YOUR WORLD.



HAUL MASS.

When you're on the jobsite, nothing's worse than a UTV with a wimpy haul. Atlas doesn't have that problem. With a class-leading bed capacity of 1250 lbs. and a 1900-lb. total payload, the Atlas JSV is tough enough to truly move your world.

TOW A TON. LITERALLY.

Add to that industry-leading payload a full ton of towing capacity and you'll see just how hard Atlas wants to work. Hitch up a full 2000 lbs. of trailer and cargo and you'll get more done in less time. And with work-grade de Dion rear suspension, all that weight gets evenly distributed across the vehicle, so you'll maintain your ground clearance and handling even when fully loaded.

ALL STEEL MX-18 JOBBOX

The Atlas JSV's fabricated steel cargo bed is engineered to get the job done. All-steel construction means the Atlas MX-18 JobBox won't buckle or bend under its class-leading 1250 lb. capacity. Electric bed lift comes standard, so you can dump cargo with the touch of a button. And you can haul a fully loaded pallet thanks to a generous 18 cubic feet of cargo space.

LOAD IT UP. WORK IT HARD. IT CAN TAKE IT.



MX-18 JOBBOX FEATURES

- 01 Four integrated tie-down points secure cargo.
- 02 Extra-strong steel walls will not bow outward.
- 03 Smooth inner tailgate allows easier cargo dumping.
- 04 Accommodates standard wooden pallet size 48" x 40".



Electric cargo bed lift comes standard.

DE DION REAR SUSPENSION

When you're a leader in hauling and towing capacity, you need the suspension to handle it. That's why Atlas comes outfitted with de Dion rear suspension. This is heavy-duty suspension, built for the jobsite. It minimizes sag, so Atlas can maintain full ground clearance even with cargo, tongue weight and towing maxed out. Adjustable shock stiffness and generous wheel travel keep your ride smooth over rough terrain.

EFI GAS OR DIESEL ENGINE

We designed Atlas to take on any jobsite. With your choice of a gasoline or Diesel engine, you get a right-sized vehicle that brings more strength and efficiency to work, every day. The electronically fuel-injected DOHC gasoline engine pumps out the power and torque you need on the job, with smooth acceleration, high fuel efficiency and greater durability. This engine has been tested at 13,000 ft. and temperatures from -25° to 110°F. Which means the Atlas is ready to work, even in the most severe environments.

The Atlas JSV Diesel makes use of a 3-cylinder, 1028cc Kohler Diesel engine to maximize torque and traction across even the toughest terrains. It's a proven, efficient power plant that's easily capable of towing the Atlas JSV's class-leading 2000-lb. capacity under any jobsite conditions.

MOVE MORE

Atlas comes in two sizes to fit a variety of jobsite applications. The Atlas JSV-3000 seats three adults comfortably, with a total payload capacity of 1900 lbs. The crew-size JSV-6000 seats six adults across two benches, with a total payload of 2100 lbs.





DUAL-RANGE CONTINUOUSLY VARIABLE TRANSMISSION

A dual-range continuously variable transmission (CVT) ensures smooth, responsive acceleration, with the versatility of both low and high range operation. Pop the CVT into low range for maximum towing power and low speed control. Or switch over to high range for quick, efficient transportation across the jobsite. Park is integrated, so when you're not in motion, there's no parking lever to find or forget to engage.

ON-DEMAND TRUE ALL-WHEEL DRIVE

Atlas makes sure you always have the traction your jobsite demands. The AWD system automatically puts 100% of the JSV's working power to the ground when you need more forward traction. When you don't, it's back to 2WD for optimal fuel efficiency. And when you need a lighter touch, switching to VersaTrac Turf Mode unlocks the rear differential for easier, tighter turns that won't tear up the turf.



MOVE FASTER

Atlas gets more done. With a top speed of 35mph, you can get across the jobsite in less time compared to the competition. A 10-gallon fuel capacity means Atlas can work all day, with less downtime for fill-ups. And when you do need to refuel, a driver's side fill makes the task quick and easy.

STOP, STEP OUT, GET TO WORK


Sure, Atlas is fast. But we all know you're not driving all day. So when you get where you're going, Atlas makes it as easy as possible to get out and get on with it. 4-wheel hydraulic disc brakes bring you to a stop safely and quickly, even when loaded down. Park is integrated into the transmission, so there's no need to find and engage a parking brake before exiting the vehicle. And built-in hip bolsters keep passengers safe when moving, but let you out more easily than cumbersome nets or half-doors.

BUILT FOR THE JOBSITE

The Atlas JSV is heavy duty through and through. Its rugged styling is optimized to handle whatever your jobsite demands.



A fabricated steel bumper guards the Atlas from front-end damage.



10 inches of ground clearance and a full underbody skid plate protect Atlas from the ravages of tough terrain.

UNMATCHED JOBSITE COMFORT

Workdays come in one variety. Long. So we designed the Atlas JSV to keep you comfortable throughout a full day's work. The cab seats three (or six) adults with plenty of room for easy entry and exit. Features like tilt steering, cupholders and ample under-seat and in-dash storage add to the convenience.



Atlas is built with a profiled tubular frame for easy installation of cab enclosure accessories. Install a windshield, roof, doors and rear panel for a fully enclosed cab—and do it in just a few minutes. Add an optional heater kit and you've got a vehicle you can operate comfortably even in cold weather.



CUSTOMIZE ATLAS FOR YOUR WORLD

Different jobsites have different needs. Tailor Atlas to your world with an array of accessories.

CAB SYSTEM

The Atlas JSV's cab system enhances your ride with added protection from even the most unfavorable elements. Made from durable, proven materials, the modular components allow for maximum versatility and are easy to install with minimal tools.

ROOFS

POLY SPORT ROOF, BASE

Durable, injection-molded polyethylene roof of the JSV-3000 is engineered to resist distortion from heat. Easy installation with minimal tools. Part #: 79603300



POLY SPORT ROOF, CREW

Durable, injection-molded polyethylene roof of the JSV-6000 engineered to resist distortion from heat. Easy installation with minimal tools. Part #: 79603500



POLY PREMIUM ROOF, BASE

Insulated polyethylene roof that dampens sound and improves rider comfort. Includes roof sealing kit. Part #: 79603400



STEEL ROOF, BASE (NOT SHOWN)

Heavy-duty, 12-gauge steel roof provides protection from the worst elements with a black powder coat that's durable and scratch resistant. Includes headliner to reduce noise and installs easily. Part #: 79603200

See the full lineup of Atlas accessories at GravellyAtlas.com.

ATLAS JSV. MOVE YOUR WORLD.

NOTE: Images may not be exact representation of the part/accessory.

WINDSHIELDS

POLY WINDSHIELD

Tough polycarbonate windshield is scratch and impact resistant. Made from optical grade material, this windshield installs in seconds. Part #: 79604100



POLY HALF WINDSHIELD

Polycarbonate half windshield provides protection while allowing airflow for passengers. Ideal for hot, dusty conditions, it comes complete with a quick latch system for easy installation or removal. Part #: 79604200



GLASS WINDSHIELD

Laminated safety glass provides protection from wind and other elements while a quick latch system allows for easy installation or removal. Part #: 79603900



FIXED GLASS WINDSHIELD (NOT SHOWN)

Laminated safety glass is wiper ready for improved visibility in adverse conditions, with a sealed fit that bolts on in minutes. Part #: 79604300

REAR PANELS

POLY REAR PANEL

Durable polycarbonate material with a low-profile frame for added visibility. Quick latch system allows for installation or removal in seconds. Part #: 79603000



GLASS REAR PANEL

Scratch-resistant, tempered laminate glass panel with a low-profile frame improves visibility with a quick latch system that allows for installation or removal in seconds. Part #: 79603100



SLIDING WINDOW REAR PANEL (NOT SHOWN)

Premium rear panel with a sliding rear window allows for ventilation and access to the rear cargo area. Scratch-resistant, tempered laminate glass panel with a low-profile frame for improved visibility with a quick latch system that allows for installation or removal in seconds. Part #: 79605800

DOORS

HINGED WINDOW POLY FRT DOORS

Set of two front doors made from durable, molded plastic with a tube steel frame come complete with hinged windows, which provide year-round rider comfort.

Part #: 79605900



CANVAS FRONT DOORS

Set of two front doors, constructed with a durable, powder-coated steel frame and heavy-duty polyester with UV stabilizers, come complete with zip-down windows for year-round comfort.

Part #: 79601600



FIXED-WINDOW POLY REAR DOORS (NOT SHOWN)

Set of two rear doors made from durable, molded plastic with a tube steel frame enclose the JSV-6000 that provide year-round rider comfort. Part #: 79601800

CANVAS REAR DOORS (NOT SHOWN)

Set of two rear doors provide protection from the elements to completely enclose the JSV-6000. Zip-down windows for year-round comfort with a durable powder-coated steel frame and heavy-duty polyester with UV stabilizers.

Part #: 79601900

WINCH, PLOW & TOWING

Atlas packs a punch, with loads of jobsite power and industry-leading towing capacity. Make the most of it with these winches, plows and other towing accessories.

WINCHES

HD PRO 4500LB WINCH, BASE & CREW

Powerful magnetic motor rated to pull up to 4500 lbs., featuring an auto-stop switch to prevent unnecessary stress on the motor and components. 50 ft. of synthetic rope provides superior flexibility and eliminates the potential for frayed cables.

Part #: 79603700 (Base), Part #: 79604400 (Crew)



MULTI-MOUNT 4500LB WINCH, BASE & CREW

Mounts into a 2" receiver to allow for mounting on the front or rear of the JSV. Rated to pull up to 4500 lbs.

Front mounting requires front receiver hitch (Part #: 79601000).

Part #: 79603800 (Base), Part #: 79604500 (Crew)

PLOWS

KIT-PLOW FRAME

Quick attach plow frame that connects easily to the integrated plow mount. The frame allows for manual angling of the plow in five different positions. Requires integrated winch for raising and lowering.

Part #: 79602800



SNOW PLOW, 72"

72" wide by 14.5" high plow is ideal for moving and piling large amounts of snow. Part #: 79602600



PLOW MARKER (NOT SHOWN)

Improves operator visibility of the plow edges. Part #: 79602900

PLOW MOUNT (NOT SHOWN)

Integrated mount system that allows for easy removal and installation of the plow and frame. Part #: 79602700

TOWING

FRONT RECEIVER HITCH

Front receiver hitch mounts to the frame of the vehicle and takes standard 2" hitches. Part #: 79601000



See the full lineup of Atlas accessories at GravellyAtlas.com.

ATLAS JSV. MOVE YOUR WORLD.

NOTE: Images may not be exact representation of the part/accessory.

COMFORT & ELECTRONICS

Add to the Atlas JSV's already comfortable ride with options like heat and defrost, power steering or interior lighting.

HEATER/DEFROST KIT

Provides warmth and comfort for riders in adverse conditions while defrosting the windshield. Requires cutting of dash plastic. Requires battery connection cable for installation unless winch is installed.

Part #: 79601100



HORN KIT (NOT SHOWN)

Horn kits help alert others of the vehicle presence for added safety. Includes dash-mounted button. Requires battery connection cable (Part #: 79604700 for JSV-3000 & Part #: 79603600 for JSV-6000). Part #: 79601200

INTERIOR DOME LIGHT KIT (NOT SHOWN)

Provides lighting for passengers in dark conditions with a push-button switch for easy on/off. Part #: 79601300

WIPER KIT WITH WASHERS

Compatible with fixed glass windshield only (Part #: 79604300). Requires battery connection cable for installation unless winch is installed.

Part #: 79601400



POWER STEERING KIT (NOT SHOWN)

Electronic power steering kit provides improved maneuverability and steering capabilities to reduce operator fatigue. Part #: 79602300

DIESEL BLOCK HEATER (NOT SHOWN)

Used with diesel vehicles to provide additional heat to ensure easy startup in cold conditions.

Part #: 79602500

SPEED LIMITING KIT

Governs vehicle speed to 25 mph when switched on. Not compatible with diesel vehicles. Part #: 79602200



CAB SEAL KIT, CREW (NOT SHOWN)

Recommended for premium crew cab configurations.

Part #: 79604600

BATTERY CONNECTION CABLE, BASE & CREW (NOT SHOWN)

High-gauge connector cable to add electronic accessories. Required to power certain accessories. Not required if winch is already installed.

Part #: 79604700 (Base), Part #: 79603600 (Crew)

LIGHTING & SAFETY

See more and be seen better, with a variety of options for lighting, safety and driver visibility.

2" LED LIGHT

LED lights can be configured in all directions to provide the brightest lighting for all situations. Requires a light bar harness for installation (Part #: 79602100).

Part #: 79602000



KNOCK-OUT 3RD HEADLIGHT (NOT SHOWN)

Set of two lights provides additional lighting and styling and mounts below the standard headlights. Available January 2015. Part #: 79606200

13" & 35" LIGHT BAR

LED lights can be configured in all directions to provide the brightest lighting for all situations. Requires light bar harness for installation (Part #: 79602100).

Part #: 79605300 (13"), Part #: 79605200 (35")



REARVIEW MIRROR (NOT SHOWN)

8" by 4.5" convex mirror made from shatterproof tempered glass adjusts easily while enhancing rear visibility. Part #: 79601500

LIGHT BAR HARNESS (NOT SHOWN)

Required for installation of 2", 13" & 35" lights.

Part #: 79602100

REVERSE WARNING KIT (NOT SHOWN)

Adds an extra level of safety to the JSV by sounding an alarm when the vehicle is in reverse. Part #: 79602400

SIDE MIRROR SET (NOT SHOWN)

Side mirror kit mounts directly to the cab frame providing increased rear visibility. Part #: 79606000

STROBE LIGHT (NOT SHOWN)

High visibility strobe light improves visibility to others in adverse weather conditions. Includes mounting plate, wiring harness, and an on/off switch.

Available February 2015. Part #: 79606600

STORAGE, TOOLS & RACKS

Make your hard-working Atlas an even harder worker by adding durable, easy-to-install storage and tool-mounting accessories.

HEADACHE RACK W/TOOL HOLDERS

Protects rear riders from shifting cargo while also holding up to 6 hand tools. Requires drilling holes in the bed rail for mounting. Part #: 79605000



POLY CARGO BOX

Durable polyethylene box secures tools and other cargo. Requires drilling holes in the bed rail for mounting. Part #: 79605100



CHAINSAW PRESS (NOT SHOWN)

Mounts to the bed rail to secure a chainsaw to the outside and save space for other cargo. Requires drilling holes in the bed rail for mounting. Part #: 79604900

DUAL GUN MOUNT (NOT SHOWN)

Holds 2 gun boots (sold separately). Mounted high to accommodate additional cargo. Requires drilling holes in the bed rail for mounting. Part #: 79604800

60-GALLON BOOMLESS SPRAYER (NOT SHOWN)

60 gal. corrosion-resistant polyethylene tank with a 12V diaphragm pump. 3.8 GPM flow rate; 45 PSI maximum pressure. Adjustable pressure with pressure gauge. Includes a deluxe pistol grip handgun with adjustable nozzle & 25' of hose. Boomless nozzles with a full 30' spray coverage. 35' max horizontal throw; 26' max vertical throw. Part #: 79606100

BEDLINER MAT (NOT SHOWN)

Rubber mat fitted to the JSV works to prevent scuffs and scratches. Part #: 79606500

TIRES

For jobsites that demand maximum traction in soft, muddy conditions, outfit your Atlas JSV with these premium tires.

MUD TIRE, FRONT

Strong front tire ideal for soft and wet soil conditions with superior shock absorption. Wheel sold separately. Part #: 79606300



MUD TIRE, REAR

Strong rear tire ideal for soft and wet soil conditions with superior shock absorption. Wheel sold separately. Part #: 79606400

See the full lineup of Atlas accessories at GravellyAtlas.com.

ATLAS JSV. MOVE YOUR WORLD.

NOTE: Images may not be exact representation of the part/accessory.



Gravely Atlas	EFI Gas	EFI Gas Crew	Diesel	Diesel Crew
Model Number	996200	996201	996202	996203
Model	JSV-3000	JSV-6000	JSV-3000	JSV-6000
Hood Color	Gravely Red			
Engine	Polaris		Kohler	
Type	1-cylinder, DOHC, Gas		3-Cylinder Diesel	
Displacement	570 cc		1028 cc	
Horsepower	40 hp		24 hp	
Fuel System	EFI		Indirect Injection	
Peak Alternator Output	45A		110A	
Warranty	1 Year Gravely Warranty		3 Year or 2,000 Hours Kohler Warranty	
Cooling	Liquid			
Starter	Electric Ignition			
Ground Speed	35 mph			
Drive Train				
Transmission	Continuously Variable (CVT) with Sealed Belts			
Drive System	OnDemand True AWD/2WD/VersaTrac Turf Mode			
Steering	Rack & Pinion			
Battery	575 cca			
Differential	Automatic Rear Lock			
Suspension				
Front Suspension	IFS Dual A-Arm, adjustable for pre-load			
Rear Suspension	De Dion, adjustable for pre-load			
Brakes				
Front Brakes	Dual Hydraulic Disc			
Rear Brakes	Hydraulic Disc			
Parking Brake	Park in Transmission			
Tires & Wheels				
Front Tires and Rear Tires	25 x 10 Carlisle All Trail I, 25 x 11 Carlisle All Trail II			
Wheels	12 x 6 Steel (Front) / 12 x 8 Steel (Rear)			
Capacities				
Fuel Capacity	10 Gallons			
Towing	2,000 lb			
Cargo Bed and Dimensions (L X W X H)	1,250 lb, 48.2" x 57" x 11.4" = 18 cu ft			
Total Rated Payload	1,900 lb	2,100 lb	1,900 lb	2,100 lb
Seating	3	6	3	6
Features				
Bed Lift	Standard, Electric			
Front Bumper	Heavy Duty, Standard			
Hitch	Front: Accessory, 2" Receiver; Rear: Standard, 2" Receiver			
ROPS	According to ANSI/OPEI B71.9, OSHA 1928.53			
Seat Belts	3 3-point	6 3-point	3 3-point	6 3-point
Cup Holders	2	4	2	4
Instrumentation	Speedometer, tachometer, fuel gauge, hour meter, odometer & trip meter, gear indication, glow plug indicator light* & engine oil pressure* (*diesel models only), seat belt reminder light, battery voltage charge system, engine/coolant temp, 2 in-dash 12V power outlets			
Vehicle Dimensions				
Weight	1,575 lb	1,800 lb	1,675 lb	1,900 lb
Length	128"	165"	128"	165"
Width x Height	64" x 73.5"			
Wheel Base	84"	116"	84"	116"
Ground Clearance	10"			
Warranty				
	1 Year Limited Commercial Warranty			



PASSIONATE PEOPLE...ASTOUNDED CUSTOMERS

Gravely® is an Ariens® Company brand. Ariens Company has grown over its 80-year history to include premium brands in many segments of the outdoor power equipment industry. Ariens Company prides itself on invention, product reliability, continuous improvement, focus on the customer and pride in craftsmanship. To learn more about the different brands of products that Ariens Company offers, please visit www.ariens.com.



www.GravelyAtlas.com



An *Ariens* Company Brand



©2014 Copyright Ariens Company. All rights reserved. © Registered trademark and ™ trademark of Ariens Company. Briggs & Stratton, Daihatsu, Hydro-Gear, Kawasaki, Kohler, Ogura, Parker, Subaru and Warner are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.gravely.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of product; product may differ.