

Medications



WHY DOES THIS HAPPEN?

People with Alzheimer's or dementia might:

- forget to take their medications
- forget that they took their medication, so they take them again and again and again
- get sick or be poisoned because the wrong pills or too many pills were taken

People with Alzheimer's or dementia may need help with taking their medicine. Taking too much... or too little... or not following the directions... can be dangerous.

WHAT CAN YOU DO?

WATCH CLOSELY

- make sure he or she:
 - takes the right number of pills at the right times
 - follows the directions on the medication
- do not leave medications in a pill box or cup on the counter
- do not leave him or her alone to take their medicine

LOCK AWAY MEDICINE

- make sure all medications are out of sight and out of reach

TALK TO ALL THE DOCTORS

- do not stop giving any medicine without asking the prescribing doctor first
- bring all medicines in a bag or box to every doctor
 - include vitamins, herbs, teas, creams, and other pills from the drugstore
- ask the doctor if medicines can be mixed into foods or drinks
 - this is helpful if you are having trouble getting your person to take their pills



844.HELP.ALZ
AlzheimersLA.org

© 2018 Alzheimer's Los Angeles
Supported by DHHS, ACL (#90AL0002-01-00)



1(866)836-6678 • tn.gov/aging/disability-and-aging

NOTE: If you notice sudden changes like violent behaviors or trouble with bathroom accidents, call the doctor

- these changes could be caused by a reaction to a medication or a new illness



Tennessee Commission on Aging and Disability,
Authorization No. 325424, 200 copies, April 2020.
This public document was promulgated at a cost of
\$2.81 per copy.