

TENNESSEE

2011 Core Variables Report

Behavioral Risk Factor Surveillance System

July 26, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5888	4,853,258	772	17.9	15.5-20.3	1876	31.3	28.8-33.8	1716	29.8	27.3-32.3	917	13.1	11.3-14.9	607	7.8	06.4-09.2
Male	1830	2,332,949	271	20.2	16.5-23.9	578	32.1	28.2-36.0	553	29.4	25.5-33.3	272	11.3	08.9-13.7	156	6.9	04.9-08.9
Female	4058	2,520,309	501	15.8	13.1-18.5	1298	30.6	27.5-33.7	1163	30.2	26.9-33.5	645	14.7	12.2-17.2	451	8.7	06.9-10.5
White/Non-Hisp	4903	3,778,982	669	18.0	15.5-20.5	1612	32.0	29.3-34.7	1368	28.6	25.9-31.3	760	13.6	11.6-15.6	494	7.9	06.5-09.3
Black or Afr. Am./Non-Hisp	724	741,275	65	15.4	09.1-21.7	194	30.3	22.9-37.7	263	34.4	27.1-41.7	123	12.4	07.5-17.3	79	7.5	03.0-12.0
Oth. Race/Non-Hisp.	76	97,451	10	20.8	03.0-38.6	24	30.9	08.2-53.6	23	38.8	14.7-62.9	7	1.8	00.0-03.8	12	7.7	01.4-14.0
MultiRacial/Non-Hisp.	72	82,759	9	18.1	00.0-38.5	22	37.6	16.4-58.8	21	23.9	07.6-40.2	9	14.0	00.0-32.4	11	6.4	01.3-11.5
Hispanic	77	138,007	12	25.4	06.4-44.4	17	17.2	01.9-32.5	30	37.6	15.6-59.6	12	12.0	00.0-27.5	6	7.8	00.0-17.2
18-24	143	585,379	34	27.0	16.2-37.8	56	35.9	24.5-47.3	41	32.4	20.8-44.0	10	2.3	00.0-05.8	2	2.3	00.0-06.4
25-34	401	831,516	100	28.2	20.9-35.5	152	36.4	28.8-44.0	117	27.1	20.0-34.2	24	6.1	02.2-10.0	8	2.2	00.0-04.7
35-44	631	859,196	125	20.8	15.1-26.5	237	35.8	29.5-42.1	176	26.8	21.1-32.5	61	9.9	05.8-14.0	32	6.7	02.8-10.6
45-54	1009	907,502	159	15.0	11.3-18.7	332	29.2	24.7-33.7	255	29.5	24.4-34.6	159	17.0	12.5-21.5	104	9.2	05.9-12.5
55-64	1451	764,482	153	10.0	06.7-13.3	457	27.8	23.3-32.3	428	31.6	26.3-36.9	233	18.5	13.8-23.2	180	12.1	08.6-15.6
65+	2202	879,826	196	9.4	06.9-11.9	622	24.4	21.7-27.1	683	31.8	28.5-35.1	424	21.4	17.7-25.1	277	13.0	10.5-15.5
Less Than H.S.	778	839,061	37	7.2	03.5-10.9	127	16.5	11.6-21.4	213	30.5	24.2-36.8	200	22.9	17.6-28.2	201	22.8	17.3-28.3
H.S. or G.E.D.	2007	1,638,554	166	13.5	10.2-16.8	597	31.3	27.0-35.6	641	32.0	27.9-36.1	371	15.4	12.1-18.7	232	7.9	05.5-10.3
Some Post-H.S.	1625	1,359,502	218	23.1	17.8-28.4	602	34.0	28.9-39.1	451	28.7	23.4-34.0	235	11.1	07.8-14.4	119	3.0	02.2-03.8
College Graduate	1455	1,006,817	349	27.0	21.9-32.1	545	40.1	34.6-45.6	404	27.1	22.0-32.2	106	3.9	02.3-05.5	51	1.9	00.7-03.1
Less than \$15,000	700	609,099	33	15.8	08.2-23.4	101	15.3	08.0-22.6	175	28.3	19.7-36.9	199	20.7	14.0-27.4	192	19.9	13.6-26.2
\$15,000- 24,999	1293	945,486	99	12.6	07.5-17.7	481	30.2	24.9-35.5	335	30.6	24.7-36.5	223	16.9	12.8-21.0	155	9.8	06.5-13.1
\$25,000- 34,999	552	465,607	54	10.6	05.5-15.7	192	37.6	29.0-46.2	184	28.6	21.2-36.0	90	17.4	10.1-24.7	32	5.8	02.5-09.1
\$35,000- 49,999	585	521,468	72	13.8	07.7-19.9	223	45.3	36.9-53.7	203	27.7	20.6-34.8	68	11.5	05.6-17.4	19	1.7	00.7-02.7
\$50,000- 74,999	539	526,653	94	22.4	15.0-29.8	205	31.4	24.1-38.7	170	32.1	24.7-39.5	52	11.8	05.9-17.7	18	2.3	00.9-03.7
\$75,000+	772	745,145	234	31.1	25.0-37.2	294	34.3	28.4-40.2	195	29.7	23.6-35.8	36	4.1	01.9-06.3	13	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	2,332,949	271	20.2	16.5-23.9	578	32.1	28.2-36.0	553	29.4	25.5-33.3	272	11.3	08.9-13.7	156	6.9	04.9-08.9
White/Non-Hisp	1548	1,792,123	237	20.3	16.2-24.4	507	32.9	28.6-37.2	451	27.8	23.7-31.9	234	12.2	09.5-14.9	119	6.8	04.6-09.0
Black or Afr. Am./Non-Hisp	184	356,910	17	19.1	07.9-30.3	47	33.6	21.3-45.9	72	33.2	21.8-44.6	27	7.8	02.9-12.7	21	6.4	00.0-12.9
18-24	56	296,899	17	36.0	19.9-52.1	21	35.4	19.9-50.9	16	27.9	13.0-42.8	1	0.2	00.0-00.6	1	0.4	00.0-01.2
25-34	121	415,624	34	26.5	15.3-37.7	42	38.6	26.1-51.1	36	28.8	17.2-40.4	8	4.9	00.0-11.0	1	1.1	00.0-03.3
35-44	198	427,066	38	22.0	12.8-31.2	73	36.0	26.4-45.6	55	23.2	15.0-31.4	21	9.9	04.0-15.8	11	9.0	01.9-16.1
45-54	335	445,610	49	15.9	09.8-22.0	110	28.8	21.9-35.7	91	31.4	23.6-39.2	59	16.6	10.3-22.9	26	7.4	02.1-12.7
55-64	478	365,989	57	11.7	05.8-17.6	139	29.4	22.0-36.8	141	30.5	22.9-38.1	75	13.9	09.6-18.2	66	14.6	08.5-20.7
65+	632	374,214	74	12.0	06.9-17.1	190	24.6	19.5-29.7	210	34.6	28.5-40.7	107	20.4	13.7-27.1	51	8.4	05.3-11.5
Less Than H.S.	228	401,066	14	8.9	01.8-16.0	41	17.6	09.8-25.4	69	30.1	20.5-39.7	48	19.4	11.6-27.2	56	24.0	14.8-33.2
H.S. or G.E.D.	572	793,058	50	14.6	08.9-20.3	157	33.4	26.1-40.7	194	30.8	24.7-36.9	118	15.5	10.6-20.4	53	5.8	02.9-08.7
Some Post-H.S.	485	620,108	78	29.4	20.4-38.4	176	33.0	25.2-40.8	129	27.3	19.3-35.3	71	8.0	04.9-11.1	31	2.2	01.0-03.4
College Graduate	542	516,033	127	26.3	19.0-33.6	203	40.4	32.4-48.4	161	29.4	21.6-37.2	35	2.8	01.4-04.2	16	1.2	00.6-01.8
Less than \$15,000	183	253,054	8	13.6	02.2-25.0	25	20.6	06.5-34.7	47	26.1	13.4-38.8	51	22.7	10.7-34.7	52	17.0	07.2-26.8
\$15,000- 24,999	355	403,479	28	12.7	04.5-20.9	121	30.9	21.9-39.9	94	28.4	19.4-37.4	73	15.9	10.8-21.0	39	12.2	05.1-19.3
\$25,000- 34,999	179	218,327	19	8.3	00.5-16.1	57	44.7	30.8-58.6	66	32.7	20.4-45.0	24	8.7	03.4-14.0	13	5.6	01.5-09.7
\$35,000- 49,999	207	271,145	26	17.7	06.7-28.7	71	39.5	26.6-52.4	76	26.9	15.5-38.3	28	14.6	04.0-25.2	6	1.3	00.1-02.5
\$50,000- 74,999	202	281,851	38	30.4	18.1-42.7	73	26.5	16.3-36.7	66	33.0	21.6-44.4	19	8.0	02.3-13.7	6	2.1	00.1-04.1
\$75,000+	320	415,900	87	27.5	18.9-36.1	124	36.2	28.0-44.4	87	30.6	22.0-39.2	19	5.3	01.6-09.0	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4058	2,520,309	501	15.8	13.1-18.5	1298	30.6	27.5-33.7	1163	30.2	26.9-33.5	645	14.7	12.2-17.2	451	8.7	06.9-10.5
White/Non-Hisp	3355	1,986,859	432	15.9	13.0-18.8	1105	31.2	27.7-34.7	917	29.2	25.5-32.9	526	14.8	12.1-17.5	375	8.9	06.9-10.9
Black or Afr. Am./Non-Hisp	540	384,364	48	11.9	05.8-18.0	147	27.2	18.8-35.6	191	35.6	26.4-44.8	96	16.7	08.9-24.5	58	8.5	02.2-14.8
MultiRacial/Non-Hisp.	50	38,122	7	8.3	00.0-16.7	15	44.3	13.3-75.3	15	16.9	03.8-30.0	7	25.6	00.0-60.1	6	4.9	00.0-10.8
Hispanic	51	75,342	7	29.0	00.0-58.8	11	21.2	00.0-46.5	22	43.3	12.5-74.1	7	2.2	00.0-04.7	4	4.3	00.0-10.0
18-24	87	288,480	17	17.8	04.5-31.1	35	36.4	19.7-53.1	25	37.0	19.6-54.4	9	4.5	00.0-11.6	1	4.3	00.0-12.5
25-34	280	415,892	66	29.8	20.8-38.8	110	34.1	25.3-42.9	81	25.5	16.9-34.1	16	7.3	02.2-12.4	7	3.3	00.0-07.8
35-44	433	432,130	87	19.6	13.1-26.1	164	35.6	27.6-43.6	121	30.4	22.8-38.0	40	10.0	04.5-15.5	21	4.5	01.4-07.6
45-54	674	461,892	110	14.2	09.9-18.5	222	29.6	23.7-35.5	164	27.7	21.2-34.2	100	17.4	11.1-23.7	78	11.0	06.9-15.1
55-64	973	398,493	96	8.5	05.2-11.8	318	26.4	20.9-31.9	287	32.6	25.3-39.9	158	22.7	14.9-30.5	114	9.9	06.2-13.6
65+	1570	505,612	122	7.4	05.0-09.8	432	24.3	21.2-27.4	473	29.8	25.9-33.7	317	22.2	17.7-26.7	226	16.4	12.5-20.3
Less Than H.S.	550	437,996	23	5.6	02.3-08.9	86	15.5	09.6-21.4	144	30.9	22.7-39.1	152	26.2	18.9-33.5	145	21.8	15.3-28.3
H.S. or G.E.D.	1435	845,495	116	12.4	08.7-16.1	440	29.3	24.2-34.4	447	33.1	27.6-38.6	253	15.3	11.2-19.4	179	9.8	06.1-13.5
Some Post-H.S.	1140	739,394	140	17.9	11.8-24.0	426	34.9	28.2-41.6	322	29.9	23.0-36.8	164	13.8	08.5-19.1	88	3.6	02.4-04.8
College Graduate	913	490,784	222	27.8	20.7-34.9	342	39.8	32.2-47.4	243	24.6	18.3-30.9	71	5.1	02.2-08.0	35	2.6	00.1-05.1
Less than \$15,000	517	356,045	25	17.4	07.2-27.6	76	11.5	04.4-18.6	128	29.9	18.3-41.5	148	19.3	12.0-26.6	140	21.9	13.9-29.9
\$15,000- 24,999	938	542,007	71	12.5	06.2-18.8	360	29.6	23.1-36.1	241	32.2	24.4-40.0	150	17.7	11.6-23.8	116	8.0	05.8-10.2
\$25,000- 34,999	373	247,280	35	12.6	05.9-19.3	135	31.4	21.8-41.0	118	24.9	16.1-33.7	66	25.1	13.5-36.7	19	5.9	00.8-11.0
\$35,000- 49,999	378	250,323	46	9.5	05.6-13.4	152	51.6	42.0-61.2	127	28.6	20.6-36.6	40	8.3	04.8-11.8	13	2.1	00.3-03.9
\$50,000- 74,999	337	244,802	56	13.2	08.1-18.3	132	37.1	27.3-46.9	104	31.1	21.9-40.3	33	16.0	05.6-26.4	12	2.5	00.7-04.3
\$75,000+	452	329,245	147	35.6	27.0-44.2	170	31.8	23.6-40.0	108	28.4	19.6-37.2	17	2.7	01.1-04.3	10	1.5	00.1-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5738	4,778,149	3593	65.0	62.3-67.7	471	8.9	07.3-10.5	498	8.9	07.3-10.5	517	8.4	06.8-10.0	659	8.8	07.4-10.2
Male	1795	2,310,239	1197	68.7	64.8-72.6	148	8.6	06.2-11.0	138	7.0	05.0-09.0	124	7.7	05.2-10.2	188	8.1	05.9-10.3
Female	3943	2,467,910	2396	61.6	58.1-65.1	323	9.3	07.1-11.5	360	10.6	08.1-13.1	393	9.2	07.2-11.2	471	9.4	07.6-11.2
White/Non-Hisp	4775	3,712,595	2981	62.8	59.9-65.7	391	9.5	07.7-11.3	402	9.4	07.4-11.4	435	8.8	07.0-10.6	566	9.5	07.9-11.1
Black or Afr. Am./Non-Hisp	709	734,208	455	77.9	72.6-83.2	63	5.8	03.6-08.0	70	5.9	03.2-08.6	53	3.6	01.8-05.4	68	6.8	03.1-10.5
Oth. Race/Non-Hisp.	75	96,968	49	71.4	50.0-92.8	4	1.2	00.0-02.8	2	10.6	00.0-29.0	12	7.5	01.4-13.6	8	9.4	00.0-22.9
MultiRacial/Non-Hisp.	71	82,142	42	67.6	48.6-86.6	4	2.1	00.0-04.6	11	14.0	00.0-28.3	7	11.4	00.0-24.3	7	4.9	00.4-09.4
Hispanic	74	137,717	47	49.7	27.6-71.8	8	19.6	01.2-38.0	6	3.5	00.0-07.6	7	24.4	03.0-45.8	6	2.7	00.0-05.4
18-24	141	588,468	102	69.4	58.2-80.6	15	10.0	02.9-17.1	13	11.5	03.7-19.3	8	8.7	01.3-16.1	3	0.3	00.0-00.7
25-34	399	833,674	289	76.5	69.8-83.2	45	9.1	04.6-13.6	39	9.2	04.5-13.9	13	2.7	00.7-04.7	13	2.4	00.2-04.6
35-44	627	847,816	401	65.8	59.5-72.1	75	11.1	07.2-15.0	62	8.2	04.9-11.5	53	9.2	05.1-13.3	36	5.7	02.4-09.0
45-54	989	895,017	586	61.2	55.9-66.5	97	8.3	05.6-11.0	82	7.9	05.4-10.4	103	9.6	06.5-12.7	121	12.9	08.8-17.0
55-64	1417	742,163	858	56.7	51.0-62.4	115	10.5	06.6-14.4	116	9.4	05.7-13.1	142	10.3	06.8-13.8	186	13.2	09.1-17.3
65+	2117	845,948	1322	60.6	56.5-64.7	118	5.1	03.7-06.5	185	8.0	06.0-10.0	195	10.4	07.3-13.5	297	15.9	12.6-19.2
Less Than H.S.	746	814,679	362	47.9	41.0-54.8	35	4.5	02.3-06.7	61	7.1	04.4-09.8	112	19.4	13.3-25.5	176	21.0	15.3-26.7
H.S. or G.E.D.	1944	1,598,461	1224	65.8	61.5-70.1	134	8.4	05.9-10.9	160	9.0	06.1-11.9	168	7.4	05.2-09.6	258	9.3	06.9-11.7
Some Post-H.S.	1597	1,350,651	998	65.6	60.1-71.1	133	11.1	07.2-15.0	162	10.8	07.1-14.5	149	6.7	04.0-09.4	155	5.9	03.9-07.9
College Graduate	1433	1,006,142	996	76.6	72.3-80.9	169	10.5	07.6-13.4	114	7.6	04.7-10.5	86	3.6	01.8-05.4	68	1.8	01.2-02.4
Less than \$15,000	673	601,403	295	51.7	42.5-60.9	33	6.2	01.5-10.9	63	7.3	02.8-11.8	111	17.4	10.7-24.1	171	17.4	11.3-23.5
\$15,000- 24,999	1253	917,305	796	62.4	56.3-68.5	68	5.7	03.0-08.4	93	7.3	04.0-10.6	118	11.4	06.9-15.9	178	13.3	09.4-17.2
\$25,000- 34,999	540	459,415	341	63.1	54.7-71.5	48	8.8	03.3-14.3	56	8.9	05.4-12.4	42	6.3	03.2-09.4	53	12.9	06.0-19.8
\$35,000- 49,999	575	514,675	386	68.4	60.2-76.6	53	13.9	07.0-20.8	65	11.5	05.0-18.0	37	3.3	01.7-04.9	34	3.0	01.6-04.4
\$50,000- 74,999	529	519,744	345	67.9	60.3-75.5	61	9.7	05.8-13.6	53	11.1	05.6-16.6	44	7.6	02.5-12.7	26	3.8	01.8-05.8
\$75,000+	768	750,616	579	77.4	72.3-82.5	98	12.3	08.2-16.4	44	6.4	03.5-09.3	27	2.2	01.0-03.4	20	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1795	2,310,239	1197	68.7	64.8-72.6	148	8.6	06.2-11.0	138	7.0	05.0-09.0	124	7.7	05.2-10.2	188	8.1	05.9-10.3
White/Non-Hisp	1519	1,773,609	1024	67.8	63.5-72.1	126	9.8	06.9-12.7	113	7.5	05.1-09.9	98	6.8	04.3-09.3	158	8.1	05.7-10.5
Black or Afr. Am./Non-Hisp	180	352,979	118	77.7	68.5-86.9	15	4.7	01.8-07.6	15	5.7	00.8-10.6	11	3.2	00.5-05.9	21	8.8	01.7-15.9
18-24	57	301,134	44	83.1	71.3-94.9	5	4.3	00.0-08.8	3	3.1	00.0-06.8	4	9.2	00.0-20.0	1	0.4	00.0-01.2
25-34	121	419,258	88	75.4	64.6-86.2	13	11.4	03.4-19.4	11	9.3	01.5-17.1	6	2.4	00.0-04.9	3	1.5	00.0-03.7
35-44	198	427,066	136	64.2	54.0-74.4	19	12.0	05.3-18.7	19	7.7	02.8-12.6	12	9.1	02.2-16.0	12	7.0	00.7-13.3
45-54	327	434,393	204	65.2	57.2-73.2	34	7.7	04.0-11.4	29	8.9	04.6-13.2	21	5.0	02.1-07.9	39	13.2	06.3-20.1
55-64	470	359,383	295	61.7	53.7-69.7	38	8.9	04.8-13.0	33	6.0	02.9-09.1	41	10.7	05.0-16.4	63	12.8	07.3-18.3
65+	611	361,249	421	65.2	58.1-72.3	38	5.6	03.1-08.1	42	5.3	03.1-07.5	40	11.2	04.7-17.7	70	12.8	08.1-17.5
Less Than H.S.	216	383,592	113	48.2	37.4-59.0	12	4.9	01.4-08.4	16	6.5	02.2-10.8	28	20.8	10.4-31.2	47	19.5	10.5-28.5
H.S. or G.E.D.	557	782,788	360	67.4	60.7-74.1	46	10.2	05.7-14.7	43	7.2	03.3-11.1	36	6.3	03.2-09.4	72	8.9	05.2-12.6
Some Post-H.S.	481	618,661	328	73.2	65.8-80.6	26	6.7	02.2-11.2	43	8.3	03.8-12.8	37	6.3	02.2-10.4	47	5.5	02.6-08.4
College Graduate	538	522,515	394	80.3	75.0-85.6	64	10.9	06.4-15.4	35	5.4	02.7-08.1	23	1.7	00.7-02.7	22	1.5	00.7-02.3
Less than \$15,000	176	246,659	83	52.1	36.8-67.4	7	3.2	00.1-06.3	15	7.1	00.4-13.8	24	17.6	04.9-30.3	47	20.1	08.3-31.9
\$15,000- 24,999	349	404,664	225	63.1	53.5-72.7	22	5.3	02.6-08.0	18	4.6	01.5-07.7	26	10.0	03.3-16.7	58	17.1	09.1-25.1
\$25,000- 34,999	176	215,148	115	70.0	58.6-81.4	14	7.9	00.5-15.3	19	10.4	03.9-16.9	13	8.0	01.9-14.1	15	3.7	01.2-06.2
\$35,000- 49,999	202	265,575	147	70.2	57.1-83.3	21	17.7	06.3-29.1	17	8.5	00.0-17.7	7	1.8	00.0-03.8	10	1.8	00.4-03.2
\$50,000- 74,999	198	277,686	143	75.0	64.4-85.6	16	8.2	02.1-14.3	19	5.2	02.3-08.1	13	8.1	00.0-16.7	7	3.6	00.5-06.7
\$75,000+	321	423,347	240	78.2	71.5-84.9	42	11.5	06.2-16.8	18	6.9	02.6-11.2	11	1.9	00.5-03.3	10	1.5	00.3-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3943	2,467,910	2396	61.6	58.1-65.1	323	9.3	07.1-11.5	360	10.6	08.1-13.1	393	9.2	07.2-11.2	471	9.4	07.6-11.2
White/Non-Hisp	3256	1,938,986	1957	58.3	54.4-62.2	265	9.3	06.9-11.7	289	11.1	08.2-14.0	337	10.6	08.1-13.1	408	10.7	08.5-12.9
Black or Afr. Am./Non-Hisp	529	381,230	337	78.1	72.4-83.8	48	6.9	03.8-10.0	55	6.1	03.4-08.8	42	4.0	01.6-06.4	47	5.0	02.5-07.5
18-24	84	287,334	58	55.2	37.4-73.0	10	16.1	03.0-29.2	10	20.4	05.7-35.1	4	8.1	00.0-18.7	2	0.2	00.0-00.4
25-34	278	414,415	201	77.7	70.1-85.3	32	6.9	03.0-10.8	28	9.1	03.8-14.4	7	3.0	00.1-05.9	10	3.3	00.0-07.2
35-44	429	420,749	265	67.5	60.2-74.8	56	10.2	06.5-13.9	43	8.7	04.0-13.4	41	9.3	04.8-13.8	24	4.4	02.2-06.6
45-54	662	460,625	382	57.5	50.6-64.4	63	8.9	05.2-12.6	53	7.0	04.3-09.7	82	14.0	08.9-19.1	82	12.6	08.1-17.1
55-64	947	382,780	563	52.0	44.4-59.6	77	12.0	05.5-18.5	83	12.6	05.9-19.3	101	9.9	05.6-14.2	123	13.6	07.5-19.7
65+	1506	484,699	901	57.2	52.5-61.9	80	4.7	03.3-06.1	143	10.0	07.1-12.9	155	9.8	07.3-12.3	227	18.3	13.6-23.0
Less Than H.S.	530	431,087	249	47.7	39.1-56.3	23	4.2	01.8-06.6	45	7.6	04.3-10.9	84	18.1	11.2-25.0	129	22.4	15.3-29.5
H.S. or G.E.D.	1387	815,672	864	64.3	58.8-69.8	88	6.7	04.2-09.2	117	10.7	06.6-14.8	132	8.5	05.8-11.2	186	9.8	06.9-12.7
Some Post-H.S.	1116	731,990	670	59.2	51.8-66.6	107	14.7	08.8-20.6	119	12.9	07.2-18.6	112	7.0	03.3-10.7	108	6.2	03.7-08.7
College Graduate	895	483,627	602	72.5	65.8-79.2	105	9.9	06.2-13.6	79	9.9	04.6-15.2	63	5.6	02.3-08.9	46	2.2	01.2-03.2
Less than \$15,000	497	354,745	212	51.4	39.8-63.0	26	8.4	01.0-15.8	48	7.4	01.1-13.7	87	17.2	10.1-24.3	124	15.5	09.4-21.6
\$15,000- 24,999	904	512,641	571	61.8	54.0-69.6	46	6.0	01.5-10.5	75	9.5	04.2-14.8	92	12.5	06.4-18.6	120	10.3	07.6-13.0
\$25,000- 34,999	364	244,268	226	57.0	45.4-68.6	34	9.7	01.7-17.7	37	7.5	04.2-10.8	29	4.9	02.4-07.4	38	20.9	09.3-32.5
\$35,000- 49,999	373	249,100	239	66.4	56.4-76.4	32	9.8	02.7-16.9	48	14.6	05.8-23.4	30	4.8	02.3-07.3	24	4.3	01.9-06.7
\$50,000- 74,999	331	242,059	202	59.7	49.3-70.1	45	11.4	06.5-16.3	34	18.0	07.6-28.4	31	6.9	02.6-11.2	19	4.0	01.8-06.2
\$75,000+	447	327,269	339	76.3	68.7-83.9	56	13.4	06.7-20.1	26	5.7	01.6-09.8	16	2.7	00.9-04.5	10	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5787	4,789,613	4342	69.9	67.4-72.4	277	6.2	04.8-07.6	382	8.3	06.7-09.9	406	9.7	07.7-11.7	380	5.9	04.7-07.1
Male	1818	2,321,687	1445	75.7	72.0-79.4	76	5.3	03.3-07.3	95	7.2	04.8-09.6	99	7.0	04.6-09.4	103	4.6	03.2-06.0
Female	3969	2,467,926	2897	64.4	60.7-68.1	201	7.0	05.0-09.0	287	9.3	06.9-11.7	307	12.1	09.4-14.8	277	7.1	05.1-09.1
White/Non-Hisp	4817	3,731,376	3631	70.5	67.8-73.2	231	6.2	04.8-07.6	307	7.9	06.3-09.5	330	9.7	07.5-11.9	318	5.8	04.4-07.2
Black or Afr. Am./Non-Hisp	714	728,109	532	69.4	61.6-77.2	30	5.0	01.7-08.3	55	9.6	04.1-15.1	56	9.2	04.5-13.9	41	6.7	02.0-11.4
Oth. Race/Non-Hisp.	75	96,968	52	76.5	59.8-93.2	5	5.3	00.0-14.1	3	4.9	00.0-11.6	9	4.4	00.5-08.3	6	8.9	00.0-21.1
MultiRacial/Non-Hisp.	71	82,142	51	65.4	43.6-87.2	5	10.8	00.0-23.9	6	3.0	00.0-06.1	6	18.7	00.0-39.3	3	2.2	00.0-05.1
Hispanic	75	136,730	51	53.8	31.3-76.3	4	11.7	00.0-28.4	10	20.3	01.1-39.5	4	10.7	00.0-26.2	6	3.4	00.1-06.7
18-24	142	580,553	95	65.9	54.3-77.5	8	4.5	00.0-09.2	17	10.7	03.6-17.8	13	14.3	05.1-23.5	9	4.6	00.0-09.9
25-34	395	825,879	270	66.7	59.1-74.3	32	10.3	05.4-15.2	43	10.4	05.1-15.7	30	7.9	03.6-12.2	20	4.6	01.3-07.9
35-44	621	841,591	409	64.7	58.4-71.0	60	7.4	04.7-10.1	60	11.1	06.8-15.4	57	12.0	07.5-16.5	35	4.8	02.4-07.2
45-54	998	897,883	668	66.7	61.4-72.0	54	5.5	03.1-07.9	81	6.7	04.5-08.9	107	12.6	08.1-17.1	88	8.4	05.3-11.5
55-64	1425	759,258	1050	70.6	65.3-75.9	62	7.3	03.4-11.2	86	7.3	04.0-10.6	114	7.9	05.2-10.6	113	6.8	04.4-09.2
65+	2157	860,054	1813	83.7	80.2-87.2	57	2.0	01.4-02.6	92	4.1	02.5-05.7	83	4.6	01.9-07.3	112	5.6	03.4-07.8
Less Than H.S.	761	824,766	533	64.0	57.1-70.9	21	5.7	01.8-09.6	37	7.3	03.0-11.6	80	13.2	08.3-18.1	90	9.8	06.1-13.5
H.S. or G.E.D.	1967	1,615,377	1493	71.0	66.7-75.3	67	4.6	02.6-06.6	123	8.8	06.1-11.5	133	8.7	05.8-11.6	151	6.9	04.5-09.3
Some Post-H.S.	1599	1,339,182	1202	71.7	66.4-77.0	69	4.3	02.1-06.5	110	8.9	05.6-12.2	122	10.4	06.3-14.5	96	4.7	02.5-06.9
College Graduate	1439	1,001,902	1096	70.4	65.1-75.7	119	11.7	08.0-15.4	112	7.7	04.8-10.6	70	7.4	03.9-10.9	42	2.7	00.9-04.5
Less than \$15,000	681	600,789	387	47.9	38.7-57.1	31	6.7	02.0-11.4	49	12.3	05.4-19.2	90	18.0	10.2-25.8	124	15.2	09.5-20.9
\$15,000- 24,999	1262	937,417	964	69.5	63.4-75.6	47	5.8	02.3-09.3	70	8.8	04.7-12.9	95	10.3	06.4-14.2	86	5.6	03.6-07.6
\$25,000- 34,999	543	459,593	422	72.5	64.7-80.3	14	2.3	00.0-04.7	44	9.9	05.0-14.8	34	8.3	03.4-13.2	29	7.0	01.9-12.1
\$35,000- 49,999	579	516,323	441	73.8	66.5-81.1	31	7.8	03.1-12.5	48	8.4	04.3-12.5	39	6.8	02.5-11.1	20	3.2	01.0-05.4
\$50,000- 74,999	533	522,676	408	69.7	61.7-77.7	37	8.1	04.0-12.2	46	10.4	05.3-15.5	30	10.7	04.0-17.4	12	1.1	00.1-02.1
\$75,000+	768	743,760	600	76.5	71.0-82.0	68	8.8	05.5-12.1	47	4.9	02.9-06.9	35	7.1	03.0-11.2	18	2.6	00.4-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	2,321,687	1445	75.7	72.0-79.4	76	5.3	03.3-07.3	95	7.2	04.8-09.6	99	7.0	04.6-09.4	103	4.6	03.2-06.0
White/Non-Hisp	1539	1,791,055	1242	78.0	74.3-81.7	60	4.9	02.9-06.9	75	6.3	04.1-08.5	80	6.3	03.9-08.7	82	4.5	03.1-05.9
Black or Afr. Am./Non-Hisp	182	347,213	135	70.5	58.2-82.8	7	3.3	00.2-06.4	17	13.3	02.9-23.7	12	8.6	00.6-16.6	11	4.4	00.1-08.7
18-24	56	293,560	41	79.0	66.1-91.9	5	8.2	00.0-17.2	4	3.9	00.0-07.8	4	8.2	00.0-18.0	2	0.7	00.0-01.7
25-34	121	415,624	88	69.6	58.0-81.2	8	7.1	01.4-12.8	13	14.0	04.6-23.4	8	7.3	00.8-13.8	4	2.1	00.0-04.6
35-44	197	423,638	139	67.3	57.9-76.7	15	6.7	02.2-11.2	17	13.4	05.8-21.0	16	7.7	02.6-12.8	10	4.9	01.4-08.4
45-54	334	443,149	246	76.5	69.4-83.6	12	4.1	01.4-06.8	21	4.5	02.0-07.0	23	7.4	01.9-12.9	32	7.5	03.6-11.4
55-64	474	365,321	374	78.6	72.5-84.7	19	4.8	01.3-08.3	20	3.4	01.0-05.8	31	6.5	03.4-09.6	30	6.7	03.2-10.2
65+	626	373,135	548	85.5	79.0-92.0	16	1.7	00.7-02.7	20	2.6	01.0-04.2	17	5.2	00.0-11.1	25	5.0	01.5-08.5
Less Than H.S.	227	397,753	162	60.8	50.0-71.6	8	9.0	01.6-16.4	12	7.7	01.4-14.0	18	14.2	05.2-23.2	27	8.2	03.9-12.5
H.S. or G.E.D.	565	781,937	442	76.8	70.7-82.9	20	3.7	01.5-05.9	36	9.4	04.7-14.1	28	5.6	02.3-08.9	39	4.5	02.5-06.5
Some Post-H.S.	484	623,724	397	83.2	76.9-89.5	17	1.5	00.7-02.3	24	6.7	02.0-11.4	25	5.5	01.4-09.6	21	3.1	00.7-05.5
College Graduate	539	515,590	441	76.6	69.5-83.7	31	9.7	04.8-14.6	23	4.2	01.3-07.1	28	5.5	01.4-09.6	16	4.0	00.7-07.3
Less than \$15,000	180	248,634	100	51.8	36.5-67.1	10	5.0	00.5-09.5	17	15.3	03.1-27.5	18	14.3	02.0-26.6	35	13.6	06.0-21.2
\$15,000- 24,999	354	407,883	283	72.4	63.2-81.6	14	8.4	01.5-15.3	15	7.7	01.4-14.0	17	5.8	01.9-09.7	25	5.7	02.4-09.0
\$25,000- 34,999	177	216,133	141	76.8	65.4-88.2	1	0.0	00.0-00.0	14	10.2	02.6-17.8	12	11.2	01.8-20.6	9	1.7	00.3-03.1
\$35,000- 49,999	207	271,145	165	80.4	71.2-89.6	11	5.0	00.7-09.3	11	3.4	00.3-06.5	11	6.7	00.0-13.6	9	4.5	00.6-08.4
\$50,000- 74,999	201	281,645	172	79.5	68.5-90.5	10	6.5	00.6-12.4	7	5.2	00.1-10.3	11	8.7	00.0-17.9	1	0.1	00.0-00.3
\$75,000+	320	415,900	271	82.0	75.3-88.7	21	8.5	03.4-13.6	12	4.0	01.3-06.7	10	2.1	00.3-03.9	6	3.3	00.0-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3969	2,467,926	2897	64.4	60.9-67.9	201	7.0	05.0-09.0	287	9.3	06.9-11.7	307	12.1	09.4-14.8	277	7.1	05.1-09.1
White/Non-Hisp	3278	1,940,322	2389	63.6	59.7-67.5	171	7.3	05.1-09.5	232	9.3	06.9-11.7	250	12.8	09.5-16.1	236	7.0	05.0-09.0
Black or Afr. Am./Non-Hisp	532	380,896	397	68.4	58.6-78.2	23	6.6	01.1-12.1	38	6.3	02.0-10.6	44	9.8	04.5-15.1	30	8.9	01.1-16.7
18-24	86	286,993	54	52.4	34.6-70.2	3	0.7	00.0-01.9	13	17.7	04.6-30.8	9	20.5	05.0-36.0	7	8.7	00.0-19.3
25-34	274	410,255	182	63.8	54.0-73.6	24	13.6	06.0-21.2	30	6.8	02.7-10.9	22	8.6	03.1-14.1	16	7.3	01.0-13.6
35-44	424	417,953	270	62.0	54.0-70.0	45	8.1	04.6-11.6	43	8.8	04.7-12.9	41	16.3	09.2-23.4	25	4.8	01.9-07.7
45-54	664	454,734	422	57.2	49.9-64.5	42	7.0	03.1-10.9	60	8.8	05.3-12.3	84	17.7	11.0-24.4	56	9.3	04.6-14.0
55-64	951	393,937	676	63.2	55.4-71.0	43	9.7	03.2-16.2	66	11.0	05.1-16.9	83	9.3	04.8-13.8	83	6.9	03.6-10.2
65+	1531	486,919	1265	82.3	78.6-86.0	41	2.3	01.3-03.3	72	5.3	02.9-07.7	66	4.1	02.7-05.5	87	6.0	03.3-08.7
Less Than H.S.	534	427,014	371	67.0	59.0-75.0	13	2.6	00.4-04.8	25	6.9	01.2-12.6	62	12.3	08.0-16.6	63	11.3	05.4-17.2
H.S. or G.E.D.	1402	833,440	1051	65.5	59.4-71.6	47	5.4	02.3-08.5	87	8.2	05.1-11.3	105	11.6	06.9-16.3	112	9.1	05.0-13.2
Some Post-H.S.	1115	715,458	805	61.6	54.2-69.0	52	6.8	03.1-10.5	86	10.8	05.9-15.7	97	14.5	07.8-21.2	75	6.2	02.5-09.9
College Graduate	900	486,312	655	63.9	56.1-71.7	88	13.9	08.0-19.8	89	11.4	06.3-16.5	42	9.5	03.8-15.2	26	1.3	00.5-02.1
Less than \$15,000	501	352,156	287	45.1	33.7-56.5	21	7.9	00.6-15.2	32	10.1	02.1-18.1	72	20.6	10.4-30.8	89	16.4	08.2-24.6
\$15,000- 24,999	908	529,534	681	67.2	59.4-75.0	33	3.9	00.6-07.2	55	9.6	03.9-15.3	78	13.8	07.7-19.9	61	5.6	03.1-08.1
\$25,000- 34,999	366	243,460	281	68.7	57.9-79.5	13	4.3	00.0-08.8	30	9.7	03.2-16.2	22	5.6	02.3-08.9	20	11.7	02.5-20.9
\$35,000- 49,999	372	245,179	276	66.5	56.1-76.9	20	11.0	02.8-19.2	37	13.8	06.2-21.4	28	7.0	01.7-12.3	11	1.7	00.5-02.9
\$50,000- 74,999	332	241,032	236	58.2	47.4-69.0	27	10.1	04.2-16.0	39	16.4	07.2-25.6	19	13.0	03.2-22.8	11	2.3	00.3-04.3
\$75,000+	448	327,860	329	69.6	60.8-78.4	47	9.2	05.3-13.1	35	6.0	03.5-08.5	25	13.5	04.9-22.1	12	1.8	00.4-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2785	2,373,456	1451	59.4	55.5-63.3	211	7.1	05.1-09.1	287	10.8	08.3-13.3	415	12.3	09.8-14.8	421	10.3	08.3-12.3
Male	763	1,004,715	409	62.1	56.0-68.2	54	7.7	04.0-11.4	81	10.3	06.2-14.4	98	8.8	05.7-11.9	121	11.1	08.0-14.2
Female	2022	1,368,741	1042	57.5	52.4-62.6	157	6.7	04.5-08.9	206	11.2	07.9-14.5	317	14.9	11.0-18.8	300	9.7	07.2-12.2
White/Non-Hisp	2324	1,904,016	1211	59.0	54.7-63.3	172	7.6	05.2-10.0	234	10.7	08.0-13.4	347	12.7	09.8-15.6	360	9.9	07.9-11.9
Black or Afr. Am./Non-Hisp	335	304,224	183	59.1	47.1-71.1	24	5.2	00.0-10.7	41	13.0	03.4-22.6	48	8.2	04.5-11.9	39	14.6	05.4-23.8
18-24	62	276,720	42	66.2	48.8-83.6	7	6.6	00.0-14.4	5	9.3	00.0-19.7	5	12.8	00.0-26.1	3	5.1	00.0-13.7
25-34	185	395,843	107	65.8	54.8-76.8	34	13.1	05.7-20.5	20	10.6	03.0-18.2	18	7.2	01.7-12.7	6	3.2	00.0-07.3
35-44	312	434,422	168	58.8	49.4-68.2	37	7.4	02.3-12.5	40	14.8	07.4-22.2	36	11.0	05.5-16.5	31	8.0	03.5-12.5
45-54	526	451,665	259	57.0	49.6-64.4	44	5.3	03.1-07.5	48	7.8	04.7-10.9	83	13.5	08.4-18.6	92	16.4	10.9-21.9
55-64	705	407,876	342	50.4	42.2-58.6	50	7.0	02.3-11.7	71	12.5	06.2-18.8	127	18.0	11.7-24.3	115	12.1	08.4-15.8
65+	977	396,251	523	60.8	55.1-66.5	37	3.4	01.6-05.2	103	9.7	06.8-12.6	143	11.6	08.5-14.7	171	14.5	11.4-17.6
Less Than H.S.	461	533,751	214	54.8	46.0-63.6	14	4.2	00.1-08.3	39	11.5	04.8-18.2	87	15.4	09.9-20.9	107	14.1	09.8-18.4
H.S. or G.E.D.	928	765,487	486	61.6	55.1-68.1	50	5.7	02.4-09.0	89	7.9	04.8-11.0	148	12.7	08.2-17.2	155	12.0	07.7-16.3
Some Post-H.S.	753	638,453	375	57.4	49.0-65.8	73	9.8	05.3-14.3	80	11.3	05.6-17.0	115	13.1	07.0-19.2	110	8.4	04.9-11.9
College Graduate	634	434,283	371	64.2	56.2-72.2	74	9.3	04.8-13.8	79	14.6	08.5-20.7	64	6.6	02.5-10.7	46	5.3	02.4-08.2
Less than \$15,000	472	402,586	173	52.3	41.3-63.3	19	4.4	00.3-08.5	51	8.4	02.1-14.7	106	19.6	11.6-27.6	123	15.2	10.1-20.3
\$15,000- 24,999	576	492,837	289	51.7	42.3-61.1	30	4.7	00.4-09.0	56	16.4	08.4-24.4	99	16.5	09.1-23.9	102	10.6	06.9-14.3
\$25,000- 34,999	240	211,760	122	50.4	37.3-63.5	23	14.0	02.6-25.4	34	12.9	04.7-21.1	33	8.8	04.1-13.5	28	13.9	04.1-23.7
\$35,000- 49,999	262	243,568	158	70.9	60.5-81.3	24	11.2	02.8-19.6	27	5.6	02.7-08.5	32	7.2	03.3-11.1	21	5.1	01.2-09.0
\$50,000- 74,999	245	245,859	147	70.5	59.9-81.1	28	5.6	02.7-08.5	27	15.2	05.6-24.8	28	6.2	01.5-10.9	15	2.4	00.8-04.0
\$75,000+	299	289,126	187	71.7	63.9-79.5	49	10.8	06.3-15.3	28	7.9	03.8-12.0	19	4.1	01.4-06.8	16	5.5	00.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	763	1,004,715	409	62.1	56.0-68.2	54	7.7	04.0-11.4	81	10.3	06.2-14.4	98	8.8	05.7-11.9	121	11.1	08.2-14.0
White/Non-Hisp	632	777,992	333	61.3	54.6-68.0	47	8.4	04.1-12.7	70	10.3	06.2-14.4	78	8.5	05.0-12.0	104	11.6	08.3-14.9
Black or Afr. Am./Non-Hisp	83	138,606	51	64.2	44.6-83.8	4	7.3	00.0-18.9	7	10.5	00.0-26.8	12	6.8	00.9-12.7	9	11.3	00.5-22.1
25-34	58	208,154	34	65.5	48.4-82.6	10	16.4	03.1-29.7	6	11.7	00.0-24.2	6	5.4	00.1-10.7	2	1.0	00.0-02.6
35-44	83	217,708	48	60.2	44.9-75.5	3	5.1	00.0-14.5	12	16.7	04.4-29.0	11	9.4	01.4-17.4	9	8.6	01.2-16.0
45-54	156	188,403	80	58.8	46.8-70.8	17	7.3	03.0-11.6	15	8.2	02.5-13.9	15	6.2	01.9-10.5	29	19.5	09.9-29.1
55-64	214	168,996	101	48.3	36.5-60.1	12	3.2	00.5-05.9	24	9.8	04.5-15.1	37	20.7	09.5-31.9	40	18.0	10.2-25.8
65+	231	150,138	130	67.8	58.6-77.0	9	3.7	00.0-07.4	24	7.2	03.5-10.9	29	7.0	03.5-10.5	39	14.3	08.2-20.4
Less Than H.S.	127	255,585	69	61.7	48.0-75.4	4	5.5	00.0-13.7	10	10.1	00.1-20.1	15	8.2	02.1-14.3	29	14.5	06.9-22.1
H.S. or G.E.D.	246	345,205	127	62.2	52.0-72.4	12	8.1	01.2-15.0	26	6.8	03.1-10.5	36	12.3	05.2-19.4	45	10.7	06.0-15.4
Some Post-H.S.	194	216,680	99	60.3	47.2-73.4	13	5.4	01.5-09.3	21	14.3	02.7-25.9	30	8.8	04.1-13.5	31	11.2	04.3-18.1
College Graduate	195	187,157	113	64.5	52.3-76.7	25	12.6	03.0-22.2	24	12.5	04.5-20.5	17	3.4	01.2-05.6	16	7.0	01.5-12.5
Less than \$15,000	121	168,527	42	54.8	37.2-72.4	7	7.1	00.0-16.1	15	13.4	00.0-27.3	24	9.4	02.9-15.9	33	15.3	06.7-23.9
\$15,000- 24,999	152	196,376	83	53.5	38.6-68.4	5	6.8	00.0-17.2	14	16.4	03.9-28.9	18	7.6	02.7-12.5	32	15.7	07.1-24.3
\$25,000- 34,999	69	80,090	32	50.7	30.7-70.7	8	17.3	00.0-36.7	9	12.2	00.0-24.9	8	11.2	01.6-20.8	12	8.6	01.9-15.3
\$35,000- 49,999	80	115,752	54	74.9	58.0-91.8	7	11.2	00.0-25.7	2	0.4	00.0-01.0	9	7.0	00.3-13.7	8	6.5	00.0-14.1
\$50,000- 74,999	75	103,885	51	78.1	64.0-92.2	4	1.5	00.0-03.3	12	16.2	02.9-29.5	6	2.6	00.1-05.1	2	1.7	00.0-04.1
\$75,000+	109	147,377	67	68.5	56.0-81.0	16	10.8	03.4-18.2	13	9.6	02.5-16.7	5	2.5	00.0-05.6	8	8.5	00.0-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	1,368,741	1042	57.5	52.4-62.6	157	6.7	04.5-08.9	206	11.2	07.9-14.5	317	14.9	11.0-18.8	300	9.7	07.2-12.2
White/Non-Hisp	1692	1,126,024	878	57.5	51.8-63.2	125	7.1	04.4-09.8	164	11.0	07.3-14.7	269	15.7	11.4-20.0	256	8.8	06.4-11.2
Black or Afr. Am./Non-Hisp	252	165,618	132	54.9	40.0-69.8	20	3.4	01.0-05.8	34	15.1	03.7-26.5	36	9.3	04.4-14.2	30	17.3	03.6-31.0
25-34	127	187,689	73	66.2	52.3-80.1	24	9.4	04.5-14.3	14	9.5	01.1-17.9	12	9.2	00.0-19.0	4	5.7	00.0-13.9
35-44	229	216,714	120	57.4	46.4-68.4	34	9.7	05.6-13.8	28	12.9	04.7-21.1	25	12.6	05.0-20.2	22	7.4	02.5-12.3
45-54	370	263,262	179	55.7	46.1-65.3	27	3.8	01.8-05.8	33	7.6	04.3-10.9	68	18.7	10.7-26.7	63	14.2	07.7-20.7
55-64	491	238,881	241	51.9	40.3-63.5	38	9.7	01.9-17.5	47	14.3	04.3-24.3	90	16.1	08.8-23.4	75	7.9	05.2-10.6
65+	746	246,112	393	56.5	49.8-63.2	28	3.2	01.6-04.8	79	11.3	07.2-15.4	114	14.4	09.9-18.9	132	14.6	11.3-17.9
Less Than H.S.	334	278,166	145	48.5	37.5-59.5	10	3.0	00.8-05.2	29	12.7	03.9-21.5	72	22.1	13.7-30.5	78	13.7	09.2-18.2
H.S. or G.E.D.	682	420,282	359	61.2	52.8-69.6	38	3.8	02.0-05.6	63	8.9	04.0-13.8	112	13.1	07.4-18.8	110	13.0	06.3-19.7
Some Post-H.S.	559	421,774	276	56.0	45.0-67.0	60	12.0	05.3-18.7	59	9.7	03.6-15.8	85	15.3	06.5-24.1	79	7.0	03.1-10.9
College Graduate	439	247,127	258	64.0	53.4-74.6	49	6.8	04.1-09.5	55	16.1	07.3-24.9	47	9.1	02.2-16.0	30	4.0	00.9-07.1
Less than \$15,000	351	234,059	131	50.6	36.5-64.7	12	2.5	00.5-04.5	36	4.9	02.5-07.3	82	26.9	14.6-39.2	90	15.1	09.0-21.2
\$15,000- 24,999	424	296,461	206	50.6	38.6-62.6	25	3.4	01.6-05.2	42	16.4	06.2-26.6	81	22.4	11.2-33.6	70	7.3	04.8-09.8
\$25,000- 34,999	171	131,669	90	50.3	33.1-67.5	15	11.9	00.0-25.8	25	13.4	02.8-24.0	25	7.2	02.5-11.9	16	17.2	02.3-32.1
\$35,000- 49,999	182	127,817	104	67.3	54.8-79.8	17	11.2	01.6-20.8	25	10.4	04.9-15.9	23	7.3	03.0-11.6	13	3.8	01.1-06.5
\$50,000- 74,999	170	141,974	96	65.0	50.5-79.5	24	8.6	03.5-13.7	15	14.5	00.8-28.2	22	8.9	01.1-16.7	13	3.0	00.8-05.2
\$75,000+	190	141,750	120	74.9	65.9-83.9	33	10.7	05.6-15.8	15	6.2	02.3-10.1	14	5.9	01.2-10.6	8	2.3	00.1-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5903	4,870,088	5231	82.0	79.6-84.4	672	18.0	15.6-20.4
Male	1833	2,342,088	1582	79.3	75.6-83.0	251	20.7	17.0-24.4
Female	4070	2,528,001	3649	84.5	81.6-87.4	421	15.5	12.6-18.4
White/Non-Hisp	4920	3,797,234	4402	83.5	81.0-86.0	518	16.5	14.0-19.0
Black or Afr. Am./Non-Hisp	725	742,035	608	77.8	70.7-84.9	117	22.2	15.1-29.3
Oth. Race/Non-Hisp.	75	97,076	65	89.9	79.7-0100	10	10.1	00.0-20.3
MultiRacial/Non-Hisp.	71	82,066	66	90.0	77.8-0100	5	10.0	00.0-22.2
Hispanic	76	136,895	57	54.8	32.3-77.3	19	45.2	22.7-67.7
18-24	142	586,017	105	75.9	66.1-85.7	37	24.1	14.3-33.9
25-34	401	838,587	323	74.1	66.7-81.5	78	25.9	18.5-33.3
35-44	632	858,508	513	75.4	69.1-81.7	119	24.6	18.3-30.9
45-54	1012	912,963	832	80.1	75.6-84.6	180	19.9	15.4-24.4
55-64	1453	765,312	1252	85.6	81.9-89.3	201	14.4	10.7-18.1
65+	2212	883,387	2160	98.5	97.9-99.1	52	1.5	00.9-02.1
Less Than H.S.	787	846,696	672	77.1	70.8-83.4	115	22.9	16.6-29.2
H.S. or G.E.D.	2006	1,636,125	1716	78.3	74.2-82.4	290	21.7	17.6-25.8
Some Post-H.S.	1629	1,363,441	1442	83.8	79.3-88.3	187	16.2	11.7-20.7
College Graduate	1459	1,014,754	1383	89.6	85.3-93.9	76	10.4	06.1-14.7
Less than \$15,000	704	613,713	555	65.6	56.6-74.6	149	34.4	25.4-43.4
\$15,000- 24,999	1294	950,014	1068	70.5	64.4-76.6	226	29.5	23.4-35.6
\$25,000- 34,999	553	465,911	492	85.9	80.2-91.6	61	14.1	08.4-19.8
\$35,000- 49,999	587	522,082	537	85.6	78.5-92.7	50	14.4	07.3-21.5
\$50,000- 74,999	539	526,653	513	89.0	82.7-95.3	26	11.0	04.7-17.3
\$75,000+	773	752,592	753	96.7	94.5-98.9	20	3.3	01.1-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1833	2,342,088	1582	79.3	75.6-83.0	251	20.7	17.0-24.4
White/Non-Hisp	1551	1,801,863	1346	79.8	75.7-83.9	205	20.2	16.1-24.3
Black or Afr. Am./Non-Hisp	185	357,422	156	77.6	66.2-89.0	29	22.4	11.0-33.8
18-24	56	298,231	33	63.1	47.6-78.6	23	36.9	21.4-52.4
25-34	122	423,071	88	68.3	56.3-80.3	34	31.7	19.7-43.7
35-44	197	425,954	148	73.8	64.4-83.2	49	26.2	16.8-35.6
45-54	336	445,713	269	82.3	76.0-88.6	67	17.7	11.4-24.0
55-64	479	366,657	415	88.0	83.9-92.1	64	12.0	07.9-16.1
65+	632	374,707	618	98.4	97.4-99.4	14	1.6	00.6-02.6
Less Than H.S.	230	402,245	185	72.0	61.6-82.4	45	28.0	17.6-38.4
H.S. or G.E.D.	571	790,188	470	78.5	72.6-84.4	101	21.5	15.6-27.4
Some Post-H.S.	486	623,492	414	78.7	70.7-86.7	72	21.3	13.3-29.3
College Graduate	543	523,480	510	86.9	79.8-94.0	33	13.1	06.0-20.2
Less than \$15,000	183	253,054	124	55.1	39.8-70.4	59	44.9	29.6-60.2
\$15,000- 24,999	357	408,382	287	71.1	61.5-80.7	70	28.9	19.3-38.5
\$25,000- 34,999	179	218,327	152	79.9	69.7-90.1	27	20.1	09.9-30.3
\$35,000- 49,999	208	271,656	187	82.5	70.5-94.5	21	17.5	05.5-29.5
\$50,000- 74,999	202	281,851	191	85.1	74.3-95.9	11	14.9	04.1-25.7
\$75,000+	321	423,347	314	96.6	93.5-99.7	7	3.4	00.3-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4070	2,528,001	3649	84.5	81.6-87.4	421	15.5	12.6-18.4
White/Non-Hisp	3369	1,995,371	3056	86.8	84.1-89.5	313	13.2	10.5-15.9
Black or Afr. Am./Non-Hisp	540	384,613	452	77.9	69.3-86.5	88	22.1	13.5-30.7
Hispanic	51	75,342	40	50.0	19.0-81.0	11	50.0	19.0-81.0
18-24	86	287,786	72	89.2	79.0-99.4	14	10.8	00.6-21.0
25-34	279	415,516	235	80.1	71.1-89.1	44	19.9	10.9-28.9
35-44	435	432,554	365	77.0	69.0-85.0	70	23.0	15.0-31.0
45-54	676	467,250	563	78.0	71.5-84.5	113	22.0	15.5-28.5
55-64	974	398,655	837	83.4	77.5-89.3	137	16.6	10.7-22.5
65+	1580	508,680	1542	98.5	97.9-99.1	38	1.5	00.9-02.1
Less Than H.S.	557	444,451	487	81.8	74.5-89.1	70	18.2	10.9-25.5
H.S. or G.E.D.	1435	845,938	1246	78.2	72.7-83.7	189	21.8	16.3-27.3
Some Post-H.S.	1143	739,949	1028	88.0	83.1-92.9	115	12.0	07.1-16.9
College Graduate	916	491,274	873	92.5	88.0-97.0	43	7.5	03.0-12.0
Less than \$15,000	521	360,658	431	73.0	62.4-83.6	90	27.0	16.4-37.6
\$15,000- 24,999	937	541,633	781	70.0	62.0-78.0	156	30.0	22.0-38.0
\$25,000- 34,999	374	247,584	340	91.2	85.9-96.5	34	8.8	03.5-14.1
\$35,000- 49,999	379	250,425	350	88.9	82.0-95.8	29	11.1	04.2-18.0
\$50,000- 74,999	337	244,802	322	93.6	89.5-97.7	15	6.4	02.3-10.5
\$75,000+	452	329,245	439	96.9	94.5-99.3	13	3.1	00.7-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5908	4,872,915	5071	75.1	72.4-77.8	165	3.0	02.0-04.0	672	21.9	19.4-24.4
Male	1834	2,344,735	1485	70.3	66.0-74.6	55	3.0	01.4-04.6	294	26.7	22.6-30.8
Female	4074	2,528,180	3586	79.6	76.3-82.9	110	3.0	01.6-04.4	378	17.4	14.1-20.7
White/Non-Hisp	4923	3,798,820	4257	76.6	73.7-79.5	141	2.9	01.9-03.9	525	20.5	17.6-23.4
Black or Afr. Am./Non-Hisp	724	741,094	605	70.1	62.1-78.1	18	2.5	00.0-05.4	101	27.3	19.5-35.1
Oth. Race/Non-Hisp.	76	97,451	57	72.0	50.6-93.4	3	10.4	00.0-28.8	16	17.5	02.4-32.6
MultiRacial/Non-Hisp.	72	82,759	65	73.7	51.6-95.8	2	8.1	00.0-21.6	5	18.3	00.0-38.7
Hispanic	77	138,007	56	63.6	41.5-85.7	1	0.1	00.0-00.3	20	36.3	14.2-58.4
18-24	144	589,614	90	58.9	47.1-70.7	5	2.6	00.0-05.9	49	38.5	26.7-50.3
25-34	402	838,963	282	55.2	47.2-63.2	14	5.5	01.4-09.6	106	39.3	31.1-47.5
35-44	632	859,003	497	73.4	67.1-79.7	12	2.8	00.1-05.5	123	23.8	17.7-29.9
45-54	1011	911,578	842	80.1	75.4-84.8	18	1.4	00.4-02.4	151	18.4	13.7-23.1
55-64	1451	764,864	1272	86.4	82.3-90.5	38	1.7	00.9-02.5	141	11.9	07.8-16.0
65+	2216	883,327	2042	91.1	88.6-93.6	77	3.9	02.3-05.5	97	5.0	02.8-07.2
Less Than H.S.	785	844,996	655	72.7	66.0-79.4	28	2.1	01.1-03.1	102	25.1	18.4-31.8
H.S. or G.E.D.	2010	1,639,537	1712	74.5	70.0-79.0	52	3.4	01.6-05.2	246	22.1	17.6-26.6
Some Post-H.S.	1632	1,364,820	1404	75.4	69.9-80.9	49	2.5	00.5-04.5	179	22.0	16.5-27.5
College Graduate	1458	1,014,239	1283	77.7	72.2-83.2	35	3.7	01.0-06.4	140	18.6	13.5-23.7
Less than \$15,000	704	613,617	559	65.4	56.4-74.4	24	2.6	00.4-04.8	121	32.1	23.1-41.1
\$15,000- 24,999	1293	948,128	1086	72.7	66.6-78.8	34	2.4	00.4-04.4	173	24.9	18.8-31.0
\$25,000- 34,999	553	465,911	481	75.8	66.8-84.8	14	5.5	00.0-11.2	58	18.6	10.4-26.8
\$35,000- 49,999	587	522,082	521	77.0	68.2-85.8	12	4.5	00.0-09.4	54	18.5	10.3-26.7
\$50,000- 74,999	539	526,653	480	77.7	69.7-85.7	13	2.9	00.2-05.6	46	19.4	11.6-27.2
\$75,000+	772	752,077	691	87.1	82.6-91.6	22	1.7	00.7-02.7	59	11.2	06.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	2,344,735	1485	70.3	66.2-74.4	55	3.0	01.4-04.6	294	26.7	22.6-30.8
White/Non-Hisp	1553	1,804,394	1267	70.3	65.6-75.0	49	3.1	01.5-04.7	237	26.5	21.8-31.2
Black or Afr. Am./Non-Hisp	183	356,426	142	67.3	54.8-79.8	5	3.8	00.0-09.9	36	28.9	16.7-41.1
18-24	57	301,134	30	53.2	36.9-69.5	2	1.3	00.0-03.3	25	45.4	29.1-61.7
25-34	122	423,071	73	45.4	33.1-57.7	4	6.3	00.0-13.2	45	48.3	35.6-61.0
35-44	197	426,448	130	65.9	55.9-75.9	3	3.5	00.0-08.2	64	30.6	21.0-40.2
45-54	336	445,713	272	80.2	73.3-87.1	5	1.1	00.0-02.3	59	18.6	11.9-25.3
55-64	478	366,435	415	87.7	82.6-92.8	11	1.7	00.3-03.1	52	10.6	05.7-15.5
65+	633	374,178	556	87.7	82.6-92.8	30	3.7	01.9-05.5	47	8.6	03.7-13.5
Less Than H.S.	229	401,471	171	67.1	56.5-77.7	11	2.0	00.6-03.4	47	30.9	20.3-41.5
H.S. or G.E.D.	571	792,321	443	67.5	60.2-74.8	23	3.9	01.2-06.6	105	28.5	21.2-35.8
Some Post-H.S.	488	624,780	401	72.3	63.5-81.1	12	2.2	00.0-04.9	75	25.5	16.9-34.1
College Graduate	543	523,480	469	74.3	66.1-82.5	9	3.4	00.0-07.9	65	22.3	14.5-30.1
Less than \$15,000	182	252,832	118	59.5	44.4-74.6	11	2.2	00.4-04.0	53	38.2	23.1-53.3
\$15,000- 24,999	355	406,990	286	70.3	60.3-80.3	11	3.2	00.0-07.5	58	26.5	16.9-36.1
\$25,000- 34,999	179	218,327	145	70.8	56.9-84.7	5	6.8	00.0-16.6	29	22.4	10.1-34.7
\$35,000- 49,999	208	271,656	177	67.7	53.8-81.6	2	3.2	00.0-09.3	29	29.1	15.2-43.0
\$50,000- 74,999	202	281,851	177	71.9	59.4-84.4	4	2.4	00.0-05.7	21	25.8	13.3-38.3
\$75,000+	321	423,347	281	83.3	76.2-90.4	9	1.5	00.1-02.9	31	15.3	08.2-22.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4074	2,528,180	3586	79.6	76.3-82.9	110	3.0	01.6-04.4	378	17.4	14.3-20.5
White/Non-Hisp	3370	1,994,426	2990	82.3	79.0-85.6	92	2.7	01.5-03.9	288	15.0	11.7-18.3
Black or Afr. Am./Non-Hisp	541	384,668	463	72.8	62.8-82.8	13	1.4	00.4-02.4	65	25.8	15.8-35.8
MultiRacial/Non-Hisp.	50	38,122	44	56.2	23.1-89.3	2	17.6	00.0-44.8	4	26.3	00.0-60.8
Hispanic	51	75,342	39	64.4	33.2-95.6				12	35.6	04.4-66.8
18-24	87	288,480	60	64.8	47.7-81.9	3	3.9	00.0-10.6	24	31.3	14.6-48.0
25-34	280	415,892	209	65.1	55.1-75.1	10	4.7	00.0-09.4	61	30.2	20.4-40.0
35-44	435	432,554	367	80.9	73.6-88.2	9	2.1	00.0-04.8	59	17.1	10.0-24.2
45-54	675	465,865	570	80.0	73.5-86.5	13	1.8	00.4-03.2	92	18.2	11.7-24.7
55-64	973	398,430	857	85.1	78.8-91.4	27	1.8	01.0-02.6	89	13.1	06.8-19.4
65+	1583	509,148	1486	93.6	91.2-96.0	47	4.0	01.6-06.4	50	2.4	01.6-03.2
Less Than H.S.	556	443,525	484	77.8	69.6-86.0	17	2.3	00.7-03.9	55	19.9	11.5-28.3
H.S. or G.E.D.	1439	847,216	1269	81.0	75.5-86.5	29	2.9	00.7-05.1	141	16.2	10.9-21.5
Some Post-H.S.	1144	740,040	1003	78.1	71.0-85.2	37	2.8	00.1-05.5	104	19.1	12.2-26.0
College Graduate	915	490,758	814	81.2	74.1-88.3	26	4.1	00.8-07.4	75	14.7	08.2-21.2
Less than \$15,000	522	360,785	441	69.4	58.2-80.6	13	2.8	00.0-06.1	68	27.8	16.6-39.0
\$15,000- 24,999	938	541,139	800	74.4	66.8-82.0	23	1.8	00.6-03.0	115	23.7	16.1-31.3
\$25,000- 34,999	374	247,584	336	80.3	68.7-91.9	9	4.4	00.0-10.5	29	15.3	04.5-26.1
\$35,000- 49,999	379	250,425	344	87.2	79.0-95.4	10	5.8	00.0-13.2	25	7.0	02.5-11.5
\$50,000- 74,999	337	244,802	303	84.4	76.0-92.8	9	3.6	00.0-08.3	25	12.0	04.6-19.4
\$75,000+	451	328,730	410	92.0	87.3-96.7	13	2.0	00.6-03.4	28	5.9	01.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5902	4,869,560	951	20.9	18.5-23.3	4951	79.1	76.7-81.5
Male	1836	2,345,081	297	22.6	18.7-26.5	1539	77.4	73.5-81.3
Female	4066	2,524,479	654	19.3	16.4-22.2	3412	80.7	77.8-83.6
White/Non-Hisp	4918	3,796,351	743	19.2	16.7-21.7	4175	80.8	78.3-83.3
Black or Afr. Am./Non-Hisp	724	740,577	153	25.8	18.4-33.2	571	74.2	66.8-81.6
Oth. Race/Non-Hisp.	76	97,451	14	12.4	00.0-25.1	62	87.6	74.9-0100
MultiRacial/Non-Hisp.	72	82,759	12	19.8	03.3-36.3	60	80.2	63.7-96.7
Hispanic	77	138,007	22	46.8	24.7-68.9	55	53.2	31.1-75.3
18-24	142	588,923	29	20.2	10.6-29.8	113	79.8	70.2-89.4
25-34	402	838,963	98	27.7	20.3-35.1	304	72.3	64.9-79.7
35-44	632	859,448	136	26.0	19.9-32.1	496	74.0	67.9-80.1
45-54	1010	910,427	247	23.5	18.8-28.2	763	76.5	71.8-81.2
55-64	1450	763,881	264	18.3	14.0-22.6	1186	81.7	77.4-86.0
65+	2214	882,351	169	9.8	06.7-12.9	2045	90.2	87.1-93.3
Less Than H.S.	785	845,201	186	28.7	22.4-35.0	599	71.3	65.0-77.6
H.S. or G.E.D.	2008	1,638,719	359	21.8	17.7-25.9	1649	78.2	74.1-82.3
Some Post-H.S.	1629	1,362,181	280	21.1	16.4-25.8	1349	78.9	74.2-83.6
College Graduate	1457	1,014,136	122	12.8	08.1-17.5	1335	87.2	82.5-91.9
Less than \$15,000	704	613,470	221	42.4	33.2-51.6	483	57.6	48.4-66.8
\$15,000- 24,999	1294	948,206	266	27.6	21.9-33.3	1028	72.4	66.7-78.1
\$25,000- 34,999	553	465,911	85	20.5	13.4-27.6	468	79.5	72.4-86.6
\$35,000- 49,999	586	521,665	81	17.0	10.3-23.7	505	83.0	76.3-89.7
\$50,000- 74,999	539	526,653	51	13.8	07.3-20.3	488	86.2	79.7-92.7
\$75,000+	773	752,592	34	5.1	02.4-07.8	739	94.9	92.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	2,345,081	297	22.6	18.7-26.5	1539	77.4	73.5-81.3
White/Non-Hisp	1553	1,803,743	238	20.9	16.8-25.0	1315	79.1	75.0-83.2
Black or Afr. Am./Non-Hisp	185	357,422	37	30.1	17.8-42.4	148	69.9	57.6-82.2
18-24	57	301,134	16	24.2	10.7-37.7	41	75.8	62.3-89.3
25-34	122	423,071	35	33.6	21.4-45.8	87	66.4	54.2-78.6
35-44	198	427,066	44	28.6	18.8-38.4	154	71.4	61.6-81.2
45-54	336	445,713	75	20.4	13.3-27.5	261	79.6	72.5-86.7
55-64	479	366,657	79	15.7	10.4-21.0	400	84.3	79.0-89.6
65+	633	373,684	46	11.9	05.2-18.6	587	88.1	81.4-94.8
Less Than H.S.	230	402,245	59	34.5	23.7-45.3	171	65.5	54.7-76.3
H.S. or G.E.D.	573	793,161	104	20.8	14.7-26.9	469	79.2	73.1-85.3
Some Post-H.S.	487	623,511	89	22.9	15.3-30.5	398	77.1	69.5-84.7
College Graduate	543	523,480	45	16.2	08.6-23.8	498	83.8	76.2-91.4
Less than \$15,000	183	253,054	74	57.1	42.6-71.6	109	42.9	28.4-57.4
\$15,000- 24,999	357	408,382	83	31.7	22.3-41.1	274	68.3	58.9-77.7
\$25,000- 34,999	179	218,327	27	22.1	09.9-34.3	152	77.9	65.7-90.1
\$35,000- 49,999	208	271,656	26	20.1	08.7-31.5	182	79.9	68.5-91.3
\$50,000- 74,999	202	281,851	16	14.9	04.7-25.1	186	85.1	74.9-95.3
\$75,000+	321	423,347	17	6.6	02.1-11.1	304	93.4	88.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4066	2,524,479	654	19.3	16.4-22.2	3412	80.7	77.8-83.6
White/Non-Hisp	3365	1,992,608	505	17.7	14.8-20.6	2860	82.3	79.4-85.2
Black or Afr. Am./Non-Hisp	539	383,155	116	21.8	13.4-30.2	423	78.2	69.8-86.6
MultiRacial/Non-Hisp.	50	38,122	6	17.9	00.0-42.4	44	82.1	57.6-0100
Hispanic	51	75,342	13	50.5	19.5-81.5	38	49.5	18.5-80.5
18-24	85	287,789	13	16.0	02.7-29.3	72	84.0	70.7-97.3
25-34	280	415,892	63	21.7	13.7-29.7	217	78.3	70.3-86.3
35-44	434	432,382	92	23.5	16.2-30.8	342	76.5	69.2-83.8
45-54	674	464,714	172	26.5	20.2-32.8	502	73.5	67.2-79.8
55-64	971	397,224	185	20.7	14.0-27.4	786	79.3	72.6-86.0
65+	1581	508,667	123	8.2	06.0-10.4	1458	91.8	89.6-94.0
Less Than H.S.	555	442,956	127	23.5	17.6-29.4	428	76.5	70.6-82.4
H.S. or G.E.D.	1435	845,557	255	22.7	17.2-28.2	1180	77.3	71.8-82.8
Some Post-H.S.	1142	738,670	191	19.5	13.4-25.6	951	80.5	74.4-86.6
College Graduate	914	490,656	77	9.1	04.4-13.8	837	90.9	86.2-95.6
Less than \$15,000	521	360,415	147	32.1	21.7-42.5	374	67.9	57.5-78.3
\$15,000- 24,999	937	539,824	183	24.6	17.5-31.7	754	75.4	68.3-82.5
\$25,000- 34,999	374	247,584	58	19.1	11.3-26.9	316	80.9	73.1-88.7
\$35,000- 49,999	378	250,009	55	13.6	07.1-20.1	323	86.4	79.9-92.9
\$50,000- 74,999	337	244,802	35	12.5	05.1-19.9	302	87.5	80.1-94.9
\$75,000+	452	329,245	17	3.2	01.0-05.4	435	96.8	94.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5830	4,811,353	4893	75.3	72.8-77.8	406	9.6	07.8-11.4	208	5.5	04.1-06.9	300	8.8	07.0-10.6	23	0.8	00.2-01.4
Male	1806	2,300,964	1428	70.4	66.3-74.5	138	10.0	07.5-12.5	88	7.1	04.7-09.5	140	11.7	08.6-14.8	12	0.9	00.1-01.7
Female	4024	2,510,389	3465	79.9	76.8-83.0	268	9.3	06.9-11.7	120	3.9	02.5-05.3	160	6.2	04.2-08.2	11	0.7	00.0-01.7
White/Non-Hisp	4854	3,743,682	4052	74.4	71.7-77.1	347	10.0	08.0-12.0	179	6.3	04.7-07.9	257	8.8	06.8-10.8	19	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	721	738,616	635	81.5	74.6-88.4	42	7.2	03.1-11.3	20	2.0	00.8-03.2	22	8.2	02.5-13.9	2	1.1	00.0-03.1
Oth. Race/Non-Hisp.	75	97,022	66	84.2	68.9-99.5	4	3.4	00.0-08.7	2	6.8	00.0-18.6	3	5.6	00.0-14.6			
MultiRacial/Non-Hisp.	71	82,020	58	74.0	53.2-94.8	5	12.6	00.0-31.0	3	3.8	00.0-09.5	4	8.2	00.0-20.2	1	1.4	00.0-04.1
Hispanic	76	135,509	55	59.4	37.3-81.5	7	15.5	00.0-31.6	4	1.7	00.0-03.9	9	15.4	00.0-30.9	1	8.0	00.0-22.9
18-24	137	570,021	101	69.8	58.6-81.0	16	12.9	04.7-21.1	10	7.6	01.3-13.9	8	8.3	01.2-15.4	2	1.4	00.0-03.9
25-34	394	826,706	272	61.2	53.2-69.2	53	13.0	07.3-18.7	24	8.6	04.1-13.1	43	15.9	09.4-22.4	2	1.4	00.0-03.9
35-44	628	856,463	473	72.7	67.0-78.4	68	12.4	08.1-16.7	35	6.5	03.2-09.8	47	7.6	04.5-10.7	5	0.7	00.0-01.7
45-54	997	898,164	787	72.3	67.0-77.6	76	9.9	06.2-13.6	57	5.5	03.3-07.7	74	11.8	07.5-16.1	3	0.5	00.0-01.3
55-64	1441	759,202	1220	83.1	78.8-87.4	99	6.2	04.0-08.4	44	3.1	01.7-04.5	76	7.5	03.8-11.2	2	0.1	00.0-00.3
65+	2185	876,647	2000	90.7	88.2-93.2	89	4.6	02.6-06.6	38	2.2	00.8-03.6	49	1.9	01.1-02.7	9	0.6	00.0-01.2
Less Than H.S.	775	832,115	641	76.8	71.1-82.5	42	5.7	02.6-08.8	34	5.5	02.8-08.2	51	9.8	05.7-13.9	7	2.2	00.0-04.9
H.S. or G.E.D.	1968	1,613,520	1638	73.3	68.8-77.8	142	10.6	07.7-13.5	70	5.3	03.1-07.5	112	10.0	06.7-13.3	6	0.8	00.0-01.8
Some Post-H.S.	1616	1,352,777	1354	75.9	70.6-81.2	122	11.5	07.4-15.6	54	4.0	01.6-06.4	79	8.4	04.9-11.9	7	0.1	00.0-00.3
College Graduate	1449	1,003,706	1242	76.5	71.0-82.0	96	8.8	05.3-12.3	50	7.7	04.0-11.4	58	6.8	03.3-10.3	3	0.2	00.0-00.4
Less than \$15,000	690	609,137	545	68.3	59.5-77.1	55	8.7	03.4-14.0	30	6.5	02.2-10.8	55	13.9	07.2-20.6	5	2.5	00.0-06.0
\$15,000- 24,999	1284	939,005	1056	71.4	65.3-77.5	98	11.1	06.6-15.6	44	5.8	02.9-08.7	82	11.3	07.0-15.6	4	0.4	00.0-01.0
\$25,000- 34,999	550	464,485	468	77.2	69.2-85.2	33	9.9	04.0-15.8	21	6.3	00.8-11.8	24	5.6	01.9-09.3	4	1.0	00.0-02.6
\$35,000- 49,999	584	520,044	510	82.8	75.9-89.7	35	6.1	02.6-09.6	18	3.4	01.2-05.6	20	7.6	01.3-13.9	1	0.0	00.0-00.0
\$50,000- 74,999	535	522,891	452	73.3	65.3-81.3	45	11.7	05.6-17.8	13	5.3	01.2-09.4	23	9.5	03.6-15.4	2	0.2	00.0-00.6
\$75,000+	770	750,009	662	79.5	73.8-85.2	54	12.0	07.1-16.9	23	4.4	01.5-07.3	28	3.9	01.4-06.4	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	2,300,964	1428	70.4	66.3-74.5	138	10.0	07.5-12.5	88	7.1	04.7-09.5	140	11.7	08.6-14.8	12	0.9	00.1-01.7
White/Non-Hisp	1527	1,765,169	1208	69.8	65.3-74.3	118	10.4	07.5-13.3	76	8.2	05.3-11.1	116	11.0	07.7-14.3	9	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	184	354,895	149	70.3	57.8-82.8	12	10.2	02.4-18.0	8	2.4	00.4-04.4	13	14.9	03.9-25.9	2	2.2	00.0-06.3
18-24	53	282,809	31	58.8	42.1-75.5	7	11.1	01.1-21.1	7	14.4	02.4-26.4	7	13.1	01.1-25.1	1	2.7	00.0-07.8
25-34	118	416,952	67	53.2	40.5-65.9	18	14.1	05.3-22.9	8	7.4	00.9-13.9	24	25.2	13.8-36.6	1	0.1	00.0-00.3
35-44	195	424,468	123	67.0	57.8-76.2	23	13.2	06.7-19.7	18	9.4	03.7-15.1	27	9.1	04.6-13.6	4	1.4	00.0-03.2
45-54	328	434,510	242	70.8	62.8-78.8	26	8.9	04.4-13.4	26	6.4	02.9-09.9	32	13.6	06.2-21.0	2	0.3	00.0-00.7
55-64	477	363,603	390	83.7	78.2-89.2	37	5.9	03.2-08.6	19	4.1	01.6-06.6	30	6.1	01.8-10.4	1	0.2	00.0-00.6
65+	626	371,717	568	88.3	83.0-93.6	26	6.3	02.0-10.6	10	2.6	00.0-05.7	19	1.7	00.7-02.7	3	1.1	00.0-02.5
Less Than H.S.	225	389,514	169	73.0	64.0-82.0	14	3.9	01.4-06.4	16	8.1	02.8-13.4	22	13.1	05.7-20.5	4	1.9	00.0-04.1
H.S. or G.E.D.	555	776,756	429	66.4	59.1-73.7	44	11.4	06.7-16.1	27	7.2	03.1-11.3	51	13.8	07.7-19.9	4	1.3	00.0-03.3
Some Post-H.S.	484	617,480	391	74.5	66.5-82.5	41	10.1	04.6-15.6	18	5.8	01.3-10.3	32	9.6	04.1-15.1	2	0.1	00.0-00.3
College Graduate	540	514,619	437	69.3	60.9-77.7	39	12.5	06.2-18.8	27	8.0	02.7-13.3	35	9.9	03.8-16.0	2	0.4	00.0-01.0
Less than \$15,000	177	250,205	118	58.3	43.2-73.4	14	5.5	01.4-09.6	14	10.8	02.0-19.6	28	23.6	09.7-37.5	3	1.8	00.0-04.5
\$15,000- 24,999	353	402,881	272	70.3	61.3-79.3	29	6.4	02.3-10.5	19	8.8	02.9-14.7	32	13.9	06.8-21.0	1	0.6	00.0-01.8
\$25,000- 34,999	178	217,443	138	65.4	51.3-79.5	14	16.1	04.5-27.7	12	12.3	01.1-23.5	11	5.6	00.1-11.1	3	0.6	00.0-01.4
\$35,000- 49,999	207	271,029	175	76.9	64.9-88.9	14	5.7	01.2-10.2	9	4.7	01.0-08.4	9	12.6	01.2-24.0			
\$50,000- 74,999	200	278,885	166	71.0	58.8-83.2	15	11.6	02.4-20.8	7	6.4	00.0-13.1	11	10.6	02.0-19.2	1	0.4	00.0-01.2
\$75,000+	320	422,821	263	75.3	67.1-83.5	29	16.2	08.8-23.6	10	2.7	00.5-04.9	17	5.5	01.2-09.8	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4024	2,510,389	3465	79.9	76.8-83.0	268	9.3	06.9-11.7	120	3.9	02.5-05.3	160	6.2	04.2-08.2	11	0.7	00.0-01.7
White/Non-Hisp	3327	1,978,514	2844	78.6	75.1-82.1	229	9.7	07.0-12.4	103	4.6	03.0-06.2	141	6.8	04.6-09.0	10	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	537	383,721	486	91.9	88.2-95.6	30	4.4	01.7-07.1	12	1.6	00.4-02.8	9	2.1	00.0-04.3			
Hispanic	51	75,342	40	51.5	20.1-82.9	4	18.8	00.0-44.5	2	0.3	00.0-00.9	4	15.0	00.0-39.9	1	14.4	00.0-39.9
18-24	84	287,212	70	80.6	66.3-94.9	9	14.6	01.7-27.5	3	1.0	00.0-02.6	1	3.7	00.0-10.8	1	0.1	00.0-00.3
25-34	276	409,754	205	69.2	59.6-78.8	35	11.9	05.0-18.8	16	9.8	03.5-16.1	19	6.5	01.8-11.2	1	2.6	00.0-07.7
35-44	433	431,995	350	78.4	71.1-85.7	45	11.7	05.8-17.6	17	3.7	00.6-06.8	20	6.1	01.6-10.6	1	0.1	00.0-00.3
45-54	669	463,654	545	73.7	66.8-80.6	50	10.8	05.1-16.5	31	4.6	01.9-07.3	42	10.1	05.4-14.8	1	0.8	00.0-02.4
55-64	964	395,599	830	82.6	75.9-89.3	62	6.4	03.1-09.7	25	2.1	00.9-03.3	46	8.9	02.8-15.0	1	0.0	00.0-00.0
65+	1559	504,929	1432	92.4	90.6-94.2	63	3.3	02.3-04.3	28	2.0	01.0-03.0	30	2.0	01.0-03.0	6	0.3	00.1-00.5
Less Than H.S.	550	442,601	472	80.1	72.7-87.5	28	7.3	02.0-12.6	18	3.2	01.2-05.2	29	6.8	03.1-10.5	3	2.6	00.0-07.3
H.S. or G.E.D.	1413	836,764	1209	79.7	74.8-84.6	98	9.8	06.1-13.5	43	3.6	01.8-05.4	61	6.4	03.3-09.5	2	0.4	00.0-01.2
Some Post-H.S.	1132	735,297	963	77.1	70.0-84.2	81	12.8	06.7-18.9	36	2.5	00.9-04.1	47	7.5	03.0-12.0	5	0.2	00.0-00.4
College Graduate	909	489,087	805	84.1	78.0-90.2	57	5.0	02.5-07.5	23	7.4	02.1-12.7	23	3.5	00.8-06.2	1	0.0	00.0-00.0
Less than \$15,000	513	358,932	427	75.3	64.7-85.9	41	10.9	02.7-19.1	16	3.6	00.1-07.1	27	7.2	02.1-12.3	2	3.1	00.0-09.0
\$15,000- 24,999	931	536,124	784	72.3	64.3-80.3	69	14.6	07.3-21.9	25	3.7	01.0-06.4	50	9.3	04.0-14.6	3	0.2	00.0-00.4
\$25,000- 34,999	372	247,042	330	87.5	81.2-93.8	19	4.5	01.6-07.4	9	1.0	00.2-01.8	13	5.5	00.6-10.4	1	1.4	00.0-04.1
\$35,000- 49,999	377	249,015	335	89.2	83.5-94.9	21	6.6	01.3-11.9	9	1.9	00.3-03.5	11	2.2	00.4-04.0	1	0.0	00.0-00.0
\$50,000- 74,999	335	244,006	286	75.8	65.4-86.2	30	11.9	04.1-19.7	6	4.0	00.0-08.5	12	8.2	00.6-15.8	1	0.1	00.0-00.3
\$75,000+	450	327,188	399	84.9	77.5-92.3	25	6.5	01.2-11.8	13	6.6	00.7-12.5	11	1.9	00.5-03.3	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5908	4,870,289	2896	38.7	36.2-41.2	30	0.6	00.2-01.0	2918	59.9	57.4-62.4	64	0.8	00.6-01.0
Male	1834	2,341,617	934	39.6	35.7-43.5	3	0.1	00.1-00.1	869	59.4	55.5-63.3	28	1.0	00.6-01.4
Female	4074	2,528,672	1962	37.9	34.6-41.2	27	1.1	00.3-01.9	2049	60.4	57.1-63.7	36	0.6	00.4-00.8
White/Non-Hisp	4922	3,795,289	2356	39.2	36.5-41.9	23	0.4	00.2-00.6	2490	59.7	57.0-62.4	53	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	725	741,998	426	39.4	32.1-46.7	6	1.1	00.0-02.5	288	59.2	51.8-66.6	5	0.4	00.0-00.8
Oth. Race/Non-Hisp.	76	97,451	30	38.4	14.9-61.9				44	60.3	36.8-83.8	2	1.3	00.0-03.5
MultiRacial/Non-Hisp.	72	82,759	36	33.2	14.8-51.6	1	7.2	00.0-20.7	32	55.4	34.0-76.8	3	4.2	00.0-09.7
Hispanic	77	138,007	31	26.8	08.8-44.8				46	73.2	55.2-91.2			
18-24	144	589,614	14	6.2	00.9-11.5	1	0.0	00.0-00.0	129	93.8	88.5-99.1			
25-34	402	838,963	67	14.0	08.5-19.5	10	2.6	00.4-04.8	324	83.4	77.5-89.3	1	0.0	00.0-00.0
35-44	633	859,620	160	33.8	27.3-40.3	5	0.3	00.1-00.5	460	65.3	58.8-71.8	8	0.7	00.1-01.3
45-54	1011	910,019	402	39.5	34.2-44.8	3	0.2	00.0-00.4	592	58.4	53.1-63.7	14	1.9	00.7-03.1
55-64	1452	765,220	777	59.1	53.8-64.4	8	0.3	00.1-00.5	649	40.1	34.8-45.4	18	0.5	00.1-00.9
65+	2215	881,442	1446	69.7	66.4-73.0	3	0.2	00.0-00.4	743	29.0	25.7-32.3	23	1.1	00.5-01.7
Less Than H.S.	784	843,111	522	56.3	49.4-63.2	2	0.6	00.0-01.8	256	42.8	35.9-49.7	4	0.3	00.0-00.7
H.S. or G.E.D.	2011	1,638,437	1054	41.2	36.9-45.5	9	0.4	00.0-00.8	927	57.6	53.3-61.9	21	0.8	00.4-01.2
Some Post-H.S.	1632	1,364,820	756	34.0	29.1-38.9	11	0.7	00.1-01.3	848	64.5	59.6-69.4	17	0.8	00.2-01.4
College Graduate	1458	1,014,597	551	26.2	21.7-30.7	8	0.8	00.0-02.0	878	71.9	67.2-76.6	21	1.1	00.3-01.9
Less than \$15,000	705	613,839	431	45.5	36.7-54.3	3	0.9	00.0-02.5	265	53.2	44.4-62.0	6	0.4	00.0-00.8
\$15,000- 24,999	1294	947,795	716	44.8	38.9-50.7	8	0.4	00.0-01.0	553	53.9	47.8-60.0	17	0.8	00.2-01.4
\$25,000- 34,999	553	465,911	283	43.7	35.3-52.1	3	0.4	00.0-00.8	264	55.6	47.2-64.0	3	0.3	00.0-00.7
\$35,000- 49,999	587	522,082	277	31.1	24.6-37.6	2	0.5	00.0-01.5	304	68.3	61.8-74.8	4	0.2	00.0-00.4
\$50,000- 74,999	538	524,579	222	29.2	22.7-35.7	3	1.3	00.0-03.5	305	68.0	61.3-74.7	8	1.5	00.1-02.9
\$75,000+	773	752,592	241	30.8	24.9-36.7	5	0.5	00.0-01.1	513	67.0	61.1-72.9	14	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	2,341,617	934	39.6	35.7-43.5	3	0.1	00.1-00.1	869	59.4	55.5-63.3	28	1.0	00.6-01.4
White/Non-Hisp	1551	1,800,279	785	39.9	35.8-44.0	3	0.1	00.0-00.3	738	59.0	54.7-63.3	25	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	185	357,422	105	37.2	25.8-48.6				80	62.8	51.4-74.2			
18-24	57	301,134	7	7.2	00.3-14.1				50	92.8	85.9-99.7			
25-34	122	423,071	17	13.7	04.7-22.7	1	0.2	00.0-00.6	104	86.1	77.1-95.1			
35-44	198	427,066	66	39.8	29.6-50.0				129	59.3	49.1-69.5	3	0.9	00.0-02.1
45-54	335	443,639	158	44.2	36.0-52.4	1	0.1	00.0-00.3	169	53.4	45.2-61.6	7	2.4	00.4-04.4
55-64	479	366,657	274	58.8	50.4-67.2	1	0.1	00.0-00.3	197	40.6	32.2-49.0	7	0.4	00.0-00.8
65+	632	372,293	405	69.9	63.8-76.0				216	28.3	22.2-34.4	11	1.7	00.3-03.1
Less Than H.S.	228	399,586	149	54.9	44.1-65.7				77	44.5	33.7-55.3	2	0.5	00.0-01.5
H.S. or G.E.D.	572	791,088	305	39.6	32.9-46.3				259	59.4	52.7-66.1	8	1.0	00.2-01.8
Some Post-H.S.	488	624,780	253	37.6	29.8-45.4	2	0.2	00.0-00.6	225	61.4	53.6-69.2	8	0.7	00.0-01.5
College Graduate	543	523,480	225	29.9	22.6-37.2	1	0.1	00.0-00.3	307	68.5	61.2-75.8	10	1.5	00.1-02.9
Less than \$15,000	183	253,054	113	57.4	42.3-72.5				68	42.3	27.2-57.4	2	0.3	00.0-00.9
\$15,000- 24,999	356	406,656	208	50.3	40.5-60.1				143	48.9	39.1-58.7	5	0.8	00.0-01.6
\$25,000- 34,999	179	218,327	98	42.2	29.5-54.9	1	0.4	00.0-01.2	79	57.0	44.1-69.9	1	0.4	00.0-01.2
\$35,000- 49,999	208	271,656	107	29.8	20.4-39.2				99	70.1	60.7-79.5	2	0.1	00.0-00.3
\$50,000- 74,999	201	279,778	93	31.4	22.0-40.8				103	67.1	57.5-76.7	5	1.5	00.0-03.1
\$75,000+	321	423,347	124	34.8	26.4-43.2	2	0.2	00.0-00.4	188	62.5	53.9-71.1	7	2.4	00.2-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4074	2,528,672	1962	37.9	34.6-41.2	27	1.1	00.3-01.9	2049	60.4	57.1-63.7	36	0.6	00.4-00.8
White/Non-Hisp	3371	1,995,010	1571	38.5	35.0-42.0	20	0.7	00.3-01.1	1752	60.3	56.8-63.8	28	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	540	384,577	321	41.4	32.2-50.6	6	2.1	00.0-04.8	208	55.8	46.4-65.2	5	0.8	00.0-01.8
MultiRacial/Non-Hisp.	50	38,122	26	23.1	06.6-39.6	1	15.6	00.0-42.8	21	57.5	28.1-86.9	2	3.8	00.0-09.3
Hispanic	51	75,342	21	14.6	02.8-26.4				30	85.4	73.6-97.2			
18-24	87	288,480	7	5.1	00.0-13.3	1	0.0	00.0-00.0	79	94.9	86.7-100.0			
25-34	280	415,892	50	14.3	07.8-20.8	9	5.1	01.0-09.2	220	80.6	73.3-87.9	1	0.1	00.0-00.3
35-44	435	432,554	94	27.8	19.8-35.8	5	0.5	00.0-01.1	331	71.2	63.2-79.2	5	0.4	00.0-00.8
45-54	676	466,380	244	35.0	28.5-41.5	2	0.2	00.0-00.6	423	63.2	56.7-69.7	7	1.5	00.1-02.9
55-64	973	398,564	503	59.3	52.6-66.0	7	0.4	00.0-00.8	452	39.6	32.9-46.3	11	0.6	00.2-01.0
65+	1583	509,148	1041	69.6	66.1-73.1	3	0.3	00.0-00.7	527	29.5	26.0-33.0	12	0.6	00.2-01.0
Less Than H.S.	556	443,525	373	57.5	48.9-66.1	2	1.2	00.0-03.4	179	41.2	32.6-49.8	2	0.2	00.0-00.4
H.S. or G.E.D.	1439	847,350	749	42.7	37.0-48.4	9	0.8	00.0-01.6	668	55.9	50.2-61.6	13	0.6	00.2-01.0
Some Post-H.S.	1144	740,040	503	31.0	24.9-37.1	9	1.1	00.1-02.1	623	67.2	61.1-73.3	9	0.8	00.0-01.6
College Graduate	915	491,116	326	22.3	16.8-27.8	7	1.7	00.0-04.1	571	75.5	69.6-81.4	11	0.6	00.2-01.0
Less than \$15,000	522	360,785	318	37.1	27.7-46.5	3	1.5	00.0-04.2	197	60.9	51.3-70.5	4	0.5	00.0-01.1
\$15,000- 24,999	938	541,139	508	40.8	33.5-48.1	8	0.8	00.0-01.8	410	57.7	50.3-65.1	12	0.8	00.2-01.4
\$25,000- 34,999	374	247,584	185	45.0	34.0-56.0	2	0.4	00.0-01.0	185	54.4	43.4-65.4	2	0.2	00.0-00.6
\$35,000- 49,999	379	250,425	170	32.5	24.1-40.9	2	1.1	00.0-03.1	205	66.3	57.7-74.9	2	0.2	00.0-00.6
\$50,000- 74,999	337	244,802	129	26.7	18.1-35.3	3	2.8	00.0-07.5	202	69.0	59.6-78.4	3	1.5	00.0-03.5
\$75,000+	452	329,245	117	25.6	17.6-33.6	3	0.9	00.0-02.1	325	72.7	64.7-80.7	7	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2893	1,885,141	2600	78.3	74.4-82.2	293	21.7	17.8-25.6
Male	933	926,000	811	75.8	69.7-81.9	122	24.2	18.1-30.3
Female	1960	959,141	1789	80.8	75.7-85.9	171	19.2	14.1-24.3
White/Non-Hisp	2355	1,485,994	2117	79.8	75.7-83.9	238	20.2	16.1-24.3
Black or Afr. Am./Non-Hisp	425	292,006	385	72.0	60.2-83.8	40	28.0	16.2-39.8
25-34	67	117,174	40	47.9	26.9-68.9	27	52.1	31.1-73.1
35-44	160	290,577	106	52.6	39.9-65.3	54	47.4	34.7-60.1
45-54	402	359,091	337	79.6	72.3-86.9	65	20.4	13.1-27.7
55-64	775	451,674	702	82.9	75.6-90.2	73	17.1	09.8-24.4
65+	1446	614,549	1387	95.7	93.3-98.1	59	4.3	01.9-06.7
Less Than H.S.	521	474,026	478	81.6	73.2-90.0	43	18.4	10.0-26.8
H.S. or G.E.D.	1054	675,191	940	78.8	72.5-85.1	114	21.2	14.9-27.5
Some Post-H.S.	756	464,281	679	77.1	69.1-85.1	77	22.9	14.9-30.9
College Graduate	550	265,992	491	72.9	62.1-83.7	59	27.1	16.3-37.9
Less than \$15,000	431	279,018	388	72.0	59.3-84.7	43	28.0	15.3-40.7
\$15,000- 24,999	716	425,053	650	81.2	73.2-89.2	66	18.8	10.8-26.8
\$25,000- 34,999	283	203,565	259	85.2	76.6-93.8	24	14.8	06.2-23.4
\$35,000- 49,999	277	162,293	251	85.7	77.5-93.9	26	14.3	06.1-22.5
\$50,000- 74,999	220	152,677	199	83.7	74.5-92.9	21	16.3	07.1-25.5
\$75,000+	241	231,720	209	74.9	63.3-86.5	32	25.1	13.5-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	933	926,000	811	75.8	69.9-81.7	122	24.2	18.3-30.1
White/Non-Hisp	784	717,225	686	78.3	71.8-84.8	98	21.7	15.2-28.2
Black or Afr. Am./Non-Hisp	105	133,045	88	64.6	46.6-82.6	17	35.4	17.4-53.4
35-44	66	170,161	37	50.5	33.1-67.9	29	49.5	32.1-66.9
45-54	158	195,868	128	78.5	67.3-89.7	30	21.5	10.3-32.7
55-64	273	215,288	241	85.1	76.3-93.9	32	14.9	06.1-23.7
65+	405	260,318	388	96.5	94.3-98.7	17	3.5	01.3-05.7
Less Than H.S.	148	219,165	133	79.8	65.7-93.9	15	20.2	06.1-34.3
H.S. or G.E.D.	305	313,041	259	75.0	65.8-84.2	46	25.0	15.8-34.2
Some Post-H.S.	253	235,227	217	77.0	65.6-88.4	36	23.0	11.6-34.4
College Graduate	225	156,543	200	69.6	54.1-85.1	25	30.4	14.9-45.9
Less than \$15,000	113	145,227	98	60.1	39.7-80.5	15	39.9	19.5-60.3
\$15,000- 24,999	208	204,523	185	79.4	66.3-92.5	23	20.6	07.5-33.7
\$25,000- 34,999	98	92,199	84	74.6	58.1-91.1	14	25.4	08.9-41.9
\$35,000- 49,999	107	80,986	94	86.0	76.4-95.6	13	14.0	04.4-23.6
\$50,000- 74,999	92	87,323	84	88.1	78.5-97.7	8	11.9	02.3-21.5
\$75,000+	124	147,515	103	70.2	54.5-85.9	21	29.8	14.1-45.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1960	959,141	1789	80.8	75.9-85.7	171	19.2	14.3-24.1
White/Non-Hisp	1571	768,768	1431	81.1	75.8-86.4	140	18.9	13.6-24.2
Black or Afr. Am./Non-Hisp	320	158,961	297	78.2	62.7-93.7	23	21.8	06.3-37.3
25-34	50	59,339	31	61.8	37.1-86.5	19	38.2	13.5-62.9
35-44	94	120,416	69	55.7	37.5-73.9	25	44.3	26.1-62.5
45-54	244	163,224	209	81.0	72.2-89.8	35	19.0	10.2-27.8
55-64	502	236,386	461	80.8	69.8-91.8	41	19.2	08.2-30.2
65+	1041	354,232	999	95.2	91.3-99.1	42	4.8	00.9-08.7
Less Than H.S.	373	254,862	345	83.2	73.6-92.8	28	16.8	07.2-26.4
H.S. or G.E.D.	749	362,151	681	82.1	73.7-90.5	68	17.9	09.5-26.3
Some Post-H.S.	503	229,054	462	77.2	65.6-88.8	41	22.8	11.2-34.4
College Graduate	325	109,449	291	77.7	64.6-90.8	34	22.3	09.2-35.4
Less than \$15,000	318	133,791	290	84.9	75.3-94.5	28	15.1	05.5-24.7
\$15,000- 24,999	508	220,530	465	82.8	73.0-92.6	43	17.2	07.4-27.0
\$25,000- 34,999	185	111,366	175	94.0	88.5-99.5	10	6.0	00.5-11.5
\$35,000- 49,999	170	81,307	157	85.5	72.0-99.0	13	14.5	01.0-28.0
\$50,000- 74,999	128	65,354	115	77.8	61.3-94.3	13	22.2	05.7-38.7
\$75,000+	117	84,204	106	83.0	68.5-97.5	11	17.0	02.5-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5814	4,695,297	5323	82.4	79.9-84.9	491	17.6	15.1-20.1
Male	1803	2,270,580	1620	79.8	75.7-83.9	183	20.2	16.1-24.3
Female	4011	2,424,717	3703	85.0	81.9-88.1	308	15.0	11.9-18.1
White/Non-Hisp	4848	3,707,497	4456	82.7	80.0-85.4	392	17.3	14.6-20.0
Black or Afr. Am./Non-Hisp	712	680,571	641	79.3	71.9-86.7	71	20.7	13.3-28.1
Oth. Race/Non-Hisp.	74	86,212	65	89.9	79.1-0100	9	10.1	00.0-20.9
MultiRacial/Non-Hisp.	71	82,066	66	97.6	94.9-0100	5	2.4	00.0-05.1
Hispanic	75	124,925	65	75.4	53.4-97.4	10	24.6	02.6-46.6
18-24	127	504,878	65	45.1	32.4-57.8	62	54.9	42.2-67.6
25-34	382	796,066	289	70.2	62.4-78.0	93	29.8	22.0-37.6
35-44	623	853,937	535	83.7	78.2-89.2	88	16.3	10.8-21.8
45-54	1000	893,206	912	89.9	86.4-93.4	88	10.1	06.6-13.6
55-64	1442	754,558	1366	93.8	90.9-96.7	76	6.2	03.3-09.1
65+	2188	867,085	2107	96.3	95.1-97.5	81	3.7	02.5-04.9
Less Than H.S.	769	813,529	694	80.9	74.6-87.2	75	19.1	12.8-25.4
H.S. or G.E.D.	1974	1,587,586	1772	82.1	78.0-86.2	202	17.9	13.8-22.0
Some Post-H.S.	1604	1,310,720	1482	81.5	75.8-87.2	122	18.5	12.8-24.2
College Graduate	1445	974,378	1353	85.4	80.5-90.3	92	14.6	09.7-19.5
Less than \$15,000	683	535,692	606	73.8	64.6-83.0	77	26.2	17.0-35.4
\$15,000- 24,999	1274	912,839	1168	84.0	78.3-89.7	106	16.0	10.3-21.7
\$25,000- 34,999	550	465,029	495	80.5	72.5-88.5	55	19.5	11.5-27.5
\$35,000- 49,999	583	514,582	538	83.0	75.0-91.0	45	17.0	09.0-25.0
\$50,000- 74,999	533	521,775	500	88.0	80.9-95.1	33	12.0	04.9-19.1
\$75,000+	765	729,643	716	89.5	84.6-94.4	49	10.5	05.6-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1803	2,270,580	1620	79.8	75.7-83.9	183	20.2	16.1-24.3
White/Non-Hisp	1524	1,766,970	1374	80.0	75.5-84.5	150	20.0	15.5-24.5
Black or Afr. Am./Non-Hisp	183	333,123	162	75.6	63.3-87.9	21	24.4	12.1-36.7
18-24	51	273,746	25	41.1	24.4-57.8	26	58.9	42.2-75.6
25-34	118	406,263	80	65.9	53.4-78.4	38	34.1	21.6-46.6
35-44	197	426,973	171	83.9	75.5-92.3	26	16.1	07.7-24.5
45-54	328	427,514	292	88.2	82.3-94.1	36	11.8	05.9-17.7
55-64	476	364,387	449	93.6	89.3-97.9	27	6.4	02.1-10.7
65+	622	363,941	592	95.4	93.0-97.8	30	4.6	02.2-07.0
Less Than H.S.	220	374,168	188	74.4	63.8-85.0	32	25.6	15.0-36.2
H.S. or G.E.D.	561	779,392	487	77.3	70.2-84.4	74	22.7	15.6-29.8
Some Post-H.S.	482	617,154	444	83.5	75.3-91.7	38	16.5	08.3-24.7
College Graduate	537	497,183	498	83.0	75.6-90.4	39	17.0	09.6-24.4
Less than \$15,000	176	221,110	147	69.0	53.9-84.1	29	31.0	15.9-46.1
\$15,000- 24,999	351	400,893	316	82.8	74.0-91.6	35	17.2	08.4-26.0
\$25,000- 34,999	177	217,749	160	81.7	69.5-93.9	17	18.3	06.1-30.5
\$35,000- 49,999	206	269,873	188	81.5	68.6-94.4	18	18.5	05.6-31.4
\$50,000- 74,999	201	279,778	185	81.4	69.1-93.7	16	18.6	06.3-30.9
\$75,000+	317	410,391	299	88.9	82.2-95.6	18	11.1	04.4-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4011	2,424,717	3703	85.0	81.9-88.1	308	15.0	11.9-18.1
White/Non-Hisp	3324	1,940,528	3082	85.2	81.7-88.7	242	14.8	11.3-18.3
Black or Afr. Am./Non-Hisp	529	347,449	479	82.9	74.5-91.3	50	17.1	08.7-25.5
Hispanic	50	64,789	45	78.9	49.9-0100	5	21.1	00.0-50.1
18-24	76	231,132	40	49.9	30.3-69.5	36	50.1	30.5-69.7
25-34	264	389,803	209	74.7	65.5-83.9	55	25.3	16.1-34.5
35-44	426	426,965	364	83.4	76.1-90.7	62	16.6	09.3-23.9
45-54	672	465,692	620	91.5	87.8-95.2	52	8.5	04.8-12.2
55-64	966	390,171	917	94.0	89.9-98.1	49	6.0	01.9-10.1
65+	1566	503,144	1515	97.0	95.8-98.2	51	3.0	01.8-04.2
Less Than H.S.	549	439,361	506	86.5	79.2-93.8	43	13.5	06.2-20.8
H.S. or G.E.D.	1413	808,195	1285	86.7	82.6-90.8	128	13.3	09.2-17.4
Some Post-H.S.	1122	693,566	1038	79.7	72.1-87.3	84	20.3	12.7-27.9
College Graduate	908	477,195	855	88.0	81.9-94.1	53	12.0	05.9-18.1
Less than \$15,000	507	314,582	459	77.3	65.5-89.1	48	22.7	10.9-34.5
\$15,000- 24,999	923	511,946	852	84.9	77.5-92.3	71	15.1	07.7-22.5
\$25,000- 34,999	373	247,280	335	79.4	68.6-90.2	38	20.6	09.8-31.4
\$35,000- 49,999	377	244,708	350	84.7	75.9-93.5	27	15.3	06.5-24.1
\$50,000- 74,999	332	241,997	315	95.6	92.9-98.3	17	4.4	01.7-07.1
\$75,000+	448	319,252	417	90.2	83.1-97.3	31	9.8	02.7-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5258	3,826,866	4504	80.8	78.4-83.2	459	11.3	09.3-13.3	161	3.9	02.9-04.9	134	4.0	02.6-05.4
Male	1607	1,799,140	1360	79.3	75.4-83.2	137	12.3	09.0-15.6	50	3.3	01.9-04.7	60	5.2	02.8-07.6
Female	3651	2,027,727	3144	82.2	79.3-85.1	322	10.5	08.1-12.9	111	4.5	02.9-06.1	74	2.9	01.5-04.3
White/Non-Hisp	4397	3,024,791	3752	80.1	77.4-82.8	392	11.5	09.3-13.7	138	4.3	03.1-05.5	115	4.1	02.5-05.7
Black or Afr. Am./Non-Hisp	638	538,842	557	84.1	77.8-90.4	51	11.1	05.4-16.8	18	2.2	00.0-04.4	12	2.6	00.6-04.6
Oth. Race/Non-Hisp.	65	77,535	58	92.8	85.0-0100	4	4.7	00.0-11.6	1	0.8	00.0-02.4	2	1.7	00.0-05.0
MultiRacial/Non-Hisp.	64	79,379	56	69.2	46.3-92.1	4	12.8	00.0-32.0	1	2.9	00.0-08.6	3	15.1	00.0-32.9
Hispanic	65	94,145	53	85.5	73.3-97.7	7	10.9	00.0-21.9	3	2.8	00.0-06.9	2	0.8	00.0-02.0
18-24	63	222,955	47	72.0	54.6-89.4	13	21.8	06.1-37.5	2	0.7	00.0-01.9	1	5.5	00.0-15.9
25-34	285	554,863	207	67.9	59.1-76.7	47	17.1	09.7-24.5	16	7.9	03.0-12.8	15	7.1	02.2-12.0
35-44	530	708,206	396	72.3	66.0-78.6	81	18.4	12.7-24.1	26	4.2	01.7-06.7	27	5.2	02.5-07.9
45-54	905	799,291	735	79.5	74.8-84.2	82	9.2	06.1-12.3	52	5.4	03.0-07.8	36	5.9	02.8-09.0
55-64	1353	702,852	1167	89.6	87.1-92.1	110	5.5	04.1-06.9	41	3.6	01.6-05.6	35	1.3	00.7-01.9
65+	2075	814,568	1909	92.9	90.7-95.1	122	5.6	03.6-07.6	24	0.7	00.3-01.1	20	0.8	00.4-01.2
Less Than H.S.	680	648,945	600	86.8	82.7-90.9	47	5.2	03.0-07.4	14	3.4	01.0-05.8	19	4.6	01.9-07.3
H.S. or G.E.D.	1746	1,289,754	1482	78.6	74.1-83.1	166	13.8	09.9-17.7	50	3.1	01.7-04.5	48	4.6	01.9-07.3
Some Post-H.S.	1468	1,052,950	1234	80.5	75.8-85.2	141	12.2	08.1-16.3	52	3.2	01.4-05.0	41	4.1	01.6-06.6
College Graduate	1342	826,134	1170	80.0	74.9-85.1	102	11.2	07.1-15.3	45	6.6	03.3-09.9	25	2.3	00.7-03.9
Less than \$15,000	593	391,635	505	84.0	77.1-90.9	38	7.1	02.0-12.2	24	4.0	00.7-07.3	26	5.0	01.1-08.9
\$15,000- 24,999	1159	762,885	951	79.0	73.3-84.7	144	12.2	07.9-16.5	31	2.7	00.9-04.5	33	6.1	02.0-10.2
\$25,000- 34,999	493	373,100	427	82.5	75.6-89.4	41	10.1	04.8-15.4	13	3.4	00.3-06.5	12	4.0	00.3-07.7
\$35,000- 49,999	533	423,958	465	82.8	75.5-90.1	42	9.9	04.0-15.8	14	2.1	00.3-03.9	12	5.1	00.4-09.8
\$50,000- 74,999	497	457,862	421	77.5	70.1-84.9	48	12.4	06.7-18.1	18	6.4	02.1-10.7	10	3.7	00.0-07.8
\$75,000+	714	649,803	621	79.4	73.1-85.7	59	14.7	08.8-20.6	21	4.2	01.1-07.3	13	1.8	00.6-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1607	1,799,140	1360	79.3	75.4-83.2	137	12.3	09.0-15.6	50	3.3	01.9-04.7	60	5.2	02.8-07.6
White/Non-Hisp	1362	1,402,105	1153	78.8	74.5-83.1	116	12.2	08.7-15.7	43	3.6	02.0-05.2	50	5.4	02.7-08.1
Black or Afr. Am./Non-Hisp	161	251,412	138	79.8	68.2-91.4	13	15.4	04.0-26.8	4	1.3	00.0-02.7	6	3.5	00.2-06.8
25-34	79	265,405	56	70.4	56.7-84.1	12	16.7	04.9-28.5	4	5.2	00.1-10.3	7	7.7	00.1-15.3
35-44	170	355,971	116	67.7	57.7-77.7	28	20.7	11.5-29.9	13	5.1	01.6-08.6	13	6.5	01.8-11.2
45-54	289	374,785	238	80.6	73.5-87.7	19	7.8	03.7-11.9	12	3.5	00.2-06.8	20	8.1	02.4-13.8
55-64	446	340,286	379	90.3	87.2-93.4	40	5.4	03.2-07.6	12	2.8	00.6-05.0	15	1.5	00.5-02.5
65+	588	346,294	546	93.0	88.7-97.3	30	5.9	01.6-10.2	8	0.7	00.0-01.5	4	0.4	00.0-00.8
Less Than H.S.	185	274,058	158	84.6	77.0-92.2	10	3.0	00.8-05.2	8	6.1	00.8-11.4	9	6.4	00.9-11.9
H.S. or G.E.D.	482	598,530	400	73.8	66.2-81.4	44	15.9	09.2-22.6	16	3.3	01.3-05.3	22	7.0	01.7-12.3
Some Post-H.S.	442	514,771	363	78.7	71.1-86.3	50	13.1	06.4-19.8	8	2.3	00.0-05.0	21	5.9	01.8-10.0
College Graduate	495	409,097	436	84.6	78.5-90.7	33	12.1	06.2-18.0	18	2.6	01.0-04.2	8	0.7	00.1-01.3
Less than \$15,000	144	151,658	114	85.9	77.3-94.5	11	6.1	01.0-11.2	9	2.9	00.0-06.0	10	5.1	00.0-10.8
\$15,000- 24,999	315	331,806	256	76.5	67.1-85.9	33	10.2	04.3-16.1	8	3.8	00.1-07.5	18	9.5	01.9-17.1
\$25,000- 34,999	158	176,653	132	82.6	73.0-92.2	14	8.7	02.2-15.2	6	2.4	00.0-04.9	6	6.3	00.0-13.6
\$35,000- 49,999	185	217,276	164	79.6	67.1-92.1	14	11.6	01.2-22.0	3	2.0	00.0-05.1	4	6.9	00.0-15.3
\$50,000- 74,999	185	227,847	159	80.3	69.5-91.1	13	10.1	02.1-18.1	7	5.2	00.0-10.9	6	4.5	00.0-11.2
\$75,000+	298	362,680	260	78.7	69.5-87.9	27	18.8	09.6-28.0	6	1.4	00.2-02.6	5	1.1	00.0-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3651	2,027,727	3144	82.2	79.3-85.1	322	10.5	08.1-12.9	111	4.5	02.9-06.1	74	2.9	01.5-04.3
White/Non-Hisp	3035	1,622,686	2599	81.2	77.9-84.5	276	11.0	08.3-13.7	95	5.0	03.0-07.0	65	2.9	01.5-04.3
Black or Afr. Am./Non-Hisp	477	287,430	419	87.9	82.4-93.4	38	7.3	03.8-10.8	14	3.1	00.0-06.8	6	1.7	00.0-03.9
25-34	206	289,458	151	65.6	54.2-77.0	35	17.5	08.3-26.7	12	10.4	02.6-18.2	8	6.5	00.0-13.0
35-44	360	352,235	280	76.9	69.3-84.5	53	16.0	09.3-22.7	13	3.2	00.0-06.5	14	3.9	01.0-06.8
45-54	616	424,506	497	78.6	72.3-84.9	63	10.4	05.7-15.1	40	7.0	03.5-10.5	16	4.0	00.9-07.1
55-64	907	362,566	788	88.9	85.2-92.6	70	5.7	03.9-07.5	29	4.4	01.3-07.5	20	1.1	00.5-01.7
65+	1487	468,273	1363	92.8	91.0-94.6	92	5.4	03.8-07.0	16	0.7	00.1-01.3	16	1.1	00.3-01.9
Less Than H.S.	495	374,887	442	88.5	84.0-93.0	37	6.7	03.4-10.0	6	1.4	00.0-02.8	10	3.4	00.7-06.1
H.S. or G.E.D.	1264	691,223	1082	82.7	78.0-87.4	122	11.9	07.8-16.0	34	2.9	01.1-04.7	26	2.5	00.5-04.5
Some Post-H.S.	1026	538,180	871	82.3	76.4-88.2	91	11.3	06.2-16.4	44	4.0	01.8-06.2	20	2.4	00.0-05.1
College Graduate	847	417,037	734	75.5	67.5-83.5	69	10.3	04.4-16.2	27	10.5	04.2-16.8	17	3.8	00.7-06.9
Less than \$15,000	449	239,977	391	82.8	73.2-92.4	27	7.7	00.3-15.1	15	4.7	00.0-09.8	16	4.9	00.0-10.0
\$15,000- 24,999	844	431,078	695	80.9	73.8-88.0	111	13.8	07.5-20.1	23	1.8	00.8-02.8	15	3.5	00.0-07.4
\$25,000- 34,999	335	196,447	295	82.4	73.0-91.8	27	11.3	03.3-19.3	7	4.4	00.0-09.9	6	1.9	00.0-04.4
\$35,000- 49,999	348	206,683	301	86.2	80.3-92.1	28	8.2	03.1-13.3	11	2.2	00.6-03.8	8	3.3	00.6-06.0
\$50,000- 74,999	312	230,016	262	74.7	64.5-84.9	35	14.7	06.9-22.5	11	7.6	01.1-14.1	4	3.0	00.0-08.1
\$75,000+	416	287,122	361	80.3	72.1-88.5	32	9.5	03.8-15.2	15	7.7	01.0-14.4	8	2.6	00.2-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5239	3,832,187	2276	38.7	36.0-41.4	2963	61.3	58.6-64.0
Male	1598	1,792,072	672	34.9	30.8-39.0	926	65.1	61.0-69.2
Female	3641	2,040,114	1604	42.0	38.5-45.5	2037	58.0	54.5-61.5
White/Non-Hisp	4387	3,037,141	1919	39.7	36.8-42.6	2468	60.3	57.4-63.2
Black or Afr. Am./Non-Hisp	628	531,240	266	38.9	30.9-46.9	362	61.1	53.1-69.1
Oth. Race/Non-Hisp.	64	77,423	28	29.8	09.0-50.6	36	70.2	49.4-91.0
MultiRacial/Non-Hisp.	66	80,064	24	20.6	04.7-36.5	42	79.4	63.5-95.3
Hispanic	65	94,145	25	27.3	05.3-49.3	40	72.7	50.7-94.7
18-24	65	227,827	4	3.2	00.0-07.3	61	96.8	92.7-0100
25-34	285	553,537	60	22.1	14.1-30.1	225	77.9	69.9-85.9
35-44	530	711,636	138	25.8	19.7-31.9	392	74.2	68.1-80.3
45-54	899	796,768	371	42.2	36.7-47.7	528	57.8	52.3-63.3
55-64	1343	695,488	651	55.7	50.2-61.2	692	44.3	38.8-49.8
65+	2071	822,550	1032	52.7	48.8-56.6	1039	47.3	43.4-51.2
Less Than H.S.	677	649,786	372	50.4	43.3-57.5	305	49.6	42.5-56.7
H.S. or G.E.D.	1742	1,288,661	806	39.7	35.2-44.2	936	60.3	55.8-64.8
Some Post-H.S.	1460	1,058,757	578	34.6	29.3-39.9	882	65.4	60.1-70.7
College Graduate	1339	826,152	511	32.9	27.6-38.2	828	67.1	61.8-72.4
Less than \$15,000	595	391,241	332	52.7	42.7-62.7	263	47.3	37.3-57.3
\$15,000- 24,999	1152	758,228	523	44.3	38.0-50.6	629	55.7	49.4-62.0
\$25,000- 34,999	491	370,403	202	39.0	29.8-48.2	289	61.0	51.8-70.2
\$35,000- 49,999	534	421,992	218	32.2	25.1-39.3	316	67.8	60.7-74.9
\$50,000- 74,999	499	457,462	203	36.5	28.9-44.1	296	63.5	55.9-71.1
\$75,000+	713	651,457	264	31.6	25.7-37.5	449	68.4	62.5-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	1,792,072	672	34.9	30.8-39.0	926	65.1	61.0-69.2
White/Non-Hisp	1355	1,399,579	566	34.7	30.6-38.8	789	65.3	61.2-69.4
Black or Afr. Am./Non-Hisp	159	246,870	73	38.4	25.1-51.7	86	61.6	48.3-74.9
25-34	78	263,133	18	25.7	11.8-39.6	60	74.3	60.4-88.2
35-44	170	357,427	41	19.3	11.1-27.5	129	80.7	72.5-88.9
45-54	288	375,455	124	38.0	30.0-46.0	164	62.0	54.0-70.0
55-64	442	333,353	221	54.4	45.8-63.0	221	45.6	37.0-54.2
65+	584	342,517	260	45.3	38.0-52.6	324	54.7	47.4-62.0
Less Than H.S.	185	274,823	89	45.6	33.8-57.4	96	54.4	42.6-66.2
H.S. or G.E.D.	477	595,463	221	35.6	28.7-42.5	256	64.4	57.5-71.3
Some Post-H.S.	441	511,892	164	31.8	23.8-39.8	277	68.2	60.2-76.2
College Graduate	492	407,212	197	30.2	22.9-37.5	295	69.8	62.5-77.1
Less than \$15,000	143	150,349	67	46.7	28.7-64.7	76	53.3	35.3-71.3
\$15,000- 24,999	310	327,284	143	42.1	31.7-52.5	167	57.9	47.5-68.3
\$25,000- 34,999	159	176,377	61	33.5	19.6-47.4	98	66.5	52.6-80.4
\$35,000- 49,999	187	215,831	84	31.2	20.8-41.6	103	68.8	58.4-79.2
\$50,000- 74,999	184	226,111	72	32.5	22.5-42.5	112	67.5	57.5-77.5
\$75,000+	299	364,985	120	31.8	24.0-39.6	179	68.2	60.4-76.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3641	2,040,114	1604	42.0	38.5-45.5	2037	58.0	54.5-61.5
White/Non-Hisp	3032	1,637,562	1353	44.0	40.3-47.7	1679	56.0	52.3-59.7
Black or Afr. Am./Non-Hisp	469	284,370	193	39.4	29.6-49.2	276	60.6	50.8-70.4
25-34	207	290,403	42	18.9	10.1-27.7	165	81.1	72.3-89.9
35-44	360	354,209	97	32.5	23.7-41.3	263	67.5	58.7-76.3
45-54	611	421,313	247	45.8	38.4-53.2	364	54.2	46.8-61.6
55-64	901	362,134	430	56.9	49.8-64.0	471	43.1	36.0-50.2
65+	1487	480,032	772	57.9	53.4-62.4	715	42.1	37.6-46.6
Less Than H.S.	492	374,962	283	53.9	45.3-62.5	209	46.1	37.5-54.7
H.S. or G.E.D.	1265	693,199	585	43.3	37.2-49.4	680	56.7	50.6-62.8
Some Post-H.S.	1019	546,865	414	37.3	30.6-44.0	605	62.7	56.0-69.4
College Graduate	847	418,941	314	35.4	27.6-43.2	533	64.6	56.8-72.4
Less than \$15,000	452	240,893	265	56.4	44.4-68.4	187	43.6	31.6-55.6
\$15,000- 24,999	842	430,943	380	45.9	38.1-53.7	462	54.1	46.3-61.9
\$25,000- 34,999	332	194,026	141	44.0	32.0-56.0	191	56.0	44.0-68.0
\$35,000- 49,999	347	206,160	134	33.3	24.1-42.5	213	66.7	57.5-75.9
\$50,000- 74,999	315	231,351	131	40.5	29.7-51.3	184	59.5	48.7-70.3
\$75,000+	414	286,472	144	31.2	22.6-39.8	270	68.8	60.2-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)	
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5899	4,869,017	439	5.2	04.2-06.2	5460	94.8	93.8-95.8
Male	1832	2,341,751	207	7.1	05.3-08.9	1625	92.9	91.1-94.7
Female	4067	2,527,267	232	3.4	02.6-04.2	3835	96.6	95.8-97.4
18-24	144	589,614				144	100.0	0100-0100
25-34	402	838,963	2	0.1	00.0-00.3	400	99.9	99.7-0100
35-44	632	859,047	14	3.9	00.6-07.2	618	96.1	92.8-99.4
45-54	1009	909,434	39	4.2	02.2-06.2	970	95.8	93.8-97.8
55-64	1447	763,516	102	7.0	04.8-09.2	1345	93.0	90.8-95.2
65+	2213	882,877	280	14.5	11.8-17.2	1933	85.5	82.8-88.2
Less Than H.S.	782	844,377	117	12.9	09.0-16.8	665	87.1	83.2-91.0
H.S. or G.E.D.	2008	1,637,813	147	4.4	03.0-05.8	1861	95.6	94.2-97.0
Some Post-H.S.	1629	1,362,906	115	3.9	02.5-05.3	1514	96.1	94.7-97.5
College Graduate	1457	1,014,598	57	1.7	01.1-02.3	1400	98.3	97.7-98.9
Less than \$15,000	697	611,513	87	9.1	04.4-13.8	610	90.9	86.2-95.6
\$15,000- 24,999	1295	949,833	128	6.8	04.6-09.0	1167	93.2	91.0-95.4
\$25,000- 34,999	552	465,337	29	3.1	01.5-04.7	523	96.9	95.3-98.5
\$35,000- 49,999	587	522,082	32	4.9	02.4-07.4	555	95.1	92.6-97.6
\$50,000- 74,999	537	523,851	26	3.4	01.4-05.4	511	96.6	94.6-98.6
\$75,000+	773	752,592	19	1.8	00.8-02.8	754	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	2,341,751	207	7.1	05.3-08.9	1625	92.9	91.1-94.7
18-24	57	301,134				57	100.0	0100-0100
25-34	122	423,071	1	0.1	00.0-00.3	121	99.9	99.7-0100
35-44	197	426,493	7	6.6	00.1-13.1	190	93.4	86.9-99.9
45-54	333	442,298	19	3.9	01.5-06.3	314	96.1	93.7-98.5
55-64	478	366,046	53	11.7	07.4-16.0	425	88.3	84.0-92.6
65+	634	374,953	127	21.0	15.5-26.5	507	79.0	73.5-84.5
Less Than H.S.	229	401,634	56	18.8	11.2-26.4	173	81.2	73.6-88.8
H.S. or G.E.D.	572	791,088	62	5.1	03.1-07.1	510	94.9	92.9-96.9
Some Post-H.S.	485	622,865	51	6.3	03.2-09.4	434	93.7	90.6-96.8
College Graduate	543	523,480	38	2.4	01.4-03.4	505	97.6	96.6-98.6
Less than \$15,000	182	252,444	41	14.2	04.6-23.8	141	85.8	76.2-95.4
\$15,000- 24,999	356	407,769	59	11.9	06.8-17.0	297	88.1	83.0-93.2
\$25,000- 34,999	178	217,753	13	3.4	01.0-05.8	165	96.6	94.2-99.0
\$35,000- 49,999	208	271,656	16	6.0	01.7-10.3	192	94.0	89.7-98.3
\$50,000- 74,999	200	279,049	16	4.9	01.2-08.6	184	95.1	91.4-98.8
\$75,000+	321	423,347	13	2.3	00.7-03.9	308	97.7	96.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4067	2,527,267	232	3.4	02.6-04.2	3835	96.6	95.8-97.4
18-24	87	288,480				87	100.0	0100-0100
25-34	280	415,892	1	0.1	00.0-00.3	279	99.9	99.7-0100
35-44	435	432,554	7	1.1	00.1-02.1	428	98.9	97.9-99.9
45-54	676	467,136	20	4.5	01.4-07.6	656	95.5	92.4-98.6
55-64	969	397,470	49	2.7	01.5-03.9	920	97.3	96.1-98.5
65+	1579	507,924	153	9.8	07.1-12.5	1426	90.2	87.5-92.9
Less Than H.S.	553	442,743	61	7.5	04.8-10.2	492	92.5	89.8-95.2
H.S. or G.E.D.	1436	846,725	85	3.7	01.7-05.7	1351	96.3	94.3-98.3
Some Post-H.S.	1144	740,040	64	2.0	01.4-02.6	1080	98.0	97.4-98.6
College Graduate	914	491,118	19	1.0	00.2-01.8	895	99.0	98.2-99.8
Less than \$15,000	515	359,069	46	5.5	01.8-09.2	469	94.5	90.8-98.2
\$15,000- 24,999	939	542,064	69	3.0	02.0-04.0	870	97.0	96.0-98.0
\$25,000- 34,999	374	247,584	16	2.9	00.7-05.1	358	97.1	94.9-99.3
\$35,000- 49,999	379	250,425	16	3.6	00.9-06.3	363	96.4	93.7-99.1
\$50,000- 74,999	337	244,802	10	1.6	00.2-03.0	327	98.4	97.0-99.8
\$75,000+	452	329,245	6	1.3	00.1-02.5	446	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5855	4,834,131	481	5.0	04.0-06.0	5374	95.0	94.0-96.0
Male	1820	2,335,849	194	6.6	04.8-08.4	1626	93.4	91.6-95.2
Female	4035	2,498,282	287	3.6	03.0-04.2	3748	96.4	95.8-97.0
18-24	143	587,346	1	0.2	00.0-00.6	142	99.8	99.4-0100
25-34	398	836,852				398	100.0	0100-0100
35-44	633	859,620	9	2.9	00.0-06.0	624	97.1	94.0-0100
45-54	1004	903,597	50	3.3	01.9-04.7	954	96.7	95.3-98.1
55-64	1437	747,357	129	7.4	05.4-09.4	1308	92.6	90.6-94.6
65+	2189	873,850	291	15.1	12.2-18.0	1898	84.9	82.0-87.8
Less Than H.S.	771	824,657	111	12.1	08.0-16.2	660	87.9	83.8-92.0
H.S. or G.E.D.	1991	1,626,804	170	4.1	03.1-05.1	1821	95.9	94.9-96.9
Some Post-H.S.	1623	1,361,730	124	3.8	02.4-05.2	1499	96.2	94.8-97.6
College Graduate	1447	1,011,617	75	2.5	01.5-03.5	1372	97.5	96.5-98.5
Less than \$15,000	691	600,924	110	9.2	04.7-13.7	581	90.8	86.3-95.3
\$15,000- 24,999	1276	936,514	125	7.1	04.9-09.3	1151	92.9	90.7-95.1
\$25,000- 34,999	551	464,984	32	2.9	01.5-04.3	519	97.1	95.7-98.5
\$35,000- 49,999	584	520,775	40	3.6	02.0-05.2	544	96.4	94.8-98.0
\$50,000- 74,999	535	521,343	28	2.6	01.4-03.8	507	97.4	96.2-98.6
\$75,000+	772	752,440	31	3.0	01.4-04.6	741	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	2,335,849	194	6.6	04.8-08.4	1626	93.4	91.6-95.2
18-24	57	301,134	1	0.3	00.0-00.9	56	99.7	99.1-0100
25-34	122	423,071				122	100.0	0100-0100
35-44	198	427,066	4	5.4	00.0-11.7	194	94.6	88.3-0100
45-54	332	441,595	23	4.6	02.1-07.1	309	95.4	92.9-97.9
55-64	475	365,153	57	10.1	06.4-13.8	418	89.9	86.2-93.6
65+	625	370,073	109	19.8	14.3-25.3	516	80.2	74.7-85.7
Less Than H.S.	228	399,535	48	17.8	10.2-25.4	180	82.2	74.6-89.8
H.S. or G.E.D.	566	788,855	61	4.2	02.8-05.6	505	95.8	94.4-97.2
Some Post-H.S.	487	623,802	45	5.1	02.4-07.8	442	94.9	92.2-97.6
College Graduate	536	520,974	40	3.4	01.4-05.4	496	96.6	94.6-98.6
Less than \$15,000	181	251,638	38	14.1	04.1-24.1	143	85.9	75.9-95.9
\$15,000- 24,999	351	406,816	48	10.8	06.1-15.5	303	89.2	84.5-93.9
\$25,000- 34,999	178	218,203	15	3.2	01.0-05.4	163	96.8	94.6-99.0
\$35,000- 49,999	206	270,521	20	4.1	01.4-06.8	186	95.9	93.2-98.6
\$50,000- 74,999	200	278,042	14	3.0	01.0-05.0	186	97.0	95.0-99.0
\$75,000+	321	423,347	18	4.3	01.6-07.0	303	95.7	93.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4035	2,498,282	287	3.6	03.0-04.2	3748	96.4	95.8-97.0
18-24	86	286,212				86	100.0	0100-0100
25-34	276	413,781				276	100.0	0100-0100
35-44	435	432,554	5	0.5	00.1-00.9	430	99.5	99.1-99.9
45-54	672	462,002	27	2.1	00.9-03.3	645	97.9	96.7-99.1
55-64	962	382,205	72	4.8	03.2-06.4	890	95.2	93.6-96.8
65+	1564	503,777	182	11.7	09.0-14.4	1382	88.3	85.6-91.0
Less Than H.S.	543	425,121	63	6.8	04.4-09.2	480	93.2	90.8-95.6
H.S. or G.E.D.	1425	837,949	109	4.0	02.6-05.4	1316	96.0	94.6-97.4
Some Post-H.S.	1136	737,928	79	2.7	01.9-03.5	1057	97.3	96.5-98.1
College Graduate	911	490,644	35	1.5	00.9-02.1	876	98.5	97.9-99.1
Less than \$15,000	510	349,286	72	5.8	03.4-08.2	438	94.2	91.8-96.6
\$15,000- 24,999	925	529,697	77	4.2	02.8-05.6	848	95.8	94.4-97.2
\$25,000- 34,999	373	246,781	17	2.7	01.1-04.3	356	97.3	95.7-98.9
\$35,000- 49,999	378	250,254	20	3.1	01.5-04.7	358	96.9	95.3-98.5
\$50,000- 74,999	335	243,301	14	2.0	00.8-03.2	321	98.0	96.8-99.2
\$75,000+	451	329,093	13	1.4	00.4-02.4	438	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5906	4,857,733	347	3.8	03.0-04.6	5559	96.2	95.4-97.0
Male	1834	2,333,000	97	3.0	02.0-04.0	1737	97.0	96.0-98.0
Female	4072	2,524,733	250	4.4	03.0-05.8	3822	95.6	94.2-97.0
18-24	144	589,614				144	100.0	0100-0100
25-34	402	838,963	6	1.4	00.0-03.4	396	98.6	96.6-0100
35-44	632	855,940	6	0.4	00.0-00.8	626	99.6	99.2-0100
45-54	1011	901,002	34	3.3	01.1-05.5	977	96.7	94.5-98.9
55-64	1451	764,468	88	6.4	03.7-09.1	1363	93.6	90.9-96.3
65+	2214	882,179	212	9.9	07.7-12.1	2002	90.1	87.9-92.3
Less Than H.S.	785	833,823	87	7.5	05.3-09.7	698	92.5	90.3-94.7
H.S. or G.E.D.	2011	1,640,073	128	4.5	02.5-06.5	1883	95.5	93.5-97.5
Some Post-H.S.	1631	1,364,285	87	2.5	01.5-03.5	1544	97.5	96.5-98.5
College Graduate	1456	1,010,229	43	1.1	00.7-01.5	1413	98.9	98.5-99.3
Less than \$15,000	703	598,220	76	5.2	03.2-07.2	627	94.8	92.8-96.8
\$15,000- 24,999	1296	950,445	104	6.0	03.3-08.7	1192	94.0	91.3-96.7
\$25,000- 34,999	553	465,911	34	6.1	02.0-10.2	519	93.9	89.8-98.0
\$35,000- 49,999	587	522,082	22	3.1	00.9-05.3	565	96.9	94.7-99.1
\$50,000- 74,999	538	526,176	18	2.1	00.9-03.3	520	97.9	96.7-99.1
\$75,000+	772	752,225	9	0.7	00.1-01.3	763	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	2,333,000	97	3.0	02.0-04.0	1737	97.0	96.0-98.0
18-24	57	301,134				57	100.0	0100-0100
25-34	122	423,071	1	0.3	00.0-00.9	121	99.7	99.1-0100
35-44	198	427,066	2	0.4	00.0-01.0	196	99.6	99.0-0100
45-54	335	433,774	6	1.2	00.2-02.2	329	98.8	97.8-99.8
55-64	478	366,180	31	7.5	03.8-11.2	447	92.5	88.8-96.2
65+	633	374,019	56	9.4	05.7-13.1	577	90.6	86.9-94.3
Less Than H.S.	228	389,372	29	8.4	04.5-12.3	199	91.6	87.7-95.5
H.S. or G.E.D.	573	793,161	29	2.1	00.9-03.3	544	97.9	96.7-99.1
Some Post-H.S.	488	624,780	23	2.5	00.7-04.3	465	97.5	95.7-99.3
College Graduate	542	523,003	16	1.2	00.4-02.0	526	98.8	98.0-99.6
Less than \$15,000	182	241,116	22	6.8	02.9-10.7	160	93.2	89.3-97.1
\$15,000- 24,999	357	408,382	29	4.4	02.0-06.8	328	95.6	93.2-98.0
\$25,000- 34,999	179	218,327	12	6.1	00.8-11.4	167	93.9	88.6-99.2
\$35,000- 49,999	208	271,656	4	2.7	00.0-06.0	204	97.3	94.0-0100
\$50,000- 74,999	201	281,374	7	2.2	00.2-04.2	194	97.8	95.8-99.8
\$75,000+	321	423,347	3	0.4	00.0-00.8	318	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4072	2,524,733	250	4.4	03.0-05.8	3822	95.6	94.2-97.0
18-24	87	288,480				87	100.0	0100-0100
25-34	280	415,892	5	2.6	00.0-06.3	275	97.4	93.7-0100
35-44	434	428,874	4	0.5	00.0-01.1	430	99.5	98.9-0100
45-54	676	467,229	28	5.2	01.3-09.1	648	94.8	90.9-98.7
55-64	973	398,288	57	5.4	01.3-09.5	916	94.6	90.5-98.7
65+	1581	508,160	156	10.3	07.6-13.0	1425	89.7	87.0-92.4
Less Than H.S.	557	444,451	58	6.7	04.2-09.2	499	93.3	90.8-95.8
H.S. or G.E.D.	1438	846,912	99	6.9	03.4-10.4	1339	93.1	89.6-96.6
Some Post-H.S.	1143	739,505	64	2.5	01.7-03.3	1079	97.5	96.7-98.3
College Graduate	914	487,226	27	0.9	00.3-01.5	887	99.1	98.5-99.7
Less than \$15,000	521	357,104	54	4.1	02.3-05.9	467	95.9	94.1-97.7
\$15,000- 24,999	939	542,064	75	7.3	03.0-11.6	864	92.7	88.4-97.0
\$25,000- 34,999	374	247,584	22	6.1	00.0-12.4	352	93.9	87.6-0100
\$35,000- 49,999	379	250,425	18	3.6	01.1-06.1	361	96.4	93.9-98.9
\$50,000- 74,999	337	244,802	11	1.9	00.3-03.5	326	98.1	96.5-99.7
\$75,000+	451	328,878	6	1.0	00.0-02.2	445	99.0	97.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

**Denominator Excludes: Respondents reporting only one race
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5905	4,872,894	587	10.4	08.6-12.2	5318	89.6	87.8-91.4
Male	1835	2,344,379	119	8.4	05.9-10.9	1716	91.6	89.1-94.1
Female	4070	2,528,514	468	12.2	09.8-14.6	3602	87.8	85.4-90.2
18-24	144	589,614	11	5.5	00.4-10.6	133	94.5	89.4-99.6
25-34	402	838,963	39	9.5	05.0-14.0	363	90.5	86.0-95.0
35-44	633	859,620	58	12.2	07.1-17.3	575	87.8	82.7-92.9
45-54	1011	911,496	110	11.1	07.4-14.8	901	88.9	85.2-92.6
55-64	1452	765,010	153	11.5	07.6-15.4	1299	88.5	84.6-92.4
65+	2211	882,623	208	11.1	07.8-14.4	2003	88.9	85.6-92.2
Less Than H.S.	785	844,726	105	12.5	08.0-17.0	680	87.5	83.0-92.0
H.S. or G.E.D.	2009	1,639,983	195	10.8	07.7-13.9	1814	89.2	86.1-92.3
Some Post-H.S.	1630	1,364,172	160	7.6	05.1-10.1	1470	92.4	89.9-94.9
College Graduate	1458	1,014,690	124	11.7	07.6-15.8	1334	88.3	84.2-92.4
Less than \$15,000	704	613,682	128	16.2	09.9-22.5	576	83.8	77.5-90.1
\$15,000- 24,999	1295	950,144	126	14.3	09.2-19.4	1169	85.7	80.6-90.8
\$25,000- 34,999	552	465,596	55	12.5	06.2-18.8	497	87.5	81.2-93.8
\$35,000- 49,999	585	521,224	52	6.2	02.9-09.5	533	93.8	90.5-97.1
\$50,000- 74,999	537	526,498	37	8.2	03.1-13.3	500	91.8	86.7-96.9
\$75,000+	773	752,592	56	6.9	03.6-10.2	717	93.1	89.8-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)
 Denominator Excludes: Respondents reporting only one race**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	2,344,379	119	8.4	05.9-10.9	1716	91.6	89.1-94.1
18-24	57	301,134	3	5.3	00.0-11.8	54	94.7	88.2-0100
25-34	122	423,071	8	9.1	01.8-16.4	114	90.9	83.6-98.2
35-44	198	427,066	12	10.2	02.8-17.6	186	89.8	82.4-97.2
45-54	335	444,254	20	4.7	02.0-07.4	315	95.3	92.6-98.0
55-64	479	366,657	34	9.9	04.4-15.4	445	90.1	84.6-95.6
65+	633	374,441	41	11.2	04.5-17.9	592	88.8	82.1-95.5
Less Than H.S.	228	400,275	27	12.5	04.3-20.7	201	87.5	79.3-95.7
H.S. or G.E.D.	573	793,161	39	9.2	04.9-13.5	534	90.8	86.5-95.1
Some Post-H.S.	488	624,780	27	4.4	01.5-07.3	461	95.6	92.7-98.5
College Graduate	543	523,480	26	9.0	03.3-14.7	517	91.0	85.3-96.7
Less than \$15,000	183	253,054	23	16.5	04.7-28.3	160	83.5	71.7-95.3
\$15,000- 24,999	357	408,382	22	12.7	04.7-20.7	335	87.3	79.3-95.3
\$25,000- 34,999	179	218,327	13	11.1	01.3-20.9	166	88.9	79.1-98.7
\$35,000- 49,999	207	271,145	8	1.7	00.0-03.5	199	98.3	96.5-0100
\$50,000- 74,999	202	281,851	7	3.8	00.0-07.7	195	96.2	92.3-0100
\$75,000+	321	423,347	12	7.0	01.5-12.5	309	93.0	87.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4070	2,528,514	468	12.2	09.8-14.6	3602	87.8	85.4-90.2
18-24	87	288,480	8	5.7	00.0-13.3	79	94.3	86.7-0100
25-34	280	415,892	31	9.9	04.6-15.2	249	90.1	84.8-95.4
35-44	435	432,554	46	14.1	07.2-21.0	389	85.9	79.0-92.8
45-54	676	467,242	90	17.1	10.6-23.6	586	82.9	76.4-89.4
55-64	973	398,353	119	13.0	07.3-18.7	854	87.0	81.3-92.7
65+	1578	508,182	167	11.1	08.4-13.8	1411	88.9	86.2-91.6
Less Than H.S.	557	444,451	78	12.5	07.8-17.2	479	87.5	82.8-92.2
H.S. or G.E.D.	1436	846,822	156	12.3	07.8-16.8	1280	87.7	83.2-92.2
Some Post-H.S.	1142	739,392	133	10.4	06.5-14.3	1009	89.6	85.7-93.5
College Graduate	915	491,210	98	14.6	08.5-20.7	817	85.4	79.3-91.5
Less than \$15,000	521	360,627	105	16.0	09.5-22.5	416	84.0	77.5-90.5
\$15,000- 24,999	938	541,762	104	15.5	08.8-22.2	834	84.5	77.8-91.2
\$25,000- 34,999	373	247,269	42	13.7	05.7-21.7	331	86.3	78.3-94.3
\$35,000- 49,999	378	250,079	44	11.1	04.8-17.4	334	88.9	82.6-95.2
\$50,000- 74,999	335	244,647	30	13.3	03.7-22.9	305	86.7	77.1-96.3
\$75,000+	452	329,245	44	6.7	04.0-09.4	408	93.3	90.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	578	502,109	423	69.9	61.5-78.3	155	30.1	21.7-38.5
Male	119	197,412	73	60.6	44.9-76.3	46	39.4	23.7-55.1
Female	459	304,697	350	75.9	66.7-85.1	109	24.1	14.9-33.3
35-44	58	104,696	39	65.1	44.7-85.5	19	34.9	14.5-55.3
45-54	105	97,881	80	72.8	55.2-90.4	25	27.2	09.6-44.8
55-64	151	87,824	106	76.0	62.5-89.5	45	24.0	10.5-37.5
65+	207	97,668	158	71.9	53.5-90.3	49	28.1	09.7-46.5
Less Than H.S.	105	105,862	80	71.3	52.5-90.1	25	28.7	09.9-47.5
H.S. or G.E.D.	191	176,244	139	72.1	57.6-86.6	52	27.9	13.4-42.4
Some Post-H.S.	158	102,485	125	77.1	60.8-93.4	33	22.9	06.6-39.2
College Graduate	121	117,142	76	59.0	39.8-78.2	45	41.0	21.8-60.2
Less than \$15,000	123	97,578	97	66.8	45.6-88.0	26	33.2	12.0-54.4
\$15,000- 24,999	126	135,910	99	80.2	66.1-94.3	27	19.8	05.7-33.9
\$25,000- 34,999	55	58,143	37	63.2	34.8-91.6	18	36.8	08.4-65.2
\$35,000- 49,999	51	32,090	33	59.6	33.1-86.1	18	40.4	13.9-66.9
\$75,000+	54	50,588	35	49.1	24.4-73.8	19	50.9	26.2-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	119	197,412	73	60.6	44.9-76.3	46	39.4	23.7-55.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	459	304,697	350	75.9	66.7-85.1	109	24.1	14.9-33.3
45-54	85	76,870	68	78.6	57.2-91.0	17	21.4	00.0-42.8
55-64	117	51,619	84	85.0	76.4-93.6	33	15.0	06.4-23.6
65+	166	55,808	131	78.3	69.1-87.5	35	21.7	12.5-30.9
Less Than H.S.	78	55,778	61	75.2	60.9-89.5	17	24.8	10.5-39.1
H.S. or G.E.D.	152	103,226	112	80.4	64.7-96.1	40	19.6	03.9-35.3
Some Post-H.S.	131	75,178	109	77.6	56.4-98.8	22	22.4	01.2-43.6
College Graduate	95	70,139	65	67.9	46.5-89.3	30	32.1	10.7-53.5
Less than \$15,000	100	55,907	81	70.8	49.8-91.8	19	29.2	08.2-50.2
\$15,000- 24,999	104	84,084	84	79.9	60.3-99.5	20	20.1	00.5-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5899	4,848,557	629	6.7	05.7-07.7	5270	93.3	92.3-94.3
Male	1833	2,341,215	224	6.8	05.2-08.4	1609	93.2	91.6-94.8
Female	4066	2,507,342	405	6.6	05.4-07.8	3661	93.4	92.2-94.6
White/Non-Hisp	4915	3,793,546	609	8.3	07.1-09.5	4306	91.7	90.5-92.9
Black or Afr. Am./Non-Hisp	726	742,090	5	0.9	00.0-02.5	721	99.1	97.5-0100
Oth. Race/Non-Hisp.	75	97,076	4	1.7	00.0-03.9	71	98.3	96.1-0100
MultiRacial/Non-Hisp.	72	82,759	7	2.1	00.0-04.6	65	97.9	95.4-0100
Hispanic	75	118,304	1	0.2	00.0-00.6	74	99.8	99.4-0100
18-24	142	569,910	2	2.0	00.0-05.5	140	98.0	94.5-0100
25-34	401	838,587	6	0.6	00.0-01.2	395	99.4	98.8-0100
35-44	632	859,546	18	1.9	00.7-03.1	614	98.1	96.9-99.3
45-54	1012	910,945	51	4.5	02.5-06.5	961	95.5	93.5-97.5
55-64	1449	762,644	127	8.5	05.8-11.2	1322	91.5	88.8-94.2
65+	2211	881,359	421	20.4	17.5-23.3	1790	79.6	76.7-82.5
Less Than H.S.	785	845,337	93	9.6	06.7-12.5	692	90.4	87.5-93.3
H.S. or G.E.D.	2008	1,635,186	201	7.1	05.1-09.1	1807	92.9	90.9-94.9
Some Post-H.S.	1629	1,344,608	164	5.4	03.8-07.0	1465	94.6	93.0-96.2
College Graduate	1455	1,014,178	170	5.4	03.8-07.0	1285	94.6	93.0-96.2
Less than \$15,000	703	594,135	76	5.7	03.3-08.1	627	94.3	91.9-96.7
\$15,000- 24,999	1293	948,711	130	8.3	05.6-11.0	1163	91.7	89.0-94.4
\$25,000- 34,999	553	465,911	51	8.1	04.4-11.8	502	91.9	88.2-95.6
\$35,000- 49,999	586	521,589	63	4.7	03.1-06.3	523	95.3	93.7-96.9
\$50,000- 74,999	537	522,558	56	5.8	03.4-08.2	481	94.2	91.8-96.6
\$75,000+	772	752,403	74	5.0	03.4-06.6	698	95.0	93.4-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1833	2,341,215	224	6.8	05.2-08.4	1609	93.2	91.6-94.8
White/Non-Hisp	1550	1,799,877	217	8.7	06.7-10.7	1333	91.3	89.3-93.3
Black or Afr. Am./Non-Hisp	185	357,422	1	0.1	00.0-00.3	184	99.9	99.7-0100
18-24	57	301,134	1	3.4	00.0-09.9	56	96.6	90.1-0100
25-34	122	423,071	1	0.4	00.0-01.2	121	99.6	98.8-0100
35-44	198	427,066	4	0.7	00.0-01.5	194	99.3	98.5-0100
45-54	335	443,639	11	3.2	00.8-05.6	324	96.8	94.4-99.2
55-64	478	364,636	50	10.9	05.6-16.2	428	89.1	83.8-94.4
65+	632	373,913	156	24.2	19.1-29.3	476	75.8	70.7-80.9
Less Than H.S.	229	401,438	35	11.1	06.4-15.8	194	88.9	84.2-93.6
H.S. or G.E.D.	571	789,067	62	7.5	04.0-11.0	509	92.5	89.0-96.0
Some Post-H.S.	488	624,780	52	4.8	02.8-06.8	436	95.2	93.2-97.2
College Graduate	542	523,248	75	5.0	03.4-06.6	467	95.0	93.4-96.6
Less than \$15,000	183	253,054	17	4.0	01.3-06.7	166	96.0	93.3-98.7
\$15,000- 24,999	356	407,574	49	9.7	04.8-14.6	307	90.3	85.4-95.2
\$25,000- 34,999	179	218,327	17	8.6	02.9-14.3	162	91.4	85.7-97.1
\$35,000- 49,999	208	271,656	26	4.1	01.9-06.3	182	95.9	93.7-98.1
\$50,000- 74,999	200	277,756	30	5.5	02.8-08.2	170	94.5	91.8-97.2
\$75,000+	321	423,347	33	5.1	02.6-07.6	288	94.9	92.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4066	2,507,342	405	6.6	05.4-07.8	3661	93.4	92.2-94.6
White/Non-Hisp	3365	1,993,668	392	7.9	06.5-09.3	2973	92.1	90.7-93.5
Black or Afr. Am./Non-Hisp	541	384,668	4	1.7	00.0-04.6	537	98.3	95.4-0100
MultiRacial/Non-Hisp.	50	38,122	6	2.2	00.0-04.7	44	97.8	95.3-0100
18-24	85	268,776	1	0.4	00.0-01.2	84	99.6	98.8-0100
25-34	279	415,516	5	0.8	00.0-01.6	274	99.2	98.4-0100
35-44	434	432,479	14	3.0	00.6-05.4	420	97.0	94.6-99.4
45-54	677	467,305	40	5.8	02.9-08.7	637	94.2	91.3-97.1
55-64	971	398,009	77	6.3	04.1-08.5	894	93.7	91.5-95.9
65+	1579	507,446	265	17.7	14.2-21.2	1314	82.3	78.8-85.8
Less Than H.S.	556	443,899	58	8.3	04.8-11.8	498	91.7	88.2-95.2
H.S. or G.E.D.	1437	846,120	139	6.6	05.0-08.2	1298	93.4	91.8-95.0
Some Post-H.S.	1141	719,828	112	5.9	03.7-08.1	1029	94.1	91.9-96.3
College Graduate	913	490,931	95	5.9	03.0-08.8	818	94.1	91.2-97.0
Less than \$15,000	520	341,081	59	6.9	03.4-10.4	461	93.1	89.6-96.6
\$15,000- 24,999	937	541,136	81	7.2	03.9-10.5	856	92.8	89.5-96.1
\$25,000- 34,999	374	247,584	34	7.5	02.4-12.6	340	92.5	87.4-97.6
\$35,000- 49,999	378	249,933	37	5.4	03.0-07.8	341	94.6	92.2-97.0
\$50,000- 74,999	337	244,802	26	6.2	02.3-10.1	311	93.8	89.9-97.7
\$75,000+	451	329,056	41	4.7	02.9-06.5	410	95.3	93.5-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5901	4,849,256	612	5.9	04.9-06.9	5289	94.1	93.1-95.1
Male	1834	2,342,122	156	4.2	02.8-05.6	1678	95.8	94.4-97.2
Female	4067	2,507,134	456	7.4	06.0-08.8	3611	92.6	91.2-94.0
White/Non-Hisp	4918	3,797,772	535	6.7	05.5-07.9	4383	93.3	92.1-94.5
Black or Afr. Am./Non-Hisp	724	738,187	47	2.5	01.5-03.5	677	97.5	96.5-98.5
Oth. Race/Non-Hisp.	76	97,451	10	5.0	00.5-09.5	66	95.0	90.5-99.5
MultiRacial/Non-Hisp.	72	82,759	5	2.4	00.0-05.1	67	97.6	94.9-0100
Hispanic	75	118,304	9	4.3	00.0-09.0	66	95.7	91.0-0100
18-24	142	569,910	2	2.4	00.0-06.3	140	97.6	93.7-0100
25-34	402	838,963	13	2.3	00.0-04.8	389	97.7	95.2-0100
35-44	628	857,397	30	2.5	01.3-03.7	598	97.5	96.3-98.7
45-54	1011	908,970	61	3.4	02.2-04.6	950	96.6	95.4-97.8
55-64	1452	765,071	133	7.6	05.1-10.1	1319	92.4	89.9-94.9
65+	2214	883,379	370	15.8	13.1-18.5	1844	84.2	81.5-86.9
Less Than H.S.	787	846,696	88	6.5	04.5-08.5	699	93.5	91.5-95.5
H.S. or G.E.D.	2007	1,635,631	201	5.9	04.3-07.5	1806	94.1	92.5-95.7
Some Post-H.S.	1628	1,344,535	187	7.2	04.7-09.7	1441	92.8	90.3-95.3
College Graduate	1457	1,013,146	133	3.5	02.7-04.3	1324	96.5	95.7-97.3
Less than \$15,000	698	592,915	85	7.8	03.5-12.1	613	92.2	87.9-96.5
\$15,000- 24,999	1296	950,445	144	6.1	04.5-07.7	1152	93.9	92.3-95.5
\$25,000- 34,999	552	465,587	62	6.4	02.9-09.9	490	93.6	90.1-97.1
\$35,000- 49,999	587	522,082	52	4.5	02.7-06.3	535	95.5	93.7-97.3
\$50,000- 74,999	538	526,432	48	4.4	02.8-06.0	490	95.6	94.0-97.2
\$75,000+	772	751,309	52	2.8	01.8-03.8	720	97.2	96.2-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	2,342,122	156	4.2	02.8-05.6	1678	95.8	94.4-97.2
White/Non-Hisp	1553	1,804,688	132	4.8	03.2-06.4	1421	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	183	353,519	14	2.4	00.6-04.2	169	97.6	95.8-99.4
18-24	57	301,134				57	100.0	0100-0100
25-34	122	423,071	2	2.5	00.0-07.2	120	97.5	92.8-0100
35-44	198	427,066	1	0.4	00.0-01.2	197	99.6	98.8-0100
45-54	335	442,051	9	1.0	00.2-01.8	326	99.0	98.2-99.8
55-64	478	366,416	36	8.4	03.9-12.9	442	91.6	87.1-96.1
65+	633	374,629	108	13.8	10.3-17.3	525	86.2	82.7-89.7
Less Than H.S.	230	402,245	18	3.6	01.2-06.0	212	96.4	94.0-98.8
H.S. or G.E.D.	571	789,258	45	4.9	02.0-07.8	526	95.1	92.2-98.0
Some Post-H.S.	488	624,780	42	4.5	01.8-07.2	446	95.5	92.8-98.2
College Graduate	542	523,156	51	3.4	02.2-04.6	491	96.6	95.4-97.8
Less than \$15,000	182	252,813	12	1.7	00.5-02.9	170	98.3	97.1-99.5
\$15,000- 24,999	357	408,382	38	5.5	03.0-08.0	319	94.5	92.0-97.0
\$25,000- 34,999	178	218,003	15	6.0	00.0-12.7	163	94.0	87.3-0100
\$35,000- 49,999	208	271,656	17	3.3	00.9-05.7	191	96.7	94.3-99.1
\$50,000- 74,999	202	281,851	20	4.1	01.7-06.5	182	95.9	93.5-98.3
\$75,000+	321	423,347	20	2.4	01.0-03.8	301	97.6	96.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4067	2,507,134	456	7.4	06.0-08.8	3611	92.6	91.2-94.0
White/Non-Hisp	3365	1,993,084	403	8.3	06.5-10.1	2962	91.7	89.9-93.5
Black or Afr. Am./Non-Hisp	541	384,668	33	2.6	01.4-03.8	508	97.4	96.2-98.6
MultiRacial/Non-Hisp.	50	38,122	4	4.4	00.0-10.3	46	95.6	89.7-0100
18-24	85	268,776	2	5.1	00.0-13.3	83	94.9	86.7-0100
25-34	280	415,892	11	2.2	00.2-04.2	269	97.8	95.8-99.8
35-44	430	430,331	29	4.6	02.4-06.8	401	95.4	93.2-97.6
45-54	676	466,919	52	5.7	03.5-07.9	624	94.3	92.1-96.5
55-64	974	398,655	97	6.9	04.9-08.9	877	93.1	91.1-95.1
65+	1581	508,751	262	17.3	13.6-21.0	1319	82.7	79.0-86.4
Less Than H.S.	557	444,451	70	9.1	06.0-12.2	487	90.9	87.8-94.0
H.S. or G.E.D.	1436	846,373	156	6.7	05.1-08.3	1280	93.3	91.7-94.9
Some Post-H.S.	1140	719,755	145	9.6	05.7-13.5	995	90.4	86.5-94.3
College Graduate	915	489,990	82	3.7	02.5-04.9	833	96.3	95.1-97.5
Less than \$15,000	516	340,102	73	12.4	05.1-19.7	443	87.6	80.3-94.9
\$15,000- 24,999	939	542,064	106	6.5	04.5-08.5	833	93.5	91.5-95.5
\$25,000- 34,999	374	247,584	47	6.8	03.7-09.9	327	93.2	90.1-96.3
\$35,000- 49,999	379	250,425	35	5.8	03.1-08.5	344	94.2	91.5-96.9
\$50,000- 74,999	336	244,581	28	4.8	02.6-07.0	308	95.2	93.0-97.4
\$75,000+	451	327,962	32	3.3	01.7-04.9	419	96.7	95.1-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	4,835,338	659	9.2	07.6-10.8	5233	90.8	89.2-92.4
Male	1830	2,328,359	153	6.6	04.6-08.6	1677	93.4	91.4-95.4
Female	4062	2,506,979	506	11.6	09.2-14.0	3556	88.4	86.0-90.8
White/Non-Hisp	4910	3,781,037	570	9.1	07.5-10.7	4340	90.9	89.3-92.5
Black or Afr. Am./Non-Hisp	723	741,004	56	9.8	03.9-15.7	667	90.2	84.3-96.1
Oth. Race/Non-Hisp.	76	97,451	13	20.3	00.0-41.5	63	79.7	58.5-0100
MultiRacial/Non-Hisp.	72	82,759	9	5.2	00.5-09.9	63	94.8	90.1-99.5
Hispanic	75	118,304	5	2.4	00.0-05.1	70	97.6	94.9-0100
18-24	141	557,565	7	9.2	01.6-16.8	134	90.8	83.2-98.4
25-34	402	838,963	11	2.5	00.5-04.5	391	97.5	95.5-99.5
35-44	631	858,894	33	4.7	02.0-07.4	598	95.3	92.6-98.0
45-54	1007	909,177	119	13.5	09.2-17.8	888	86.5	82.2-90.8
55-64	1450	763,509	190	11.3	07.8-14.8	1260	88.7	85.2-92.2
65+	2210	882,170	293	13.8	11.1-16.5	1917	86.2	83.5-88.9
Less Than H.S.	782	843,811	161	18.1	13.0-23.2	621	81.9	76.8-87.0
H.S. or G.E.D.	2006	1,636,629	250	9.6	07.1-12.1	1756	90.4	87.9-92.9
Some Post-H.S.	1624	1,331,402	178	9.0	05.7-12.3	1446	91.0	87.7-94.3
College Graduate	1459	1,014,754	67	1.6	01.0-02.2	1392	98.4	97.8-99.0
Less than \$15,000	696	591,110	159	19.9	13.0-26.8	537	80.1	73.2-87.0
\$15,000- 24,999	1292	948,603	187	12.6	08.7-16.5	1105	87.4	83.5-91.3
\$25,000- 34,999	553	465,911	56	8.8	04.5-13.1	497	91.2	86.9-95.5
\$35,000- 49,999	586	521,964	53	6.8	02.7-10.9	533	93.2	89.1-97.3
\$50,000- 74,999	537	512,235	28	5.5	01.4-09.6	509	94.5	90.4-98.6
\$75,000+	773	752,592	22	2.5	00.9-04.1	751	97.5	95.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	2,328,359	153	6.6	04.6-08.6	1677	93.4	91.4-95.4
White/Non-Hisp	1547	1,787,021	133	6.4	04.6-08.2	1414	93.6	91.8-95.4
Black or Afr. Am./Non-Hisp	185	357,422	9	7.9	00.1-15.7	176	92.1	84.3-99.9
18-24	56	288,789	3	2.3	00.0-05.4	53	97.7	94.6-0100
25-34	122	423,071	3	1.8	00.0-04.3	119	98.2	95.7-0100
35-44	197	426,414	7	3.5	00.0-07.2	190	96.5	92.8-0100
45-54	333	442,562	27	10.1	04.0-16.2	306	89.9	83.8-96.0
55-64	478	365,576	47	9.5	04.4-14.6	431	90.5	85.4-95.6
65+	633	374,191	65	12.0	07.5-16.5	568	88.0	83.5-92.5
Less Than H.S.	228	400,189	38	14.2	07.1-21.3	190	85.8	78.7-92.9
H.S. or G.E.D.	570	790,223	54	7.1	03.8-10.4	516	92.9	89.6-96.2
Some Post-H.S.	486	611,783	39	5.8	02.7-08.9	447	94.2	91.1-97.3
College Graduate	543	523,480	22	1.3	00.7-01.9	521	98.7	98.1-99.3
Less than \$15,000	181	250,999	32	18.8	07.2-30.4	149	81.2	69.6-92.8
\$15,000- 24,999	356	407,620	39	10.9	05.0-16.8	317	89.1	83.2-95.0
\$25,000- 34,999	179	218,327	15	5.0	01.5-08.5	164	95.0	91.5-98.5
\$35,000- 49,999	208	271,656	17	3.5	01.1-05.9	191	96.5	94.1-98.9
\$50,000- 74,999	200	267,433	7	2.0	00.2-03.8	193	98.0	96.2-99.8
\$75,000+	321	423,347	10	2.9	00.5-05.3	311	97.1	94.7-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4062	2,506,979	506	11.6	09.2-14.0	3556	88.4	86.0-90.8
White/Non-Hisp	3363	1,994,015	437	11.6	09.2-14.0	2926	88.4	86.0-90.8
Black or Afr. Am./Non-Hisp	538	383,582	47	11.6	03.0-20.2	491	88.4	79.8-97.0
MultiRacial/Non-Hisp.	50	38,122	7	6.5	00.0-13.6	43	93.5	86.4-0100
18-24	85	268,776	4	16.7	02.0-31.4	81	83.3	68.6-98.0
25-34	280	415,892	8	3.3	00.2-06.4	272	96.7	93.6-99.8
35-44	434	432,479	26	5.8	01.7-09.9	408	94.2	90.1-98.3
45-54	674	466,615	92	16.6	10.5-22.7	582	83.4	77.3-89.5
55-64	972	397,934	143	12.9	07.8-18.0	829	87.1	82.0-92.2
65+	1577	507,979	228	15.1	11.8-18.4	1349	84.9	81.6-88.2
Less Than H.S.	554	443,621	123	21.7	14.6-28.8	431	78.3	71.2-85.4
H.S. or G.E.D.	1436	846,406	196	11.9	08.0-15.8	1240	88.1	84.2-92.0
Some Post-H.S.	1138	719,619	139	11.8	06.5-17.1	999	88.2	82.9-93.5
College Graduate	916	491,274	45	1.9	01.1-02.7	871	98.1	97.3-98.9
Less than \$15,000	515	340,112	127	20.8	12.2-29.4	388	79.2	70.6-87.8
\$15,000- 24,999	936	540,983	148	13.9	08.4-19.4	788	86.1	80.6-91.6
\$25,000- 34,999	374	247,584	41	12.3	05.0-19.6	333	87.7	80.4-95.0
\$35,000- 49,999	378	250,308	36	10.3	02.7-17.9	342	89.7	82.1-97.3
\$50,000- 74,999	337	244,802	21	9.3	01.3-17.3	316	90.7	82.7-98.7
\$75,000+	452	329,245	12	2.0	00.6-03.4	440	98.0	96.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5870	4,832,522	2094	25.9	23.7-28.1	3776	74.1	71.9-76.3
Male	1821	2,329,372	519	20.6	17.7-23.5	1302	79.4	76.5-82.3
Female	4049	2,503,150	1575	30.8	27.9-33.7	2474	69.2	66.3-72.1
White/Non-Hisp	4892	3,779,515	1754	27.1	24.7-29.5	3138	72.9	70.5-75.3
Black or Afr. Am./Non-Hisp	720	740,085	262	23.7	17.8-29.6	458	76.3	70.4-82.2
Oth. Race/Non-Hisp.	75	97,076	22	20.7	04.2-37.2	53	79.3	62.8-95.8
MultiRacial/Non-Hisp.	72	82,759	24	12.0	04.6-19.4	48	88.0	80.6-95.4
Hispanic	75	118,304	21	16.2	03.7-28.7	54	83.8	71.3-96.3
18-24	142	569,910	1	0.5	00.0-01.5	141	99.5	98.5-0100
25-34	401	838,587	36	11.0	06.1-15.9	365	89.0	84.1-93.9
35-44	629	858,235	89	16.6	11.3-21.9	540	83.4	78.1-88.7
45-54	1007	902,398	307	28.8	23.7-33.9	700	71.2	66.1-76.3
55-64	1442	760,710	556	39.8	34.3-45.3	886	60.2	54.7-65.7
65+	2197	877,114	1092	50.1	46.2-54.0	1105	49.9	46.0-53.8
Less Than H.S.	780	843,618	412	40.2	33.9-46.5	368	59.8	53.5-66.1
H.S. or G.E.D.	2002	1,632,447	788	28.6	24.7-32.5	1214	71.4	67.5-75.3
Some Post-H.S.	1614	1,334,043	532	22.3	18.2-26.4	1082	77.7	73.6-81.8
College Graduate	1453	1,013,415	355	14.3	11.2-17.4	1098	85.7	82.6-88.8
Less than \$15,000	697	591,251	383	38.1	29.9-46.3	314	61.9	53.7-70.1
\$15,000- 24,999	1291	949,094	520	34.0	28.5-39.5	771	66.0	60.5-71.5
\$25,000- 34,999	551	464,915	196	21.9	16.4-27.4	355	78.1	72.6-83.6
\$35,000- 49,999	585	520,656	201	22.0	16.5-27.5	384	78.0	72.5-83.5
\$50,000- 74,999	533	524,641	145	21.2	15.1-27.3	388	78.8	72.7-84.9
\$75,000+	770	743,828	159	14.4	10.3-18.5	611	85.6	81.5-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	2,329,372	519	20.6	17.7-23.5	1302	79.4	76.5-82.3
White/Non-Hisp	1541	1,789,479	429	21.0	17.7-24.3	1112	79.0	75.7-82.3
Black or Afr. Am./Non-Hisp	182	355,977	64	20.0	11.2-28.8	118	80.0	71.2-88.8
18-24	57	301,134	1	1.0	00.0-03.0	56	99.0	97.0-0100
25-34	122	423,071	12	6.9	01.6-12.2	110	93.1	87.8-98.4
35-44	196	426,032	22	16.3	07.7-24.9	174	83.7	75.1-92.3
45-54	332	435,831	82	22.5	15.1-29.9	250	77.5	70.1-84.9
55-64	475	363,973	162	36.6	28.8-44.4	313	63.4	55.6-71.2
65+	628	371,575	238	39.0	32.5-45.5	390	61.0	54.5-67.5
Less Than H.S.	229	401,311	96	34.0	24.4-43.6	133	66.0	56.4-75.6
H.S. or G.E.D.	571	787,630	174	22.3	16.6-28.0	397	77.7	72.0-83.4
Some Post-H.S.	479	615,364	125	16.8	11.7-21.9	354	83.2	78.1-88.3
College Graduate	539	522,383	124	12.2	08.5-15.9	415	87.8	84.1-91.5
Less than \$15,000	181	250,761	88	33.6	20.3-46.9	93	66.4	53.1-79.7
\$15,000- 24,999	356	407,938	115	35.4	26.0-44.8	241	64.6	55.2-74.0
\$25,000- 34,999	178	218,002	52	18.2	10.8-25.6	126	81.8	74.4-89.2
\$35,000- 49,999	207	271,320	70	21.1	12.3-29.9	137	78.9	70.1-87.7
\$50,000- 74,999	200	280,916	42	11.5	06.6-16.4	158	88.5	83.6-93.4
\$75,000+	318	414,583	58	9.5	06.2-12.8	260	90.5	87.2-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4049	2,503,150	1575	30.8	27.9-33.7	2474	69.2	66.3-72.1
White/Non-Hisp	3351	1,990,036	1325	32.5	29.2-35.8	2026	67.5	64.2-70.8
Black or Afr. Am./Non-Hisp	538	384,108	198	27.1	19.3-34.9	340	72.9	65.1-80.7
MultiRacial/Non-Hisp.	50	38,122	20	18.3	04.4-32.2	30	81.7	67.8-95.6
18-24	85	268,776				85	100.0	0100-0100
25-34	279	415,516	24	15.1	07.1-23.1	255	84.9	76.9-92.9
35-44	433	432,204	67	16.8	10.7-22.9	366	83.2	77.1-89.3
45-54	675	466,567	225	34.6	27.7-41.5	450	65.4	58.5-72.3
55-64	967	396,737	394	42.8	35.2-50.4	573	57.2	49.6-64.8
65+	1569	505,538	854	58.2	53.9-62.5	715	41.8	37.5-46.1
Less Than H.S.	551	442,307	316	45.8	37.8-53.8	235	54.2	46.2-62.2
H.S. or G.E.D.	1431	844,817	614	34.5	29.4-39.6	817	65.5	60.4-70.6
Some Post-H.S.	1135	718,679	407	27.0	21.1-32.9	728	73.0	67.1-78.9
College Graduate	914	491,032	231	16.5	11.4-21.6	683	83.5	78.4-88.6
Less than \$15,000	516	340,490	295	41.5	31.1-51.9	221	58.5	48.1-68.9
\$15,000- 24,999	935	541,156	405	33.0	26.7-39.3	530	67.0	60.7-73.3
\$25,000- 34,999	373	246,913	144	25.2	17.2-33.2	229	74.8	66.8-82.8
\$35,000- 49,999	378	249,336	131	23.0	16.9-29.1	247	77.0	70.9-83.1
\$50,000- 74,999	333	243,725	103	32.4	22.0-42.8	230	67.6	57.2-78.0
\$75,000+	452	329,245	101	20.6	13.0-28.2	351	79.4	71.8-87.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5888	4,836,873	1130	19.2	17.0-21.4	4758	80.8	78.6-83.0
Male	1829	2,341,248	277	15.2	11.9-18.5	1552	84.8	81.5-88.1
Female	4059	2,495,624	853	23.0	19.9-26.1	3206	77.0	73.9-80.1
White/Non-Hisp	4909	3,784,857	975	20.5	18.0-23.0	3934	79.5	77.0-82.0
Black or Afr. Am./Non-Hisp	721	739,521	93	10.5	05.2-15.8	628	89.5	84.2-94.8
Oth. Race/Non-Hisp.	76	97,451	19	17.7	03.4-32.0	57	82.3	68.0-96.6
MultiRacial/Non-Hisp.	71	81,956	17	32.6	10.5-54.7	54	67.4	45.3-89.5
Hispanic	75	118,304	18	24.0	04.2-43.8	57	76.0	56.2-95.8
18-24	140	568,505	24	17.2	07.6-26.8	116	82.8	73.2-92.4
25-34	401	838,211	69	14.6	08.9-20.3	332	85.4	79.7-91.1
35-44	628	856,028	128	19.8	14.7-24.9	500	80.2	75.1-85.3
45-54	1009	902,623	266	22.6	18.1-27.1	743	77.4	72.9-81.9
55-64	1445	763,151	323	24.0	18.7-29.3	1122	76.0	70.7-81.3
65+	2214	883,293	312	17.0	13.1-20.9	1902	83.0	79.1-86.9
Less Than H.S.	786	846,494	231	33.1	26.4-39.8	555	66.9	60.2-73.6
H.S. or G.E.D.	2006	1,628,633	375	18.0	14.5-21.5	1631	82.0	78.5-85.5
Some Post-H.S.	1622	1,341,260	307	18.0	13.5-22.5	1315	82.0	77.5-86.5
College Graduate	1453	1,011,744	211	11.2	08.1-14.3	1242	88.8	85.7-91.9
Less than \$15,000	700	593,186	252	35.1	26.5-43.7	448	64.9	56.3-73.5
\$15,000- 24,999	1291	940,408	278	22.9	17.6-28.2	1013	77.1	71.8-82.4
\$25,000- 34,999	552	465,108	101	17.0	10.7-23.3	451	83.0	76.7-89.3
\$35,000- 49,999	585	520,862	83	11.6	06.3-16.9	502	88.4	83.1-93.7
\$50,000- 74,999	538	525,576	82	17.1	10.0-24.2	456	82.9	75.8-90.0
\$75,000+	772	752,438	87	7.8	05.3-10.3	685	92.2	89.7-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1829	2,341,248	277	15.2	11.9-18.5	1552	84.8	81.5-88.1
White/Non-Hisp	1549	1,801,772	239	15.2	11.7-18.7	1310	84.8	81.3-88.3
Black or Afr. Am./Non-Hisp	182	355,561	18	11.2	01.4-21.0	164	88.8	79.0-98.6
18-24	56	300,021	7	12.5	01.1-23.9	49	87.5	76.1-98.9
25-34	122	423,071	15	12.1	03.3-20.9	107	87.9	79.1-96.7
35-44	196	424,779	36	19.5	11.3-27.7	160	80.5	72.3-88.7
45-54	334	444,965	62	14.8	08.5-21.1	272	85.2	78.9-91.5
55-64	477	366,295	83	18.6	11.9-25.3	394	81.4	74.7-88.1
65+	633	374,362	73	13.3	06.8-19.8	560	86.7	80.2-93.2
Less Than H.S.	230	402,245	49	26.3	16.1-36.5	181	73.7	63.5-83.9
H.S. or G.E.D.	572	792,571	82	15.2	09.7-20.7	490	84.8	79.3-90.3
Some Post-H.S.	483	621,893	84	14.1	07.8-20.4	399	85.9	79.6-92.2
College Graduate	541	521,856	62	7.8	04.1-11.5	479	92.2	88.5-95.9
Less than \$15,000	181	252,307	63	39.4	24.3-54.5	118	60.6	45.5-75.7
\$15,000- 24,999	357	408,382	63	17.6	10.2-25.0	294	82.4	75.0-89.8
\$25,000- 34,999	179	218,327	30	12.0	03.8-20.2	149	88.0	79.8-96.2
\$35,000- 49,999	208	271,656	22	12.1	02.7-21.5	186	87.9	78.5-97.3
\$50,000- 74,999	202	281,851	18	9.1	00.5-17.7	184	90.9	82.3-99.5
\$75,000+	321	423,347	26	5.8	02.3-09.3	295	94.2	90.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4059	2,495,624	853	23.0	19.9-26.1	3206	77.0	73.9-80.1
White/Non-Hisp	3360	1,983,085	736	25.3	21.8-28.8	2624	74.7	71.2-78.2
Black or Afr. Am./Non-Hisp	539	383,960	75	9.8	04.9-14.7	464	90.2	85.3-95.1
18-24	84	268,485	17	22.4	06.7-38.1	67	77.6	61.9-93.3
25-34	279	415,140	54	17.2	09.9-24.5	225	82.8	75.5-90.1
35-44	432	431,249	92	20.1	13.8-26.4	340	79.9	73.6-86.2
45-54	675	457,658	204	30.1	23.6-36.6	471	69.9	63.4-76.4
55-64	968	396,856	240	29.0	21.2-36.8	728	71.0	63.2-78.8
65+	1581	508,930	239	19.7	14.8-24.6	1342	80.3	75.4-85.2
Less Than H.S.	556	444,249	182	39.1	30.7-47.5	374	60.9	52.5-69.3
H.S. or G.E.D.	1434	836,062	293	20.7	16.0-25.4	1141	79.3	74.6-84.0
Some Post-H.S.	1139	719,367	223	21.3	15.0-27.6	916	78.7	72.4-85.0
College Graduate	912	489,887	149	14.8	09.5-20.1	763	85.2	79.9-90.5
Less than \$15,000	519	340,879	189	31.9	22.1-41.7	330	68.1	58.3-77.9
\$15,000- 24,999	934	532,027	215	27.0	19.6-34.4	719	73.0	65.6-80.4
\$25,000- 34,999	373	246,781	71	21.4	12.0-30.8	302	78.6	69.2-88.0
\$35,000- 49,999	377	249,206	61	11.0	06.9-15.1	316	89.0	84.9-93.1
\$50,000- 74,999	336	243,725	64	26.4	15.8-37.0	272	73.6	63.0-84.2
\$75,000+	451	329,091	61	10.5	07.0-14.0	390	89.5	86.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5893	4,850,336	198	2.1	01.5-02.7	5695	97.9	97.3-98.5
Male	1832	2,343,385	53	2.1	00.9-03.3	1779	97.9	96.7-99.1
Female	4061	2,506,951	145	2.1	01.5-02.7	3916	97.9	97.3-98.5
White/Non-Hisp	4912	3,795,977	162	2.0	01.6-02.4	4750	98.0	97.6-98.4
Black or Afr. Am./Non-Hisp	724	741,523	25	2.6	00.0-05.7	699	97.4	94.3-0100
Oth. Race/Non-Hisp.	76	97,451	2	0.6	00.0-01.6	74	99.4	98.4-0100
MultiRacial/Non-Hisp.	71	82,667	3	5.4	00.0-15.4	68	94.6	84.6-0100
Hispanic	75	118,304	2	2.0	00.0-05.7	73	98.0	94.3-0100
18-24	142	569,910	1	0.4	00.0-01.2	141	99.6	98.8-0100
25-34	402	838,963				402	100.0	0100-0100
35-44	631	858,728	10	1.5	00.3-02.7	621	98.5	97.3-99.7
45-54	1008	910,778	18	2.3	00.0-04.8	990	97.7	95.2-0100
55-64	1448	764,471	48	2.0	01.0-03.0	1400	98.0	97.0-99.0
65+	2210	881,918	118	5.8	04.2-07.4	2092	94.2	92.6-95.8
Less Than H.S.	779	843,107	52	6.0	02.7-09.3	727	94.0	90.7-97.3
H.S. or G.E.D.	2010	1,640,265	58	1.3	00.9-01.7	1952	98.7	98.3-99.1
Some Post-H.S.	1626	1,343,760	54	1.9	01.1-02.7	1572	98.1	97.3-98.9
College Graduate	1457	1,014,208	32	0.7	00.3-01.1	1425	99.3	98.9-99.7
Less than \$15,000	697	592,845	49	4.8	00.7-08.9	648	95.2	91.1-99.3
\$15,000- 24,999	1293	949,322	42	2.5	01.1-03.9	1251	97.5	96.1-98.9
\$25,000- 34,999	553	465,911	16	1.3	00.5-02.1	537	98.7	97.9-99.5
\$35,000- 49,999	585	520,753	8	1.1	00.0-02.3	577	98.9	97.7-0100
\$50,000- 74,999	538	526,176	8	0.9	00.1-01.7	530	99.1	98.3-99.9
\$75,000+	773	752,592	14	0.8	00.2-01.4	759	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	2,343,385	53	2.1	00.9-03.3	1779	97.9	96.7-99.1
White/Non-Hisp	1550	1,802,559	42	1.7	00.9-02.5	1508	98.3	97.5-99.1
Black or Afr. Am./Non-Hisp	184	356,910	7	4.5	00.0-11.0	177	95.5	89.0-0100
18-24	57	301,134				57	100.0	0100-0100
25-34	122	423,071				122	100.0	0100-0100
35-44	197	426,249	3	1.5	00.0-03.7	194	98.5	96.3-0100
45-54	335	445,488	8	3.5	00.0-08.6	327	96.5	91.4-0100
55-64	478	366,180	9	1.5	00.0-03.1	469	98.5	96.9-0100
65+	632	373,507	33	6.2	03.3-09.1	599	93.8	90.9-96.7
Less Than H.S.	228	400,800	16	7.4	01.1-13.7	212	92.6	86.3-98.9
H.S. or G.E.D.	572	792,937	14	0.9	00.3-01.5	558	99.1	98.5-99.7
Some Post-H.S.	487	623,963	12	1.7	00.1-03.3	475	98.3	96.7-99.9
College Graduate	542	523,003	11	0.7	00.1-01.3	531	99.3	98.7-99.9
Less than \$15,000	182	252,830	16	7.2	00.0-16.2	166	92.8	83.8-0100
\$15,000- 24,999	357	408,382	12	3.5	00.8-06.2	345	96.5	93.8-99.2
\$25,000- 34,999	179	218,327	3	0.9	00.0-02.1	176	99.1	97.9-0100
\$35,000- 49,999	206	270,327	2	0.5	00.0-01.5	204	99.5	98.5-0100
\$50,000- 74,999	201	281,374	4	0.9	00.0-02.1	197	99.1	97.9-0100
\$75,000+	321	423,347	5	0.5	00.0-01.1	316	99.5	98.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4061	2,506,951	145	2.1	01.5-02.7	3916	97.9	97.3-98.5
White/Non-Hisp	3362	1,993,418	120	2.4	01.8-03.0	3242	97.6	97.0-98.2
Black or Afr. Am./Non-Hisp	540	384,613	18	0.8	00.4-01.2	522	99.2	98.8-99.6
18-24	85	268,776	1	0.8	00.0-02.4	84	99.2	97.6-0100
25-34	280	415,892				280	100.0	0100-0100
35-44	434	432,479	7	1.5	00.1-02.9	427	98.5	97.1-99.9
45-54	673	465,290	10	1.2	00.0-02.4	663	98.8	97.6-0100
55-64	970	398,291	39	2.5	01.3-03.7	931	97.5	96.3-98.7
65+	1578	508,411	85	5.6	03.6-07.6	1493	94.4	92.4-96.4
Less Than H.S.	551	442,307	36	4.7	02.2-07.2	515	95.3	92.8-97.8
H.S. or G.E.D.	1438	847,329	44	1.7	01.1-02.3	1394	98.3	97.7-98.9
Some Post-H.S.	1139	719,798	42	2.0	01.0-03.0	1097	98.0	97.0-99.0
College Graduate	915	491,205	21	0.7	00.3-01.1	894	99.3	98.9-99.7
Less than \$15,000	515	340,015	33	3.0	01.2-04.8	482	97.0	95.2-98.8
\$15,000- 24,999	936	540,940	30	1.6	00.6-02.6	906	98.4	97.4-99.4
\$25,000- 34,999	374	247,584	13	1.5	00.5-02.5	361	98.5	97.5-99.5
\$35,000- 49,999	379	250,425	6	1.8	00.0-04.0	373	98.2	96.0-0100
\$50,000- 74,999	337	244,802	4	0.8	00.0-01.6	333	99.2	98.4-0100
\$75,000+	452	329,245	9	1.3	00.1-02.5	443	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5877	4,839,117	1500	19.7	17.7-21.7	4360	79.8	77.8-81.8	17	0.4	00.0-00.8
Male	1832	2,343,227	415	17.7	14.8-20.6	1411	81.6	78.5-84.7	6	0.6	00.0-01.4
Female	4045	2,495,890	1085	21.6	19.1-24.1	2949	78.2	75.7-80.7	11	0.2	00.0-00.6
White/Non-Hisp	4898	3,787,100	1279	20.4	18.2-22.6	3602	79.0	76.8-81.2	17	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	721	738,983	161	17.9	11.8-24.0	560	82.1	76.0-88.2			
Oth. Race/Non-Hisp.	76	97,451	15	13.1	00.2-26.0	61	86.9	74.0-99.8			
MultiRacial/Non-Hisp.	71	82,496	18	21.6	03.0-40.2	53	78.4	59.8-97.0			
Hispanic	75	118,304	18	12.3	03.3-21.3	57	87.7	78.7-96.7			
18-24	142	569,910	18	8.4	01.9-14.9	124	91.6	85.1-98.1			
25-34	401	837,912	55	10.7	06.2-15.2	344	87.8	82.9-92.7	2	1.5	00.0-03.7
35-44	630	857,177	98	14.7	10.2-19.2	531	84.8	80.3-89.3	1	0.5	00.0-01.5
45-54	1004	907,548	233	23.0	18.1-27.9	770	76.9	72.0-81.8	1	0.1	00.0-00.3
55-64	1444	762,981	365	23.6	18.9-28.3	1074	76.3	71.6-81.0	5	0.1	00.0-00.3
65+	2204	878,023	723	34.2	30.5-37.9	1473	65.6	61.9-69.3	8	0.2	00.0-00.4
Less Than H.S.	779	843,077	236	23.3	18.4-28.2	537	76.5	71.6-81.4	6	0.3	00.1-00.5
H.S. or G.E.D.	2002	1,635,566	501	19.7	16.2-23.2	1496	80.0	76.5-83.5	5	0.3	00.0-00.9
Some Post-H.S.	1620	1,341,265	409	18.6	14.9-22.3	1207	80.4	76.5-84.3	4	1.0	00.0-02.4
College Graduate	1455	1,010,213	347	18.2	13.9-22.5	1106	81.8	77.5-86.1	2	0.1	00.0-00.3
Less than \$15,000	695	591,442	240	26.3	18.9-33.7	452	73.6	66.2-81.0	3	0.1	00.0-00.3
\$15,000- 24,999	1289	945,659	358	22.9	18.2-27.6	927	76.0	71.1-80.9	4	1.0	00.0-02.8
\$25,000- 34,999	552	465,731	131	15.7	11.0-20.4	416	83.1	78.2-88.0	5	1.3	00.0-03.1
\$35,000- 49,999	584	521,586	106	12.4	07.7-17.1	478	87.6	82.9-92.3			
\$50,000- 74,999	539	526,653	134	22.6	15.5-29.7	405	77.4	70.3-84.5			
\$75,000+	767	747,871	144	14.9	10.8-19.0	623	85.1	81.0-89.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 35: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	2,343,227	415	17.7	14.8-20.6	1411	81.6	78.5-84.7	6	0.6	00.0-01.4
White/Non-Hisp	1549	1,801,889	354	17.7	14.6-20.8	1189	81.4	78.1-84.7	6	0.8	00.0-01.8
Black or Afr. Am./Non-Hisp	185	357,422	40	20.3	09.7-30.9	145	79.7	69.1-90.3			
18-24	57	301,134	7	13.0	01.2-24.8	50	87.0	75.2-98.8			
25-34	122	423,071	16	9.6	02.7-16.5	105	88.3	80.7-95.9	1	2.1	00.0-06.2
35-44	198	427,066	35	15.7	09.0-22.4	162	83.3	76.4-90.2	1	1.0	00.0-03.0
45-54	335	444,272	68	19.9	12.8-27.0	266	79.9	72.8-87.0	1	0.3	00.0-00.9
55-64	478	366,301	104	18.6	12.7-24.5	372	81.3	75.4-87.2	2	0.2	00.0-00.4
65+	631	373,627	183	30.0	24.1-35.9	447	69.9	64.0-75.8	1	0.0	00.0-00.0
Less Than H.S.	229	401,311	57	20.7	12.9-28.5	171	79.0	71.2-86.8	1	0.3	00.0-00.9
H.S. or G.E.D.	572	792,949	116	17.5	12.0-23.0	454	82.0	76.5-87.5	2	0.5	00.0-01.5
Some Post-H.S.	487	624,600	122	17.0	11.5-22.5	363	81.6	75.7-87.5	2	1.4	00.0-04.1
College Graduate	541	521,684	119	17.0	10.7-23.3	421	82.9	76.6-89.2	1	0.1	00.0-00.3
Less than \$15,000	183	253,054	70	26.8	13.7-39.9	112	73.2	60.1-86.3	1	0.0	00.0-00.0
\$15,000- 24,999	356	408,169	91	25.7	17.3-34.1	263	72.0	63.0-81.0	2	2.3	00.0-06.4
\$25,000- 34,999	178	218,147	40	14.9	07.3-22.5	135	82.6	74.0-91.2	3	2.5	00.0-06.4
\$35,000- 49,999	208	271,656	37	11.9	04.8-19.0	171	88.1	81.0-95.2			
\$50,000- 74,999	202	281,851	42	17.1	08.3-25.9	160	82.9	74.1-91.7			
\$75,000+	319	421,551	54	14.2	08.5-19.9	265	85.8	80.1-91.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 36: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4045	2,495,890	1085	21.6	19.1-24.1	2949	78.2	75.7-80.7	11	0.2	00.0-00.6
White/Non-Hisp	3349	1,985,210	925	22.9	20.0-25.8	2413	76.8	73.9-79.7	11	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	536	381,561	121	15.6	09.1-22.1	415	84.4	77.9-90.9			
18-24	85	268,776	11	3.3	00.6-06.0	74	96.7	94.0-99.4			
25-34	279	414,841	39	11.7	05.8-17.6	239	87.4	81.3-93.5	1	0.9	00.0-02.7
35-44	432	430,110	63	13.8	07.7-19.9	369	86.2	80.1-92.3			
45-54	669	463,275	165	25.9	19.2-32.6	504	74.1	67.4-80.8			
55-64	966	396,681	261	28.3	21.2-35.4	702	71.6	64.5-78.7	3	0.1	00.0-00.3
65+	1573	504,396	540	37.4	32.9-41.9	1026	62.4	57.9-66.9	7	0.3	00.1-00.5
Less Than H.S.	550	441,766	179	25.6	19.7-31.5	366	74.2	68.1-80.3	5	0.2	00.0-00.4
H.S. or G.E.D.	1430	842,617	385	21.9	17.4-26.4	1042	78.1	73.6-82.6	3	0.1	00.1-00.1
Some Post-H.S.	1133	716,664	287	20.1	14.8-25.4	844	79.4	74.1-84.7	2	0.6	00.0-01.6
College Graduate	914	488,530	228	19.4	13.5-25.3	685	80.5	74.6-86.4	1	0.0	00.0-00.0
Less than \$15,000	512	338,388	170	26.0	17.4-34.6	340	73.9	65.3-82.5	2	0.1	00.0-00.3
\$15,000- 24,999	933	537,490	267	20.9	15.6-26.2	664	79.1	73.8-84.4	2	0.1	00.1-00.1
\$25,000- 34,999	374	247,584	91	16.4	10.9-21.9	281	83.5	78.0-89.0	2	0.2	00.0-00.4
\$35,000- 49,999	376	249,930	69	13.0	06.7-19.3	307	87.0	80.7-93.3			
\$50,000- 74,999	337	244,802	92	29.0	18.4-39.6	245	71.0	60.4-81.6			
\$75,000+	448	326,320	90	15.7	10.0-21.4	358	84.3	78.6-90.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5898	4,847,265	943	11.2	09.8-12.6	49	0.5	00.3-00.7	4605	84.0	82.2-85.8	301	4.4	03.2-05.6
Male	1827	2,337,903	307	11.0	08.8-13.2				1426	83.8	80.9-86.7	94	5.1	02.9-07.3
Female	4071	2,509,361	636	11.3	09.3-13.3	49	0.9	00.5-01.3	3179	84.1	81.9-86.3	207	3.6	02.6-04.6
White/Non-Hisp	4915	3,792,525	742	10.9	09.3-12.5	45	0.6	00.4-00.8	3876	84.2	82.2-86.2	252	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	726	742,090	150	12.1	07.6-16.6	4	0.2	00.0-00.6	537	81.9	76.0-87.8	35	5.8	01.5-10.1
Oth. Race/Non-Hisp.	75	97,076	16	5.7	01.4-10.0				54	93.4	88.7-98.1	5	1.0	00.0-02.2
MultiRacial/Non-Hisp.	71	82,487	13	7.8	01.9-13.7				55	91.0	84.7-97.3	3	1.1	00.0-02.7
Hispanic	75	118,304	14	19.9	00.5-39.3				57	77.2	57.6-96.8	4	2.9	00.0-06.2
18-24	142	569,910	3	2.6	00.0-06.9	1	0.1	00.0-00.3	129	94.1	88.2-0100	9	3.2	00.0-07.5
25-34	400	837,769	11	0.8	00.2-01.4	10	1.2	00.2-02.2	362	93.5	89.8-97.2	17	4.5	00.8-08.2
35-44	632	859,546	40	5.4	02.9-07.9	8	0.4	00.0-00.8	557	91.9	89.0-94.8	27	2.3	00.7-03.9
45-54	1009	907,448	126	11.5	08.0-15.0	8	0.3	00.0-00.7	833	83.4	79.1-87.7	42	4.8	01.9-07.7
55-64	1453	765,312	278	16.8	13.3-20.3	10	0.4	00.0-00.8	1082	76.3	71.6-81.0	83	6.5	02.8-10.2
65+	2210	881,714	476	26.9	23.0-30.8	12	0.4	00.0-00.8	1601	68.0	64.1-71.9	121	4.6	03.4-05.8
Less Than H.S.	786	846,210	201	21.6	16.7-26.5	5	0.3	00.0-00.7	541	71.4	65.3-77.5	39	6.7	02.4-11.0
H.S. or G.E.D.	2011	1,638,153	330	11.5	09.0-14.0	18	0.7	00.1-01.3	1565	83.3	80.2-86.4	98	4.6	02.4-06.8
Some Post-H.S.	1624	1,340,471	245	8.8	06.4-11.2	12	0.4	00.0-00.8	1289	87.4	84.5-90.3	78	3.4	01.6-05.2
College Graduate	1455	1,013,182	160	5.1	03.5-06.7	14	0.4	00.2-00.6	1195	91.1	89.1-93.1	86	3.3	01.9-04.7
Less than \$15,000	702	593,649	180	17.6	11.9-23.3	7	0.3	00.1-00.5	482	77.5	70.6-84.4	33	4.5	00.2-08.8
\$15,000- 24,999	1295	950,070	236	12.1	09.2-15.0	8	0.5	00.0-01.1	996	82.0	77.9-86.1	55	5.3	02.4-08.2
\$25,000- 34,999	552	465,093	86	11.1	07.0-15.2	3	0.3	00.0-00.7	442	87.4	83.1-91.7	21	1.2	00.4-02.0
\$35,000- 49,999	586	521,163	93	7.8	05.4-10.2	4	0.5	00.0-01.1	467	87.6	83.1-92.1	22	4.1	00.0-08.2
\$50,000- 74,999	538	524,579	79	11.1	06.4-15.8	5	0.6	00.0-01.6	442	87.5	82.8-92.2	12	0.8	00.2-01.4
\$75,000+	768	748,675	51	5.1	02.6-07.6	10	0.5	00.1-00.9	686	92.4	89.7-95.1	21	2.0	00.8-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	2,337,903	307	11.0	08.8-13.2	1426	83.8	80.9-86.7	94	5.1	02.9-07.3
White/Non-Hisp	1544	1,796,566	252	11.0	08.8-13.2	1213	84.2	81.3-87.1	79	4.8	02.6-07.0
Black or Afr. Am./Non-Hisp	185	357,422	36	9.0	03.9-14.1	139	82.8	73.4-92.2	10	8.2	00.0-16.6
18-24	57	301,134	2	0.9	00.0-02.3	53	94.7	86.9-0100	2	4.4	00.0-12.2
25-34	121	422,253	2	0.1	00.0-00.3	114	96.2	91.1-0100	5	3.7	00.0-08.8
35-44	198	427,066	12	6.2	01.7-10.7	177	91.3	86.0-96.6	9	2.6	00.1-05.1
45-54	332	440,142	44	11.4	06.1-16.7	275	82.5	75.4-89.6	13	6.1	00.6-11.6
55-64	479	366,657	94	19.4	13.3-25.5	354	71.0	62.8-79.2	31	9.6	02.3-16.9
65+	629	372,895	152	28.3	21.6-35.0	444	67.3	60.6-74.0	33	4.4	02.4-06.4
Less Than H.S.	229	401,759	55	20.0	12.4-27.6	160	71.1	61.3-80.9	14	8.9	01.1-16.7
H.S. or G.E.D.	572	791,088	97	12.2	08.3-16.1	454	82.6	77.3-87.9	21	5.3	01.4-09.2
Some Post-H.S.	484	620,465	86	8.8	05.7-11.9	373	87.0	82.3-91.7	25	4.2	00.7-07.7
College Graduate	539	521,909	69	5.0	03.4-06.6	436	91.8	89.6-94.0	34	3.2	01.8-04.6
Less than \$15,000	182	252,568	48	16.0	06.2-25.8	128	77.9	65.6-90.2	6	6.1	00.0-15.1
\$15,000- 24,999	357	408,382	71	14.2	08.5-19.9	271	78.2	70.2-86.2	15	7.5	01.0-14.0
\$25,000- 34,999	178	217,509	28	10.6	04.9-16.3	140	87.9	81.8-94.0	10	1.6	00.4-02.8
\$35,000- 49,999	207	270,737	39	7.7	04.0-11.4	159	86.4	78.4-94.4	9	5.8	00.0-13.4
\$50,000- 74,999	201	279,778	42	13.4	07.3-19.5	154	85.8	79.7-91.9	5	0.8	00.0-01.6
\$75,000+	316	419,430	25	6.3	02.2-10.4	278	91.1	86.6-95.6	13	2.5	00.9-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4071	2,509,361	636	11.3	09.3-13.3	49	0.9	00.5-01.3	3179	84.1	81.9-86.3	207	3.6	02.6-04.6
White/Non-Hisp	3371	1,995,959	490	10.9	08.9-12.9	45	1.1	00.7-01.5	2663	84.3	81.9-86.7	173	3.7	02.5-04.9
Black or Afr. Am./Non-Hisp	541	384,668	114	14.9	07.8-22.0	4	0.4	00.0-01.0	398	81.1	73.7-88.5	25	3.6	00.7-06.5
18-24	85	268,776	1	4.6	00.0-13.4	1	0.2	00.0-00.6	76	93.5	84.7-0100	7	1.7	00.0-03.5
25-34	279	415,516	9	1.5	00.3-02.7	10	2.4	00.4-04.4	248	90.8	85.3-96.3	12	5.3	00.2-10.4
35-44	434	432,479	28	4.7	02.2-07.2	8	0.7	00.1-01.3	380	92.5	89.6-95.4	18	2.1	00.7-03.5
45-54	677	467,305	82	11.6	06.5-16.7	8	0.6	00.0-01.4	558	84.3	79.0-89.6	29	3.5	01.7-05.3
55-64	974	398,655	184	14.5	10.6-18.4	10	0.7	00.1-01.3	728	81.1	76.8-85.4	52	3.6	01.8-05.4
65+	1581	508,818	324	25.9	21.0-30.8	12	0.7	00.1-01.3	1157	68.5	63.6-73.4	88	4.8	03.4-06.2
Less Than H.S.	557	444,451	146	23.1	16.8-29.4	5	0.5	00.0-01.3	381	71.6	64.3-78.9	25	4.8	00.5-09.1
H.S. or G.E.D.	1439	847,065	233	10.8	07.3-14.3	18	1.3	00.3-02.3	1111	83.9	80.2-87.6	77	3.9	02.5-05.3
Some Post-H.S.	1140	720,007	159	8.7	05.6-11.8	12	0.8	00.2-01.4	916	87.8	84.3-91.3	53	2.7	01.5-03.9
College Graduate	916	491,274	91	5.3	02.8-07.8	14	0.8	00.2-01.4	759	90.5	87.0-94.0	52	3.5	01.1-05.9
Less than \$15,000	520	341,081	132	18.9	11.8-26.0	7	0.5	00.1-00.9	354	77.2	69.6-84.8	27	3.4	00.3-06.5
\$15,000- 24,999	938	541,688	165	10.6	07.5-13.7	8	0.9	00.0-02.1	725	84.9	81.2-88.6	40	3.7	02.1-05.3
\$25,000- 34,999	374	247,584	58	11.6	05.7-17.5	3	0.5	00.0-01.1	302	86.9	81.0-92.8	11	1.0	00.2-01.8
\$35,000- 49,999	379	250,425	54	7.8	04.9-10.7	4	1.1	00.0-02.5	308	88.9	85.2-92.6	13	2.2	00.6-03.8
\$50,000- 74,999	337	244,802	37	8.5	01.2-15.8	5	1.3	00.0-03.3	288	89.4	82.0-96.8	7	0.9	00.1-01.7
\$75,000+	452	329,245	26	3.6	01.8-05.4	10	1.2	00.2-02.2	408	94.0	91.5-96.5	8	1.3	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5894	4,869,826	2724	46.8	44.1-49.5	3170	53.2	50.5-55.9
Male	1831	2,343,242	1048	50.8	46.5-55.1	783	49.2	44.9-53.5
Female	4063	2,526,583	1676	43.1	39.6-46.6	2387	56.9	53.4-60.4
White/Non-Hisp	4909	3,795,329	2343	49.6	46.7-52.5	2566	50.4	47.5-53.3
Black or Afr. Am./Non-Hisp	725	741,584	264	32.8	25.5-40.1	461	67.2	59.9-74.5
Oth. Race/Non-Hisp.	76	97,451	34	57.1	34.0-80.2	42	42.9	19.8-66.0
MultiRacial/Non-Hisp.	72	82,759	33	44.4	22.4-66.4	39	55.6	33.6-77.6
Hispanic	77	138,007	31	39.7	17.7-61.7	46	60.3	38.3-82.3
18-24	144	589,614	45	33.4	22.0-44.8	99	66.6	55.2-78.0
25-34	402	838,963	175	42.0	34.2-49.8	227	58.0	50.2-65.8
35-44	631	858,904	253	44.5	37.8-51.2	378	55.5	48.8-62.2
45-54	1010	911,240	524	54.1	48.8-59.4	486	45.9	40.6-51.2
55-64	1447	763,065	707	52.5	47.0-58.0	740	47.5	42.0-53.0
65+	2209	882,980	1005	50.9	47.0-54.8	1204	49.1	45.2-53.0
Less Than H.S.	785	845,913	446	61.7	55.2-68.2	339	38.3	31.8-44.8
H.S. or G.E.D.	2005	1,637,228	1008	51.4	46.7-56.1	997	48.6	43.9-53.3
Some Post-H.S.	1629	1,364,377	746	45.6	39.9-51.3	883	54.4	48.7-60.1
College Graduate	1456	1,013,895	518	28.8	23.9-33.7	938	71.2	66.3-76.1
Less than \$15,000	703	613,660	415	53.4	44.2-62.6	288	46.6	37.4-55.8
\$15,000- 24,999	1292	948,445	648	56.4	50.3-62.5	644	43.6	37.5-49.7
\$25,000- 34,999	552	465,240	259	46.7	38.1-55.3	293	53.3	44.7-61.9
\$35,000- 49,999	587	522,082	280	48.7	40.3-57.1	307	51.3	42.9-59.7
\$50,000- 74,999	539	526,653	222	45.4	37.2-53.6	317	54.6	46.4-62.8
\$75,000+	772	751,950	284	34.8	28.9-40.7	488	65.2	59.3-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	2,343,242	1048	50.8	46.5-55.1	783	49.2	44.9-53.5
White/Non-Hisp	1549	1,801,994	900	52.9	48.2-57.6	649	47.1	42.4-51.8
Black or Afr. Am./Non-Hisp	185	357,422	96	41.4	29.2-53.6	89	58.6	46.4-70.8
18-24	57	301,134	19	27.0	12.9-41.1	38	73.0	58.9-87.1
25-34	122	423,071	62	46.5	33.8-59.2	60	53.5	40.8-66.2
35-44	198	427,066	86	47.0	36.6-57.4	112	53.0	42.6-63.4
45-54	335	444,798	181	55.9	47.7-64.1	154	44.1	35.9-52.3
55-64	476	364,795	277	57.4	49.0-65.8	199	42.6	34.2-51.0
65+	632	374,621	416	66.8	59.9-73.7	216	33.2	26.3-40.1
Less Than H.S.	230	402,245	168	73.0	63.4-82.6	62	27.0	17.4-36.6
H.S. or G.E.D.	569	790,303	365	55.7	48.3-63.1	204	44.3	36.9-51.7
Some Post-H.S.	488	624,780	271	44.1	35.5-52.7	217	55.9	47.3-64.5
College Graduate	542	523,320	243	34.4	27.0-41.8	299	65.6	58.2-73.0
Less than \$15,000	183	253,054	127	58.1	42.8-73.4	56	41.9	26.6-57.2
\$15,000- 24,999	354	406,438	222	65.1	55.9-74.3	132	34.9	25.7-44.1
\$25,000- 34,999	179	218,327	110	50.9	37.2-64.6	69	49.1	35.4-62.8
\$35,000- 49,999	208	271,656	127	45.9	33.0-58.8	81	54.1	41.2-67.0
\$50,000- 74,999	202	281,851	105	50.4	38.2-62.6	97	49.6	37.4-61.8
\$75,000+	321	423,347	132	38.1	29.5-46.7	189	61.9	53.3-70.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4063	2,526,583	1676	43.1	39.6-46.6	2387	56.9	53.4-60.4
White/Non-Hisp	3360	1,993,335	1443	46.6	42.7-50.5	1917	53.4	49.5-57.3
Black or Afr. Am./Non-Hisp	540	384,162	168	24.8	17.0-32.6	372	75.2	67.4-83.0
MultiRacial/Non-Hisp.	50	38,122	20	39.0	06.9-71.1	30	61.0	28.9-93.1
Hispanic	51	75,342	21	40.4	09.6-71.2	30	59.6	28.8-90.4
18-24	87	288,480	26	40.0	22.6-57.4	61	60.0	42.6-77.4
25-34	280	415,892	113	37.4	28.2-46.6	167	62.6	53.4-71.8
35-44	433	431,838	167	42.0	33.6-50.4	266	58.0	49.6-66.4
45-54	675	466,441	343	52.3	45.4-59.2	332	47.7	40.8-54.6
55-64	971	398,270	430	48.1	40.5-55.7	541	51.9	44.3-59.5
65+	1577	508,358	589	39.2	34.9-43.5	988	60.8	56.5-65.1
Less Than H.S.	555	443,668	278	51.4	43.0-59.8	277	48.6	40.2-57.0
H.S. or G.E.D.	1436	846,925	643	47.4	41.7-53.1	793	52.6	46.9-58.3
Some Post-H.S.	1141	739,597	475	46.9	39.6-54.2	666	53.1	45.8-60.4
College Graduate	914	490,575	275	22.7	16.8-28.6	639	77.3	71.4-83.2
Less than \$15,000	520	360,606	288	50.0	38.6-61.4	232	50.0	38.6-61.4
\$15,000- 24,999	938	542,007	426	49.8	42.0-57.6	512	50.2	42.4-58.0
\$25,000- 34,999	373	246,913	149	43.0	32.0-54.0	224	57.0	46.0-68.0
\$35,000- 49,999	379	250,425	153	51.8	42.0-61.6	226	48.2	38.4-58.0
\$50,000- 74,999	337	244,802	117	39.6	29.2-50.0	220	60.4	50.0-70.8
\$75,000+	451	328,603	152	30.5	23.2-37.8	299	69.5	62.2-76.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2723	2,278,426	903	39.2	35.3-43.1	237	10.0	07.5-12.5	1583	50.8	46.9-54.7
Male	1048	1,189,681	310	39.6	33.9-45.3	71	9.4	06.1-12.7	667	51.1	45.4-56.8
Female	1675	1,088,745	593	38.7	33.4-44.0	166	10.7	06.8-14.6	916	50.6	45.1-56.1
White/Non-Hisp	2342	1,881,644	773	38.2	34.1-42.3	188	8.5	06.1-10.9	1381	53.3	49.2-57.4
Black or Afr. Am./Non-Hisp	264	243,447	94	44.8	31.3-58.3	38	12.2	04.6-19.8	132	43.0	30.1-55.9
25-34	175	352,263	85	46.5	34.2-58.8	20	10.2	03.9-16.5	70	43.4	31.1-55.7
35-44	253	382,093	132	56.6	46.2-67.0	30	11.1	05.0-17.2	91	32.3	22.7-41.9
45-54	523	492,501	232	43.8	36.2-51.4	44	5.4	02.9-07.9	247	50.8	43.2-58.4
55-64	707	400,730	237	32.0	25.3-38.7	66	9.5	05.4-13.6	404	58.5	51.2-65.8
65+	1005	449,115	193	17.4	13.5-21.3	63	3.9	02.5-05.3	749	78.6	74.5-82.7
Less Than H.S.	446	521,856	177	45.0	36.6-53.4	44	8.7	03.6-13.8	225	46.4	38.2-54.6
H.S. or G.E.D.	1008	841,310	388	39.9	33.8-46.0	96	12.5	08.0-17.0	524	47.6	41.5-53.7
Some Post-H.S.	745	621,818	236	35.7	27.5-43.9	63	7.8	02.9-12.7	446	56.5	48.1-64.9
College Graduate	518	291,530	98	33.6	23.8-43.4	33	10.0	03.3-16.7	387	56.4	46.6-66.2
Less than \$15,000	414	327,406	185	48.0	36.2-59.8	46	9.6	02.0-17.2	183	42.4	30.8-54.0
\$15,000- 24,999	648	534,840	257	42.1	33.7-50.5	75	16.6	09.3-23.9	316	41.2	33.2-49.2
\$25,000- 34,999	259	217,272	85	35.6	24.2-47.0	15	6.5	01.0-12.0	159	57.9	46.1-69.7
\$35,000- 49,999	280	254,476	83	38.5	27.1-49.9	23	10.4	02.2-18.6	174	51.1	39.5-62.7
\$50,000- 74,999	222	238,964	64	38.6	25.7-51.5	14	6.7	00.8-12.6	144	54.7	42.0-67.4
\$75,000+	284	261,517	59	26.7	17.1-36.3	18	6.7	02.0-11.4	207	66.6	56.6-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1048	1,189,681	310	39.6	33.9-45.3	71	9.4	06.1-12.7	667	51.1	45.4-56.8
White/Non-Hisp	900	952,483	263	37.5	31.4-43.6	54	8.0	05.1-10.9	583	54.5	48.4-60.6
Black or Afr. Am./Non-Hisp	96	148,055	33	46.3	27.7-64.9	13	13.4	01.8-25.0	50	40.3	22.7-57.9
25-34	62	196,613	29	49.6	30.6-68.6	10	12.4	02.2-22.6	23	38.0	19.6-56.4
35-44	86	200,747	47	63.9	49.6-78.2	12	10.2	03.3-17.1	27	25.8	12.3-39.3
45-54	181	248,598	69	35.6	24.6-46.6	16	6.6	01.9-11.3	96	57.8	46.6-69.0
55-64	277	209,282	95	35.0	26.0-44.0	18	7.8	03.1-12.5	164	57.2	47.8-66.6
65+	416	250,066	60	15.1	09.2-21.0	9	1.8	00.2-03.4	347	83.2	77.1-89.3
Less Than H.S.	168	293,776	62	46.9	34.4-59.4	17	11.2	02.6-19.8	89	42.0	30.4-53.6
H.S. or G.E.D.	365	439,953	127	40.0	30.8-49.2	24	10.1	04.8-15.4	214	49.9	40.7-59.1
Some Post-H.S.	271	275,260	77	34.3	22.0-46.6	19	6.1	02.2-10.0	175	59.6	47.4-71.8
College Graduate	243	180,034	43	34.5	21.4-47.6	11	9.6	00.2-19.0	189	55.9	43.0-68.8
Less than \$15,000	127	147,145	61	58.8	41.6-76.0	10	4.9	01.0-08.8	56	36.3	19.4-53.2
\$15,000- 24,999	222	264,662	72	40.6	27.7-53.5	19	16.8	06.2-27.4	131	42.6	30.8-54.4
\$25,000- 34,999	110	111,126	34	31.6	16.3-46.9	4	5.9	00.0-12.4	72	62.5	46.6-78.4
\$35,000- 49,999	127	124,788	36	49.1	33.0-65.2	7	2.7	00.3-05.1	84	48.2	32.5-63.9
\$50,000- 74,999	105	142,126	23	32.0	13.8-50.2	8	9.5	00.0-19.3	74	58.5	40.3-76.7
\$75,000+	132	161,185	28	31.2	17.3-45.1	8	7.9	00.5-15.3	96	60.8	46.5-75.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1675	1,088,745	593	38.7	33.4-44.0	166	10.7	06.8-14.6	916	50.6	45.1-56.1
White/Non-Hisp	1442	929,161	510	39.0	33.3-44.7	134	9.0	05.3-12.7	798	52.1	46.4-57.8
Black or Afr. Am./Non-Hisp	168	95,392	61	42.4	24.4-60.4	25	10.4	02.8-18.0	82	47.2	29.4-65.0
25-34	113	155,650	56	42.6	28.1-57.1	10	7.3	00.4-14.2	47	50.1	35.2-65.0
35-44	167	181,345	85	48.5	34.8-62.2	18	12.1	01.7-22.5	64	39.4	25.9-52.9
45-54	342	243,903	163	52.1	41.9-62.3	28	4.3	02.1-06.5	151	43.7	33.5-53.9
55-64	430	191,448	142	28.7	18.7-38.7	48	11.3	04.4-18.2	240	60.0	49.0-71.0
65+	589	199,048	133	20.4	15.9-24.9	54	6.7	04.3-09.1	402	72.9	67.8-78.0
Less Than H.S.	278	228,080	115	42.5	31.7-53.3	27	5.4	02.7-08.1	136	52.0	41.2-62.8
H.S. or G.E.D.	643	401,357	261	39.9	31.9-47.9	72	15.0	07.6-22.4	310	45.1	36.9-53.3
Some Post-H.S.	474	346,558	159	36.8	25.6-48.0	44	9.1	01.1-17.1	271	54.1	42.5-65.7
College Graduate	275	111,497	55	32.2	17.9-46.5	22	10.5	01.5-19.5	198	57.3	43.0-71.6
Less than \$15,000	287	180,261	124	39.2	24.9-53.5	36	13.4	00.5-26.3	127	47.3	31.8-62.8
\$15,000- 24,999	426	270,178	185	43.6	32.4-54.8	56	16.5	06.7-26.3	185	39.9	28.5-51.3
\$25,000- 34,999	149	106,147	51	39.7	22.6-56.8	11	7.1	00.0-15.9	87	53.2	36.1-70.3
\$35,000- 49,999	153	129,689	47	28.2	15.3-41.1	16	17.9	02.6-33.2	90	53.9	37.2-70.6
\$50,000- 74,999	117	96,838	41	48.3	30.7-65.9	6	2.6	00.2-05.0	70	49.1	31.7-66.5
\$75,000+	152	100,332	31	19.4	10.6-28.2	10	4.7	00.8-08.6	111	75.9	66.3-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1136	1,116,223	657	60.9	55.0-66.8	479	39.1	33.2-45.0
Male	379	578,747	211	64.8	56.8-72.8	168	35.2	27.2-43.2
Female	757	537,476	446	56.8	48.8-64.8	311	43.2	35.2-51.2
White/Non-Hisp	958	875,340	531	55.9	49.4-62.4	427	44.1	37.6-50.6
Black or Afr. Am./Non-Hisp	131	138,591	97	82.7	73.1-92.3	34	17.3	07.7-26.9
25-34	104	196,984	53	63.4	48.7-78.1	51	36.6	21.9-51.3
35-44	161	257,917	96	63.2	50.9-75.5	65	36.8	24.5-49.1
45-54	276	242,345	156	54.3	43.5-65.1	120	45.7	34.9-56.5
55-64	302	165,805	178	53.5	42.5-64.5	124	46.5	35.5-57.5
65+	255	95,895	144	51.1	40.7-61.5	111	48.9	38.5-59.3
Less Than H.S.	221	279,920	129	56.3	44.0-68.6	92	43.7	31.4-56.0
H.S. or G.E.D.	482	440,344	270	62.9	54.7-71.1	212	37.1	28.9-45.3
Some Post-H.S.	298	269,574	181	63.1	50.2-76.0	117	36.9	24.0-49.8
College Graduate	130	124,579	74	59.9	43.2-76.6	56	40.1	23.4-56.8
Less than \$15,000	231	188,669	149	63.5	47.8-79.2	82	36.5	20.8-52.2
\$15,000- 24,999	332	314,323	195	64.0	53.0-75.0	137	36.0	25.0-47.0
\$25,000- 34,999	100	91,387	57	61.6	44.7-78.5	43	38.4	21.5-55.3
\$35,000- 49,999	105	123,670	54	60.5	44.4-76.6	51	39.5	23.4-55.6
\$50,000- 74,999	77	105,735	38	46.9	25.5-68.3	39	53.1	31.7-74.5
\$75,000+	77	87,258	41	62.5	45.1-79.9	36	37.5	20.1-54.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	379	578,747	211	64.8	56.6-73.0	168	35.2	27.0-43.4
White/Non-Hisp	315	430,135	168	59.5	49.9-69.1	147	40.5	30.9-50.1
35-44	58	148,047	36	64.8	46.8-82.8	22	35.2	17.2-53.2
45-54	85	104,945	47	56.3	39.6-73.0	38	43.7	27.0-60.4
55-64	113	89,473	57	51.3	37.4-65.2	56	48.7	34.8-62.6
65+	69	42,048	38	52.8	32.6-73.0	31	47.2	27.0-67.4
Less Than H.S.	79	170,526	47	62.3	45.2-79.4	32	37.7	20.6-54.8
H.S. or G.E.D.	151	220,256	83	69.0	58.4-79.6	68	31.0	20.4-41.6
Some Post-H.S.	95	110,373	55	67.9	49.3-86.5	40	32.1	13.5-50.7
College Graduate	53	76,934	25	53.5	29.8-77.2	28	46.5	22.8-70.2
Less than \$15,000	71	93,749	44	64.7	41.4-88.0	27	35.3	12.0-58.6
\$15,000- 24,999	91	151,895	55	77.4	65.6-89.2	36	22.6	10.8-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	757	537,476	446	56.8	48.6-65.0	311	43.2	35.0-51.4
White/Non-Hisp	643	445,204	363	52.4	43.8-61.0	280	47.6	39.0-56.2
Black or Afr. Am./Non-Hisp	85	50,246	67	88.5	80.3-96.7	18	11.5	03.3-19.7
25-34	66	77,652	33	51.1	32.5-69.7	33	48.9	30.3-67.5
35-44	103	109,870	60	61.0	44.9-77.1	43	39.0	22.9-55.1
45-54	191	137,400	109	52.8	38.7-66.9	82	47.2	33.1-61.3
55-64	189	76,332	121	55.9	38.3-73.5	68	44.1	26.5-61.7
65+	186	53,846	106	49.7	39.9-59.5	80	50.3	40.5-60.1
Less Than H.S.	142	109,395	82	46.8	32.1-61.5	60	53.2	38.5-67.9
H.S. or G.E.D.	331	220,089	187	56.8	45.0-68.6	144	43.2	31.4-55.0
Some Post-H.S.	203	159,201	126	59.9	42.1-77.7	77	40.1	22.3-57.9
College Graduate	77	47,645	49	70.4	49.2-91.6	28	29.6	08.4-50.8
Less than \$15,000	160	94,920	105	62.2	41.0-83.4	55	37.8	16.6-59.0
\$15,000- 24,999	241	162,429	140	51.6	36.9-66.3	101	48.4	33.7-63.1
\$25,000- 34,999	62	49,706	34	67.0	47.4-86.6	28	33.0	13.4-52.6
\$35,000- 49,999	63	59,832	38	71.2	54.3-88.1	25	28.8	11.9-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1573	1,148,896	160	15.3	11.0-19.6	204	17.9	13.2-22.6	168	12.6	08.9-16.3	1039	54.0	49.1-58.9	2	0.3	00.0-00.9
Male	664	602,197	56	13.1	07.4-18.8	73	15.4	09.5-21.3	66	14.6	08.5-20.7	467	56.3	49.0-63.6	2	0.6	00.0-01.6
Female	909	546,699	104	17.6	10.9-24.3	131	20.6	13.5-27.7	102	10.4	07.1-13.7	572	51.3	43.9-58.7			
White/Non-Hisp	1371	993,089	136	14.5	10.2-18.8	180	18.0	13.1-22.9	149	13.7	09.6-17.8	904	53.5	48.2-58.8	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	132	104,763	15	16.7	00.0-33.6	20	22.6	02.4-42.8	14	5.8	01.3-10.3	83	54.9	35.3-74.5			
25-34	70	152,787	22	32.5	13.5-51.5	20	22.3	08.0-36.6	12	28.7	09.7-47.7	16	16.5	06.3-26.7			
35-44	90	118,307	15	24.5	07.1-41.9	18	17.0	02.7-31.3	11	7.6	02.3-12.9	46	50.9	32.7-69.1			
45-54	245	247,109	37	18.3	09.7-26.9	51	25.4	14.4-36.4	34	15.6	07.8-23.4	123	40.7	30.5-50.9			
55-64	403	234,439	49	10.8	06.1-15.5	51	15.9	06.9-24.9	37	5.6	03.1-08.1	265	66.3	56.5-76.1	1	1.4	00.0-04.1
65+	744	351,966	32	3.1	01.7-04.5	59	7.6	03.7-11.5	70	10.7	06.6-14.8	582	78.5	73.2-83.8	1	0.1	00.0-00.3
Less Than H.S.	223	236,722	27	12.9	03.9-21.9	29	21.9	10.3-33.5	27	13.2	06.7-19.7	139	50.7	39.7-61.7	1	1.4	00.0-04.1
H.S. or G.E.D.	522	399,938	61	19.1	11.7-26.5	74	17.1	09.8-24.4	49	11.3	04.8-17.8	338	52.5	44.1-60.9			
Some Post-H.S.	443	348,206	41	15.4	06.0-24.8	60	17.1	08.1-26.1	53	11.9	04.6-19.2	289	55.6	44.8-66.4			
College Graduate	384	163,924	30	9.0	01.6-16.4	41	15.6	05.6-25.6	39	16.5	06.7-26.3	273	58.7	47.5-69.9	1	0.2	00.0-00.6
Less than \$15,000	181	138,125	29	31.7	13.1-50.3	28	20.9	04.0-37.8	19	8.5	01.1-15.9	104	36.5	21.8-51.2	1	2.4	00.0-06.9
\$15,000- 24,999	314	215,305	33	12.7	03.7-21.7	44	28.4	15.1-41.7	47	9.1	05.0-13.2	190	49.8	38.0-61.6			
\$25,000- 34,999	159	125,885	11	9.9	02.3-17.5	20	21.5	06.0-37.0	20	23.1	06.4-39.8	107	45.2	30.5-59.9	1	0.3	00.0-00.9
\$35,000- 49,999	173	129,839	14	10.1	00.3-19.9	33	16.6	05.6-27.6	13	9.1	02.0-16.2	113	64.3	50.2-78.4			
\$50,000- 74,999	143	128,395	16	15.8	04.4-27.2	14	7.3	02.0-12.6	19	23.6	06.7-40.5	94	53.3	37.6-69.0			
\$75,000+	205	173,381	21	15.5	05.1-25.9	16	9.2	03.7-14.7	21	13.0	04.0-22.0	147	62.3	50.3-74.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	664	602,197	56	13.1	07.4-18.8	73	15.4	09.5-21.3	66	14.6	08.7-20.5	467	56.3	49.4-63.2	2	0.6	00.0-01.6
White/Non-Hisp	580	513,610	47	13.7	07.4-20.0	62	13.5	08.2-18.8	59	16.3	09.6-23.0	410	55.8	48.7-62.9	2	0.7	00.0-01.9
Black or Afr. Am./Non-Hisp	50	59,710	4	10.8	00.0-28.2	10	35.1	05.1-65.1	3	3.1	00.0-07.0	33	50.9	24.0-77.8			
45-54	96	143,653	10	12.5	02.1-22.9	24	30.2	14.7-45.7	16	16.9	05.1-28.7	46	40.4	26.3-54.5			
55-64	164	119,809	19	13.2	05.0-21.4	19	16.0	03.1-28.9	12	5.5	01.4-09.6	113	62.6	49.1-76.1	1	2.7	00.0-08.0
65+	345	207,641	9	1.7	00.3-03.1	18	4.8	01.9-07.7	30	9.1	04.4-13.8	287	84.3	78.8-89.8	1	0.2	00.0-00.6
Less Than H.S.	88	118,199	7	5.8	00.3-11.3	15	24.4	07.2-41.6	9	11.7	02.7-20.7	56	55.3	39.2-71.4	1	2.7	00.0-08.0
H.S. or G.E.D.	214	219,697	21	17.8	07.6-28.0	21	16.6	05.8-27.4	19	13.2	02.2-24.2	153	52.4	40.4-64.4			
Some Post-H.S.	175	164,070	16	17.4	03.1-31.7	22	9.3	04.4-14.2	18	14.1	00.8-27.4	119	59.2	43.7-74.7			
College Graduate	187	100,231	12	4.4	01.3-07.5	15	12.0	01.6-22.4	20	21.8	07.5-36.1	139	61.4	46.9-75.9	1	0.3	00.0-00.9
Less than \$15,000	56	53,396	8	15.6	00.0-32.7	11	33.1	01.2-65.0	2	1.2	00.0-03.4	34	44.0	18.1-69.9	1	6.1	00.0-17.9
\$15,000- 24,999	130	107,716	12	10.6	00.4-20.8	15	19.7	05.0-34.4	14	7.9	01.6-14.2	89	61.9	46.2-77.6			
\$25,000- 34,999	72	69,444	4	9.2	00.0-20.4	10	11.1	01.3-20.9	11	30.8	04.7-56.9	46	48.5	26.4-70.6	1	0.5	00.0-01.5
\$35,000- 49,999	83	59,982	5	7.4	00.0-14.8	13	13.3	04.3-22.3	6	4.5	00.4-08.6	59	74.7	62.2-87.2			
\$50,000- 74,999	74	83,185	7	16.2	00.0-32.5	2	2.2	00.0-06.1	12	32.8	09.9-55.7	53	48.9	30.1-67.7			
\$75,000+	96	98,080	10	20.4	03.7-37.1	7	9.7	01.3-18.1	8	13.0	00.0-27.1	71	57.0	39.8-74.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	909	546,699	104	17.6	10.9-24.3	131	20.6	13.5-27.7	102	10.4	07.3-13.5	572	51.3	44.0-58.6
White/Non-Hisp	791	479,479	89	15.4	09.1-21.7	118	22.8	15.0-30.6	90	10.8	07.3-14.3	494	50.9	43.1-58.7
Black or Afr. Am./Non-Hisp	82	45,053	11	24.4	00.0-54.0	10	6.0	00.1-11.9	11	9.4	00.4-18.4	50	60.2	33.0-87.4
35-44	64	71,475	7	17.6	00.0-38.8	11	10.2	02.4-18.0	10	12.0	03.2-20.8	36	60.1	38.5-81.7
45-54	149	103,455	27	26.3	12.2-40.4	27	18.7	04.8-32.6	18	13.9	04.7-23.1	77	41.1	26.4-55.8
55-64	239	114,630	30	8.3	04.0-12.6	32	15.8	02.7-28.9	25	5.8	02.5-09.1	152	70.1	56.6-83.6
65+	399	144,325	23	5.2	02.3-08.1	41	11.5	03.3-19.7	40	13.1	05.8-20.4	295	70.2	60.8-79.6
Less Than H.S.	135	118,523	20	19.9	03.6-36.2	14	19.4	04.5-34.3	18	14.7	05.7-23.7	83	46.0	31.7-60.3
H.S. or G.E.D.	308	180,240	40	20.7	09.9-31.5	53	17.6	08.4-26.8	30	9.0	04.7-13.3	185	52.6	41.0-64.2
Some Post-H.S.	268	184,136	25	13.6	01.1-26.1	38	24.1	08.6-39.6	35	9.9	03.6-16.2	170	52.4	36.9-67.9
College Graduate	197	63,692	18	16.3	00.0-33.5	26	21.2	02.4-40.0	19	8.0	02.3-13.7	134	54.6	37.0-72.2
Less than \$15,000	125	84,729	21	41.8	16.7-66.9	17	13.3	00.0-28.0	17	13.1	00.9-25.3	70	31.7	14.6-48.8
\$15,000- 24,999	184	107,590	21	14.8	00.0-29.7	29	37.1	16.1-58.1	33	10.3	04.8-15.8	101	37.8	23.3-52.3
\$25,000- 34,999	87	56,441	7	10.9	00.7-21.1	10	34.3	08.2-60.4	9	13.8	02.2-25.4	61	41.0	21.8-60.2
\$35,000- 49,999	90	69,857	9	12.4	00.0-29.3	20	19.3	00.5-38.1	7	13.0	00.5-25.5	54	55.3	32.2-78.4
\$50,000- 74,999	69	45,210	9	15.2	02.7-27.7	12	16.7	03.6-29.8	7	6.7	00.0-13.8	41	61.4	41.6-81.2
\$75,000+	109	75,301	11	9.1	01.7-16.5	9	8.7	02.0-15.4	13	13.0	04.0-22.0	76	69.2	56.3-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5905	4,873,622	110	3.3	02.3-04.3	91	3.2	02.0-04.4	5704	93.6	92.0-95.2
Male	1832	2,344,500	91	6.1	04.1-08.1	60	5.8	03.4-08.2	1681	88.1	85.2-91.0
Female	4073	2,529,122	19	0.6	00.0-01.2	31	0.7	00.1-01.3	4023	98.7	97.9-99.5
White/Non-Hisp	4921	3,799,512	101	3.9	02.7-05.1	78	3.3	01.9-04.7	4742	92.8	91.0-94.6
Black or Afr. Am./Non-Hisp	724	741,197	6	0.8	00.0-01.6	9	1.4	00.0-03.0	709	97.8	96.0-99.6
Oth. Race/Non-Hisp.	76	97,451				1	0.1	00.0-00.3	75	99.9	99.7-0100
MultiRacial/Non-Hisp.	72	82,759	1	1.1	00.0-03.5	2	5.3	00.0-15.3	69	93.6	83.4-0100
Hispanic	77	138,007	1	2.1	00.0-06.2	1	8.9	00.0-25.2	75	89.0	72.5-0100
18-24	144	589,614	1	0.3	00.0-00.9	5	7.0	00.3-13.7	138	92.6	85.9-99.3
25-34	402	838,963	11	3.9	00.8-07.0	6	3.8	00.3-07.3	385	92.3	87.8-96.8
35-44	632	859,546	20	4.8	01.7-07.9	11	3.1	00.7-05.5	601	92.1	88.2-96.0
45-54	1012	912,416	34	5.9	03.2-08.6	19	2.3	00.5-04.1	959	91.8	88.7-94.9
55-64	1452	764,664	19	1.7	00.7-02.7	17	2.1	00.0-04.6	1416	96.2	93.5-98.9
65+	2212	883,359	25	1.8	00.6-03.0	33	1.8	00.8-02.8	2154	96.4	95.0-97.8
Less Than H.S.	786	846,309	27	4.9	01.8-08.0	30	6.3	02.6-10.0	729	88.8	84.3-93.3
H.S. or G.E.D.	2010	1,639,758	52	4.3	02.7-05.9	21	3.4	00.9-05.9	1937	92.3	89.4-95.2
Some Post-H.S.	1630	1,364,148	15	2.5	00.5-04.5	19	2.8	00.6-05.0	1596	94.7	91.8-97.6
College Graduate	1459	1,014,754	15	1.1	00.1-02.1	20	0.6	00.2-01.0	1424	98.2	97.2-99.2
Less than \$15,000	702	613,256	25	4.9	01.8-08.0	16	3.1	00.7-05.5	661	92.0	88.1-95.9
\$15,000- 24,999	1296	950,445	16	2.9	00.5-05.3	21	5.9	01.6-10.2	1259	91.2	86.3-96.1
\$25,000- 34,999	552	465,309	12	4.5	01.4-07.6	4	0.5	00.0-01.5	536	95.0	91.7-98.3
\$35,000- 49,999	587	522,082	11	2.7	00.9-04.5	12	2.4	00.2-04.6	564	94.9	92.2-97.6
\$50,000- 74,999	539	526,653	18	6.8	01.9-11.7	10	3.4	00.0-07.1	511	89.7	83.6-95.8
\$75,000+	773	752,592	11	2.3	00.3-04.3	7	0.5	00.1-00.9	755	97.2	95.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	2,344,500	91	6.1	04.1-08.1	60	5.8	03.4-08.2	1681	88.1	85.2-91.0
White/Non-Hisp	1551	1,803,638	85	7.5	05.0-10.0	56	6.6	03.9-09.3	1410	86.0	82.5-89.5
Black or Afr. Am./Non-Hisp	184	357,035	3	1.0	00.0-02.4	2	0.3	00.0-00.7	179	98.7	97.3-0100
18-24	57	301,134	1	0.6	00.0-01.8	5	13.8	01.3-26.3	51	85.6	73.1-98.1
25-34	122	423,071	11	7.7	01.6-13.8	5	6.3	00.0-12.8	106	86.0	77.4-94.6
35-44	198	427,066	15	9.0	02.7-15.3	9	6.1	01.4-10.8	174	84.9	77.3-92.5
45-54	335	445,111	28	9.8	05.1-14.5	11	3.2	00.1-06.3	296	87.0	81.5-92.5
55-64	478	366,008	18	3.5	01.3-05.7	11	4.2	00.0-09.3	449	92.4	86.9-97.9
65+	631	374,353	18	3.9	01.2-06.6	19	3.1	01.1-05.1	594	93.0	89.7-96.3
Less Than H.S.	229	401,858	16	9.0	02.7-15.3	16	9.7	02.8-16.6	197	81.3	72.5-90.1
H.S. or G.E.D.	571	792,389	46	7.8	04.7-10.9	16	6.9	02.0-11.8	509	85.3	79.8-90.8
Some Post-H.S.	487	624,178	14	5.5	01.2-09.8	15	6.0	01.3-10.7	458	88.6	82.5-94.7
College Graduate	543	523,480	15	2.2	00.2-04.2	13	0.9	00.3-01.5	515	96.9	94.9-98.9
Less than \$15,000	181	252,544	13	7.4	01.3-13.5	6	3.5	00.0-07.0	162	89.0	81.9-96.1
\$15,000- 24,999	357	408,382	14	6.7	01.2-12.2	14	13.3	03.9-22.7	329	80.0	70.0-90.0
\$25,000- 34,999	178	217,725	12	9.6	02.9-16.3	2	1.0	00.0-03.0	164	89.4	82.3-96.5
\$35,000- 49,999	208	271,656	11	5.2	01.7-08.7	10	4.4	00.5-08.3	187	90.5	85.2-95.8
\$50,000- 74,999	202	281,851	16	12.3	03.3-21.3	7	6.2	00.0-13.1	179	81.5	70.9-92.1
\$75,000+	321	423,347	11	4.1	00.6-07.6	5	0.6	00.0-01.2	305	95.3	91.8-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4073	2,529,122	19	0.6	00.0-01.2	31	0.7	00.1-01.3	4023	98.7	97.9-99.5
White/Non-Hisp	3370	1,995,875	16	0.6	00.0-01.2	22	0.4	00.2-00.6	3332	99.0	98.4-99.6
Black or Afr. Am./Non-Hisp	540	384,162	3	0.6	00.0-01.4	7	2.5	00.0-05.4	530	96.9	93.8-0100
MultiRacial/Non-Hisp.	50	38,122				1	0.2	00.0-00.6	49	99.8	99.4-0100
Hispanic	51	75,342							51	100.0	0100-0100
18-24	87	288,480							87	100.0	0100-0100
25-34	280	415,892				1	1.2	00.0-03.6	279	98.8	96.4-0100
35-44	434	432,479	5	0.7	00.1-01.3	2	0.2	00.0-00.4	427	99.1	98.3-99.9
45-54	677	467,305	6	2.2	00.0-04.7	8	1.5	00.1-02.9	663	96.3	93.4-99.2
55-64	974	398,655	1	0.0	00.0-00.0	6	0.2	00.0-00.4	967	99.8	99.6-0100
65+	1581	509,006	7	0.3	00.1-00.5	14	0.8	00.2-01.4	1560	98.9	98.3-99.5
Less Than H.S.	557	444,451	11	1.2	00.2-02.2	14	3.2	00.5-05.9	532	95.6	92.7-98.5
H.S. or G.E.D.	1439	847,369	6	1.0	00.0-02.4	5	0.1	00.1-00.1	1428	98.9	97.5-0100
Some Post-H.S.	1143	739,970	1	0.1	00.0-00.3	4	0.1	00.0-00.3	1138	99.8	99.6-0100
College Graduate	916	491,274				7	0.4	00.0-00.8	909	99.6	99.2-0100
Less than \$15,000	521	360,713	12	3.1	00.0-06.4	10	2.8	00.0-05.9	499	94.1	89.6-98.6
\$15,000- 24,999	939	542,064	2	0.1	00.0-00.3	7	0.4	00.0-00.8	930	99.6	99.2-0100
\$25,000- 34,999	374	247,584				2	0.1	00.0-00.3	372	99.9	99.7-0100
\$35,000- 49,999	379	250,425				2	0.2	00.0-00.6	377	99.8	99.4-0100
\$50,000- 74,999	337	244,802	2	0.5	00.0-01.3	3	0.3	00.0-00.7	332	99.2	98.4-0100
\$75,000+	452	329,245				2	0.3	00.0-00.9	450	99.7	99.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	102
2	MALES ONLY	103
3	FEMALES ONLY	104
	ARE YOU HISPANIC OR LATINO? (HISpanic2)	
4	MALES AND FEMALES	105
5	MALES ONLY	106
6	FEMALES ONLY	107
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7	MALES AND FEMALES	108
8	MALES ONLY	109
9	FEMALES ONLY	110
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10	MALES AND FEMALES	111
11	MALES ONLY	112
12	FEMALES ONLY	113
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13	MALES AND FEMALES	114
14	MALES ONLY	115
15	FEMALES ONLY	116
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	117
17	MALES ONLY	118
18	FEMALES ONLY	119
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	120
20	MALES ONLY	121
21	FEMALES ONLY	122

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	123
23 MALES ONLY	124
24 FEMALES ONLY	125
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	126
26 MALES ONLY	127
27 FEMALES ONLY	128
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	129
29 MALES ONLY	130
30 FEMALES ONLY	131
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	132
32 MALES ONLY	133
33 FEMALES ONLY	134
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	135
35 MALES ONLY	136
36 FEMALES ONLY	137
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	138
38 MALES ONLY	139
39 FEMALES ONLY	140
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	141
41 MALES ONLY	142
42 FEMALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	144
44 MALES ONLY	145
45 FEMALES ONLY	146
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	147
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47 FEMALES ONLY	148
DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)	
52 MALES AND FEMALES	153
53 MALES ONLY	154
54 FEMALES ONLY	155
DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)	
55 MALES AND FEMALES	156
56 MALES ONLY	157
57 FEMALES ONLY	158
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58 MALES AND FEMALES	159
59 MALES ONLY	160
60 FEMALES ONLY	161
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
61 MALES AND FEMALES	162
62 MALES ONLY	163
63 FEMALES ONLY	164
INDICATE SEX OF RESPONDENT. (SEX)	
64 MALES AND FEMALES	165
65 MALES ONLY	166
66 FEMALES ONLY	167
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
67 MALES AND FEMALES	168
68 MALES ONLY	169
69 FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5862	4,850,628	144	12.2	09.7-14.7	402	17.3	14.9-19.7	633	17.7	15.5-19.9	1013	18.8	16.8-20.8	1453	15.8	14.0-17.6	2217	18.2	16.8-19.6
Male	1826	2,338,593	57	12.9	09.2-16.6	122	18.1	14.2-22.0	198	18.3	15.0-21.6	336	19.1	16.2-22.0	479	15.7	13.2-18.2	634	16.0	13.8-18.2
Female	4036	2,512,035	87	11.5	08.0-15.0	280	16.6	13.7-19.5	435	17.2	14.7-19.7	677	18.6	16.2-21.0	974	15.9	13.5-18.3	1583	20.3	18.3-22.3
White/Non-Hisp	4898	3,790,913	104	10.8	08.1-13.5	295	15.8	13.3-18.3	496	16.8	14.4-19.2	841	19.4	17.2-21.6	1196	16.7	14.7-18.7	1966	20.5	18.9-22.1
Black or Afr. Am./Non-Hisp	715	731,553	27	13.6	06.5-20.7	75	22.5	15.1-29.9	97	21.6	15.1-28.1	132	19.0	13.5-24.5	204	15.2	10.5-19.9	180	8.2	06.2-10.2
Oth. Race/Non-Hisp.	74	97,214	4	22.6	00.1-45.1	7	15.9	00.0-35.9	11	24.0	03.2-44.8	11	6.7	00.0-13.4	18	6.3	01.2-11.4	23	24.4	05.6-43.2
MultiRacial/Non-Hisp.	72	82,759	2	12.3	00.0-32.7	9	27.0	06.6-47.4	10	19.2	03.1-35.3	15	25.6	06.0-45.2	14	8.1	02.2-14.0	22	7.8	02.3-13.3
Hispanic	75	137,694	7	34.2	11.3-57.1	16	28.2	08.2-48.2	14	16.2	04.4-28.0	7	4.7	00.0-09.6	15	5.2	01.1-09.3	16	11.5	00.0-26.8
Less Than H.S.	784	845,453	14	7.5	02.4-12.6	27	10.4	05.5-15.3	53	15.2	09.5-20.9	117	18.0	13.3-22.7	146	15.7	11.2-20.2	427	33.2	27.7-38.7
H.S. or G.E.D.	2002	1,635,450	61	11.6	07.3-15.9	119	15.0	11.1-18.9	171	16.6	13.1-20.1	355	21.7	18.2-25.2	492	17.5	14.6-20.4	804	17.6	15.4-19.8
Some Post-H.S.	1617	1,359,117	43	17.7	11.8-23.6	130	16.5	11.8-21.2	178	16.6	12.7-20.5	284	19.1	15.2-23.0	431	15.8	12.5-19.1	551	14.4	11.9-16.9
College Graduate	1443	1,004,580	26	9.5	04.8-14.2	125	27.9	22.0-33.8	230	23.3	18.8-27.8	254	14.5	11.8-17.2	382	13.2	10.3-16.1	426	11.6	09.4-13.8
Less than \$15,000	701	611,723	25	21.2	11.8-30.6	42	18.7	10.7-26.7	57	11.1	05.6-16.6	142	19.8	13.5-26.1	158	10.4	06.7-14.1	277	18.8	13.3-24.3
\$15,000- 24,999	1288	942,823	32	14.4	07.9-20.9	83	11.6	07.9-15.3	118	19.3	14.0-24.6	200	16.5	12.4-20.6	310	16.9	13.0-20.8	545	21.2	17.9-24.5
\$25,000- 34,999	551	465,098	11	8.2	01.9-14.5	45	23.0	14.0-32.0	58	15.8	09.9-21.7	82	14.5	09.4-19.6	141	18.0	11.7-24.3	214	20.4	15.3-25.5
\$35,000- 49,999	587	522,082	13	8.6	02.3-14.9	49	20.9	12.5-29.3	70	16.4	10.3-22.5	95	17.7	12.2-23.2	151	20.8	14.3-27.3	209	15.7	12.2-19.2
\$50,000- 74,999	538	526,496	9	6.8	00.1-13.5	53	22.5	14.9-30.1	79	16.9	11.4-22.4	119	25.5	18.6-32.4	154	18.5	13.0-24.0	124	9.8	07.3-12.3
\$75,000+	771	752,160	7	3.3	00.0-06.8	59	19.4	13.3-25.5	154	27.4	21.5-33.3	194	27.0	21.7-32.3	230	14.7	11.4-18.0	127	8.2	05.7-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1826	2,338,593	57	12.9	09.2-16.6	122	18.1	14.4-21.8	198	18.3	15.0-21.6	336	19.1	16.2-22.0	479	15.7	13.2-18.2	634	16.0	13.8-18.2
White/Non-Hisp	1549	1,802,157	42	12.3	08.2-16.4	98	17.4	13.3-21.5	159	17.7	14.0-21.4	293	19.3	16.2-22.4	396	16.3	13.6-19.0	561	17.0	14.8-19.2
Black or Afr. Am./Non-Hisp	184	355,917	10	12.1	02.7-21.5	15	22.0	09.8-34.2	18	18.0	08.2-27.8	31	22.4	12.2-32.6	63	17.1	08.9-25.3	47	8.4	05.1-11.7
Less Than H.S.	230	402,245	8	8.8	01.2-16.4	9	7.2	02.3-12.1	18	19.8	09.4-30.2	45	19.7	11.5-27.9	49	16.5	09.6-23.4	101	28.1	19.9-36.3
H.S. or G.E.D.	571	791,563	24	14.4	07.9-20.9	35	16.5	09.8-23.2	56	16.4	10.9-21.9	125	22.3	17.0-27.6	148	17.2	12.5-21.9	183	13.2	10.1-16.3
Some Post-H.S.	485	622,673	14	14.1	05.9-22.3	33	20.2	11.6-28.8	61	18.1	11.6-24.6	82	18.4	12.5-24.3	135	15.5	10.6-20.4	160	13.8	09.9-17.7
College Graduate	538	521,365	11	12.2	04.6-19.8	45	26.5	18.3-34.7	63	20.2	14.1-26.3	83	14.3	10.0-18.6	147	13.1	09.4-16.8	189	13.7	10.0-17.4
Less than \$15,000	183	253,054	8	19.0	04.7-33.3	13	16.0	04.0-28.0	13	12.9	01.9-23.9	48	23.6	11.6-35.6	49	11.6	06.1-17.1	52	17.0	06.8-27.2
\$15,000- 24,999	355	407,231	12	15.2	05.4-25.0	18	10.6	04.5-16.7	35	22.6	13.6-31.6	58	14.9	09.6-20.2	87	16.2	09.9-22.5	145	20.6	14.7-26.5
\$25,000- 34,999	179	218,327	4	8.7	00.0-17.5	15	27.0	11.7-42.3	17	15.4	06.4-24.4	28	12.5	06.0-19.0	50	18.4	09.8-27.0	65	17.9	10.3-25.5
\$35,000- 49,999	208	271,656	3	5.5	00.0-13.3	16	23.0	09.1-36.9	22	16.3	06.7-25.9	32	15.7	08.3-23.1	58	24.6	13.4-35.8	77	15.0	09.3-20.7
\$50,000- 74,999	202	281,851	4	9.8	00.0-21.0	19	24.4	12.4-36.4	20	12.1	05.0-19.2	47	27.3	17.1-37.5	53	14.9	09.2-20.6	59	11.5	07.2-15.8
\$75,000+	320	423,072	3	2.8	00.0-06.3	23	18.1	09.7-26.5	53	27.7	19.1-36.3	74	27.6	20.0-35.2	99	14.1	10.0-18.2	68	9.8	05.7-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4036	2,512,035	87	11.5	08.0-15.0	280	16.6	13.7-19.5	435	17.2	14.7-19.7	677	18.6	16.2-21.0	974	15.9	13.5-18.3	1583	20.3	18.5-22.1
White/Non-Hisp	3349	1,988,756	62	9.5	05.8-13.2	197	14.3	11.4-17.2	337	16.0	13.3-18.7	548	19.5	16.8-22.2	800	17.1	14.4-19.8	1405	23.6	21.2-26.0
Black or Afr. Am./Non-Hisp	531	375,636	17	14.9	04.5-25.3	60	23.1	14.7-31.5	79	25.0	16.4-33.6	101	15.7	11.0-20.4	141	13.3	08.4-18.2	133	8.0	05.6-10.4
MultiRacial/Non-Hisp.	50	38,122	1	1.8	00.0-05.5	8	42.2	11.0-73.4	4	4.9	00.0-11.0	12	38.9	06.8-71.0	7	3.8	00.0-07.7	18	8.3	01.6-15.0
Less Than H.S.	554	443,208	6	6.3	00.0-13.4	18	13.3	05.3-21.3	35	11.1	06.6-15.6	72	16.5	11.6-21.4	97	15.0	09.1-20.9	326	37.8	30.5-45.1
H.S. or G.E.D.	1431	843,887	37	9.1	03.6-14.6	84	13.7	09.6-17.8	115	16.7	12.0-21.4	230	21.1	16.4-25.8	344	17.7	14.0-21.4	621	21.7	18.6-24.8
Some Post-H.S.	1132	736,444	29	20.7	12.5-28.9	97	13.4	09.5-17.3	117	15.4	10.5-20.3	202	19.6	14.5-24.7	296	16.0	11.3-20.7	391	14.9	11.8-18.0
College Graduate	905	483,215	15	6.6	01.5-11.7	80	29.5	21.5-37.5	167	26.6	19.9-33.3	171	14.8	11.1-18.5	235	13.2	08.9-17.5	237	9.3	06.8-11.8
Less than \$15,000	518	358,668	17	22.8	10.3-35.3	29	20.5	09.7-31.3	44	9.9	05.0-14.8	94	17.1	10.8-23.4	109	9.5	04.6-14.4	225	20.1	13.8-26.4
\$15,000- 24,999	933	535,592	20	13.9	05.1-22.7	65	12.3	07.6-17.0	83	16.9	10.8-23.0	142	17.8	11.9-23.7	223	17.4	12.3-22.5	400	21.7	17.8-25.6
\$25,000- 34,999	372	246,771	7	7.7	00.0-16.7	30	19.5	09.5-29.5	41	16.2	08.6-23.8	54	16.3	08.7-23.9	91	17.7	08.9-26.5	149	22.7	15.6-29.8
\$35,000- 49,999	379	250,425	10	11.9	02.3-21.5	33	18.6	10.0-27.2	48	16.6	09.5-23.7	63	19.9	12.1-27.7	93	16.6	10.5-22.7	132	16.4	12.1-20.7
\$50,000- 74,999	336	244,645	5	3.3	00.0-08.6	34	20.2	11.6-28.8	59	22.6	14.4-30.8	72	23.5	14.9-32.1	101	22.7	13.5-31.9	65	7.8	05.1-10.5
\$75,000+	451	329,088	4	4.1	00.0-10.8	36	21.0	12.6-29.4	101	27.1	19.5-34.7	120	26.3	18.9-33.7	131	15.5	09.8-21.2	59	6.1	03.9-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5905	4,872,373	77	2.8	01.6-04.0	5828	97.2	96.0-98.4
Male	1830	2,343,380	26	2.7	01.1-04.3	1804	97.3	95.7-98.9
Female	4075	2,528,994	51	3.0	01.2-04.8	4024	97.0	95.2-98.8
18-24	144	589,614	7	8.0	01.1-14.9	137	92.0	85.1-98.9
25-34	402	838,963	16	4.6	00.9-08.3	386	95.4	91.7-99.1
35-44	632	857,738	14	2.6	00.8-04.4	618	97.4	95.6-99.2
45-54	1013	913,018	7	0.7	00.0-01.5	1006	99.3	98.5-0100
55-64	1452	765,174	15	0.9	00.3-01.5	1437	99.1	98.5-99.7
65+	2213	883,663	16	1.8	00.0-04.3	2197	98.2	95.7-0100
Less Than H.S.	787	846,696	17	8.0	02.7-13.3	770	92.0	86.7-97.3
H.S. or G.E.D.	2010	1,637,868	26	1.7	00.3-03.1	1984	98.3	96.9-99.7
Some Post-H.S.	1632	1,364,820	16	2.4	00.2-04.6	1616	97.6	95.4-99.8
College Graduate	1454	1,013,755	17	1.1	00.3-01.9	1437	98.9	98.1-99.7
Less than \$15,000	705	613,839	12	9.4	02.3-16.5	693	90.6	83.5-97.7
\$15,000- 24,999	1296	950,445	22	4.6	01.1-08.1	1274	95.4	91.9-98.9
\$25,000- 34,999	553	465,911	6	1.0	00.0-02.0	547	99.0	98.0-0100
\$35,000- 49,999	587	522,082	5	0.3	00.0-00.7	582	99.7	99.3-0100
\$50,000- 74,999	539	526,653	5	1.1	00.0-02.7	534	98.9	97.3-0100
\$75,000+	772	752,454	5	0.5	00.0-01.1	767	99.5	98.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	2,343,380	26	2.7	01.1-04.3	1804	97.3	95.7-98.9
18-24	57	301,134	2	4.7	00.0-12.5	55	95.3	87.5-0100
25-34	122	423,071	5	3.0	00.1-05.9	117	97.0	94.1-99.9
35-44	197	425,184	8	3.4	00.1-06.7	189	96.6	93.3-99.9
45-54	336	445,713	3	1.2	00.0-02.6	333	98.8	97.4-0100
55-64	478	366,519	4	1.1	00.0-02.3	474	98.9	97.7-0100
65+	630	374,515	4	3.2	00.0-09.1	626	96.8	90.9-0100
Less Than H.S.	230	402,245	6	8.8	00.6-17.0	224	91.2	83.0-99.4
H.S. or G.E.D.	572	791,279	7	1.3	00.1-02.5	565	98.7	97.5-99.9
Some Post-H.S.	488	624,780	7	1.7	00.0-03.5	481	98.3	96.5-0100
College Graduate	538	522,482	6	1.2	00.0-02.4	532	98.8	97.6-0100
Less than \$15,000	183	253,054	2	4.7	00.0-13.3	181	95.3	86.7-0100
\$15,000- 24,999	357	408,382	9	6.3	00.0-12.6	348	93.7	87.4-0100
\$25,000- 34,999	179	218,327	3	1.2	00.0-02.8	176	98.8	97.2-0100
\$35,000- 49,999	208	271,656				208	100.0	0100-0100
\$50,000- 74,999	202	281,851	3	2.0	00.0-04.9	199	98.0	95.1-0100
\$75,000+	320	423,210	1	0.3	00.0-00.9	319	99.7	99.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4075	2,528,994	51	3.0	01.2-04.8	4024	97.0	95.2-98.8
18-24	87	288,480	5	11.4	00.0-22.8	82	88.6	77.2-0100
25-34	280	415,892	11	6.3	00.0-13.2	269	93.7	86.8-0100
35-44	435	432,554	6	1.8	00.2-03.4	429	98.2	96.6-99.8
45-54	677	467,305	4	0.3	00.0-00.7	673	99.7	99.3-0100
55-64	974	398,655	11	0.8	00.2-01.4	963	99.2	98.6-99.8
65+	1583	509,148	12	0.8	00.2-01.4	1571	99.2	98.6-99.8
Less Than H.S.	557	444,451	11	7.2	00.5-13.9	546	92.8	86.1-99.5
H.S. or G.E.D.	1438	846,589	19	2.0	00.0-04.5	1419	98.0	95.5-0100
Some Post-H.S.	1144	740,040	9	2.9	00.0-06.4	1135	97.1	93.6-0100
College Graduate	916	491,274	11	0.9	00.1-01.7	905	99.1	98.3-99.9
Less than \$15,000	522	360,785	10	12.6	02.4-22.8	512	87.4	77.2-97.6
\$15,000- 24,999	939	542,064	13	3.3	00.0-07.2	926	96.7	92.8-0100
\$25,000- 34,999	374	247,584	3	0.9	00.0-02.1	371	99.1	97.9-0100
\$35,000- 49,999	379	250,425	5	0.7	00.0-01.5	374	99.3	98.5-0100
\$50,000- 74,999	337	244,802	2	0.1	00.0-00.3	335	99.9	99.7-0100
\$75,000+	452	329,245	4	0.7	00.0-01.5	448	99.3	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5914	4,876,195	5840	98.3	97.5-99.1	74	1.7	00.9-02.5
Male	1837	2,346,349	1815	98.1	96.9-99.3	22	1.9	00.7-03.1
Female	4077	2,529,846	4025	98.5	97.5-99.5	52	1.5	00.5-02.5
18-24	144	589,614	142	98.3	95.2-0100	2	1.7	00.0-04.8
25-34	402	838,963	392	97.3	94.9-99.7	10	2.7	00.3-05.1
35-44	633	859,620	623	98.1	96.5-99.7	10	1.9	00.3-03.5
45-54	1013	913,018	998	97.7	95.7-99.7	15	2.3	00.3-04.3
55-64	1453	765,312	1438	99.1	98.5-99.7	15	0.9	00.3-01.5
65+	2217	884,101	2195	99.3	98.9-99.7	22	0.7	00.3-01.1
Less Than H.S.	787	846,696	779	99.1	97.9-0100	8	0.9	00.0-02.1
H.S. or G.E.D.	2013	1,640,602	1991	98.7	97.5-99.9	22	1.3	00.1-02.5
Some Post-H.S.	1632	1,364,820	1606	97.6	95.8-99.4	26	2.4	00.6-04.2
College Graduate	1459	1,014,754	1441	97.9	96.1-99.7	18	2.1	00.3-03.9
Less than \$15,000	705	613,839	698	99.5	98.9-0100	7	0.5	00.0-01.1
\$15,000- 24,999	1296	950,445	1284	98.2	96.2-0100	12	1.8	00.0-03.8
\$25,000- 34,999	553	465,911	545	96.9	93.8-0100	8	3.1	00.0-06.2
\$35,000- 49,999	587	522,082	580	99.3	98.5-0100	7	0.7	00.0-01.5
\$50,000- 74,999	539	526,653	530	97.9	95.5-0100	9	2.1	00.0-04.5
\$75,000+	773	752,592	763	98.9	97.7-0100	10	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	2,346,349	1815	98.1	96.9-99.3	22	1.9	00.7-03.1
18-24	57	301,134	56	96.8	90.7-0100	1	3.2	00.0-09.3
25-34	122	423,071	121	98.5	95.6-0100	1	1.5	00.0-04.4
35-44	198	427,066	192	96.7	93.4-0100	6	3.3	00.0-06.6
45-54	336	445,713	333	98.6	96.8-0100	3	1.4	00.0-03.2
55-64	479	366,657	472	98.6	97.4-99.8	7	1.4	00.2-02.6
65+	634	374,953	630	99.1	98.1-0100	4	0.9	00.0-01.9
Less Than H.S.	230	402,245	228	98.5	96.0-0100	2	1.5	00.0-04.0
H.S. or G.E.D.	573	793,161	567	99.2	98.4-0100	6	0.8	00.0-01.6
Some Post-H.S.	488	624,780	478	96.0	92.3-99.7	10	4.0	00.3-07.7
College Graduate	543	523,480	539	98.7	97.1-0100	4	1.3	00.0-02.9
Less than \$15,000	183	253,054	181	99.5	98.7-0100	2	0.5	00.0-01.3
\$15,000- 24,999	357	408,382	354	98.5	96.3-0100	3	1.5	00.0-03.7
\$25,000- 34,999	179	218,327	174	96.1	91.4-0100	5	3.9	00.0-08.6
\$35,000- 49,999	208	271,656	207	99.6	98.8-0100	1	0.4	00.0-01.2
\$50,000- 74,999	202	281,851	199	99.1	97.9-0100	3	0.9	00.0-02.1
\$75,000+	321	423,347	318	98.7	96.9-0100	3	1.3	00.0-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4077	2,529,846	4025	98.5	97.5-99.5	52	1.5	00.5-02.5
18-24	87	288,480	86	99.8	99.4-0100	1	0.2	00.0-00.6
25-34	280	415,892	271	96.0	92.3-99.7	9	4.0	00.3-07.7
35-44	435	432,554	431	99.6	99.0-0100	4	0.4	00.0-01.0
45-54	677	467,305	665	96.8	93.3-0100	12	3.2	00.0-06.7
55-64	974	398,655	966	99.6	99.2-0100	8	0.4	00.0-00.8
65+	1583	509,148	1565	99.4	99.0-99.8	18	0.6	00.2-01.0
Less Than H.S.	557	444,451	551	99.6	99.2-0100	6	0.4	00.0-00.8
H.S. or G.E.D.	1440	847,441	1424	98.3	96.3-0100	16	1.7	00.0-03.7
Some Post-H.S.	1144	740,040	1128	98.9	98.3-99.5	16	1.1	00.5-01.7
College Graduate	916	491,274	902	97.1	94.0-0100	14	2.9	00.0-06.0
Less than \$15,000	522	360,785	517	99.5	98.9-0100	5	0.5	00.0-01.1
\$15,000- 24,999	939	542,064	930	98.0	94.9-0100	9	2.0	00.0-05.1
\$25,000- 34,999	374	247,584	371	97.5	93.4-0100	3	2.5	00.0-06.6
\$35,000- 49,999	379	250,425	373	99.1	97.9-0100	6	0.9	00.0-02.1
\$50,000- 74,999	337	244,802	331	96.6	91.9-0100	6	3.4	00.0-08.1
\$75,000+	452	329,245	445	99.1	98.3-99.9	7	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	72	82,978	33	53.7	30.0-77.4	27	31.0	08.7-53.3	1	0.7	00.5-00.9	1	0.5	00.0-01.5	9	14.0	00.0-30.1	1	0.1	00.0-00.3
Female	51	47,851	22	47.8	11.3-84.3	21	34.3	00.8-67.8	1	1.3	01.1-01.5	1	0.8	00.0-02.4	5	15.7	00.0-41.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	51	47,851	22	47.8	11.5-84.1	21	34.3	01.0-67.6	1	1.3	01.1-01.5	1	0.8	00.0-02.4	5	15.7	00.0-41.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5913	4,876,034	708	13.9	11.9-15.9	5205	86.1	84.1-88.1
Male	1837	2,346,349	657	26.8	23.3-30.3	1180	73.2	69.7-76.7
Female	4076	2,529,685	51	2.0	00.8-03.2	4025	98.0	96.8-99.2
18-24	144	589,614	8	11.4	03.2-19.6	136	88.6	80.4-96.8
25-34	402	838,963	23	9.3	04.2-14.4	379	90.7	85.6-95.8
35-44	633	859,620	36	8.0	04.5-11.5	597	92.0	88.5-95.5
45-54	1013	913,018	87	13.0	08.9-17.1	926	87.0	82.9-91.1
55-64	1453	765,312	170	16.0	12.1-19.9	1283	84.0	80.1-87.9
65+	2217	884,101	375	24.7	21.0-28.4	1842	75.3	71.6-79.0
Less Than H.S.	787	846,696	47	8.3	04.8-11.8	740	91.7	88.2-95.2
H.S. or G.E.D.	2013	1,640,602	204	14.4	10.9-17.9	1809	85.6	82.1-89.1
Some Post-H.S.	1631	1,364,660	228	16.9	13.0-20.8	1403	83.1	79.2-87.0
College Graduate	1459	1,014,754	226	13.8	10.5-17.1	1233	86.2	82.9-89.5
Less than \$15,000	705	613,839	43	5.5	01.6-09.4	662	94.5	90.6-98.4
\$15,000- 24,999	1296	950,445	146	14.3	09.6-19.0	1150	85.7	81.0-90.4
\$25,000- 34,999	553	465,911	74	16.4	09.3-23.5	479	83.6	76.5-90.7
\$35,000- 49,999	587	522,082	89	20.0	12.7-27.3	498	80.0	72.7-87.3
\$50,000- 74,999	539	526,653	85	17.5	11.6-23.4	454	82.5	76.6-88.4
\$75,000+	773	752,592	119	15.3	10.8-19.8	654	84.7	80.2-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	2,346,349	657	26.8	23.3-30.3	1180	73.2	69.7-76.7
18-24	57	301,134	6	17.5	03.8-31.2	51	82.5	68.8-96.2
25-34	122	423,071	19	17.0	07.4-26.6	103	83.0	73.4-92.6
35-44	198	427,066	32	14.5	07.8-21.2	166	85.5	78.8-92.2
45-54	336	445,713	69	22.5	15.4-29.6	267	77.5	70.4-84.6
55-64	479	366,657	157	32.7	25.3-40.1	322	67.3	59.9-74.7
65+	634	374,953	365	57.6	50.9-64.3	269	42.4	35.7-49.1
Less Than H.S.	230	402,245	45	17.3	10.0-24.6	185	82.7	75.4-90.0
H.S. or G.E.D.	573	793,161	198	29.7	22.8-36.6	375	70.3	63.4-77.2
Some Post-H.S.	488	624,780	207	31.7	24.3-39.1	281	68.3	60.9-75.7
College Graduate	543	523,480	204	23.5	17.6-29.4	339	76.5	70.6-82.4
Less than \$15,000	183	253,054	38	12.8	03.4-22.2	145	87.2	77.8-96.6
\$15,000- 24,999	357	408,382	140	32.6	23.2-42.0	217	67.4	58.0-76.8
\$25,000- 34,999	179	218,327	68	26.3	15.1-37.5	111	73.7	62.5-84.9
\$35,000- 49,999	208	271,656	81	36.2	23.5-48.9	127	63.8	51.1-76.5
\$50,000- 74,999	202	281,851	81	30.7	20.3-41.1	121	69.3	58.9-79.7
\$75,000+	321	423,347	104	25.2	17.8-32.6	217	74.8	67.4-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4076	2,529,685	51	2.0	00.8-03.2	4025	98.0	96.8-99.2
18-24	87	288,480	2	5.1	00.0-12.5	85	94.9	87.5-0100
25-34	280	415,892	4	1.5	00.0-03.3	276	98.5	96.7-0100
35-44	435	432,554	4	1.5	00.0-04.2	431	98.5	95.8-0100
45-54	677	467,305	18	3.9	00.4-07.4	659	96.1	92.6-99.6
55-64	974	398,655	13	0.7	00.1-01.3	961	99.3	98.7-99.9
65+	1583	509,148	10	0.5	00.1-00.9	1573	99.5	99.1-99.9
Less Than H.S.	557	444,451	2	0.2	00.0-00.4	555	99.8	99.6-0100
H.S. or G.E.D.	1440	847,441	6	0.2	00.0-00.4	1434	99.8	99.6-0100
Some Post-H.S.	1143	739,880	21	4.3	00.8-07.8	1122	95.7	92.2-99.2
College Graduate	916	491,274	22	3.5	00.4-06.6	894	96.5	93.4-99.6
Less than \$15,000	522	360,785	5	0.4	00.0-00.8	517	99.6	99.2-0100
\$15,000- 24,999	939	542,064	6	0.5	00.1-00.9	933	99.5	99.1-99.9
\$25,000- 34,999	374	247,584	6	7.6	00.0-17.0	368	92.4	83.0-0100
\$35,000- 49,999	379	250,425	8	2.4	00.0-06.1	371	97.6	93.9-0100
\$50,000- 74,999	337	244,802	4	2.4	00.0-05.5	333	97.6	94.5-0100
\$75,000+	452	329,245	15	2.7	00.5-04.9	437	97.3	95.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	4,865,081	2852	52.1	49.6-54.6	1114	13.0	11.2-14.8	1113	7.4	06.4-08.4	138	2.0	01.2-02.8	625	23.0	20.3-25.7	50	2.4	01.2-03.6
Male	1831	2,338,372	1022	54.1	49.8-58.4	346	13.4	10.5-16.3	162	3.5	02.3-04.7	42	2.5	01.1-03.9	245	25.0	20.7-29.3	14	1.5	00.0-03.1
Female	4061	2,526,709	1830	50.2	46.7-53.7	768	12.7	10.5-14.9	951	11.1	09.7-12.5	96	1.5	00.9-02.1	380	21.2	17.5-24.9	36	3.3	01.3-05.3
White/Non-Hisp	4911	3,792,354	2538	57.5	54.6-60.4	901	13.6	11.4-15.8	958	7.8	06.8-08.8	88	1.2	00.6-01.8	391	17.8	14.9-20.7	35	2.2	00.8-03.6
Black or Afr. Am./Non-Hisp	724	741,947	201	33.2	26.1-40.3	154	10.0	06.5-13.5	123	6.6	04.1-09.1	41	4.3	01.8-06.8	195	44.3	36.3-52.3	10	1.6	00.0-03.8
Oth. Race/Non-Hisp.	76	97,451	32	37.0	15.0-59.0	22	22.1	04.3-39.9	9	1.6	00.2-03.0	1	0.1	00.0-00.3	12	39.3	14.6-64.0			
MultiRacial/Non-Hisp.	72	82,759	29	41.2	20.2-62.2	19	18.7	03.2-34.2	10	2.4	00.4-04.4	1	0.1	00.0-00.3	13	37.7	14.2-61.2			
Hispanic	77	138,007	35	21.7	09.4-34.0	12	4.0	00.7-07.3	7	8.9	00.0-24.2	5	13.5	00.0-30.2	14	35.6	14.0-57.2	4	16.2	00.0-35.4
18-24	144	589,614	29	12.7	05.3-20.1	4	4.2	00.0-09.7	1	0.1	00.0-00.3	1	2.1	00.0-06.2	102	74.3	63.7-84.9	7	6.6	00.1-13.1
25-34	402	838,963	226	48.1	40.3-55.9	36	6.0	02.5-09.5	3	0.2	00.0-00.4	13	1.6	00.2-03.0	115	40.7	32.5-48.9	9	3.4	00.0-07.1
35-44	628	858,308	386	60.8	54.1-67.5	109	15.8	10.7-20.9	6	0.4	00.0-01.0	23	2.3	00.7-03.9	92	16.2	11.1-21.3	12	4.3	00.4-08.2
45-54	1012	912,906	536	62.1	56.8-67.4	255	17.2	13.3-21.1	57	2.9	01.9-03.9	41	3.7	01.3-06.1	116	13.4	09.3-17.5	7	0.7	00.1-01.3
55-64	1448	760,036	774	63.5	58.0-69.0	367	18.8	13.9-23.7	153	8.7	05.6-11.8	34	1.0	00.4-01.6	108	7.1	04.0-10.2	12	0.8	00.2-01.4
65+	2212	882,835	880	53.9	50.0-57.8	333	12.8	09.7-15.9	887	29.7	26.2-33.2	26	1.0	00.4-01.6	85	2.6	01.8-03.4	1	0.0	00.0-00.0
Less Than H.S.	787	846,696	249	41.4	34.9-47.9	159	17.3	12.2-22.4	267	16.7	12.8-20.6	31	5.8	02.1-09.5	74	14.0	09.1-18.9	7	4.7	00.2-09.2
H.S. or G.E.D.	2006	1,639,135	915	53.2	48.7-57.7	393	14.3	11.0-17.6	436	7.2	05.8-08.6	60	1.4	00.8-02.0	190	21.3	16.8-25.8	12	2.6	00.4-04.8
Some Post-H.S.	1626	1,358,433	799	49.6	44.1-55.1	332	13.2	09.7-16.7	260	5.1	03.7-06.5	31	1.2	00.2-02.2	187	28.6	22.5-34.7	17	2.2	00.2-04.2
College Graduate	1452	1,013,504	878	62.6	56.7-68.5	225	6.9	04.5-09.3	148	3.1	01.9-04.3	14	0.7	00.1-01.3	173	26.0	19.9-32.1	14	0.7	00.3-01.1
Less than \$15,000	704	613,757	107	18.2	12.5-23.9	219	18.2	12.3-24.1	205	14.3	09.0-19.6	47	4.0	01.8-06.2	119	40.9	31.5-50.3	7	4.4	00.0-09.3
\$15,000- 24,999	1295	950,272	458	40.8	35.1-46.5	316	20.6	15.3-25.9	333	11.4	09.0-13.8	47	4.3	01.4-07.2	127	17.4	11.9-22.9	14	5.5	01.0-10.0
\$25,000- 34,999	553	465,911	226	51.9	43.1-60.7	134	15.3	09.8-20.8	105	6.0	04.0-08.0	7	0.9	00.0-01.9	75	25.4	16.8-34.0	6	0.5	00.1-00.9
\$35,000- 49,999	586	517,152	345	60.2	51.6-68.8	104	13.3	07.2-19.4	60	4.1	02.1-06.1	8	0.6	00.2-01.0	66	18.9	11.1-26.7	3	2.8	00.0-07.5
\$50,000- 74,999	539	526,653	386	63.7	55.1-72.3	66	9.9	05.0-14.8	39	2.7	01.1-04.3	5	0.4	00.0-00.8	40	22.8	13.8-31.8	3	0.6	00.0-01.4
\$75,000+	772	752,153	640	86.5	81.6-91.4	55	2.7	01.5-03.9	30	1.1	00.7-01.5	3	1.0	00.0-02.6	37	8.3	03.6-13.0	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	2,338,372	1022	54.1	50.0-58.2	346	13.4	10.5-16.3	162	3.5	02.3-04.7	42	2.5	01.1-03.9	245	25.0	20.9-29.1	14	1.5	00.0-03.1
White/Non-Hisp	1549	1,798,970	907	58.3	53.8-62.8	290	13.6	10.3-16.9	141	3.4	02.4-04.4	25	1.4	00.4-02.4	177	21.6	17.1-26.1	9	1.8	00.0-03.8
Black or Afr. Am./Non-Hisp	185	357,422	68	42.8	30.5-55.1	35	9.9	04.0-15.8	15	2.2	00.8-03.6	12	4.5	00.0-09.0	51	39.8	26.9-52.7	4	0.8	00.0-01.8
18-24	57	301,134	8	12.9	02.3-23.5	2	4.3	00.0-12.1				1	4.1	00.0-11.9	45	78.1	64.2-92.0	1	0.6	00.0-01.8
25-34	122	423,071	69	45.8	33.6-58.0	8	6.7	00.8-12.6				2	0.7	00.0-01.9	42	43.9	31.2-56.6	1	2.9	00.0-08.6
35-44	197	426,417	118	60.6	50.4-70.8	37	20.2	11.2-29.2	1	0.1	00.0-00.3	5	2.5	00.0-05.2	33	13.3	07.2-19.4	3	3.4	00.0-09.1
45-54	335	445,600	187	65.5	57.9-73.1	75	12.7	08.4-17.0	9	0.9	00.1-01.7	11	5.3	00.8-09.8	50	15.0	08.9-21.1	3	0.6	00.0-01.4
55-64	478	361,727	280	64.1	55.7-72.5	113	21.3	13.3-29.3	20	4.2	00.9-07.5	13	1.3	00.5-02.1	48	8.5	03.2-13.8	4	0.6	00.0-01.2
65+	633	374,695	357	66.6	59.7-73.5	108	13.4	08.3-18.5	131	16.3	10.2-22.4	10	1.4	00.2-02.6	27	2.4	01.2-03.6			
Less Than H.S.	230	402,245	96	46.5	36.1-56.9	57	18.5	10.1-26.9	31	8.1	02.2-14.0	13	8.9	01.6-16.2	32	14.9	07.8-22.0	1	3.1	00.0-09.0
H.S. or G.E.D.	570	792,306	290	53.4	46.1-60.7	130	15.8	10.3-21.3	54	3.0	01.6-04.4	17	1.2	00.4-02.0	74	24.4	17.5-31.3	5	2.1	00.0-05.2
Some Post-H.S.	486	619,593	272	51.7	43.1-60.3	90	12.8	07.3-18.3	40	2.2	01.2-03.2	7	1.4	00.0-03.4	72	31.4	21.8-41.0	5	0.6	00.0-01.2
College Graduate	543	523,480	363	64.0	55.4-72.6	68	6.4	03.1-09.7	37	2.1	00.5-03.7	5	1.0	00.0-02.2	67	26.0	17.2-34.8	3	0.5	00.0-01.1
Less than \$15,000	183	253,054	39	24.8	13.4-36.2	69	21.3	10.1-32.5	14	6.2	00.0-14.8	16	3.4	01.2-05.6	44	43.9	28.6-59.2	1	0.4	00.0-01.2
\$15,000- 24,999	357	408,382	153	43.5	34.3-52.7	91	24.6	15.2-34.0	48	5.9	03.4-08.4	13	7.0	00.5-13.5	47	15.0	08.3-21.7	5	3.9	00.0-09.8
\$25,000- 34,999	179	218,327	85	50.6	36.9-64.3	38	13.6	05.4-21.8	18	2.0	00.8-03.2	2	1.2	00.0-03.2	34	32.2	18.1-46.3	2	0.5	00.0-01.3
\$35,000- 49,999	207	266,727	118	54.6	41.1-68.1	44	19.8	08.6-31.0	15	3.7	00.4-07.0	5	0.8	00.0-01.6	24	16.5	04.5-28.5	1	4.6	00.0-13.4
\$50,000- 74,999	202	281,851	149	62.1	49.2-75.0	24	10.2	03.3-17.1	11	2.3	00.0-05.0	1	0.1	00.0-00.3	16	24.5	10.8-38.2	1	0.7	00.0-02.1
\$75,000+	321	423,347	267	86.7	80.0-93.4	24	3.4	01.6-05.2	9	0.7	00.1-01.3	1	1.5	00.0-04.4	18	7.4	01.5-13.3	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4061	2,526,709	1830	50.2	46.9-53.5	768	12.7	10.5-14.9	951	11.1	09.7-12.5	96	1.5	00.9-02.1	380	21.2	17.7-24.7	36	3.3	01.3-05.3
White/Non-Hisp	3362	1,993,384	1631	56.8	52.9-60.7	611	13.6	11.1-16.1	817	11.8	10.2-13.4	63	1.0	00.6-01.4	214	14.3	10.6-18.0	26	2.6	00.6-04.6
Black or Afr. Am./Non-Hisp	539	384,525	133	24.4	17.9-30.9	119	10.0	05.9-14.1	108	10.6	06.1-15.1	29	4.1	01.2-07.0	144	48.5	38.7-58.3	6	2.4	00.0-06.5
MultiRacial/Non-Hisp.	50	38,122	18	36.4	08.0-64.8	13	9.8	01.0-18.6	10	5.2	00.3-10.1	1	0.2	00.0-00.8	8	48.3	16.7-79.9			
Hispanic	51	75,342	23	15.8	03.5-28.1	9	5.0	00.3-09.7	5	1.0	00.0-02.2	1	1.6	00.0-04.7	9	46.9	15.5-78.3	4	29.8	00.0-61.0
18-24	87	288,480	21	12.6	02.2-23.0	2	4.0	00.0-11.6	1	0.2	00.0-00.6				57	70.3	54.2-86.4	6	12.8	00.3-25.3
25-34	280	415,892	157	50.4	40.8-60.0	28	5.3	01.4-09.2	3	0.4	00.0-00.8	11	2.6	00.1-05.1	73	37.4	27.4-47.4	8	3.9	00.0-09.0
35-44	431	431,890	268	61.1	52.5-69.7	72	11.5	07.0-16.0	5	0.8	00.0-02.0	18	2.2	00.8-03.6	59	19.2	11.4-27.0	9	5.2	00.0-10.7
45-54	677	467,305	349	58.9	51.8-66.0	180	21.5	15.4-27.6	48	4.7	02.7-06.7	30	2.2	01.2-03.2	66	11.9	06.0-17.8	4	0.7	00.0-01.5
55-64	970	398,308	494	63.1	55.8-70.4	254	16.5	10.8-22.2	133	12.8	07.7-17.9	21	0.8	00.2-01.4	60	5.9	02.2-09.6	8	1.0	00.0-02.0
65+	1579	508,140	523	44.6	40.1-49.1	225	12.4	08.7-16.1	756	39.6	35.3-43.9	16	0.6	00.2-01.0	58	2.8	01.8-03.8	1	0.1	00.0-00.3
Less Than H.S.	557	444,451	153	36.8	29.0-44.6	102	16.2	09.9-22.5	236	24.5	19.2-29.8	18	3.1	00.6-05.6	42	13.2	06.3-20.1	6	6.2	00.0-13.1
H.S. or G.E.D.	1436	846,829	625	53.0	47.3-58.7	263	12.9	09.2-16.6	382	11.1	08.7-13.5	43	1.6	01.0-02.2	116	18.4	12.3-24.5	7	3.0	00.0-06.1
Some Post-H.S.	1140	738,840	527	47.8	40.7-54.9	242	13.6	09.1-18.1	220	7.6	05.2-10.0	24	1.1	00.5-01.7	115	26.3	18.5-34.1	12	3.5	00.0-07.2
College Graduate	909	490,024	515	61.0	53.2-68.8	157	7.5	04.6-10.4	111	4.3	02.3-06.3	9	0.3	00.1-00.5	106	25.9	17.9-33.9	11	1.0	00.4-01.6
Less than \$15,000	521	360,702	68	13.6	08.1-19.1	150	16.0	09.9-22.1	191	19.9	13.0-26.8	31	4.5	01.4-07.6	75	38.8	26.6-51.0	6	7.2	00.0-15.4
\$15,000- 24,999	938	541,891	305	38.8	31.7-45.9	225	17.6	11.9-23.3	285	15.5	12.0-19.0	34	2.2	01.2-03.2	80	19.2	11.0-27.4	9	6.7	00.2-13.2
\$25,000- 34,999	374	247,584	141	53.1	41.9-64.3	96	16.9	09.6-24.2	87	9.6	06.1-13.1	5	0.5	00.0-01.1	41	19.4	09.2-29.6	4	0.4	00.0-00.8
\$35,000- 49,999	379	250,425	227	66.2	56.2-76.2	60	6.5	04.0-09.0	45	4.5	02.7-06.3	3	0.4	00.0-01.0	42	21.5	11.3-31.7	2	0.9	00.0-02.3
\$50,000- 74,999	337	244,802	237	65.5	54.3-76.7	42	9.5	02.2-16.8	28	3.1	01.3-04.9	4	0.6	00.0-01.4	24	20.8	09.4-32.2	2	0.4	00.0-01.0
\$75,000+	451	328,806	373	86.2	78.8-93.6	31	1.7	00.9-02.5	21	1.6	00.8-02.4	2	0.4	00.0-01.0	19	9.4	01.8-17.0	5	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5893	4,858,670	521	14.2	12.2-16.2	414	13.5	11.3-15.7	163	3.6	02.8-04.4	42	1.2	00.6-01.8	13	0.2	00.0-00.4	4740	67.2	64.5-69.9
Male	1830	2,341,788	144	12.6	09.7-15.5	125	12.5	09.4-15.6	40	2.5	01.5-03.5	14	1.4	00.4-02.4	3	0.2	00.0-00.4	1504	70.9	67.0-74.8
Female	4063	2,516,882	377	15.7	13.0-18.4	289	14.5	11.6-17.4	123	4.6	03.2-06.0	28	1.1	00.3-01.9	10	0.3	00.1-00.5	3236	63.8	60.3-67.3
White/Non-Hisp	4911	3,785,177	388	13.0	10.8-15.2	333	13.1	10.7-15.5	124	3.4	02.6-04.2	33	1.2	00.6-01.8	8	0.2	00.0-00.4	4025	69.2	66.3-72.1
Black or Afr. Am./Non-Hisp	722	740,581	97	17.9	11.8-24.0	57	12.4	06.9-17.9	34	5.6	01.9-09.3	7	1.3	00.0-02.7	5	0.4	00.0-00.8	522	62.2	54.6-69.8
Oth. Race/Non-Hisp.	76	97,451	6	13.7	00.0-30.2	8	33.4	09.3-57.5	1	0.4	00.0-01.2	1	0.2	00.0-00.8				60	52.2	28.3-76.1
MultiRacial/Non-Hisp.	72	82,759	13	24.8	06.6-43.0	5	18.8	00.0-39.6	1	2.5	00.0-07.4	1	7.5	00.0-21.6				52	46.4	24.4-68.4
Hispanic	77	138,007	15	22.3	05.6-39.0	9	14.1	00.0-29.4	3	1.8	00.0-04.2							50	61.9	41.3-82.5
18-24	144	589,614	34	17.0	08.6-25.4	18	20.3	10.3-30.3	4	0.6	00.0-01.4	1	1.5	00.0-04.2				87	60.6	48.8-72.4
25-34	401	838,313	97	20.7	14.4-27.0	100	23.2	16.7-29.7	52	8.4	04.9-11.9	16	3.9	01.2-06.6	4	0.6	00.0-01.4	132	43.1	35.1-51.1
35-44	626	847,110	145	26.4	20.3-32.5	164	24.3	19.0-29.6	69	8.3	05.4-11.2	14	1.6	00.4-02.8	5	0.4	00.0-01.0	229	38.9	32.2-45.6
45-54	1010	910,700	149	14.7	11.2-18.2	87	11.4	07.3-15.5	25	2.7	01.3-04.1	6	0.5	00.1-00.9	3	0.3	00.0-00.7	740	70.5	65.4-75.6
55-64	1450	764,699	59	5.0	02.6-07.4	27	2.3	00.7-03.9	9	0.5	00.0-01.3	3	0.1	00.1-00.1	1	0.0	00.0-00.0	1351	92.1	89.2-95.0
65+	2214	883,625	34	2.1	00.7-03.5	16	1.7	00.1-03.3	4	0.1	00.0-00.3	2	0.1	00.1-00.1				2158	96.0	94.0-98.0
Less Than H.S.	786	846,271	46	9.2	05.5-12.9	41	12.0	06.3-17.7	22	3.9	01.5-06.3	5	1.8	00.0-04.0	3	0.5	00.0-01.3	669	72.6	66.1-79.1
H.S. or G.E.D.	2011	1,639,475	174	15.2	11.7-18.7	103	11.2	07.7-14.7	46	3.5	01.9-05.1	16	1.3	00.1-02.5	2	0.2	00.0-00.4	1670	68.7	64.2-73.2
Some Post-H.S.	1626	1,354,940	157	15.7	11.4-20.0	108	14.6	10.3-18.9	43	2.9	01.3-04.5	14	1.4	00.2-02.6	6	0.2	00.0-00.4	1298	65.2	59.7-70.7
College Graduate	1451	1,009,717	142	14.8	10.7-18.9	161	17.4	13.3-21.5	52	4.5	02.9-06.1	7	0.4	00.0-00.8	2	0.1	00.0-00.3	1087	62.8	57.5-68.1
Less than \$15,000	705	613,839	63	8.3	04.0-12.6	40	12.6	05.5-19.7	19	5.4	01.3-09.5	9	1.3	00.0-02.7	2	0.2	00.0-00.4	572	72.1	63.7-80.5
\$15,000- 24,999	1296	950,445	83	13.4	08.5-18.3	55	9.9	05.4-14.4	40	3.3	01.7-04.9	8	0.7	00.0-01.5	4	0.6	00.0-01.4	1106	72.1	66.0-78.2
\$25,000- 34,999	552	465,731	46	15.7	08.4-23.0	30	11.0	04.1-17.9	8	1.0	00.2-01.8	4	2.2	00.0-05.5	2	0.3	00.0-00.7	462	69.8	60.8-78.8
\$35,000- 49,999	586	521,049	62	17.1	10.2-24.0	46	14.5	07.6-21.4	16	3.1	01.1-05.1	1	0.2	00.0-00.6	2	0.3	00.0-00.7	459	64.7	56.3-73.1
\$50,000- 74,999	538	526,002	73	14.2	09.5-18.9	57	17.0	10.7-23.3	23	4.0	01.8-06.2	6	1.5	00.1-02.9	1	0.1	00.0-00.3	378	63.2	55.8-70.6
\$75,000+	769	748,773	97	21.7	15.4-28.0	115	20.5	15.4-25.6	31	4.5	02.5-06.5	7	0.9	00.0-01.9	2	0.1	00.0-00.3	517	52.3	45.8-58.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	2,341,788	144	12.6	09.7-15.5	125	12.5	09.4-15.6	40	2.5	01.5-03.5	14	1.4	00.4-02.4	3	0.2	00.0-00.4	1504	70.9	67.0-74.8
White/Non-Hisp	1548	1,800,506	110	11.7	08.6-14.8	107	12.5	09.2-15.8	36	2.9	01.7-04.1	11	1.0	00.0-02.0	3	0.3	00.0-00.7	1281	71.6	67.3-75.9
Black or Afr. Am./Non-Hisp	184	357,367	21	14.6	05.6-23.6	11	10.7	02.3-19.1	2	0.6	00.0-01.4	2	2.1	00.0-05.0				148	72.0	60.6-83.4
18-24	57	301,134	8	8.3	01.6-15.0	9	17.4	05.1-29.7	1	0.6	00.0-01.8	1	2.8	00.0-08.3				38	70.8	56.7-84.9
25-34	122	423,071	28	21.0	11.0-31.0	26	19.8	10.2-29.4	6	1.6	00.0-03.2	4	2.7	00.0-06.0	1	0.7	00.0-02.1	57	54.2	41.9-66.5
35-44	196	425,194	32	19.2	10.6-27.8	40	20.8	13.0-28.6	21	7.2	03.7-10.7	6	2.0	00.0-04.0				97	50.8	40.6-61.0
45-54	334	443,598	43	15.6	09.5-21.7	38	13.2	06.7-19.7	10	3.4	00.9-05.9	2	0.7	00.0-01.7	2	0.4	00.0-01.0	239	66.8	58.8-74.8
55-64	477	366,176	25	7.1	02.4-11.8	6	0.8	00.0-01.6	1	0.8	00.0-02.4							445	91.3	86.4-96.2
65+	634	374,953	7	0.9	00.1-01.7	6	2.0	00.0-04.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3				619	96.9	94.4-99.4
Less Than H.S.	229	401,820	13	7.6	02.7-12.5	9	7.8	00.7-14.9	5	1.5	00.0-03.1	2	3.1	00.0-07.6	1	0.7	00.0-02.1	199	79.2	70.2-88.2
H.S. or G.E.D.	572	793,067	55	16.0	10.1-21.9	27	11.9	06.0-17.8	10	2.0	00.6-03.4	4	0.4	00.0-00.8				476	69.8	62.5-77.1
Some Post-H.S.	487	624,724	37	12.8	06.7-18.9	34	12.1	06.4-17.8	9	1.8	00.2-03.4	5	2.2	00.0-04.6	1	0.1	00.0-00.3	401	71.0	63.2-78.8
College Graduate	539	519,493	39	10.9	05.6-16.2	55	17.8	11.9-23.7	16	4.7	02.2-07.2	3	0.6	00.0-01.4	1	0.2	00.0-00.6	425	65.8	58.2-73.4
Less than \$15,000	183	253,054	9	2.9	00.4-05.4	4	6.3	00.0-15.5	1	0.2	00.0-00.6	4	2.7	00.0-06.2				165	87.9	78.1-97.7
\$15,000- 24,999	357	408,382	22	10.2	04.5-15.9	13	8.1	01.4-14.8	3	1.3	00.0-02.9				1	0.7	00.0-02.1	318	79.7	71.3-88.1
\$25,000- 34,999	179	218,327	15	17.0	05.2-28.8	6	10.6	00.0-21.8				1	0.5	00.0-01.5				157	72.0	57.7-86.3
\$35,000- 49,999	208	271,656	20	18.4	07.0-29.8	13	12.1	02.7-21.5	8	3.5	00.4-06.6				1	0.4	00.0-01.2	166	65.6	52.5-78.7
\$50,000- 74,999	202	281,851	23	13.0	06.5-19.5	19	14.9	06.1-23.7	8	2.6	00.2-05.0	2	0.6	00.0-01.6	1	0.3	00.0-00.9	149	68.6	58.2-79.0
\$75,000+	318	420,276	34	19.5	10.7-28.3	52	21.0	13.9-28.1	13	5.5	02.2-08.8	3	1.3	00.0-03.1				216	52.8	43.6-62.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4063	2,516,882	377	15.7	13.0-18.4	289	14.5	11.6-17.4	123	4.6	03.2-06.0	28	1.1	00.3-01.9	10	0.3	00.1-00.5	3236	63.8	60.3-67.3
White/Non-Hisp	3363	1,984,671	278	14.1	11.2-17.0	226	13.7	10.6-16.8	88	3.8	02.6-05.0	22	1.3	00.3-02.3	5	0.2	00.0-00.4	2744	66.9	63.0-70.8
Black or Afr. Am./Non-Hisp	538	383,215	76	21.0	12.8-29.2	46	14.0	07.1-20.9	32	10.4	03.7-17.1	5	0.6	00.0-01.4	5	0.8	00.0-01.6	374	53.1	43.3-62.9
MultiRacial/Non-Hisp.	50	38,122	9	40.8	09.6-72.0	2	3.9	00.0-09.6										39	55.3	24.1-86.5
Hispanic	51	75,342	9	22.5	00.0-48.0	7	21.2	00.0-47.1	2	2.0	00.0-05.3							33	54.3	23.3-85.3
18-24	87	288,480	26	26.0	10.9-41.1	9	23.4	07.5-39.3	3	0.6	00.0-01.6							49	50.0	32.4-67.6
25-34	279	415,242	69	20.5	13.2-27.8	74	26.7	18.1-35.3	46	15.4	08.7-22.1	12	5.1	00.8-09.4	3	0.5	00.0-01.1	75	31.9	22.5-41.3
35-44	430	421,915	113	33.7	25.3-42.1	124	27.9	20.8-35.0	48	9.5	05.0-14.0	8	1.2	00.0-02.4	5	0.8	00.0-02.0	132	26.9	19.6-34.2
45-54	676	467,102	106	13.8	10.3-17.3	49	9.8	04.5-15.1	15	2.0	00.4-03.6	4	0.3	00.1-00.5	1	0.2	00.0-00.6	501	74.0	67.9-80.1
55-64	973	398,523	34	3.1	01.7-04.5	21	3.6	00.7-06.5	8	0.3	00.1-00.5	3	0.1	00.0-00.3	1	0.1	00.0-00.3	906	92.9	89.8-96.0
65+	1580	508,672	27	3.0	00.6-05.4	10	1.5	00.0-03.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0				1539	95.3	92.2-98.4
Less Than H.S.	557	444,451	33	10.7	05.2-16.2	32	15.8	07.4-24.2	17	6.0	02.1-09.9	3	0.5	00.0-01.3	2	0.4	00.0-01.0	470	66.6	57.8-75.4
H.S. or G.E.D.	1439	846,408	119	14.4	09.9-18.9	76	10.5	06.6-14.4	36	4.9	02.0-07.8	12	2.3	00.1-04.5	2	0.3	00.0-00.9	1194	67.6	61.9-73.3
Some Post-H.S.	1139	730,215	120	18.2	11.9-24.5	74	16.7	10.4-23.0	34	3.8	01.4-06.2	9	0.7	00.1-01.3	5	0.3	00.0-00.7	897	60.3	52.9-67.7
College Graduate	912	490,223	103	18.9	12.8-25.0	106	16.9	11.2-22.6	36	4.3	02.3-06.3	4	0.3	00.0-00.7	1	0.0	00.0-00.0	662	59.6	52.2-67.0
Less than \$15,000	522	360,785	54	12.1	05.2-19.0	36	17.0	07.0-27.0	18	9.1	02.4-15.8	5	0.4	00.0-00.8	2	0.3	00.0-00.7	407	61.1	49.7-72.5
\$15,000- 24,999	939	542,064	61	15.8	08.4-23.2	42	11.3	05.2-17.4	37	4.7	02.3-07.1	8	1.3	00.0-02.7	3	0.6	00.0-01.4	788	66.3	58.1-74.5
\$25,000- 34,999	373	247,404	31	14.5	05.9-23.1	24	11.4	03.2-19.6	8	1.9	00.3-03.5	3	3.8	00.0-09.9	2	0.5	00.0-01.3	305	67.9	56.7-79.1
\$35,000- 49,999	378	249,392	42	15.8	08.7-22.9	33	17.2	07.2-27.2	8	2.7	00.3-05.1	1	0.5	00.0-01.5	1	0.1	00.0-00.3	293	63.7	53.3-74.1
\$50,000- 74,999	336	244,151	50	15.5	08.8-22.2	38	19.4	10.4-28.4	15	5.7	02.0-09.4	4	2.4	00.0-04.9				229	57.0	46.8-67.2
\$75,000+	451	328,497	63	24.6	15.8-33.4	63	19.8	12.4-27.2	18	3.3	01.5-05.1	4	0.4	00.0-00.8	2	0.3	00.0-00.7	301	51.6	42.4-60.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5891	4,866,872	8	0.1	00.0-00.3	305	5.8	04.6-07.0	474	11.5	09.7-13.3	2013	33.7	31.2-36.2	1632	28.0	25.5-30.5	1459	20.9	18.7-23.1
Male	1834	2,343,666	2	0.1	00.1-00.1	96	6.5	04.5-08.5	132	10.7	08.0-13.4	573	33.8	29.7-37.9	488	26.7	22.8-30.6	543	22.3	19.0-25.6
Female	4057	2,523,206	6	0.2	00.0-00.4	209	5.1	03.7-06.5	342	12.2	09.8-14.6	1440	33.6	30.5-36.7	1144	29.3	25.8-32.8	916	19.5	16.8-22.2
White/Non-Hisp	4912	3,795,272	5	0.1	00.0-00.3	265	6.2	04.8-07.6	371	11.0	09.0-13.0	1686	34.2	31.5-36.9	1367	28.4	25.7-31.1	1218	20.2	18.0-22.4
Black or Afr. Am./Non-Hisp	722	740,825	3	0.5	00.0-01.3	31	3.4	01.6-05.2	79	11.4	06.3-16.5	255	36.6	29.0-44.2	189	25.4	18.1-32.7	165	22.6	16.1-29.1
Oth. Race/Non-Hisp.	76	97,451				1	0.1	00.0-00.3	4	2.6	00.0-06.3	17	21.0	03.8-38.2	22	27.6	06.2-49.0	32	48.6	24.7-72.5
MultiRacial/Non-Hisp.	72	82,759				3	2.4	00.0-05.3	4	6.7	00.0-18.3	22	25.4	06.4-44.4	26	40.4	18.3-62.5	17	25.1	06.5-43.7
Hispanic	76	137,862				4	14.2	00.0-31.3	13	34.7	12.6-56.8	26	19.8	04.1-35.5	16	23.3	04.7-41.9	17	7.9	02.0-13.8
18-24	144	589,614	1	0.2	00.0-00.6	1	1.9	00.0-05.6	12	8.6	01.9-15.3	61	32.3	21.3-43.3	43	40.8	28.8-52.8	26	16.3	08.1-24.5
25-34	401	838,275				5	1.3	00.0-02.7	22	9.1	04.2-14.0	119	29.3	22.0-36.6	130	26.8	19.5-34.1	125	33.5	26.1-40.9
35-44	632	859,546	2	0.5	00.0-01.3	12	3.2	00.1-06.3	39	11.3	06.4-16.2	171	31.5	25.2-37.8	178	26.3	20.4-32.2	230	27.2	21.9-32.5
45-54	1010	911,904				34	5.4	03.0-07.8	83	11.3	07.6-15.0	355	38.9	33.6-44.2	284	28.4	23.5-33.3	254	16.0	12.9-19.1
55-64	1451	765,147	1	0.1	00.0-00.3	54	5.3	03.3-07.3	91	11.9	07.4-16.4	492	37.3	32.0-42.6	431	28.0	22.9-33.1	382	17.3	13.8-20.8
65+	2208	880,116	4	0.1	00.0-00.3	197	15.9	12.4-19.4	226	15.9	12.8-19.0	804	32.7	29.4-36.0	551	22.2	19.1-25.3	426	13.2	10.8-15.6
Less than \$15,000	703	613,674				87	14.0	08.1-19.9	137	22.7	15.6-29.8	294	27.3	20.0-34.6	140	22.5	13.7-31.3	45	13.4	06.5-20.3
\$15,000- 24,999	1294	949,560	3	0.3	00.0-00.9	85	7.4	05.2-09.6	146	18.8	13.5-24.1	560	41.2	35.1-47.3	392	26.1	20.6-31.6	108	6.2	03.3-09.1
\$25,000- 34,999	553	465,911				13	3.7	00.8-06.6	39	12.5	06.6-18.4	216	41.7	33.3-50.1	188	26.9	19.5-34.3	97	15.3	08.0-22.6
\$35,000- 49,999	586	521,650	1	0.2	00.0-00.6	5	0.8	00.0-01.6	20	7.1	02.4-11.8	182	36.7	28.5-44.9	197	32.4	24.2-40.6	181	22.8	16.3-29.3
\$50,000- 74,999	539	526,653	1	0.2	00.0-00.6	2	0.6	00.0-01.4	10	2.9	00.0-05.8	146	27.9	21.6-34.2	151	36.5	27.9-45.1	229	31.9	24.6-39.2
\$75,000+	773	752,592	1	0.2	00.0-00.6	6	1.3	00.0-03.1	6	0.9	00.0-01.9	102	19.4	14.3-24.5	176	25.7	19.8-31.6	482	52.4	45.9-58.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	2,343,666	2	0.1	00.1-00.1	96	6.5	04.5-08.5	132	10.7	08.0-13.4	573	33.8	29.7-37.9	488	26.7	22.8-30.6	543	22.3	19.0-25.6
White/Non-Hisp	1553	1,804,353	2	0.1	00.0-00.3	81	6.6	04.4-08.8	104	9.8	07.1-12.5	482	35.1	30.6-39.6	413	26.5	22.2-30.8	471	21.9	18.4-25.4
Black or Afr. Am./Non-Hisp	185	357,422				10	3.3	00.9-05.7	22	13.8	04.2-23.4	70	34.9	23.1-46.7	44	26.3	14.5-38.1	39	21.6	11.0-32.2
18-24	57	301,134	1	0.3	00.0-00.9				7	11.4	01.2-21.6	24	37.9	22.6-53.2	14	29.2	13.7-44.7	11	21.2	08.1-34.3
25-34	122	423,071				1	0.5	00.0-01.5	8	6.3	01.8-10.8	35	30.8	18.8-42.8	33	29.7	17.4-42.0	45	32.7	21.3-44.1
35-44	198	427,066				5	5.0	00.0-11.1	13	13.7	05.1-22.3	56	30.4	21.0-39.8	61	26.3	17.3-35.3	63	24.6	17.0-32.2
45-54	335	445,054				17	6.7	02.4-11.0	28	11.2	04.7-17.7	125	39.7	31.7-47.7	82	25.7	18.4-33.0	83	16.7	11.8-21.6
55-64	479	366,657				22	7.5	03.8-11.2	27	10.6	04.1-17.1	148	37.1	29.1-45.1	135	26.2	18.9-33.5	147	18.6	13.5-23.7
65+	633	374,864	1	0.0	00.0-00.2	51	18.9	12.0-25.8	49	11.2	07.3-15.1	183	27.9	22.2-33.6	160	22.9	17.4-28.4	189	19.1	14.6-23.6
Less than \$15,000	183	253,054				32	22.0	09.3-34.7	33	16.6	06.4-26.8	72	26.5	14.7-38.3	32	15.4	03.1-27.7	14	19.4	06.3-32.5
\$15,000- 24,999	357	408,382	1	0.0	00.0-00.0	29	9.2	05.1-13.3	44	22.0	12.4-31.6	134	39.6	30.0-49.2	106	21.2	14.1-28.3	43	7.9	02.6-13.2
\$25,000- 34,999	179	218,327				3	2.7	00.0-05.8	10	10.3	02.9-17.7	66	47.2	33.3-61.1	59	23.5	13.5-33.5	41	16.4	04.6-28.2
\$35,000- 49,999	208	271,656				2	0.5	00.0-01.3	6	7.5	00.0-15.7	67	41.1	27.6-54.6	77	35.6	22.5-48.7	56	15.3	08.2-22.4
\$50,000- 74,999	202	281,851	1	0.4	00.0-01.2	2	1.1	00.0-02.7	3	2.9	00.0-07.8	67	31.1	21.3-40.9	53	42.1	29.4-54.8	76	22.4	13.8-31.0
\$75,000+	321	423,347				3	2.2	00.0-05.1	1	0.3	00.0-00.9	42	16.4	10.1-22.7	61	23.8	15.4-32.2	214	57.3	48.3-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4057	2,523,206	6	0.2	00.0-00.4	209	5.1	03.7-06.5	342	12.2	09.8-14.6	1440	33.6	30.5-36.7	1144	29.3	26.0-32.6	916	19.5	16.8-22.2
White/Non-Hisp	3359	1,990,920	3	0.1	00.0-00.3	184	5.7	04.1-07.3	267	12.0	09.5-14.5	1204	33.3	30.0-36.6	954	30.2	26.5-33.9	747	18.7	15.8-21.6
Black or Afr. Am./Non-Hisp	537	383,403	3	1.0	00.0-02.4	21	3.5	00.8-06.2	57	9.2	05.5-12.9	185	38.3	28.3-48.3	145	24.5	16.1-32.9	126	23.5	15.7-31.3
MultiRacial/Non-Hisp.	50	38,122				2	2.7	00.0-06.8	3	1.2	00.0-02.8	16	37.5	05.2-69.8	16	21.9	05.2-38.6	13	36.7	05.5-67.9
Hispanic	50	75,197				1	1.1	00.0-03.5	10	41.4	10.4-72.4	19	22.8	00.0-48.1	9	28.9	00.0-58.7	11	5.8	00.3-11.3
18-24	87	288,480				1	4.0	00.0-11.6	5	5.7	00.0-13.9	37	26.5	11.0-42.0	29	52.8	35.2-70.4	15	11.1	02.1-20.1
25-34	279	415,204				4	2.1	00.0-04.6	14	12.0	03.6-20.4	84	27.8	19.8-35.8	97	23.8	16.9-30.7	80	34.3	24.9-43.7
35-44	434	432,479	2	1.1	00.0-02.7	7	1.5	00.1-02.9	26	8.9	04.8-13.0	115	32.7	24.7-40.7	117	26.2	18.6-33.8	167	29.8	22.4-37.2
45-54	675	466,850				17	4.3	01.9-06.7	55	11.4	07.7-15.1	230	38.1	31.0-45.2	202	31.0	24.3-37.7	171	15.3	11.6-19.0
55-64	972	398,490	1	0.2	00.0-00.6	32	3.4	01.8-05.0	64	13.1	06.8-19.4	344	37.6	30.7-44.5	296	29.6	22.3-36.9	235	16.1	11.0-21.2
65+	1575	505,252	3	0.1	00.0-00.3	146	13.7	10.4-17.0	177	19.3	15.0-23.6	621	36.3	32.2-40.4	391	21.7	18.0-25.4	237	8.9	06.7-11.1
Less than \$15,000	520	360,620				55	8.4	04.5-12.3	104	27.0	17.6-36.4	222	27.9	18.5-37.3	108	27.5	15.7-39.3	31	9.2	02.3-16.1
\$15,000- 24,999	937	541,178	2	0.5	00.0-01.5	56	6.1	03.9-08.3	102	16.4	10.5-22.3	426	42.3	34.7-49.9	286	29.8	22.0-37.6	65	4.9	01.8-08.0
\$25,000- 34,999	374	247,584				10	4.6	00.0-09.5	29	14.4	05.8-23.0	150	36.8	27.2-46.4	129	29.9	19.3-40.5	56	14.3	05.1-23.5
\$35,000- 49,999	378	249,994	1	0.4	00.0-01.2	3	1.2	00.0-02.8	14	6.6	02.1-11.1	115	31.8	23.6-40.0	120	29.0	19.4-38.6	125	30.9	20.9-40.9
\$50,000- 74,999	337	244,802				7	2.9	00.2-05.6	7	2.9	00.2-05.6	79	24.3	17.0-31.6	98	30.0	20.2-39.8	153	42.8	32.4-53.2
\$75,000+	452	329,245	1	0.6	00.0-01.8	3	0.2	00.0-00.4	5	1.7	00.0-03.7	60	23.2	14.8-31.6	115	28.1	19.9-36.3	268	46.1	37.1-55.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5881	4,868,342	2218	52.7	50.0-55.4	327	8.8	07.0-10.6	425	6.0	05.0-07.0	87	4.5	02.9-06.1	2108	17.7	16.3-19.1	716	10.3	08.7-11.9
Male	1827	2,343,042	810	59.9	55.8-64.0	118	8.9	06.4-11.4	4	0.1	00.0-00.3	24	4.6	02.2-07.0	659	17.3	14.9-19.7	212	9.2	07.0-11.4
Female	4054	2,525,301	1408	46.0	42.5-49.5	209	8.8	06.4-11.2	421	11.5	09.7-13.3	63	4.5	02.3-06.7	1449	18.0	16.2-19.8	504	11.2	09.0-13.4
White/Non-Hisp	4902	3,795,894	1792	51.1	48.2-54.0	255	8.7	06.7-10.7	385	6.8	05.6-08.0	63	3.7	02.1-05.3	1833	19.2	17.6-20.8	574	10.5	08.7-12.3
Black or Afr. Am./Non-Hisp	723	741,347	316	61.3	53.7-68.9	56	9.0	04.7-13.3	24	1.5	00.5-02.5	17	7.4	01.7-13.1	203	11.1	07.4-14.8	107	9.7	06.0-13.4
Oth. Race/Non-Hisp.	76	97,451	33	54.5	31.4-77.6	3	2.7	00.0-06.6	1	0.4	00.0-01.2	3	12.4	00.0-28.7	25	23.6	05.0-42.2	11	6.3	01.2-11.4
MultiRacial/Non-Hisp.	72	82,759	30	43.7	22.3-65.1	3	11.5	00.0-29.9	7	10.8	00.0-24.5	2	12.3	00.0-32.7	19	7.4	01.9-12.9	11	14.3	01.0-27.6
Hispanic	75	136,592	33	55.2	33.1-77.3	9	16.0	00.0-32.5	6	9.6	00.0-24.3	2	1.7	00.0-04.6	17	12.1	00.0-27.6	8	5.5	00.0-11.2
18-24	144	589,614	68	49.6	37.6-61.6	24	17.1	07.9-26.3	10	0.6	00.0-01.2	37	30.0	19.0-41.0				5	2.7	00.0-06.6
25-34	401	838,702	265	72.6	66.1-79.1	39	9.4	05.1-13.7	57	10.5	06.4-14.6	22	3.3	00.9-05.7	1	0.2	00.0-00.6	17	4.0	01.1-06.9
35-44	630	859,151	413	70.4	64.5-76.3	55	10.9	06.2-15.6	77	7.0	04.6-09.4	17	1.6	00.4-02.8				68	10.1	06.2-14.0
45-54	1009	911,784	607	65.1	60.0-70.2	108	10.6	07.3-13.9	71	5.8	04.0-07.6	4	0.1	00.0-00.3	27	2.4	00.4-04.4	192	16.0	12.3-19.7
55-64	1448	763,214	633	48.6	43.1-54.1	80	6.9	04.2-09.6	88	4.9	03.5-06.3	4	0.1	00.0-00.3	345	19.4	15.3-23.5	298	20.1	15.6-24.6
65+	2206	882,040	213	9.9	07.7-12.1	17	0.6	00.2-01.0	119	5.6	03.6-07.6	3	0.1	00.0-00.3	1721	76.7	73.4-80.0	133	7.1	04.9-09.3
Less Than H.S.	782	844,939	118	28.4	21.5-35.3	45	8.7	04.6-12.8	66	7.4	04.1-10.7	3	0.9	00.0-01.9	337	28.8	23.5-34.1	213	25.8	20.1-31.5
H.S. or G.E.D.	2003	1,638,878	652	49.9	45.4-54.4	134	11.6	08.1-15.1	181	7.4	05.6-09.2	15	3.2	00.8-05.6	741	16.7	14.5-18.9	280	11.2	08.5-13.9
Some Post-H.S.	1626	1,362,343	629	57.8	52.3-63.3	102	9.3	05.8-12.8	108	4.7	03.1-06.3	47	7.7	03.8-11.6	563	15.1	12.6-17.6	177	5.4	03.8-07.0
College Graduate	1457	1,014,466	815	70.7	65.6-75.8	46	4.0	01.6-06.4	69	4.3	02.3-06.3	22	5.6	01.7-09.5	462	13.0	10.5-15.5	43	2.3	00.9-03.7
Less than \$15,000	702	612,733	101	29.7	20.7-38.7	90	19.7	12.1-27.3	35	4.1	00.4-07.8	18	9.4	02.1-16.7	234	14.4	09.5-19.3	224	22.6	16.7-28.5
\$15,000- 24,999	1295	950,099	345	37.2	31.1-43.3	87	13.0	07.9-18.1	89	5.8	03.8-07.8	25	5.4	01.7-09.1	517	20.9	17.4-24.4	232	17.7	13.2-22.2
\$25,000- 34,999	552	465,684	233	51.4	42.8-60.0	20	4.6	01.5-07.7	37	5.7	03.0-08.4	9	4.9	00.0-09.8	210	22.5	16.4-28.6	43	11.0	05.5-16.5
\$35,000- 49,999	587	522,082	297	62.7	55.1-70.3	21	7.5	03.0-12.0	40	6.2	02.9-09.5	8	2.2	00.0-04.7	201	18.7	13.2-24.2	20	2.8	00.8-04.8
\$50,000- 74,999	539	526,653	316	73.8	68.1-79.5	16	2.9	01.1-04.7	43	7.6	04.3-10.9	5	1.3	00.0-02.9	137	11.2	08.5-13.9	22	3.2	00.8-05.6
\$75,000+	773	752,592	535	81.5	77.2-85.8	12	1.5	00.0-03.1	73	6.4	04.2-08.6	4	1.9	00.0-04.8	135	7.7	05.9-09.5	14	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	2,343,042	810	59.9	56.0-63.8	118	8.9	06.4-11.4	4	0.1	00.0-00.3	24	4.6	02.2-07.0	659	17.3	14.9-19.7	212	9.2	07.0-11.4
White/Non-Hisp	1547	1,803,401	682	59.8	55.5-64.1	105	10.4	07.3-13.5	2	0.1	00.0-00.3	16	3.1	00.9-05.3	572	17.9	15.5-20.3	170	8.8	06.4-11.2
Black or Afr. Am./Non-Hisp	185	357,422	87	65.8	54.2-77.4	8	3.2	00.0-06.5	1	0.1	00.0-00.3	4	8.1	00.0-16.7	58	12.3	05.6-19.0	27	10.4	03.7-17.1
18-24	57	301,134	32	53.8	37.5-70.1	8	14.5	02.7-26.3				15	31.1	16.2-46.0				2	0.6	00.0-01.4
25-34	122	423,071	98	83.3	74.9-91.7	16	10.8	03.9-17.7				3	2.4	00.0-06.3	1	0.3	00.0-00.9	4	3.2	00.0-07.1
35-44	196	426,672	147	76.4	67.2-85.6	20	10.8	03.7-17.9	1	0.1	00.0-00.3	4	0.9	00.0-01.9				24	11.9	04.6-19.2
45-54	335	445,107	226	74.1	67.2-81.0	40	10.9	05.8-16.0	2	0.3	00.0-00.7				9	2.4	00.2-04.6	58	12.3	07.4-17.2
55-64	477	365,124	228	50.3	42.1-58.5	31	6.3	03.2-09.4	1	0.1	00.0-00.3	1	0.0	00.0-00.0	124	22.8	15.5-30.1	92	20.4	14.1-26.7
65+	630	374,271	73	11.9	07.2-16.6	3	0.4	00.0-00.8				1	0.0	00.0-00.0	521	82.1	77.0-87.2	32	5.5	03.0-08.0
Less Than H.S.	228	401,302	42	29.6	19.0-40.2	21	13.4	05.6-21.2				2	1.4	00.0-03.6	95	30.8	21.8-39.8	68	24.8	16.2-33.4
H.S. or G.E.D.	569	792,581	249	60.8	53.9-67.7	49	11.1	06.0-16.2	2	0.1	00.0-00.3	5	4.2	00.5-07.9	188	13.6	10.7-16.5	76	10.1	06.2-14.0
Some Post-H.S.	486	623,294	214	67.9	60.6-75.2	31	7.1	02.8-11.4	1	0.1	00.0-00.3	10	4.5	00.2-08.8	178	16.2	11.7-20.7	52	4.2	02.6-05.8
College Graduate	542	523,270	303	72.1	64.7-79.5	17	4.2	00.9-07.5	1	0.1	00.0-00.3	7	7.8	01.1-14.5	198	13.9	10.2-17.6	16	2.0	00.2-03.8
Less than \$15,000	182	252,792	32	32.0	16.9-47.1	34	21.7	09.7-33.7				3	8.3	00.0-19.3	44	14.9	04.9-24.9	69	23.0	13.0-33.0
\$15,000- 24,999	357	408,382	93	39.5	29.5-49.5	35	13.8	05.8-21.8	1	0.1	00.0-00.3	7	4.9	00.2-09.6	152	21.2	15.1-27.3	69	20.5	12.7-28.3
\$25,000- 34,999	179	218,327	73	50.5	36.8-64.2	7	6.5	00.2-12.8				4	8.8	00.0-18.6	79	24.1	14.3-33.9	16	10.1	03.4-16.8
\$35,000- 49,999	208	271,656	109	72.2	62.2-82.2	6	3.1	00.0-06.4				1	0.2	00.0-00.6	84	21.3	12.3-30.3	8	3.2	00.0-06.5
\$50,000- 74,999	202	281,851	125	82.5	76.8-88.2	4	2.0	00.0-04.2	2	0.4	00.0-01.0	2	0.6	00.0-01.6	66	13.8	08.9-18.7	3	0.7	00.0-01.7
\$75,000+	321	423,347	245	90.5	87.6-93.4	4	0.5	00.0-01.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6	65	8.0	05.3-10.7	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4054	2,525,301	1408	46.0	42.5-49.5	209	8.8	06.4-11.2	421	11.5	09.7-13.3	63	4.5	02.3-06.7	1449	18.0	16.2-19.8	504	11.2	09.0-13.4
White/Non-Hisp	3355	1,992,492	1110	43.2	39.3-47.1	150	7.1	04.7-09.5	383	12.9	10.9-14.9	47	4.3	01.9-06.7	1261	20.5	18.3-22.7	404	12.0	09.5-14.5
Black or Afr. Am./Non-Hisp	538	383,925	229	57.1	47.5-66.7	48	14.4	07.1-21.7	23	2.9	00.9-04.9	13	6.7	00.0-14.1	145	9.9	06.2-13.6	80	9.1	05.6-12.6
MultiRacial/Non-Hisp.	50	38,122	20	40.2	11.8-68.6	3	24.9	00.0-59.6	6	21.8	00.0-48.8	1	1.8	00.0-05.5	14	5.2	00.7-09.7	6	6.1	00.0-13.0
Hispanic	50	75,197	22	56.5	25.7-87.3	4	16.2	00.0-41.1	6	17.5	00.0-43.0	1	0.3	00.0-00.9	12	4.7	00.2-09.2	5	4.9	00.0-11.8
18-24	87	288,480	36	45.2	27.6-62.8	16	19.8	05.7-33.9	10	1.3	00.3-02.3	22	28.8	12.5-45.1				3	4.9	00.0-12.7
25-34	279	415,631	167	61.7	52.5-70.9	23	8.1	02.8-13.4	57	21.3	13.7-28.9	19	4.1	01.6-06.6				13	4.8	00.7-08.9
35-44	434	432,479	266	64.6	57.0-72.2	35	11.1	05.0-17.2	76	13.7	09.0-18.4	13	2.3	00.3-04.3				44	8.4	05.1-11.7
45-54	674	466,676	381	56.5	49.6-63.4	68	10.3	05.6-15.0	69	11.0	07.5-14.5	4	0.2	00.0-00.4	18	2.5	00.0-05.4	134	19.5	13.8-25.2
55-64	971	398,090	405	46.9	39.3-54.5	49	7.5	03.2-11.8	87	9.4	06.7-12.1	3	0.2	00.0-00.4	221	16.2	12.3-20.1	206	19.8	13.3-26.3
65+	1576	507,769	140	8.4	06.6-10.2	14	0.8	00.2-01.4	119	9.7	06.6-12.8	2	0.2	00.0-00.6	1200	72.8	68.5-77.1	101	8.2	04.9-11.5
Less Than H.S.	554	443,637	76	27.3	18.7-35.9	24	4.5	02.0-07.0	66	14.1	08.2-20.0	1	0.3	00.0-00.9	242	27.0	20.9-33.1	145	26.8	19.5-34.1
H.S. or G.E.D.	1434	846,296	403	39.7	33.8-45.6	85	12.0	07.3-16.7	179	14.2	11.1-17.3	10	2.2	00.0-04.9	553	19.7	16.8-22.6	204	12.2	08.3-16.1
Some Post-H.S.	1140	739,048	415	49.3	42.0-56.6	71	11.1	05.6-16.6	107	8.5	05.8-11.2	37	10.5	04.2-16.8	385	14.2	11.3-17.1	125	6.4	03.7-09.1
College Graduate	915	491,197	512	69.2	62.5-75.9	29	3.9	00.8-07.0	68	8.8	04.9-12.7	15	3.2	00.1-06.3	264	12.2	08.3-16.1	27	2.7	00.3-05.1
Less than \$15,000	520	359,941	69	28.1	17.1-39.1	56	18.3	08.3-28.3	35	7.0	00.9-13.1	15	10.2	00.6-19.8	190	14.1	10.0-18.2	155	22.3	15.0-29.6
\$15,000- 24,999	938	541,718	252	35.4	27.6-43.2	52	12.4	05.5-19.3	88	10.1	06.8-13.4	18	5.8	00.3-11.3	365	20.6	16.5-24.7	163	15.7	10.2-21.2
\$25,000- 34,999	373	247,357	160	52.2	41.2-63.2	13	2.9	00.7-05.1	37	10.6	05.5-15.7	5	1.5	00.0-03.1	131	21.1	13.7-28.5	27	11.7	03.1-20.3
\$35,000- 49,999	379	250,425	188	52.4	42.4-62.4	15	12.3	04.1-20.5	40	12.8	06.3-19.3	7	4.3	00.0-09.6	117	15.8	09.7-21.9	12	2.3	00.7-03.9
\$50,000- 74,999	337	244,802	191	63.7	54.5-72.9	12	3.8	00.9-06.7	41	15.9	09.0-22.8	3	2.2	00.0-05.3	71	8.2	05.5-10.9	19	6.2	01.3-11.1
\$75,000+	452	329,245	290	69.8	61.6-78.0	8	2.7	00.0-06.4	72	14.4	09.5-19.3	3	4.1	00.0-10.8	70	7.4	04.9-09.9	9	1.6	00.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4453	3,831,522	288	7.3	05.5-09.1	417	8.7	06.7-10.7	520	11.8	09.6-14.0	776	13.0	11.0-15.0	553	12.2	10.2-14.2	1899	47.0	43.9-50.1
Male	1450	1,856,617	73	5.7	03.3-08.1	110	8.0	04.9-11.1	144	9.5	06.8-12.2	213	12.5	09.6-15.4	179	11.8	08.7-14.9	731	52.6	47.7-57.5
Female	3003	1,974,905	215	8.9	06.2-11.6	307	9.4	06.7-12.1	376	13.9	10.8-17.0	563	13.5	11.1-15.9	374	12.5	10.0-15.0	1168	41.7	37.8-45.6
White/Non-Hisp	3682	2,970,970	200	5.5	03.7-07.3	325	7.3	05.3-09.3	421	12.1	09.6-14.6	654	13.1	10.9-15.3	459	12.2	10.0-14.4	1623	49.8	46.5-53.1
Black or Afr. Am./Non-Hisp	589	586,356	75	17.6	10.0-25.2	68	9.7	03.8-15.6	74	10.4	05.3-15.5	97	10.6	06.3-14.9	70	12.4	06.3-18.5	205	39.3	31.1-47.5
Oth. Race/Non-Hisp.	60	93,375	4	8.4	00.0-20.7	8	3.8	00.3-07.3	4	3.2	00.0-07.1	10	15.6	00.0-32.1	8	10.1	00.0-25.2	26	58.9	35.6-82.2
MultiRacial/Non-Hisp.	52	57,360	3	1.7	00.0-04.4	4	4.1	00.0-09.0	7	5.4	00.0-10.9	4	23.2	00.0-49.7	8	25.4	03.4-47.4	26	40.3	17.0-63.6
Hispanic	55	117,249	3	3.0	00.0-07.1	9	46.0	20.3-71.7	11	19.9	01.7-38.1	11	17.4	00.0-37.0	6	4.0	00.0-08.1	15	9.6	00.8-18.4
18-24	97	409,436	16	15.9	04.7-27.1	9	15.8	04.8-26.8	14	16.8	05.6-28.0	18	16.5	05.3-27.7	11	9.3	01.9-16.7	29	25.7	13.4-38.0
25-34	331	703,321	20	7.2	02.3-12.1	22	9.1	03.2-15.0	31	6.9	02.8-11.0	52	8.7	05.4-12.0	45	15.2	08.5-21.9	161	53.0	44.2-61.8
35-44	536	705,096	26	3.7	01.2-06.2	31	6.0	01.9-10.1	55	17.0	10.5-23.5	63	8.8	05.7-11.9	58	10.4	06.5-14.3	303	54.1	46.8-61.4
45-54	832	774,301	71	8.6	05.3-11.9	71	7.0	03.5-10.5	81	10.0	06.3-13.7	119	10.1	06.8-13.4	82	8.7	05.8-11.6	408	55.5	49.6-61.4
55-64	1144	623,169	65	5.0	02.5-07.5	93	5.2	02.8-07.6	119	8.1	05.9-10.3	191	17.5	12.4-22.6	141	13.4	08.9-17.9	535	50.8	44.7-56.9
65+	1496	605,059	88	6.7	03.6-09.8	189	12.3	08.2-16.4	216	13.3	10.8-15.8	329	19.8	16.3-23.3	214	15.7	12.2-19.2	460	32.2	28.1-36.3
Less Than H.S.	562	633,024	104	14.2	09.9-18.5	120	21.4	14.1-28.7	131	22.2	15.5-28.9	103	17.6	12.1-23.1	52	11.9	07.0-16.8	52	12.7	07.6-17.8
H.S. or G.E.D.	1500	1,237,057	106	7.1	03.8-10.4	188	6.5	04.5-08.5	226	14.8	10.9-18.7	334	16.8	13.1-20.5	216	15.7	12.0-19.4	430	39.1	34.0-44.2
Some Post-H.S.	1244	1,066,223	57	5.3	01.8-08.8	83	7.7	03.2-12.2	124	9.5	05.4-13.6	268	13.7	10.0-17.4	188	11.7	08.2-15.2	524	52.1	45.6-58.6
College Graduate	1142	893,736	20	5.2	01.3-09.1	25	4.0	00.9-07.1	39	2.8	00.8-04.8	69	3.8	01.4-06.2	97	8.0	03.9-12.1	892	76.2	70.1-82.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1450	1,856,617	73	5.7	03.3-08.1	110	8.0	04.9-11.1	144	9.5	06.8-12.2	213	12.5	09.6-15.4	179	11.8	08.7-14.9	731	52.6	47.7-57.5			
White/Non-Hisp	1222	1,436,717	53	4.4	02.2-06.6	87	7.1	04.0-10.2	114	9.8	06.5-13.1	187	11.9	08.8-15.0	147	11.3	08.2-14.4	634	55.6	50.5-60.7			
Black or Afr. Am./Non-Hisp	156	277,008	16	12.6	02.4-22.8	17	11.7	00.5-22.9	21	8.5	02.8-14.2	14	9.1	01.7-16.5	17	12.7	02.9-22.5	71	45.5	31.4-59.6			
25-34	104	350,511	7	5.8	00.0-11.7	6	5.8	00.0-13.1	8	5.3	00.0-10.6	10	7.0	01.9-12.1	15	16.8	05.6-28.0	58	59.3	45.8-72.8			
35-44	160	353,797	6	3.0	00.0-07.3	7	6.2	00.0-13.3	16	16.8	06.8-26.8	19	9.2	03.9-14.5	17	9.5	03.8-15.2	95	55.3	43.9-66.7			
45-54	287	383,577	25	7.8	02.5-13.1	23	7.7	01.4-14.0	24	6.5	02.8-10.2	34	9.3	05.0-13.6	28	7.1	03.6-10.6	153	61.6	53.0-70.2			
55-64	396	303,779	22	5.7	02.2-09.2	27	4.0	01.8-06.2	35	6.3	03.4-09.2	52	15.4	08.0-22.8	50	13.2	07.3-19.1	210	55.4	46.6-64.2			
65+	466	280,474	10	3.9	00.0-08.2	42	11.4	03.6-19.2	54	11.5	07.2-15.8	91	18.3	12.0-24.6	65	13.9	08.6-19.2	204	40.9	33.3-48.5			
Less Than H.S.	170	298,191	28	10.6	04.9-16.3	37	22.2	10.0-34.4	39	24.0	12.8-35.2	35	18.8	09.4-28.2	13	9.5	03.4-15.6	18	14.9	05.5-24.3			
H.S. or G.E.D.	448	600,887	26	6.6	01.9-11.3	46	4.6	02.4-06.8	57	10.7	05.8-15.6	77	16.3	10.0-22.6	66	17.1	10.4-23.8	176	44.7	36.7-52.7			
Some Post-H.S.	388	493,450	13	1.5	00.3-02.7	19	6.4	00.0-13.1	30	6.6	02.1-11.1	76	11.0	06.7-15.3	59	10.4	05.9-14.9	191	64.1	55.1-73.1			
College Graduate	444	464,090	6	5.7	00.0-11.8	8	4.9	00.0-10.0	18	1.8	00.4-03.2	25	5.2	00.7-09.7	41	7.7	01.8-13.6	346	74.8	65.8-83.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3003	1,974,905	215	8.9	06.2-11.6	307	9.4	06.7-12.1	376	13.9	10.8-17.0	563	13.5	11.1-15.9	374	12.5	10.0-15.0	1168	41.7	37.8-45.6			
White/Non-Hisp	2460	1,534,253	147	6.6	03.9-09.3	238	7.4	05.0-09.8	307	14.3	10.8-17.8	467	14.2	11.5-16.9	312	13.1	10.2-16.0	989	44.4	40.1-48.7			
Black or Afr. Am./Non-Hisp	433	309,348	59	22.1	11.3-32.9	51	8.0	03.7-12.3	53	12.0	04.0-20.0	83	12.0	06.9-17.1	53	12.2	04.9-19.5	134	33.7	25.1-42.3			
18-24	63	226,382	13	21.7	04.6-38.8	4	14.5	00.0-29.0	8	20.8	03.6-38.0	12	12.1	00.0-25.0	7	8.4	00.0-18.6	19	22.6	07.3-37.9			
25-34	227	352,810	13	8.5	01.1-15.9	16	12.3	03.3-21.3	23	8.4	02.3-14.5	42	10.4	06.1-14.7	30	13.6	06.2-21.0	103	46.8	36.0-57.6			
35-44	376	351,299	20	4.3	01.4-07.2	24	5.7	01.8-09.6	39	17.3	08.9-25.7	44	8.4	04.9-11.9	41	11.4	05.9-16.9	208	52.9	44.1-61.7			
45-54	545	390,724	46	9.4	05.1-13.7	48	6.3	02.8-09.8	57	13.4	06.9-19.9	85	11.0	06.3-15.7	54	10.3	05.4-15.2	255	49.6	41.8-57.4			
55-64	748	319,390	43	4.3	00.8-07.8	66	6.4	02.3-10.5	84	9.7	06.6-12.8	139	19.5	12.2-26.8	91	13.6	06.7-20.5	325	46.4	37.8-55.0			
65+	1030	324,585	78	9.1	04.6-13.6	147	13.2	09.7-16.7	162	14.8	11.7-17.9	238	21.0	17.5-24.5	149	17.2	12.7-21.7	256	24.7	21.0-28.4			
Less Than H.S.	392	334,833	76	17.5	11.2-23.8	83	20.7	11.9-29.5	92	20.6	12.8-28.4	68	16.5	10.4-22.6	39	14.0	06.7-21.3	34	10.7	06.0-15.4			
H.S. or G.E.D.	1052	636,171	80	7.5	02.8-12.2	142	8.3	05.2-11.4	169	18.8	12.7-24.9	257	17.2	12.9-21.5	150	14.3	10.4-18.2	254	33.9	28.0-39.8			
Some Post-H.S.	856	572,773	44	8.5	02.0-15.0	64	8.7	02.6-14.8	94	12.1	05.6-18.6	192	16.1	10.4-21.8	129	12.9	07.6-18.2	333	41.7	33.9-49.5			
College Graduate	698	429,647	14	4.7	00.0-09.4	17	3.0	00.0-06.5	21	4.0	00.1-07.9	44	2.3	01.3-03.3	56	8.3	02.6-14.0	546	77.8	69.8-85.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5613	4,657,718	61	0.7	00.5-00.9	1768	27.8	25.3-30.3	2494	43.5	40.8-46.2	933	21.2	18.8-23.6	357	6.8	05.4-08.2
Male	1798	2,283,936	3	0.0	00.0-00.0	140	9.3	06.4-12.2	922	49.8	45.5-54.1	534	30.9	27.0-34.8	199	10.0	07.6-12.4
Female	3815	2,373,782	58	1.3	00.7-01.9	1628	45.6	41.9-49.3	1572	37.5	34.2-40.8	399	11.8	09.3-14.3	158	3.8	02.6-05.0
White/Non-Hisp	4697	3,647,395	55	0.7	00.3-01.1	1555	28.0	25.3-30.7	2081	44.5	41.6-47.4	736	20.6	18.1-23.1	270	6.2	04.8-07.6
Black or Afr. Am./Non-Hisp	682	703,146	3	0.5	00.0-01.1	131	23.2	15.9-30.5	319	40.3	32.5-48.1	154	24.8	17.5-32.1	75	11.2	06.5-15.9
Oth. Race/Non-Hisp.	71	96,501	27	31.2	09.4-53.0	29	40.6	17.3-63.9	11	22.8	00.5-45.1	4	5.3	00.0-14.1			
MultiRacial/Non-Hisp.	66	81,387	24	21.4	05.9-36.9	24	46.5	24.0-69.0	13	22.4	01.8-43.0	4	9.0	00.0-21.2			
Hispanic	71	119,315	25	49.8	26.5-73.1	29	33.5	13.3-53.7	14	15.7	00.0-32.6	2	0.3	00.0-00.9			
18-24	136	562,847	62	47.1	34.8-59.4	49	32.5	21.3-43.7	16	14.2	05.4-23.0	8	6.1	00.8-11.4			
25-34	388	815,289	113	27.1	20.0-34.2	158	46.6	38.4-54.8	77	19.2	12.7-25.7	33	6.0	03.1-08.9			
35-44	595	812,227	183	25.3	19.4-31.2	240	42.0	35.3-48.7	111	22.2	16.1-28.3	56	9.9	05.8-14.0			
45-54	958	876,823	269	23.2	18.7-27.7	405	37.7	32.6-42.8	190	29.5	24.0-35.0	89	9.3	06.2-12.4			
55-64	1379	723,072	368	19.6	15.7-23.5	633	47.4	41.9-52.9	267	26.2	20.9-31.5	101	6.1	04.1-08.1			
65+	2129	851,948	761	29.8	26.7-32.9	997	51.6	47.7-55.5	268	14.1	11.4-16.8	70	3.3	02.3-04.3			
Less Than H.S.	739	790,238	256	27.6	21.3-33.9	307	45.4	38.5-52.3	118	19.4	13.7-25.1	44	6.8	03.9-09.7			
H.S. or G.E.D.	1907	1,559,112	599	25.5	21.6-29.4	843	42.2	37.5-46.9	329	25.5	21.0-30.0	113	6.1	04.3-07.9			
Some Post-H.S.	1560	1,316,624	453	28.1	22.6-33.6	732	43.7	38.0-49.4	244	19.4	14.9-23.9	115	7.8	04.9-10.7			
College Graduate	1394	986,305	456	30.9	25.6-36.2	608	44.0	38.3-49.7	238	18.2	13.7-22.7	85	6.7	04.0-09.4			
Less than \$15,000	680	591,712	220	35.9	26.7-45.1	265	35.2	26.4-44.0	118	17.3	10.8-23.8	69	11.3	05.6-17.0			
\$15,000- 24,999	1250	925,474	388	26.3	20.6-32.0	557	43.2	37.1-49.3	223	24.8	18.7-30.9	63	4.5	02.5-06.5			
\$25,000- 34,999	531	449,325	157	24.6	17.5-31.7	259	50.7	41.9-59.5	76	17.4	10.3-24.5	37	7.3	03.8-10.8			
\$35,000- 49,999	572	516,869	153	28.5	20.7-36.3	291	49.6	41.2-58.0	89	17.8	10.7-24.9	35	3.6	01.8-05.4			
\$50,000- 74,999	515	512,988	131	23.5	16.4-30.6	228	41.2	33.0-49.4	119	28.1	20.7-35.5	34	7.0	03.3-10.7			
\$75,000+	752	733,687	231	27.3	21.2-33.4	332	40.6	34.3-46.9	138	21.6	16.3-26.9	46	9.9	05.4-14.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1798	2,283,936	3	0.0	00.0-00.0	140	9.3	06.4-12.2	922	49.8	45.5-54.1	534	30.9	26.8-35.0	199	10.0	07.6-12.4
White/Non-Hisp	1522	1,760,303	3	0.0	00.0-00.0	117	8.4	05.5-11.3	791	50.7	46.0-55.4	445	31.2	26.9-35.5	166	9.6	07.2-12.0
Black or Afr. Am./Non-Hisp	184	349,848				10	11.0	01.6-20.4	85	43.4	30.7-56.1	63	32.3	20.5-44.1	26	13.3	04.9-21.7
18-24	55	289,326				11	23.8	08.9-38.7	29	49.0	32.3-65.7	9	19.3	05.8-32.8	6	7.9	00.6-15.2
25-34	121	420,215				9	7.0	00.5-13.5	61	56.9	44.4-69.4	34	28.4	17.0-39.8	17	7.7	02.8-12.6
35-44	193	413,995				16	9.6	02.3-16.9	93	47.1	36.7-57.5	55	29.3	19.5-39.1	29	14.0	06.7-21.3
45-54	329	435,720				19	5.6	02.3-08.9	144	35.3	27.9-42.7	118	45.0	36.6-53.4	48	14.1	08.4-19.8
55-64	469	350,954	1	0.0	00.0-00.0	27	5.3	02.6-08.0	228	49.7	41.7-57.7	156	35.8	28.0-43.6	57	9.1	05.4-12.8
65+	626	370,727	2	0.1	00.0-00.3	58	8.2	05.1-11.3	363	62.4	56.1-68.7	161	23.7	18.4-29.0	42	5.7	03.3-08.1
Less Than H.S.	220	386,550				27	15.3	05.9-24.7	111	46.9	36.1-57.7	57	27.6	17.4-37.8	25	10.2	04.7-15.7
H.S. or G.E.D.	566	772,072				50	9.7	05.8-13.6	273	45.9	38.6-53.2	185	36.4	29.3-43.5	58	8.1	04.8-11.4
Some Post-H.S.	477	609,840	1	0.0	00.0-00.0	29	9.5	02.6-16.4	256	49.2	40.2-58.2	130	29.4	21.6-37.2	61	11.9	06.6-17.2
College Graduate	533	514,727	2	0.1	00.1-00.1	34	3.9	01.9-05.9	281	58.7	50.7-66.7	161	27.0	19.7-34.3	55	10.4	05.7-15.1
Less than \$15,000	179	250,774	1	0.1	00.0-00.3	19	13.6	02.6-24.6	82	46.2	31.1-61.3	51	27.3	14.4-40.2	26	12.9	03.5-22.3
\$15,000- 24,999	352	400,180				36	10.3	03.8-16.8	171	43.6	34.0-53.2	113	39.0	28.6-49.4	32	7.2	03.3-11.1
\$25,000- 34,999	179	218,327				21	11.5	03.5-19.5	92	57.8	44.7-70.9	42	20.0	09.0-31.0	24	10.8	04.1-17.5
\$35,000- 49,999	206	271,394				10	7.2	00.0-16.0	128	61.8	48.5-75.1	46	25.4	13.1-37.7	22	5.5	02.4-08.6
\$50,000- 74,999	199	279,029				9	8.4	00.0-17.2	98	48.9	36.6-61.2	69	32.6	21.8-43.4	23	10.1	04.2-16.0
\$75,000+	318	416,503	1	0.1	00.0-00.3	20	5.5	01.6-09.4	156	46.5	37.5-55.5	108	32.5	24.3-40.7	33	15.5	08.1-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3815	2,373,782	58	1.3	00.7-01.9	1628	45.6	41.9-49.3	1572	37.5	34.2-40.8	399	11.8	09.3-14.3	158	3.8	02.6-05.0
White/Non-Hisp	3175	1,887,092	52	1.4	00.8-02.0	1438	46.4	42.5-50.3	1290	38.6	34.9-42.3	291	10.7	08.2-13.2	104	3.0	01.6-04.4
Black or Afr. Am./Non-Hisp	498	353,298	3	1.0	00.0-02.4	121	35.2	24.8-45.6	234	37.1	28.1-46.1	91	17.4	09.0-25.8	49	9.3	05.4-13.2
18-24	81	273,522	1	0.2	00.0-00.6	51	71.6	54.9-88.3	20	15.1	02.4-27.8	7	8.9	00.0-19.9	2	4.2	00.0-12.2
25-34	267	395,074	7	2.2	00.0-04.4	104	48.4	38.6-58.2	97	35.6	26.2-45.0	43	9.5	05.6-13.4	16	4.3	01.2-07.4
35-44	402	398,232	5	1.2	00.0-02.6	167	41.5	32.9-50.1	147	36.8	28.2-45.4	56	14.8	08.3-21.3	27	5.7	02.6-08.8
45-54	629	441,103	5	0.7	00.0-01.5	250	40.6	33.5-47.7	261	40.1	33.2-47.0	72	14.1	08.4-19.8	41	4.5	02.5-06.5
55-64	910	372,117	9	1.3	00.3-02.3	341	33.2	26.3-40.1	405	45.3	37.7-52.9	111	17.0	09.7-24.3	44	3.2	01.8-04.6
65+	1503	481,221	31	2.0	01.2-02.8	703	46.4	41.9-50.9	634	43.4	38.7-48.1	107	6.7	03.8-09.6	28	1.5	00.7-02.3
Less Than H.S.	519	403,688	14	1.5	00.5-02.5	229	39.5	31.3-47.7	196	44.0	35.4-52.6	61	11.5	06.8-16.2	19	3.5	01.3-05.7
H.S. or G.E.D.	1341	787,041	23	1.4	00.6-02.2	549	41.1	35.2-47.0	570	38.5	33.0-44.0	144	14.7	09.6-19.8	55	4.2	02.4-06.0
Some Post-H.S.	1083	706,784	15	1.7	00.3-03.1	424	44.2	36.6-51.8	476	39.0	31.9-46.1	114	10.8	06.5-15.1	54	4.2	01.1-07.3
College Graduate	861	471,578	5	0.3	00.0-00.7	422	60.3	52.9-67.7	327	28.0	21.5-34.5	77	8.6	03.9-13.3	30	2.8	00.8-04.8
Less than \$15,000	501	340,937	7	0.3	00.1-00.5	201	52.3	40.9-63.7	183	27.1	18.1-36.1	67	10.0	04.5-15.5	43	10.2	03.1-17.3
\$15,000- 24,999	898	525,293	19	2.0	00.8-03.2	352	38.6	30.6-46.6	386	43.0	35.0-51.0	110	13.9	07.8-20.0	31	2.5	01.1-03.9
\$25,000- 34,999	352	230,999	2	0.1	00.0-00.3	136	37.0	26.2-47.8	167	44.0	32.4-55.6	34	14.9	05.5-24.3	13	3.9	00.8-07.0
\$35,000- 49,999	366	245,474	4	1.1	00.0-02.5	143	51.9	42.1-61.7	163	36.1	26.9-45.3	43	9.4	05.3-13.5	13	1.5	00.5-02.5
\$50,000- 74,999	316	233,958	3	0.4	00.0-01.0	122	41.5	30.9-52.1	130	32.0	23.4-40.6	50	22.8	12.2-33.4	11	3.3	00.0-07.2
\$75,000+	434	317,185	4	1.2	00.0-02.6	211	56.0	47.4-64.6	176	32.8	25.2-40.4	30	7.4	03.3-11.5	13	2.6	00.6-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5852	4,826,688	324	4.5	03.3-05.7	3019	39.3	36.8-41.8	2069	42.9	40.2-45.6	428	12.9	10.9-14.9	10	0.4	00.0-01.0	2	0.0	00.0-00.0
Male	1821	2,325,138	6	0.2	00.0-00.4	164	9.7	07.0-12.4	1225	62.8	58.5-67.1	416	26.6	22.7-30.5	9	0.7	00.0-01.7	1	0.0	00.0-00.0
Female	4031	2,501,549	318	8.6	06.6-10.6	2855	66.7	63.2-70.2	844	24.5	21.2-27.8	12	0.3	00.1-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0
White/Non-Hisp	4882	3,783,281	269	4.0	03.0-05.0	2516	40.2	37.3-43.1	1730	42.1	39.2-45.0	360	13.6	11.2-16.0	7	0.1	00.1-00.1			
Black or Afr. Am./Non-Hisp	719	736,831	38	7.0	02.5-11.5	379	36.4	29.0-43.8	256	47.1	39.1-55.1	44	7.8	04.1-11.5	2	1.8	00.0-04.9			
Oth. Race/Non-Hisp.	75	97,273	5	7.6	00.0-20.7	30	10.7	03.8-17.6	31	58.4	35.1-81.7	9	23.3	01.2-45.4						
MultiRacial/Non-Hisp.	71	82,635	4	2.1	00.0-04.6	42	40.2	19.6-60.8	16	27.4	06.2-48.6	8	29.1	07.0-51.2	1	1.3	00.0-03.8			
Hispanic	73	114,489	8	3.9	00.2-07.6	37	50.1	27.6-72.6	21	38.4	16.3-60.5	5	6.5	00.0-13.8				2	1.1	00.0-03.1
18-24	141	575,330	4	2.1	00.0-05.8	60	35.2	23.6-46.8	58	44.9	32.9-56.9	19	17.8	08.8-26.8						
25-34	401	828,109	22	3.6	01.4-05.8	182	32.0	25.3-38.7	155	48.6	40.6-56.6	41	15.8	09.5-22.1	1	0.0	00.0-00.0			
35-44	629	852,927	30	6.6	02.9-10.3	297	35.9	29.6-42.2	242	45.3	38.6-52.0	56	10.5	07.2-13.8	2	1.6	00.0-04.3	2	0.1	00.0-00.3
45-54	1010	911,661	37	2.5	01.5-03.5	505	41.0	35.7-46.3	378	42.1	36.8-47.4	89	14.4	10.3-18.5	1	0.0	00.0-00.0			
55-64	1443	763,617	74	4.5	02.1-06.9	738	42.6	37.1-48.1	509	38.3	33.2-43.4	117	14.4	09.7-19.1	5	0.3	00.0-00.7			
65+	2189	874,560	155	7.1	04.7-09.5	1217	47.7	43.8-51.6	712	38.3	34.6-42.0	104	6.7	04.5-08.9	1	0.1	00.0-00.3			
Less Than H.S.	772	812,787	70	7.7	04.2-11.2	432	45.8	39.1-52.5	232	38.6	32.1-45.1	38	7.8	04.5-11.1						
H.S. or G.E.D.	1995	1,635,187	120	4.5	02.5-06.5	1084	39.3	35.0-43.6	669	44.5	39.8-49.2	117	11.5	08.2-14.8	4	0.2	00.0-00.4	1	0.0	00.0-00.0
Some Post-H.S.	1626	1,363,394	83	3.4	01.8-05.0	829	38.8	33.3-44.3	581	42.3	36.6-48.0	132	14.5	10.2-18.8	1	0.9	00.0-02.7			
College Graduate	1447	1,010,312	51	3.4	01.4-05.4	667	34.3	29.2-39.4	583	44.7	39.0-50.4	140	17.3	12.6-22.0	5	0.2	00.0-00.4	1	0.1	00.0-00.3
Less than \$15,000	704	602,985	44	6.0	01.5-10.5	396	47.4	38.4-56.4	228	37.7	28.7-46.7	34	8.8	03.5-14.1	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$15,000- 24,999	1291	936,289	91	5.4	02.9-07.9	701	41.4	35.3-47.5	421	39.8	33.7-45.9	76	13.2	08.5-17.9	2	0.1	00.0-00.3			
\$25,000- 34,999	552	465,743	27	4.3	00.8-07.8	280	37.4	29.4-45.4	201	49.8	41.0-58.6	41	8.2	04.1-12.3	2	0.1	00.0-00.3	1	0.2	00.0-00.6
\$35,000- 49,999	585	521,445	22	1.6	00.6-02.6	295	38.1	30.5-45.7	222	50.4	42.0-58.8	44	9.7	04.4-15.0	2	0.2	00.0-00.6			
\$50,000- 74,999	538	524,917	19	2.7	00.9-04.5	246	38.2	30.6-45.8	219	42.7	34.7-50.7	53	16.4	09.7-23.1	1	0.0	00.0-00.0			
\$75,000+	768	751,216	26	3.0	00.8-05.2	327	32.0	26.3-37.7	321	44.0	37.5-50.5	92	19.3	13.6-25.0	2	1.8	00.0-04.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	2,325,138	6	0.2	00.0-00.4	164	9.7	07.0-12.4	1225	62.8	58.5-67.1	416	26.6	22.7-30.5	9	0.7	00.0-01.7	1	0.0	00.0-00.0
White/Non-Hisp	1543	1,798,773	4	0.1	00.0-00.3	129	8.2	05.5-10.9	1051	63.1	58.4-67.8	353	28.4	24.1-32.7	6	0.1	00.0-00.3			
Black or Afr. Am./Non-Hisp	185	357,422	1	0.2	00.0-00.6	16	11.3	03.1-19.5	127	70.1	58.7-81.5	39	14.7	07.3-22.1	2	3.7	00.0-10.2			
18-24	56	288,889				7	14.0	02.2-25.8	30	50.5	34.0-67.0	19	35.5	19.8-51.2						
25-34	122	423,071	1	0.1	00.0-00.3	5	2.7	00.2-05.2	75	66.2	54.4-78.0	40	30.9	19.3-42.5	1	0.0	00.0-00.0			
35-44	196	424,447	2	0.4	00.0-01.0	17	10.8	03.4-18.2	123	65.4	55.6-75.2	51	20.0	13.3-26.7	2	3.1	00.0-08.6	1	0.3	00.0-00.9
45-54	336	445,713				35	11.7	05.6-17.8	212	58.8	50.6-67.0	89	29.5	21.9-37.1						
55-64	475	365,978	1	0.3	00.0-00.9	41	9.9	05.0-14.8	314	59.9	51.5-68.3	114	29.4	21.0-37.8	5	0.6	00.0-01.4			
65+	629	371,883	2	0.2	00.0-00.6	59	10.9	04.6-17.2	466	72.8	65.9-79.7	101	15.8	11.1-20.5	1	0.3	00.0-00.9			
Less Than H.S.	226	387,119				37	21.0	10.8-31.2	153	63.7	53.1-74.3	36	15.3	08.6-22.0						
H.S. or G.E.D.	572	792,956	3	0.2	00.0-00.4	58	10.3	05.8-14.8	394	65.7	58.6-72.8	114	23.5	17.2-29.8	3	0.3	00.0-00.7			
Some Post-H.S.	485	624,323	3	0.4	00.0-00.8	33	7.7	02.8-12.6	320	58.3	49.5-67.1	128	31.6	23.2-40.0	1	2.0	00.0-05.7			
College Graduate	536	519,993				36	2.8	01.6-04.0	357	63.0	54.8-71.2	137	33.6	25.4-41.8	5	0.4	00.0-00.8	1	0.2	00.0-00.6
Less than \$15,000	183	253,054	1	0.0	00.0-00.0	30	24.4	10.1-38.7	118	54.5	39.2-69.8	33	20.8	09.0-32.6	1	0.2	00.0-00.6			
\$15,000- 24,999	356	396,137	2	0.5	00.0-01.1	26	10.1	03.4-16.8	251	58.6	48.6-68.6	75	30.5	20.9-40.1	2	0.3	00.0-00.9			
\$25,000- 34,999	179	218,327	1	0.3	00.0-00.9	16	7.0	00.3-13.7	120	74.7	64.1-85.3	39	17.4	09.0-25.8	2	0.2	00.0-00.4	1	0.5	00.0-01.5
\$35,000- 49,999	207	271,451	1	0.2	00.0-00.6	21	12.5	02.9-22.1	143	69.0	56.7-81.3	40	17.8	08.0-27.6	2	0.4	00.0-01.2			
\$50,000- 74,999	201	280,115	1	0.2	00.0-00.6	11	4.7	01.0-08.4	138	64.7	52.9-76.5	51	30.4	18.8-42.0						
\$75,000+	319	422,797				18	3.3	01.5-05.1	207	59.4	50.2-68.6	92	34.2	25.2-43.2	2	3.2	00.0-08.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4031	2,501,549	318	8.6	06.6-10.6	2855	66.7	63.2-70.2	844	24.5	21.2-27.8	12	0.3	00.1-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0
White/Non-Hisp	3339	1,984,508	265	7.6	05.8-09.4	2387	69.2	65.5-72.9	679	23.2	19.7-26.7	7	0.1	00.1-00.1	1	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	534	379,409	37	13.4	05.2-21.6	363	59.9	50.1-69.7	129	25.4	17.2-33.6	5	1.3	00.0-02.9						
18-24	85	286,441	4	4.1	00.0-11.5	53	56.5	38.7-74.3	28	39.3	21.9-56.7									
25-34	279	405,038	21	7.2	02.9-11.5	177	62.6	53.0-72.2	80	30.2	20.8-39.6	1	0.0	00.0-00.0						
35-44	433	428,479	28	12.8	05.7-19.9	280	60.9	52.5-69.3	119	25.3	18.4-32.2	5	1.0	00.0-02.4				1	0.0	00.0-00.0
45-54	674	465,949	37	4.8	02.8-06.8	470	69.0	62.5-75.5	166	26.2	19.9-32.5				1	0.0	00.0-00.0			
55-64	968	397,639	73	8.4	04.1-12.7	697	72.6	66.3-78.9	195	18.5	13.6-23.4	3	0.5	00.0-01.3						
65+	1560	502,677	153	12.3	08.4-16.2	1158	74.9	70.8-79.0	246	12.7	10.5-14.9	3	0.1	00.0-00.3						
Less Than H.S.	546	425,667	70	14.7	08.4-21.0	395	68.3	60.5-76.1	79	15.9	09.6-22.2	2	1.0	00.0-02.4						
H.S. or G.E.D.	1423	842,231	117	8.6	05.1-12.1	1026	66.6	60.9-72.3	275	24.6	19.3-29.9	3	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Some Post-H.S.	1141	739,071	80	6.0	03.1-08.9	796	65.1	58.0-72.2	261	28.8	21.7-35.9	4	0.1	00.0-00.3						
College Graduate	911	490,320	51	7.0	02.9-11.1	631	67.6	60.2-75.0	226	25.3	18.4-32.2	3	0.1	00.0-00.3						
Less than \$15,000	521	349,931	43	10.4	03.0-17.8	366	64.0	52.4-75.6	110	25.5	14.7-36.3	1	0.0	00.0-00.0				1	0.0	00.0-00.0
\$15,000- 24,999	935	540,152	89	9.1	04.8-13.4	675	64.5	56.7-72.3	170	26.0	18.4-33.6	1	0.5	00.0-01.5						
\$25,000- 34,999	373	247,416	26	7.9	01.2-14.6	264	64.1	52.9-75.3	81	27.9	17.3-38.5	2	0.1	00.0-00.3						
\$35,000- 49,999	378	249,994	21	3.1	01.3-04.9	274	65.8	55.2-76.4	79	30.2	19.4-41.0	4	0.9	00.0-02.3						
\$50,000- 74,999	337	244,802	18	5.5	02.0-09.0	235	76.5	69.6-83.4	81	17.5	11.6-23.4	2	0.4	00.0-01.0	1	0.1	00.0-00.3			
\$75,000+	449	328,419	26	6.8	02.1-11.5	309	69.0	60.0-78.0	114	24.2	15.6-32.8									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5874	4,569,940	5802	91.2	89.0-93.4	21	2.0	00.8-03.2	51	6.8	04.8-08.8
Male	1822	2,222,383	1792	91.2	87.9-94.5	9	1.6	00.2-03.0	21	7.3	04.2-10.4
Female	4052	2,347,557	4010	91.2	88.3-94.1	12	2.3	00.5-04.1	30	6.4	03.9-08.9
White/Non-Hisp	4898	3,584,360	4845	91.8	89.6-94.0	13	1.3	00.3-02.3	40	6.9	04.7-09.1
Black or Afr. Am./Non-Hisp	719	686,919	712	94.8	90.1-99.5	2	2.0	00.0-04.7	5	3.2	00.0-07.1
Oth. Race/Non-Hisp.	75	87,599	73	87.4	65.4-0100				2	12.6	00.0-34.6
MultiRacial/Non-Hisp.	70	69,125	70	100.0	0100-0100						
Hispanic	76	127,153	68	51.3	28.8-73.8	4	24.0	01.7-46.3	4	24.7	02.0-47.4
18-24	136	509,317	123	72.9	60.7-85.1	2	4.6	00.0-10.9	11	22.5	11.1-33.9
25-34	388	728,357	371	83.9	76.8-91.0	5	3.5	00.0-07.2	12	12.6	06.1-19.1
35-44	627	821,577	617	94.6	90.7-98.5	5	2.3	00.0-04.8	5	3.1	00.0-06.2
45-54	1004	857,398	999	98.0	95.6-0100	2	1.0	00.0-02.8	3	1.0	00.0-02.4
55-64	1452	755,009	1441	92.9	88.6-97.2	2	0.6	00.0-01.8	9	6.4	02.1-10.7
65+	2215	872,716	2204	96.5	93.2-99.8	3	0.9	00.0-02.5	8	2.5	00.0-05.4
Less Than H.S.	784	819,290	775	94.3	89.4-99.2	6	3.8	00.0-07.9	3	1.9	00.0-04.6
H.S. or G.E.D.	2002	1,558,404	1987	95.4	92.5-98.3	5	1.1	00.0-02.5	10	3.5	00.8-06.2
Some Post-H.S.	1621	1,259,735	1603	89.1	84.2-94.0	3	1.7	00.0-03.9	15	9.2	04.7-13.7
College Graduate	1444	923,188	1417	84.1	78.4-89.8	6	2.1	00.1-04.1	21	13.7	08.0-19.4
Less than \$15,000	697	545,537	687	83.8	75.0-92.6	1	2.0	00.0-05.9	9	14.2	05.8-22.6
\$15,000- 24,999	1293	922,914	1279	90.7	85.2-96.2	6	2.7	00.0-05.8	8	6.6	01.9-11.3
\$25,000- 34,999	543	383,865	540	96.3	91.6-0100	2	2.3	00.0-06.2	1	1.4	00.0-04.1
\$35,000- 49,999	583	491,472	576	90.2	83.3-97.1	1	1.3	00.0-03.8	6	8.5	01.8-15.2
\$50,000- 74,999	531	480,735	525	89.8	82.2-97.4	1	1.1	00.0-03.3	5	9.0	01.6-16.4
\$75,000+	769	724,185	757	90.5	84.8-96.2	3	2.6	00.0-06.1	9	6.9	02.0-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1822	2,222,383	1792	91.2	88.1-94.3	9	1.6	00.2-03.0	21	7.3	04.4-10.2
White/Non-Hisp	1542	1,713,208	1521	91.8	88.5-95.1	5	0.9	00.0-01.9	16	7.4	04.1-10.7
Black or Afr. Am./Non-Hisp	182	325,260	181	96.2	88.9-0100				1	3.8	00.0-11.1
18-24	55	276,444	47	68.1	51.6-84.6	1	4.4	00.0-12.8	7	27.5	11.4-43.6
25-34	114	356,289	107	84.1	73.3-94.9				7	15.9	05.1-26.7
35-44	196	412,780	193	97.7	94.6-0100	3	2.3	00.0-05.4			
45-54	333	427,504	333	100.0	0100-0100						
55-64	479	366,657	474	94.2	88.9-99.5	2	1.3	00.0-03.7	3	4.4	00.0-09.3
65+	634	374,953	629	94.7	88.0-0100	2	2.1	00.0-05.6	3	3.2	00.0-09.1
Less Than H.S.	230	402,245	225	92.2	84.0-0100	4	5.0	00.0-11.5	1	2.9	00.0-08.4
H.S. or G.E.D.	568	751,502	562	95.0	90.3-99.7	1	0.9	00.0-02.7	5	4.1	00.0-08.6
Some Post-H.S.	484	586,461	479	91.9	85.0-98.8				5	8.1	01.2-15.0
College Graduate	537	479,493	523	83.5	75.1-91.9	4	1.7	00.0-03.9	10	14.8	06.4-23.2
Less than \$15,000	181	236,130	178	86.3	72.4-0100				3	13.7	00.0-27.6
\$15,000- 24,999	357	408,382	353	92.2	84.0-0100	1	3.0	00.0-08.7	3	4.8	00.0-11.3
\$25,000- 34,999	175	182,474	174	99.4	98.2-0100	1	0.6	00.0-01.8			
\$35,000- 49,999	207	262,988	202	86.3	75.1-97.5				5	13.7	02.5-24.9
\$50,000- 74,999	197	246,584	194	88.0	75.7-0100				3	12.0	00.0-24.3
\$75,000+	319	408,454	313	90.8	83.4-98.2	2	1.7	00.0-05.0	4	7.5	00.4-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4052	2,347,557	4010	91.2	88.5-93.9	12	2.3	00.5-04.1	30	6.4	04.0-08.8
White/Non-Hisp	3356	1,871,152	3324	91.9	89.0-94.8	8	1.6	00.0-03.2	24	6.5	03.8-09.2
Black or Afr. Am./Non-Hisp	537	361,659	531	93.5	87.2-99.8	2	3.8	00.0-09.1	4	2.6	00.0-06.1
Hispanic	50	64,488	47	52.6	19.7-85.5	1	16.8	00.0-46.0	2	30.6	00.0-63.7
18-24	81	232,873	76	78.5	61.6-95.4	1	4.9	00.0-14.3	4	16.6	01.5-31.7
25-34	274	372,068	264	83.8	74.4-93.2	5	6.8	00.0-13.7	5	9.3	01.7-16.9
35-44	431	408,797	424	91.5	84.4-98.6	2	2.3	00.0-06.4	5	6.2	00.1-12.3
45-54	671	429,893	666	96.0	91.5-0100	2	1.9	00.0-05.4	3	2.0	00.0-04.7
55-64	973	388,352	967	91.7	85.0-98.4				6	8.3	01.6-15.0
65+	1581	497,763	1575	97.9	95.4-0100	1	0.0	00.0-00.0	5	2.1	00.0-04.6
Less Than H.S.	554	417,045	550	96.4	91.3-0100	2	2.7	00.0-07.6	2	0.9	00.0-02.5
H.S. or G.E.D.	1434	806,902	1425	95.9	92.2-99.6	4	1.3	00.0-03.5	5	2.8	00.0-05.9
Some Post-H.S.	1137	673,274	1124	86.7	79.8-93.6	3	3.2	00.0-07.1	10	10.0	03.9-16.1
College Graduate	907	443,696	894	84.8	77.0-92.6	2	2.6	00.0-06.1	11	12.6	05.2-20.0
Less than \$15,000	516	309,407	509	82.0	70.4-93.6	1	3.5	00.0-10.2	6	14.5	03.9-25.1
\$15,000- 24,999	936	514,533	926	89.5	82.2-96.8	5	2.5	00.0-05.8	5	8.1	01.4-14.8
\$25,000- 34,999	368	201,391	366	93.4	84.8-0100	1	3.9	00.0-11.3	1	2.7	00.0-07.8
\$35,000- 49,999	376	228,484	374	94.7	87.6-0100	1	2.8	00.0-08.1	1	2.6	00.0-07.5
\$50,000- 74,999	334	234,150	331	91.8	83.2-0100	1	2.3	00.0-06.8	2	5.9	00.0-13.7
\$75,000+	450	315,732	444	90.3	81.3-99.3	1	3.6	00.0-10.5	5	6.1	00.0-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5912	4,865,769	5676	92.9	91.1-94.7	98	3.0	01.8-04.2	138	4.1	02.7-05.5
Male	1836	2,339,087	1751	92.4	89.7-95.1	42	4.3	02.1-06.5	43	3.3	01.3-05.3
Female	4076	2,526,681	3925	93.4	91.0-95.8	56	1.8	00.6-03.0	95	4.8	02.8-06.8
White/Non-Hisp	4925	3,790,677	4735	93.4	91.4-95.4	82	3.0	01.6-04.4	108	3.6	02.2-05.0
Black or Afr. Am./Non-Hisp	726	742,090	699	93.6	89.1-98.1	11	0.4	00.0-00.8	16	6.0	01.5-10.5
Oth. Race/Non-Hisp.	76	97,451	73	93.6	81.8-0100	2	6.3	00.0-17.9	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	72	82,759	71	99.9	99.7-0100				1	0.1	00.0-00.3
Hispanic	77	138,007	70	75.2	54.2-96.2	3	15.2	00.0-33.0	4	9.5	00.0-24.2
18-24	144	589,614	135	86.9	78.1-95.7	4	7.1	00.2-14.0	5	6.0	00.0-12.3
25-34	402	838,963	385	91.9	87.0-96.8	8	3.7	00.4-07.0	9	4.4	00.7-08.1
35-44	633	859,620	613	94.4	90.7-98.1	5	1.2	00.0-02.8	15	4.4	01.1-07.7
45-54	1012	909,854	981	95.7	93.3-98.1	11	2.6	00.6-04.6	20	1.7	00.5-02.9
55-64	1452	758,050	1406	92.5	87.8-97.2	17	2.0	00.0-04.4	29	5.5	01.4-09.6
65+	2217	884,101	2120	94.8	92.6-97.0	50	2.7	01.1-04.3	47	2.5	00.9-04.1
Less Than H.S.	787	846,696	741	91.1	86.4-95.8	28	4.3	01.0-07.6	18	4.6	01.1-08.1
H.S. or G.E.D.	2013	1,640,602	1935	95.4	93.2-97.6	32	1.1	00.3-01.9	46	3.5	01.3-05.7
Some Post-H.S.	1631	1,357,558	1581	92.1	88.2-96.0	21	4.4	01.1-07.7	29	3.6	01.1-06.1
College Graduate	1458	1,011,589	1406	91.9	87.8-96.0	16	3.1	00.7-05.5	36	4.9	01.4-08.4
Less than \$15,000	705	613,839	672	85.9	78.3-93.5	21	6.2	01.3-11.1	12	7.8	01.3-14.3
\$15,000- 24,999	1296	950,445	1261	93.8	89.9-97.7	19	2.7	00.0-05.4	16	3.4	00.5-06.3
\$25,000- 34,999	553	465,911	547	97.2	92.9-0100	2	0.1	00.0-00.3	4	2.6	00.0-06.9
\$35,000- 49,999	586	514,820	580	99.5	99.1-99.9	1	0.1	00.0-00.3	5	0.4	00.0-00.8
\$50,000- 74,999	539	526,653	527	88.3	80.3-96.3	9	8.0	01.1-14.9	3	3.7	00.0-08.6
\$75,000+	773	752,592	761	97.2	94.8-99.6	6	1.7	00.0-03.7	6	1.1	00.0-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	2,339,087	1751	92.4	89.7-95.1	42	4.3	02.1-06.5	43	3.3	01.3-05.3
White/Non-Hisp	1553	1,797,750	1487	93.0	90.1-95.9	37	4.1	01.7-06.5	29	2.9	00.9-04.9
Black or Afr. Am./Non-Hisp	185	357,422	178	94.4	87.5-0100	1	0.1	00.0-00.3	6	5.5	00.0-12.4
18-24	57	301,134	51	78.8	63.9-93.7	3	10.1	00.0-21.3	3	11.1	00.0-22.9
25-34	122	423,071	115	92.7	86.2-99.2	6	6.2	00.1-12.3	1	1.1	00.0-03.5
35-44	198	427,066	190	96.4	93.1-99.7	3	2.3	00.0-05.4	5	1.3	00.0-02.7
45-54	336	445,713	327	95.0	91.1-98.9	5	3.0	00.0-06.3	4	2.0	00.0-04.2
55-64	478	359,395	460	95.0	89.7-0100	7	1.3	00.0-02.7	11	3.8	00.0-08.9
65+	634	374,953	604	94.0	90.3-97.7	17	4.3	00.8-07.8	13	1.6	00.2-03.0
Less Than H.S.	230	402,245	209	90.1	83.0-97.2	13	7.9	01.0-14.8	8	2.0	00.4-03.6
H.S. or G.E.D.	573	793,161	547	95.5	92.6-98.4	14	1.5	00.1-02.9	12	3.0	00.3-05.7
Some Post-H.S.	487	617,518	470	92.4	85.9-98.9	8	5.1	00.0-10.4	9	2.5	00.0-06.4
College Graduate	543	523,480	524	89.6	82.9-96.3	7	4.8	00.7-08.9	12	5.6	00.0-11.3
Less than \$15,000	183	253,054	166	81.5	69.0-94.0	13	9.7	01.7-17.7	4	8.8	00.0-19.8
\$15,000- 24,999	357	408,382	346	94.9	89.0-0100	9	4.2	00.0-09.9	2	0.9	00.0-02.7
\$25,000- 34,999	179	218,327	178	99.9	99.7-0100				1	0.1	00.0-00.3
\$35,000- 49,999	207	264,394	205	99.7	99.1-0100				2	0.3	00.0-00.9
\$50,000- 74,999	202	281,851	195	83.6	70.9-96.3	5	11.4	00.4-22.4	2	5.0	00.0-13.4
\$75,000+	321	423,347	315	96.4	92.7-0100	3	1.7	00.0-04.4	3	1.9	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4076	2,526,681	3925	93.4	91.0-95.8	56	1.8	00.6-03.0	95	4.8	02.8-06.8
White/Non-Hisp	3372	1,992,928	3248	93.7	91.2-96.2	45	2.1	00.5-03.7	79	4.2	02.2-06.2
Black or Afr. Am./Non-Hisp	541	384,668	521	92.8	86.9-98.7	10	0.8	00.2-01.4	10	6.4	00.5-12.3
MultiRacial/Non-Hisp.	50	38,122	49	99.9	99.5-0100				1	0.1	00.0-00.5
Hispanic	51	75,342	48	83.8	58.3-0100				3	16.2	00.0-41.7
18-24	87	288,480	84	95.4	87.8-0100	1	3.9	00.0-11.5	2	0.6	00.0-01.6
25-34	280	415,892	270	91.0	83.7-98.3	2	1.2	00.0-03.4	8	7.8	00.9-14.7
35-44	435	432,554	423	92.4	86.1-98.7	2	0.1	00.0-00.3	10	7.5	01.2-13.8
45-54	676	464,141	654	96.4	93.9-98.9	6	2.1	00.0-04.6	16	1.5	00.5-02.5
55-64	974	398,655	946	90.3	82.9-97.7	10	2.7	00.0-07.0	18	7.1	00.6-13.6
65+	1583	509,148	1516	95.3	92.6-98.0	33	1.4	00.8-02.0	34	3.2	00.7-05.7
Less Than H.S.	557	444,451	532	92.0	85.5-98.5	15	1.1	00.5-01.7	10	7.0	00.5-13.5
H.S. or G.E.D.	1440	847,441	1388	95.3	92.2-98.4	18	0.8	00.2-01.4	34	3.9	00.8-07.0
Some Post-H.S.	1144	740,040	1111	91.8	86.9-96.7	13	3.7	00.0-07.6	20	4.5	01.2-07.8
College Graduate	915	488,109	882	94.4	89.7-99.1	9	1.3	00.0-03.3	24	4.3	00.0-08.6
Less than \$15,000	522	360,785	506	89.1	79.7-98.5	8	3.8	00.0-09.9	8	7.1	00.0-14.7
\$15,000- 24,999	939	542,064	915	93.0	87.9-98.1	10	1.7	00.0-03.9	14	5.3	00.4-10.2
\$25,000- 34,999	374	247,584	369	94.9	87.1-0100	2	0.3	00.0-00.7	3	4.9	00.0-12.7
\$35,000- 49,999	379	250,425	375	99.4	98.6-0100	1	0.1	00.0-00.3	3	0.5	00.0-01.1
\$50,000- 74,999	337	244,802	332	93.7	85.9-0100	4	4.2	00.0-11.1	1	2.2	00.0-06.5
\$75,000+	452	329,245	446	98.3	95.6-0100	3	1.6	00.0-04.3	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5666	3,489,696	207	3.3	02.5-04.1	5459	96.7	95.9-97.5
Male	1747	1,749,792	86	4.5	02.9-06.1	1661	95.5	93.9-97.1
Female	3919	1,739,904	121	2.2	01.6-02.8	3798	97.8	97.2-98.4
White/Non-Hisp	4739	2,788,160	163	3.2	02.2-04.2	4576	96.8	95.8-97.8
Black or Afr. Am./Non-Hisp	687	514,102	27	2.7	00.9-04.5	660	97.3	95.5-99.1
Oth. Race/Non-Hisp.	70	47,884	3	2.2	00.0-05.9	67	97.8	94.1-0100
MultiRacial/Non-Hisp.	69	63,171	3	3.2	00.0-07.5	66	96.8	92.5-0100
Hispanic	69	62,168	8	16.1	01.2-31.0	61	83.9	69.0-98.8
18-24	106	199,436	3	5.7	00.0-15.3	103	94.3	84.7-0100
25-34	354	449,139	14	3.7	01.2-06.2	340	96.3	93.8-98.8
35-44	602	665,416	19	2.0	00.8-03.2	583	98.0	96.8-99.2
45-54	981	763,106	40	3.9	01.9-05.9	941	96.1	94.1-98.1
55-64	1420	598,529	57	4.1	02.5-05.7	1363	95.9	94.3-97.5
65+	2158	796,052	70	2.5	01.7-03.3	2088	97.5	96.7-98.3
Less Than H.S.	758	719,045	12	1.1	00.3-01.9	746	98.9	98.1-99.7
H.S. or G.E.D.	1952	1,260,704	55	3.7	01.7-05.7	1897	96.3	94.3-98.3
Some Post-H.S.	1554	871,725	66	4.4	02.6-06.2	1488	95.6	93.8-97.4
College Graduate	1388	631,305	73	3.7	02.5-04.9	1315	96.3	95.1-97.5
Less than \$15,000	664	348,506	12	1.4	00.4-02.4	652	98.6	97.6-99.6
\$15,000- 24,999	1256	689,966	24	2.0	00.6-03.4	1232	98.0	96.6-99.4
\$25,000- 34,999	534	336,077	19	3.2	01.2-05.2	515	96.8	94.8-98.8
\$35,000- 49,999	562	354,783	25	4.0	01.6-06.4	537	96.0	93.6-98.4
\$50,000- 74,999	517	369,527	27	4.4	01.7-07.1	490	95.6	92.9-98.3
\$75,000+	746	583,790	50	4.8	02.4-07.2	696	95.2	92.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	1,749,792	86	4.5	02.9-06.1	1661	95.5	93.9-97.1
White/Non-Hisp	1480	1,343,489	69	4.3	02.3-06.3	1411	95.7	93.7-97.7
Black or Afr. Am./Non-Hisp	177	279,445	7	3.0	00.0-06.1	170	97.0	93.9-0100
25-34	96	185,507	6	6.3	00.4-12.2	90	93.7	87.8-99.6
35-44	187	362,964	5	2.1	00.1-04.1	182	97.9	95.9-99.9
45-54	326	394,441	15	4.8	01.5-08.1	311	95.2	91.9-98.5
55-64	465	300,697	29	6.5	03.6-09.4	436	93.5	90.6-96.4
65+	618	336,199	28	2.8	01.4-04.2	590	97.2	95.8-98.6
Less Than H.S.	222	359,971	5	1.4	00.0-02.8	217	98.6	97.2-0100
H.S. or G.E.D.	546	607,418	23	5.7	01.8-09.6	523	94.3	90.4-98.2
Some Post-H.S.	461	424,204	25	5.7	02.6-08.8	436	94.3	91.2-97.4
College Graduate	516	355,605	32	3.8	02.0-05.6	484	96.2	94.4-98.0
Less than \$15,000	172	158,891	3	1.4	00.0-03.2	169	98.6	96.8-0100
\$15,000- 24,999	345	317,311	11	3.2	00.5-05.9	334	96.8	94.1-99.5
\$25,000- 34,999	171	158,816	10	5.5	01.4-09.6	161	94.5	90.4-98.6
\$35,000- 49,999	196	174,803	12	5.6	01.1-10.1	184	94.4	89.9-98.9
\$50,000- 74,999	191	191,854	9	4.7	00.2-09.2	182	95.3	90.8-99.8
\$75,000+	308	345,446	25	5.4	01.9-08.9	283	94.6	91.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3919	1,739,904	121	2.2	01.6-02.8	3798	97.8	97.2-98.4
White/Non-Hisp	3259	1,444,671	94	2.1	01.5-02.7	3165	97.9	97.3-98.5
Black or Afr. Am./Non-Hisp	510	234,657	20	2.4	01.0-03.8	490	97.6	96.2-99.0
18-24	62	37,209	1	0.9	00.0-02.7	61	99.1	97.3-0100
25-34	258	263,632	8	1.9	00.1-03.7	250	98.1	96.3-99.9
35-44	415	302,452	14	2.0	00.6-03.4	401	98.0	96.6-99.4
45-54	655	368,665	25	2.9	01.3-04.5	630	97.1	95.5-98.7
55-64	955	297,832	28	1.6	01.0-02.2	927	98.4	97.8-99.0
65+	1540	459,853	42	2.3	01.5-03.1	1498	97.7	96.9-98.5
Less Than H.S.	536	359,074	7	0.8	00.2-01.4	529	99.2	98.6-99.8
H.S. or G.E.D.	1406	653,286	32	1.7	00.9-02.5	1374	98.3	97.5-99.1
Some Post-H.S.	1093	447,521	41	3.1	01.5-04.7	1052	96.9	95.3-98.5
College Graduate	872	275,700	41	3.5	01.9-05.1	831	96.5	94.9-98.1
Less than \$15,000	492	189,615	9	1.4	00.2-02.6	483	98.6	97.4-99.8
\$15,000- 24,999	911	372,654	13	1.0	00.4-01.6	898	99.0	98.4-99.6
\$25,000- 34,999	363	177,261	9	1.2	00.2-02.2	354	98.8	97.8-99.8
\$35,000- 49,999	366	179,980	13	2.4	00.6-04.2	353	97.6	95.8-99.4
\$50,000- 74,999	326	177,674	18	4.0	01.3-06.7	308	96.0	93.3-98.7
\$75,000+	438	238,343	25	3.9	01.5-06.3	413	96.1	93.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	198	109,675	105	67.9	58.1-77.7	81	28.5	19.3-37.7	11	2.8	00.6-05.0	1	0.7	00.0-02.1
Male	83	72,762	45	73.4	60.9-85.9	31	22.3	10.9-33.7	6	3.2	00.1-06.3	1	1.1	00.0-03.3
Female	115	36,914	60	57.3	45.9-68.7	50	40.6	29.4-51.8	5	2.1	00.1-04.1			
White/Non-Hisp	156	82,013	81	65.2	52.9-77.5	66	31.4	19.6-43.2	8	2.4	00.4-04.4	1	1.0	00.0-03.0
55-64	56	24,387	27	62.6	44.8-80.4	24	30.9	13.8-48.0	5	6.4	00.0-13.7			
65+	65	18,863	37	59.1	43.6-74.6	26	37.9	22.6-53.2	2	3.0	00.0-08.1			
H.S. or G.E.D.	52	40,576	35	82.8	69.5-96.1	12	14.1	02.1-26.1	5	3.1	00.0-06.6			
Some Post-H.S.	63	37,804	30	57.9	40.3-75.5	30	38.2	21.1-55.3	2	1.8	00.0-04.3	1	2.2	00.0-06.3
College Graduate	71	22,886	31	58.2	43.1-73.3	36	36.6	21.9-51.3	4	5.2	00.0-12.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	83	72,762	45	73.4	61.4-85.4	31	22.3	11.7-32.9	6	3.2	00.3-06.1	1	1.1	00.0-03.3
White/Non-Hisp	66	52,680	34	69.9	53.8-86.0	26	25.6	11.1-40.1	5	2.9	00.2-05.6	1	1.6	00.0-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	115	36,914	60	57.3	46.5-68.1	50	40.6	29.8-51.4	5	2.1	00.1-04.1
White/Non-Hisp	90	29,334	47	56.8	43.9-69.7	40	41.8	28.9-54.7	3	1.4	00.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5654	3,488,733	4102	86.6	85.2-88.0	1552	13.4	12.0-14.8
Male	1744	1,750,598	1224	84.6	82.1-87.1	520	15.4	12.9-17.9
Female	3910	1,738,134	2878	88.7	87.7-89.7	1032	11.3	10.3-12.3
White/Non-Hisp	4731	2,787,858	3444	86.9	85.5-88.3	1287	13.1	11.7-14.5
Black or Afr. Am./Non-Hisp	684	513,600	491	86.8	82.5-91.1	193	13.2	08.9-17.5
Oth. Race/Non-Hisp.	70	47,884	48	88.5	80.7-96.3	22	11.5	03.7-19.3
MultiRacial/Non-Hisp.	69	63,171	47	80.4	64.3-96.5	22	19.6	03.5-35.7
Hispanic	68	62,008	52	82.5	64.7-0100	16	17.5	00.0-35.3
18-24	105	199,113	80	79.6	67.1-92.1	25	20.4	07.9-32.9
25-34	354	449,139	304	92.0	88.3-95.7	50	8.0	04.3-11.7
35-44	601	665,307	486	89.8	86.5-93.1	115	10.2	06.9-13.5
45-54	981	764,392	771	89.6	87.4-91.8	210	10.4	08.2-12.6
55-64	1413	597,346	1051	88.3	86.5-90.1	362	11.7	09.9-13.5
65+	2155	795,417	1379	78.5	76.1-80.9	776	21.5	19.1-23.9
Less Than H.S.	758	719,045	382	72.9	68.0-77.8	376	27.1	22.2-32.0
H.S. or G.E.D.	1944	1,258,790	1337	86.5	84.3-88.7	607	13.5	11.3-15.7
Some Post-H.S.	1553	873,146	1181	91.8	90.4-93.2	372	8.2	06.8-09.6
College Graduate	1385	630,835	1197	95.2	94.0-96.4	188	4.8	03.6-06.0
Less than \$15,000	663	348,398	363	76.7	71.8-81.6	300	23.3	18.4-28.2
\$15,000- 24,999	1256	689,966	809	82.7	80.2-85.2	447	17.3	14.8-19.8
\$25,000- 34,999	534	336,077	404	84.7	79.2-90.2	130	15.3	09.8-20.8
\$35,000- 49,999	562	354,783	449	91.4	89.0-93.8	113	8.6	06.2-11.0
\$50,000- 74,999	515	369,117	461	94.8	92.8-96.8	54	5.2	03.2-07.2
\$75,000+	746	584,993	688	96.8	95.6-98.0	58	3.2	02.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	1,750,598	1224	84.6	82.1-87.1	520	15.4	12.9-17.9
White/Non-Hisp	1479	1,344,797	1038	84.9	82.4-87.4	441	15.1	12.6-17.6
Black or Afr. Am./Non-Hisp	176	279,104	119	84.0	76.4-91.6	57	16.0	08.4-23.6
25-34	96	185,507	77	87.4	79.2-95.6	19	12.6	04.4-20.8
35-44	187	362,964	140	86.8	81.1-92.5	47	13.2	07.5-18.9
45-54	326	395,727	237	87.7	84.0-91.4	89	12.3	08.6-16.0
55-64	464	300,537	338	88.0	84.9-91.1	126	12.0	08.9-15.1
65+	616	335,880	391	77.4	73.1-81.7	225	22.6	18.3-26.9
Less Than H.S.	222	359,971	109	68.8	60.0-77.6	113	31.2	22.4-40.0
H.S. or G.E.D.	543	606,683	358	83.7	79.4-88.0	185	16.3	12.0-20.6
Some Post-H.S.	462	425,802	320	90.2	87.5-92.9	142	9.8	07.1-12.5
College Graduate	515	355,547	435	95.0	93.2-96.8	80	5.0	03.2-06.8
Less than \$15,000	172	158,891	74	72.3	62.1-82.5	98	27.7	17.5-37.9
\$15,000- 24,999	345	317,311	206	81.2	76.3-86.1	139	18.8	13.9-23.7
\$25,000- 34,999	171	158,816	111	76.5	65.9-87.1	60	23.5	12.9-34.1
\$35,000- 49,999	196	174,803	146	89.4	85.3-93.5	50	10.6	06.5-14.7
\$50,000- 74,999	190	191,512	161	92.8	89.3-96.3	29	7.2	03.7-10.7
\$75,000+	309	346,978	282	96.9	95.3-98.5	27	3.1	01.5-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3910	1,738,134	2878	88.7	87.7-89.7	1032	11.3	10.3-12.3
White/Non-Hisp	3252	1,443,061	2406	88.7	87.5-89.9	846	11.3	10.1-12.5
Black or Afr. Am./Non-Hisp	508	234,497	372	90.1	87.6-92.6	136	9.9	07.4-12.4
18-24	61	36,886	47	92.5	87.6-97.4	14	7.5	02.6-12.4
25-34	258	263,632	227	95.3	93.1-97.5	31	4.7	02.5-06.9
35-44	414	302,343	346	93.4	91.4-95.4	68	6.6	04.6-08.6
45-54	655	368,665	534	91.7	89.5-93.9	121	8.3	06.1-10.5
55-64	949	296,809	713	88.6	86.6-90.6	236	11.4	09.4-13.4
65+	1539	459,537	988	79.3	76.9-81.7	551	20.7	18.3-23.1
Less Than H.S.	536	359,074	273	77.1	73.0-81.2	263	22.9	18.8-27.0
H.S. or G.E.D.	1401	652,106	979	89.1	87.5-90.7	422	10.9	09.3-12.5
Some Post-H.S.	1091	447,344	861	93.4	92.2-94.6	230	6.6	05.4-07.8
College Graduate	870	275,287	762	95.4	94.0-96.8	108	4.6	03.2-06.0
Less than \$15,000	491	189,506	289	80.4	76.3-84.5	202	19.6	15.5-23.7
\$15,000- 24,999	911	372,654	603	84.0	81.5-86.5	308	16.0	13.5-18.5
\$25,000- 34,999	363	177,261	293	92.0	88.7-95.3	70	8.0	04.7-11.3
\$35,000- 49,999	366	179,980	303	93.3	90.9-95.7	63	6.7	04.3-09.1
\$50,000- 74,999	325	177,605	300	97.0	95.4-98.6	25	3.0	01.4-04.6
\$75,000+	437	238,015	406	96.7	95.1-98.3	31	3.3	01.7-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 52: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1543	464,694	46	7.7	04.8-10.6	1497	92.3	89.4-95.2
Male	516	268,466	20	8.1	03.6-12.6	496	91.9	87.4-96.4
Female	1027	196,228	26	7.3	03.8-10.8	1001	92.7	89.2-96.2
White/Non-Hisp	1280	363,590	38	8.6	05.1-12.1	1242	91.4	87.9-94.9
Black or Afr. Am./Non-Hisp	191	67,530	5	5.6	00.0-12.5	186	94.4	87.5-0100
25-34	50	35,932	3	12.2	00.0-26.3	47	87.8	73.7-0100
35-44	114	67,384				114	100.0	0100-0100
45-54	209	78,954	7	9.8	01.0-18.6	202	90.2	81.4-99.0
55-64	359	69,260	15	7.8	03.3-12.3	344	92.2	87.7-96.7
65+	772	170,296	20	10.0	04.3-15.7	752	90.0	84.3-95.7
Less Than H.S.	373	193,403	12	8.2	02.5-13.9	361	91.8	86.1-97.5
H.S. or G.E.D.	605	169,444	13	5.1	01.6-08.6	592	94.9	91.4-98.4
Some Post-H.S.	368	70,292	9	6.6	00.7-12.5	359	93.4	87.5-99.3
College Graduate	188	30,469	12	23.0	10.3-35.7	176	77.0	64.3-89.7
Less than \$15,000	299	81,145	6	6.1	00.0-13.5	293	93.9	86.5-0100
\$15,000- 24,999	444	118,179	6	4.7	00.2-09.2	438	95.3	90.8-99.8
\$25,000- 34,999	130	51,460	4	16.5	00.4-32.6	126	83.5	67.4-99.6
\$35,000- 49,999	113	30,516	11	19.3	07.7-30.9	102	80.7	69.1-92.3
\$50,000- 74,999	54	19,204	3	6.3	00.0-13.7	51	93.7	86.3-0100
\$75,000+	58	18,762	5	14.6	00.5-28.7	53	85.4	71.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 53: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	516	268,466	20	8.1	03.6-12.6	496	91.9	87.4-96.4
White/Non-Hisp	438	201,800	18	9.2	03.7-14.7	420	90.8	85.3-96.3
Black or Afr. Am./Non-Hisp	56	44,300	2	7.1	00.0-17.5	54	92.9	82.5-0100
45-54	88	48,181	3	10.7	00.0-23.4	85	89.3	76.6-0100
55-64	125	35,691	7	7.8	01.3-14.3	118	92.2	85.7-98.7
65+	224	75,534	7	12.2	01.8-22.6	217	87.8	77.4-98.2
Less Than H.S.	111	111,406	5	8.2	00.0-16.8	106	91.8	83.2-0100
H.S. or G.E.D.	184	98,271	5	5.4	00.1-10.7	179	94.6	89.3-99.9
Some Post-H.S.	141	41,018	4	7.9	00.0-17.5	137	92.1	82.5-0100
College Graduate	80	17,771	6	23.1	06.0-40.2	74	76.9	59.8-94.0
Less than \$15,000	98	44,014	2	8.3	00.0-21.4	96	91.7	78.6-0100
\$15,000- 24,999	137	58,748	2	6.3	00.0-14.7	135	93.7	85.3-0100
\$25,000- 34,999	60	37,307	2	14.6	00.0-34.4	58	85.4	65.6-0100
\$35,000- 49,999	50	18,520	7	25.5	07.9-43.1	43	74.5	56.9-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 54: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1027	196,228	26	7.3	03.8-10.8	1001	92.7	89.2-96.2
White/Non-Hisp	842	161,790	20	7.9	03.8-12.0	822	92.1	88.0-96.2
Black or Afr. Am./Non-Hisp	135	23,230	3	2.7	00.0-06.0	132	97.3	94.0-0100
35-44	68	20,063				68	100.0	0100-0100
45-54	121	30,772	4	8.4	00.0-18.4	117	91.6	81.6-0100
55-64	234	33,569	8	7.9	02.0-13.8	226	92.1	86.2-98.0
65+	548	94,762	13	8.2	02.5-13.9	535	91.8	86.1-97.5
Less Than H.S.	262	81,997	7	8.1	01.2-15.0	255	91.9	85.0-98.8
H.S. or G.E.D.	421	71,172	8	4.6	01.1-08.1	413	95.4	91.9-98.9
Some Post-H.S.	227	29,274	5	4.8	00.7-08.9	222	95.2	91.1-99.3
College Graduate	108	12,698	6	22.9	04.3-41.5	102	77.1	58.5-95.7
Less than \$15,000	201	37,131	4	3.5	00.2-06.8	197	96.5	93.2-99.8
\$15,000- 24,999	307	59,431	4	3.0	00.0-06.3	303	97.0	93.7-0100
\$25,000- 34,999	70	14,153	2	21.3	00.0-47.8	68	78.7	52.2-0100
\$35,000- 49,999	63	11,996	4	9.6	00.2-19.0	59	90.4	81.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4089	3,013,126	524	12.4	10.8-14.0	3565	87.6	86.0-89.2
Male	1221	1,476,944	164	12.0	09.5-14.5	1057	88.0	85.5-90.5
Female	2868	1,536,182	360	12.8	11.0-14.6	2508	87.2	85.4-89.0
White/Non-Hisp	3435	2,415,962	469	13.7	11.9-15.5	2966	86.3	84.5-88.1
Black or Afr. Am./Non-Hisp	488	443,960	36	6.8	02.7-10.9	452	93.2	89.1-97.3
Hispanic	52	51,180	7	11.6	00.0-24.1	45	88.4	75.9-0100
18-24	79	157,041	10	9.9	00.1-19.7	69	90.1	80.3-99.9
25-34	304	413,207	35	11.2	06.5-15.9	269	88.8	84.1-93.5
35-44	485	596,591	49	9.1	05.8-12.4	436	90.9	87.6-94.2
45-54	771	684,771	88	10.2	07.3-13.1	683	89.8	86.9-92.7
55-64	1047	525,290	131	13.7	10.6-16.8	916	86.3	83.2-89.4
65+	1373	620,989	208	18.6	15.5-21.7	1165	81.4	78.3-84.5
Less Than H.S.	377	518,788	54	13.7	09.4-18.0	323	86.3	82.0-90.6
H.S. or G.E.D.	1333	1,087,856	179	14.2	11.3-17.1	1154	85.8	82.9-88.7
Some Post-H.S.	1177	800,286	164	12.0	09.5-14.5	1013	88.0	85.5-90.5
College Graduate	1197	600,366	127	8.6	06.6-10.6	1070	91.4	89.4-93.4
Less than \$15,000	362	266,164	35	12.1	06.4-17.8	327	87.9	82.2-93.6
\$15,000- 24,999	807	569,390	128	16.4	12.7-20.1	679	83.6	79.9-87.3
\$25,000- 34,999	403	284,008	60	14.4	08.9-19.9	343	85.6	80.1-91.1
\$35,000- 49,999	449	324,267	62	12.8	08.1-17.5	387	87.2	82.5-91.9
\$50,000- 74,999	459	347,770	61	13.8	09.1-18.5	398	86.2	81.5-90.9
\$75,000+	688	566,231	59	7.1	04.7-09.5	629	92.9	90.5-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1221	1,476,944	164	12.0	09.5-14.5	1057	88.0	85.5-90.5
White/Non-Hisp	1037	1,139,660	151	13.5	10.8-16.2	886	86.5	83.8-89.2
Black or Afr. Am./Non-Hisp	118	233,450	7	7.5	00.2-14.8	111	92.5	85.2-99.8
25-34	77	162,078	9	9.1	02.0-16.2	68	90.9	83.8-98.0
35-44	140	314,991	9	5.3	01.0-09.6	131	94.7	90.4-99.0
45-54	237	346,879	27	10.6	05.7-15.5	210	89.4	84.5-94.3
55-64	337	263,492	45	14.6	09.1-20.1	292	85.4	79.9-90.9
65+	390	258,328	69	22.5	16.6-28.4	321	77.5	71.6-83.4
Less Than H.S.	107	244,849	19	15.1	07.7-22.5	88	84.9	77.5-92.3
H.S. or G.E.D.	358	508,089	54	14.9	09.8-20.0	304	85.1	80.0-90.2
Some Post-H.S.	319	383,636	46	10.6	06.3-14.9	273	89.4	85.1-93.7
College Graduate	435	337,776	45	7.1	04.6-09.6	390	92.9	90.4-95.4
Less than \$15,000	73	113,847	5	9.1	00.1-18.1	68	90.9	81.9-99.9
\$15,000- 24,999	206	257,614	35	15.9	09.6-22.2	171	84.1	77.8-90.4
\$25,000- 34,999	111	121,509	15	10.7	03.1-18.3	96	89.3	81.7-96.9
\$35,000- 49,999	146	156,283	25	15.7	07.1-24.3	121	84.3	75.7-92.9
\$50,000- 74,999	160	175,910	30	18.9	10.7-27.1	130	81.1	72.9-89.3
\$75,000+	282	336,095	23	5.4	02.5-08.3	259	94.6	91.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2868	1,536,182	360	12.8	11.0-14.6	2508	87.2	85.4-89.0
White/Non-Hisp	2398	1,276,302	318	13.8	11.8-15.8	2080	86.2	84.2-88.2
Black or Afr. Am./Non-Hisp	370	210,511	29	6.1	02.8-09.4	341	93.9	90.6-97.2
25-34	227	251,129	26	12.5	06.4-18.6	201	87.5	81.4-93.6
35-44	345	281,600	40	13.3	08.2-18.4	305	86.7	81.6-91.8
45-54	534	337,893	61	9.7	06.8-12.6	473	90.3	87.4-93.2
55-64	710	261,798	86	12.7	09.6-15.8	624	87.3	84.2-90.4
65+	983	362,660	139	15.8	12.9-18.7	844	84.2	81.3-87.1
Less Than H.S.	270	273,939	35	12.6	07.7-17.5	235	87.4	82.5-92.3
H.S. or G.E.D.	975	579,767	125	13.5	10.2-16.8	850	86.5	83.2-89.8
Some Post-H.S.	858	416,650	118	13.4	10.5-16.3	740	86.6	83.7-89.5
College Graduate	762	262,590	82	10.5	07.8-13.2	680	89.5	86.8-92.2
Less than \$15,000	289	152,318	30	14.4	07.3-21.5	259	85.6	78.5-92.7
\$15,000- 24,999	601	311,776	93	16.8	12.5-21.1	508	83.2	78.9-87.5
\$25,000- 34,999	292	162,499	45	17.2	09.8-24.6	247	82.8	75.4-90.2
\$35,000- 49,999	303	167,984	37	10.0	06.1-13.9	266	90.0	86.1-93.9
\$50,000- 74,999	299	171,860	31	8.6	04.7-12.5	268	91.4	87.5-95.3
\$75,000+	406	230,137	36	9.5	05.6-13.4	370	90.5	86.6-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 58: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 59: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 60: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 61: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5694	4,721,737	4458	69.5	66.8-72.2	1045	25.6	23.1-28.1	191	4.9	03.5-06.3
Male	1765	2,266,252	1400	70.2	65.9-74.5	296	24.0	19.9-28.1	69	5.8	03.4-08.2
Female	3929	2,455,485	3058	69.0	65.5-72.5	749	27.0	23.5-30.5	122	4.0	02.4-05.6
18-24	134	546,883	47	26.4	15.6-37.2	62	56.8	44.6-69.0	25	16.7	07.9-25.5
25-34	400	835,966	226	52.0	44.0-60.0	149	41.9	33.9-49.9	25	6.1	02.2-10.0
35-44	623	842,363	450	69.1	62.6-75.6	152	27.2	20.9-33.5	21	3.7	01.3-06.1
45-54	977	896,225	751	81.0	76.7-85.3	194	16.4	12.1-20.7	32	2.6	01.4-03.8
55-64	1403	733,270	1142	86.8	83.1-90.5	229	12.1	08.6-15.6	32	1.1	00.5-01.7
65+	2119	847,940	1813	87.5	84.6-90.4	252	9.4	06.7-12.1	54	3.0	01.4-04.6
Less Than H.S.	754	803,145	485	65.3	58.6-72.0	227	28.2	21.7-34.7	42	6.6	03.1-10.1
H.S. or G.E.D.	1933	1,577,075	1474	71.2	66.5-75.9	389	24.7	20.0-29.4	70	4.1	02.5-05.7
Some Post-H.S.	1578	1,330,973	1256	67.3	61.4-73.2	275	26.5	20.8-32.2	47	6.1	02.4-09.8
College Graduate	1420	1,006,092	1238	73.3	67.4-79.2	152	23.6	17.7-29.5	30	3.1	00.9-05.3
Less than \$15,000	685	601,785	359	38.5	30.3-46.7	282	55.4	46.6-64.2	44	6.0	02.1-09.9
\$15,000- 24,999	1274	932,379	926	63.5	57.2-69.8	309	33.2	26.9-39.5	39	3.3	01.5-05.1
\$25,000- 34,999	546	463,179	430	70.2	61.2-79.2	102	27.3	18.3-36.3	14	2.5	00.1-04.9
\$35,000- 49,999	581	519,928	509	79.6	71.8-87.4	66	20.0	12.2-27.8	6	0.4	00.0-00.8
\$50,000- 74,999	532	508,769	481	79.3	70.9-87.7	47	19.3	11.1-27.5	4	1.4	00.0-03.6
\$75,000+	769	751,482	729	90.1	84.8-95.4	31	7.7	03.2-12.2	9	2.1	00.0-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 62: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1765	2,266,252	1400	70.2	66.1-74.3	296	24.0	20.1-27.9	69	5.8	03.4-08.2
18-24	52	273,425	17	25.5	11.4-39.6	23	52.1	35.4-68.8	12	22.4	08.9-35.9
25-34	122	423,071	63	49.1	36.6-61.6	49	44.4	31.9-56.9	10	6.5	00.8-12.2
35-44	193	414,817	136	71.1	61.7-80.5	47	23.0	14.4-31.6	10	6.0	01.3-10.7
45-54	323	437,251	255	85.8	80.3-91.3	53	12.2	06.9-17.5	15	1.9	00.7-03.1
55-64	461	350,476	384	89.4	85.3-93.5	68	9.7	05.8-13.6	9	0.8	00.0-01.6
65+	608	363,664	540	89.6	84.7-94.5	55	8.5	03.8-13.2	13	1.9	00.3-03.5
Less Than H.S.	219	379,461	144	68.5	58.3-78.7	62	23.8	14.0-33.6	13	7.7	02.6-12.8
H.S. or G.E.D.	544	760,053	418	71.8	64.5-79.1	99	23.5	16.4-30.6	27	4.7	01.8-07.6
Some Post-H.S.	472	606,547	372	68.4	59.2-77.6	84	23.4	15.0-31.8	16	8.1	01.8-14.4
College Graduate	529	519,532	465	71.1	62.3-79.9	51	25.5	16.7-34.3	13	3.4	00.3-06.5
Less than \$15,000	180	251,745	92	43.8	29.1-58.5	69	50.4	35.3-65.5	19	5.8	01.7-09.9
\$15,000- 24,999	352	395,425	257	64.5	54.5-74.5	78	30.1	20.3-39.9	17	5.5	01.4-09.6
\$25,000- 34,999	176	217,816	129	60.8	46.3-75.3	42	36.0	21.5-50.5	5	3.2	00.0-07.9
\$35,000- 49,999	206	270,590	176	84.6	74.2-95.0	28	15.1	04.7-25.5	2	0.2	00.0-00.6
\$50,000- 74,999	198	266,567	175	71.8	58.7-84.9	21	27.9	14.8-41.0	2	0.3	00.0-00.9
\$75,000+	320	423,051	307	92.2	85.9-98.5	11	7.3	01.0-13.6	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 63: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3929	2,455,485	3058	69.0	65.5-72.5	749	27.0	23.7-30.3	122	4.0	02.4-05.6
18-24	82	273,458	30	27.4	11.3-43.5	39	61.6	44.2-79.0	13	11.1	00.3-21.9
25-34	278	412,895	163	55.0	45.2-64.8	100	39.3	29.5-49.1	15	5.7	00.6-10.8
35-44	430	427,546	314	67.3	58.5-76.1	105	31.3	22.5-40.1	11	1.5	00.3-02.7
45-54	654	458,974	496	76.4	69.9-82.9	141	20.4	14.1-26.7	17	3.2	01.0-05.4
55-64	942	382,794	758	84.4	78.5-90.3	161	14.2	08.3-20.1	23	1.3	00.5-02.1
65+	1511	484,277	1273	86.0	82.3-89.7	197	10.2	07.1-13.3	41	3.9	01.5-06.3
Less Than H.S.	535	423,684	341	62.3	53.5-71.1	165	32.1	23.5-40.7	29	5.5	00.8-10.2
H.S. or G.E.D.	1389	817,022	1056	70.6	64.5-76.7	290	25.9	19.8-32.0	43	3.5	01.7-05.3
Some Post-H.S.	1106	724,426	884	66.4	58.6-74.2	191	29.1	21.5-36.7	31	4.5	00.4-08.6
College Graduate	891	486,560	773	75.7	68.3-83.1	101	21.4	14.1-28.7	17	2.9	00.4-05.4
Less than \$15,000	505	350,040	267	34.7	25.3-44.1	213	59.1	48.7-69.5	25	6.2	00.1-12.3
\$15,000- 24,999	922	536,953	669	62.8	54.6-71.0	231	35.4	27.2-43.6	22	1.7	00.7-02.7
\$25,000- 34,999	370	245,364	301	78.6	68.6-88.6	60	19.5	09.5-29.5	9	1.9	00.0-04.1
\$35,000- 49,999	375	249,338	333	74.0	62.8-85.2	38	25.3	13.9-36.7	4	0.7	00.0-01.5
\$50,000- 74,999	334	242,203	306	87.6	79.8-95.4	26	9.8	02.7-16.9	2	2.6	00.0-06.9
\$75,000+	449	328,431	422	87.5	78.9-96.1	20	8.3	01.6-15.0	7	4.2	00.0-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5914	4,876,195	1837	48.1	45.4-50.8	4077	51.9	49.2-54.6
White/Non-Hisp	4927	3,801,104	1554	47.5	44.6-50.4	3373	52.5	49.6-55.4
Black or Afr. Am./Non-Hisp	726	742,090	185	48.2	40.2-56.2	541	51.8	43.8-59.8
Oth. Race/Non-Hisp.	76	97,451	32	69.6	48.4-90.8	44	30.4	09.2-51.6
MultiRacial/Non-Hisp.	72	82,759	22	53.9	31.9-75.9	50	46.1	24.1-68.1
Hispanic	77	138,007	26	45.4	23.6-67.2	51	54.6	32.8-76.4
18-24	144	589,614	57	51.1	39.1-63.1	87	48.9	36.9-60.9
25-34	402	838,963	122	50.4	42.4-58.4	280	49.6	41.6-57.6
35-44	633	859,620	198	49.7	43.0-56.4	435	50.3	43.6-57.0
45-54	1013	913,018	336	48.8	43.5-54.1	677	51.2	45.9-56.5
55-64	1453	765,312	479	47.9	42.4-53.4	974	52.1	46.6-57.6
65+	2217	884,101	634	42.4	38.5-46.3	1583	57.6	53.7-61.5
Less Than H.S.	787	846,696	230	47.5	40.8-54.2	557	52.5	45.8-59.2
H.S. or G.E.D.	2013	1,640,602	573	48.3	43.6-53.0	1440	51.7	47.0-56.4
Some Post-H.S.	1632	1,364,820	488	45.8	40.1-51.5	1144	54.2	48.5-59.9
College Graduate	1459	1,014,754	543	51.6	45.9-57.3	916	48.4	42.7-54.1
Less than \$15,000	705	613,839	183	41.2	32.0-50.4	522	58.8	49.6-68.0
\$15,000- 24,999	1296	950,445	357	43.0	36.7-49.3	939	57.0	50.7-63.3
\$25,000- 34,999	553	465,911	179	46.9	38.1-55.7	374	53.1	44.3-61.9
\$35,000- 49,999	587	522,082	208	52.0	43.6-60.4	379	48.0	39.6-56.4
\$50,000- 74,999	539	526,653	202	53.5	45.5-61.5	337	46.5	38.5-54.5
\$75,000+	773	752,592	321	56.3	50.0-62.6	452	43.7	37.4-50.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	793	1,114,568	26	3.7	01.0-06.4	767	96.3	93.6-99.0
White/Non-Hisp	592	787,666	19	2.0	00.6-03.4	573	98.0	96.6-99.4
Black or Afr. Am./Non-Hisp	152	218,591	5	6.2	00.0-15.4	147	93.8	84.6-0100
18-24	84	274,399	5	4.4	00.0-11.8	79	95.6	88.2-0100
25-34	278	413,384	18	6.6	00.9-12.3	260	93.4	87.7-99.1
35-44	431	426,785	3	0.3	00.0-00.7	428	99.7	99.3-0100
Less Than H.S.	57	130,972	1	8.3	00.0-23.6	56	91.7	76.4-0100
H.S. or G.E.D.	231	317,978	7	1.3	00.1-02.5	224	98.7	97.5-99.9
Some Post-H.S.	241	361,867	8	4.6	00.0-10.3	233	95.4	89.7-0100
College Graduate	262	302,988	10	3.0	00.0-06.3	252	97.0	93.7-0100
Less than \$15,000	90	190,903	4	11.7	00.0-26.0	86	88.3	74.0-0100
\$15,000- 24,999	165	228,082	7	2.6	00.1-05.1	158	97.4	94.9-99.9
\$25,000- 34,999	78	107,017	2	1.5	00.0-03.7	76	98.5	96.3-0100
\$35,000- 49,999	91	117,778	4	1.3	00.0-02.7	87	98.7	97.3-0100
\$50,000- 74,999	96	110,320	3	1.5	00.0-03.5	93	98.5	96.5-0100
\$75,000+	141	171,509	2	3.3	00.0-08.8	139	96.7	91.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)	
1	MALES AND FEMALES	168
2	MALES ONLY	169
3	FEMALES ONLY	170
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4	MALES AND FEMALES	171
5	MALES ONLY	172
6	FEMALES ONLY	173
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7	MALES AND FEMALES	174
8	MALES ONLY	175
9	FEMALES ONLY	176
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10	MALES AND FEMALES	177
11	MALES ONLY	178
12	FEMALES ONLY	179
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13	MALES AND FEMALES	180
14	MALES ONLY	181
15	FEMALES ONLY	182
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16	MALES AND FEMALES	183
17	MALES ONLY	184
18	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5473	4,532,075	1292	19.4	17.4-21.4	951	18.9	16.5-21.3	1265	25.1	22.6-27.6	1965	36.6	33.9-39.3
Male	1697	2,162,110	406	19.6	16.5-22.7	304	18.9	15.4-22.4	444	26.8	22.9-30.7	543	34.7	30.4-39.0
Female	3776	2,369,965	886	19.2	16.7-21.7	647	18.9	15.8-22.0	821	23.5	20.4-26.6	1422	38.4	34.9-41.9
White/Non-Hisp	4575	3,579,371	1048	18.6	16.4-20.8	785	18.8	16.3-21.3	1034	24.4	21.7-27.1	1708	38.2	35.3-41.1
Black or Afr. Am./Non-Hisp	657	636,407	194	23.3	17.0-29.6	124	18.3	12.2-24.4	165	31.6	23.4-39.8	174	26.8	19.2-34.4
Oth. Race/Non-Hisp.	72	96,560	19	32.2	09.3-55.1	14	21.7	02.3-41.1	10	14.5	00.0-30.0	29	31.6	09.1-54.1
MultiRacial/Non-Hisp.	67	80,098	15	15.9	00.6-31.2	10	21.1	00.0-42.5	22	23.5	04.3-42.7	20	39.5	17.5-61.5
Hispanic	72	126,941	11	13.3	00.0-29.0	11	21.0	00.0-42.0	26	22.4	09.5-35.3	24	43.3	19.6-67.0
18-24	130	545,943	29	18.3	08.7-27.9	43	30.3	18.9-41.7	34	27.7	16.5-38.9	24	23.7	12.9-34.5
25-34	384	791,458	86	18.5	12.6-24.4	92	27.1	19.7-34.5	96	22.9	16.0-29.8	110	31.5	23.7-39.3
35-44	596	790,123	108	17.8	13.1-22.5	120	18.0	12.9-23.1	155	24.3	18.6-30.0	213	39.9	33.0-46.8
45-54	953	863,014	189	14.8	11.9-17.7	180	17.0	13.3-20.7	250	26.9	22.0-31.8	334	41.2	35.5-46.9
55-64	1368	716,524	300	20.7	16.4-25.0	201	12.2	09.5-14.9	346	28.1	22.6-33.6	521	39.0	33.5-44.5
65+	2001	803,319	572	26.3	23.0-29.6	311	12.3	10.3-14.3	374	21.3	17.8-24.8	744	40.1	36.0-44.2
Less Than H.S.	685	748,639	152	19.5	14.4-24.6	91	14.0	08.7-19.3	122	19.5	13.6-25.4	320	47.0	39.9-54.1
H.S. or G.E.D.	1860	1,527,242	421	18.8	15.3-22.3	324	19.8	15.9-23.7	391	24.3	20.2-28.4	724	37.0	32.5-41.5
Some Post-H.S.	1537	1,291,892	383	19.4	15.5-23.3	289	18.3	14.0-22.6	362	25.6	20.3-30.9	503	36.8	31.1-42.5
College Graduate	1381	960,037	335	20.2	15.9-24.5	245	22.1	17.0-27.2	389	30.0	24.7-35.3	412	27.7	22.6-32.8
Less than \$15,000	646	589,071	134	16.7	10.4-23.0	99	14.4	08.1-20.7	137	26.6	17.6-35.6	276	42.3	32.9-51.7
\$15,000- 24,999	1221	889,847	310	22.4	17.1-27.7	238	20.8	15.5-26.1	223	18.5	13.8-23.2	450	38.4	32.3-44.5
\$25,000- 34,999	518	439,429	109	16.0	10.5-21.5	98	19.6	12.5-26.7	122	20.4	13.5-27.3	189	44.0	35.0-53.0
\$35,000- 49,999	564	508,147	133	18.0	12.3-23.7	113	22.5	14.5-30.5	143	26.6	19.2-34.0	175	32.8	24.8-40.8
\$50,000- 74,999	512	480,440	118	18.4	12.7-24.1	80	17.8	11.1-24.5	148	32.0	24.2-39.8	166	31.8	24.2-39.4
\$75,000+	743	722,302	175	20.2	15.5-24.9	119	18.1	12.8-23.4	202	24.7	19.2-30.2	247	36.9	30.2-43.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	2,162,110	406	19.6	16.5-22.7	304	18.9	15.4-22.4	444	26.8	22.9-30.7	543	34.7	30.4-39.0
White/Non-Hisp	1441	1,683,405	347	20.4	16.9-23.9	261	19.6	15.7-23.5	367	25.0	20.9-29.1	466	35.0	30.5-39.5
Black or Afr. Am./Non-Hisp	165	307,018	42	16.6	08.6-24.6	28	13.7	06.3-21.1	52	41.4	27.5-55.3	43	28.3	15.4-41.2
18-24	53	275,052	10	16.7	04.4-29.0	18	26.5	12.4-40.6	16	33.3	17.0-49.6	9	23.5	08.6-38.4
25-34	114	388,121	30	19.6	10.4-28.8	30	27.0	15.4-38.6	31	24.8	13.6-36.0	23	28.6	15.9-41.3
35-44	181	392,071	38	20.5	12.3-28.7	29	15.2	07.9-22.5	51	25.5	16.3-34.7	63	38.8	28.2-49.4
45-54	315	415,426	55	12.5	08.2-16.8	68	19.8	13.3-26.3	91	28.7	20.9-36.5	101	38.9	30.3-47.5
55-64	446	336,953	99	21.3	14.6-28.0	67	14.4	09.3-19.5	133	28.2	20.4-36.0	147	36.1	28.1-44.1
65+	578	347,226	171	27.3	21.0-33.6	91	11.7	08.4-15.0	122	22.4	16.5-28.3	194	38.6	31.3-45.9
Less Than H.S.	199	342,417	48	19.7	11.9-27.5	28	11.0	05.5-16.5	36	20.0	10.4-29.6	87	49.2	37.8-60.6
H.S. or G.E.D.	530	751,705	107	14.1	09.2-19.0	94	20.9	14.4-27.4	135	28.5	21.6-35.4	194	36.5	29.4-43.6
Some Post-H.S.	458	573,022	117	21.8	15.1-28.5	87	17.4	10.7-24.1	111	25.8	17.6-34.0	143	35.1	26.1-44.1
College Graduate	507	492,283	134	25.3	18.0-32.6	95	23.2	15.9-30.5	161	30.3	22.7-37.9	117	21.2	14.3-28.1
Less than \$15,000	170	241,916	34	12.0	04.7-19.3	25	9.7	03.8-15.6	40	34.9	18.6-51.2	71	43.5	27.8-59.2
\$15,000- 24,999	337	386,708	79	22.2	13.6-30.8	60	21.4	12.8-30.0	69	18.7	11.8-25.6	129	37.8	28.4-47.2
\$25,000- 34,999	169	202,668	32	16.0	06.0-26.0	38	19.7	09.5-29.9	39	15.2	08.1-22.3	60	49.1	35.4-62.8
\$35,000- 49,999	197	261,512	47	15.2	07.4-23.0	38	22.0	09.5-34.5	54	28.0	15.7-40.3	58	34.8	21.7-47.9
\$50,000- 74,999	187	254,612	45	19.0	09.6-28.4	28	19.4	08.8-30.0	58	34.9	22.7-47.1	56	26.6	16.0-37.2
\$75,000+	305	399,025	84	22.9	15.6-30.2	57	22.7	14.5-30.9	91	23.8	16.7-30.9	73	30.5	21.1-39.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3776	2,369,965	886	19.2	16.7-21.7	647	18.9	15.8-22.0	821	23.5	20.4-26.6	1422	38.4	34.9-41.9
White/Non-Hisp	3134	1,895,967	701	17.1	14.6-19.6	524	18.1	14.8-21.4	667	23.8	20.3-27.3	1242	41.0	37.1-44.9
Black or Afr. Am./Non-Hisp	492	329,389	152	29.5	20.5-38.5	96	22.6	13.8-31.4	113	22.5	14.7-30.3	131	25.4	16.8-34.0
Hispanic	50	75,197	11	22.5	00.0-48.0	8	30.3	00.0-61.9	13	9.8	01.4-18.2	18	37.4	07.4-67.4
18-24	77	270,890	19	19.8	05.3-34.3	25	34.2	16.8-51.6	18	22.0	06.7-37.3	15	24.0	08.5-39.5
25-34	270	403,337	56	17.5	10.2-24.8	62	27.2	17.8-36.6	65	21.0	13.0-29.0	87	34.3	25.1-43.5
35-44	415	398,051	70	15.2	10.3-20.1	91	20.7	13.4-28.0	104	23.1	16.4-29.8	150	41.1	32.5-49.7
45-54	638	447,588	134	16.8	12.7-20.9	112	14.5	10.4-18.6	159	25.3	19.2-31.4	233	43.4	36.1-50.7
55-64	922	379,572	201	20.2	14.5-25.9	134	10.3	07.8-12.8	213	27.9	20.1-35.7	374	41.6	34.0-49.2
65+	1423	456,092	401	25.6	21.9-29.3	220	12.7	10.3-15.1	252	20.5	16.2-24.8	550	41.2	36.3-46.1
Less Than H.S.	486	406,222	104	19.3	12.4-26.2	63	16.5	08.1-24.9	86	19.0	11.7-26.3	233	45.1	36.5-53.7
H.S. or G.E.D.	1330	775,537	314	23.4	18.3-28.5	230	18.8	13.9-23.7	256	20.3	16.0-24.6	530	37.4	31.7-43.1
Some Post-H.S.	1079	718,871	266	17.5	12.8-22.2	202	19.0	13.1-24.9	251	25.5	18.6-32.4	360	38.1	30.7-45.5
College Graduate	874	467,754	201	14.8	11.1-18.5	150	21.0	13.7-28.3	228	29.6	22.3-36.9	295	34.6	27.2-42.0
Less than \$15,000	476	347,155	100	20.1	10.9-29.3	74	17.7	08.1-27.3	97	20.7	11.1-30.3	205	41.5	29.9-53.1
\$15,000- 24,999	884	503,139	231	22.5	15.6-29.4	178	20.3	13.6-27.0	154	18.3	12.0-24.6	321	38.8	30.8-46.8
\$25,000- 34,999	349	236,761	77	15.9	10.4-21.4	60	19.5	09.7-29.3	83	24.8	14.0-35.6	129	39.7	28.3-51.1
\$35,000- 49,999	367	246,635	86	21.0	12.8-29.2	75	23.1	13.5-32.7	89	25.2	16.8-33.6	117	30.6	21.8-39.4
\$50,000- 74,999	325	225,827	73	17.8	11.5-24.1	52	15.9	08.3-23.5	90	28.6	19.0-38.2	110	37.7	27.1-48.3
\$75,000+	438	323,277	91	16.9	11.4-22.4	62	12.5	07.0-18.0	111	25.8	17.2-34.4	174	44.8	35.6-54.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5513	4,511,188	2262	35.4	32.9-37.9	1567	31.2	28.5-33.9	1402	28.2	25.7-30.7	282	5.2	03.8-06.6
Male	1703	2,154,414	587	29.3	25.6-33.0	503	32.7	28.4-37.0	513	31.7	27.4-36.0	100	6.3	04.3-08.3
Female	3810	2,356,774	1675	40.9	37.4-44.4	1064	29.8	26.5-33.1	889	25.0	21.9-28.1	182	4.3	02.5-06.1
White/Non-Hisp	4608	3,573,167	1918	36.0	33.1-38.9	1299	31.4	28.5-34.3	1159	27.6	24.9-30.3	232	5.0	03.6-06.4
Black or Afr. Am./Non-Hisp	665	636,619	241	28.5	22.0-35.0	212	31.4	24.0-38.8	176	33.9	25.5-42.3	36	6.2	01.5-10.9
Oth. Race/Non-Hisp.	72	95,526	39	61.6	38.3-84.9	17	18.7	03.0-34.4	13	19.1	00.0-40.3	3	0.7	00.0-01.5
MultiRacial/Non-Hisp.	67	66,398	28	32.9	12.9-52.9	13	26.3	02.8-49.8	24	26.3	08.9-43.7	2	14.5	00.0-33.5
Hispanic	72	126,941	22	31.8	09.5-54.1	21	37.6	14.3-60.9	24	26.2	07.8-44.6	5	4.4	00.0-09.5
18-24	133	537,726	45	27.3	16.3-38.3	51	40.9	28.7-53.1	32	27.2	15.8-38.6	5	4.6	00.0-10.3
25-34	380	775,916	149	36.9	29.3-44.5	128	33.2	25.4-41.0	92	23.6	16.3-30.9	11	6.3	01.6-11.0
35-44	598	795,596	223	35.8	29.1-42.5	182	29.3	23.4-35.2	168	31.1	24.6-37.6	25	3.7	01.2-06.2
45-54	960	858,775	343	32.4	27.5-37.3	278	33.5	28.0-39.0	274	27.0	22.3-31.7	65	7.0	04.3-09.7
55-64	1380	713,750	536	33.8	28.9-38.7	371	26.7	21.6-31.8	395	35.1	29.4-40.8	78	4.4	02.4-06.4
65+	2023	808,320	945	43.3	39.4-47.2	553	26.7	23.4-30.0	429	25.1	21.0-29.2	96	5.0	03.2-06.8
Less Than H.S.	689	750,218	246	31.5	25.0-38.0	195	29.9	23.2-36.6	176	29.8	23.1-36.5	72	8.8	05.1-12.5
H.S. or G.E.D.	1865	1,513,366	681	31.3	27.2-35.4	545	33.0	28.5-37.5	519	29.9	25.6-34.2	120	5.8	03.4-08.2
Some Post-H.S.	1548	1,289,029	689	37.6	32.3-42.9	450	30.6	25.1-36.1	342	26.5	21.0-32.0	67	5.3	02.4-08.2
College Graduate	1398	951,909	643	41.9	36.2-47.6	374	30.2	24.7-35.7	360	26.3	21.2-31.4	21	1.6	00.4-02.8
Less than \$15,000	653	590,604	220	25.2	17.6-32.8	171	30.9	22.3-39.5	203	36.7	27.3-46.1	59	7.1	02.6-11.6
\$15,000- 24,999	1223	889,083	469	36.0	29.9-42.1	390	30.1	24.2-36.0	271	26.4	20.9-31.9	93	7.5	04.4-10.6
\$25,000- 34,999	523	440,365	201	38.2	29.4-47.0	152	30.9	22.9-38.9	144	23.2	16.1-30.3	26	7.7	02.6-12.8
\$35,000- 49,999	568	507,747	235	34.7	26.9-42.5	181	36.0	27.4-44.6	138	26.8	19.2-34.4	14	2.5	00.1-04.9
\$50,000- 74,999	515	474,814	229	40.5	32.7-48.3	130	26.4	19.1-33.7	144	31.5	23.3-39.7	12	1.6	00.4-02.8
\$75,000+	750	724,767	343	41.9	35.4-48.4	204	30.1	23.8-36.4	189	25.6	19.5-31.7	14	2.4	00.2-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1703	2,154,414	587	29.3	25.6-33.0	503	32.7	28.4-37.0	513	31.7	27.4-36.0	100	6.3	04.3-08.3
White/Non-Hisp	1442	1,672,999	505	30.1	25.8-34.4	423	33.4	28.7-38.1	434	30.8	26.3-35.3	80	5.7	03.7-07.7
Black or Afr. Am./Non-Hisp	171	310,985	50	25.7	15.5-35.9	54	29.8	17.8-41.8	55	36.7	23.0-50.4	12	7.8	00.0-16.0
18-24	54	276,166	14	21.0	07.7-34.3	25	47.3	30.4-64.2	14	31.2	15.1-47.3	1	0.5	00.0-01.5
25-34	109	380,315	36	27.6	16.4-38.8	36	32.0	19.5-44.5	30	30.6	17.9-43.3	7	9.8	01.8-17.8
35-44	183	392,661	49	29.4	19.4-39.4	61	27.5	18.9-36.1	63	39.4	28.8-50.0	10	3.7	00.6-06.8
45-54	316	417,136	86	24.3	17.8-30.8	89	36.6	27.8-45.4	109	28.7	21.4-36.0	32	10.4	05.3-15.5
55-64	452	333,513	148	30.1	23.0-37.2	123	30.3	22.5-38.1	156	34.0	26.0-42.0	25	5.6	01.9-09.3
65+	580	347,457	248	42.0	35.1-48.9	167	25.5	20.0-31.0	140	26.9	19.5-34.3	25	5.6	01.9-09.3
Less Than H.S.	200	339,517	64	28.1	18.3-37.9	57	29.9	19.1-40.7	56	32.1	20.9-43.3	23	10.0	04.5-15.5
H.S. or G.E.D.	525	748,527	154	27.1	20.2-34.0	158	32.4	25.3-39.5	173	32.3	25.4-39.2	40	8.3	03.8-12.8
Some Post-H.S.	461	574,634	180	29.6	22.5-36.7	139	33.1	24.3-41.9	118	32.8	23.6-42.0	24	4.4	01.1-07.7
College Graduate	514	489,052	187	33.1	25.5-40.7	149	34.7	26.5-42.9	165	29.5	21.7-37.3	13	2.7	00.5-04.9
Less than \$15,000	172	240,560	49	11.9	06.2-17.6	47	32.6	18.3-46.9	54	48.2	32.3-64.1	22	7.3	01.8-12.8
\$15,000- 24,999	337	386,333	120	40.2	30.0-50.4	94	24.4	16.0-32.8	90	25.9	18.1-33.7	33	9.4	04.7-14.1
\$25,000- 34,999	168	202,182	55	33.7	20.2-47.2	56	38.7	25.0-52.4	49	18.8	10.4-27.2	8	8.9	00.9-16.9
\$35,000- 49,999	199	261,050	59	22.2	12.2-32.2	68	40.9	26.8-55.0	63	32.7	19.6-45.8	9	4.3	00.0-08.8
\$50,000- 74,999	192	256,876	79	38.1	26.7-49.5	53	28.7	17.3-40.1	54	31.8	19.5-44.1	6	1.4	00.0-03.0
\$75,000+	307	400,327	106	30.8	22.6-39.0	87	33.0	24.2-41.8	106	32.4	23.4-41.4	8	3.8	00.1-07.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3810	2,356,774	1675	40.9	37.4-44.4	1064	29.8	26.5-33.1	889	25.0	21.9-28.1	182	4.3	02.5-06.1
White/Non-Hisp	3166	1,900,168	1413	41.2	37.5-44.9	876	29.5	25.8-33.2	725	24.7	21.2-28.2	152	4.5	02.5-06.5
Black or Afr. Am./Non-Hisp	494	325,633	191	31.1	23.3-38.9	158	33.0	24.0-42.0	121	31.2	21.0-41.4	24	4.7	00.0-09.6
Hispanic	50	75,197	20	52.8	21.8-83.8	13	35.9	04.9-66.9	15	10.6	01.0-20.2	2	0.7	00.0-01.9
18-24	79	261,560	31	34.0	16.8-51.2	26	34.0	16.6-51.4	18	23.0	07.3-38.7	4	9.0	00.0-20.6
25-34	271	395,601	113	45.8	35.8-55.8	92	34.3	24.7-43.9	62	16.9	10.2-23.6	4	3.0	00.0-07.7
35-44	415	402,935	174	42.1	33.7-50.5	121	31.1	23.1-39.1	105	23.1	16.2-30.0	15	3.8	00.0-07.9
45-54	644	441,639	257	40.0	33.1-46.9	189	30.6	23.9-37.3	165	25.5	19.4-31.6	33	3.9	01.7-06.1
55-64	928	380,238	388	37.0	30.1-43.9	248	23.6	17.3-29.9	239	36.1	27.9-44.3	53	3.3	02.1-04.5
65+	1443	460,863	697	44.2	39.7-48.7	386	27.6	23.9-31.3	289	23.7	19.0-28.4	71	4.6	03.2-06.0
Less Than H.S.	489	410,700	182	34.3	25.9-42.7	138	30.0	21.8-38.2	120	28.0	20.0-36.0	49	7.8	02.9-12.7
H.S. or G.E.D.	1340	764,838	527	35.5	30.4-40.6	387	33.5	27.8-39.2	346	27.6	22.3-32.9	80	3.3	02.1-04.5
Some Post-H.S.	1087	714,394	509	44.1	36.8-51.4	311	28.5	21.8-35.2	224	21.4	15.1-27.7	43	6.0	01.3-10.7
College Graduate	884	462,857	456	51.2	43.4-59.0	225	25.5	18.6-32.4	195	22.9	16.2-29.6	8	0.4	00.0-00.8
Less than \$15,000	481	350,044	171	34.4	23.2-45.6	124	29.7	18.9-40.5	149	28.9	18.7-39.1	37	7.0	00.3-13.7
\$15,000- 24,999	886	502,750	349	32.8	25.7-39.9	296	34.5	26.7-42.3	181	26.7	19.1-34.3	60	6.0	01.5-10.5
\$25,000- 34,999	355	238,183	146	41.9	30.3-53.5	96	24.4	15.8-33.0	95	27.0	16.2-37.8	18	6.7	00.0-13.4
\$35,000- 49,999	369	246,698	176	48.0	37.8-58.2	113	30.9	21.7-40.1	75	20.5	13.1-27.9	5	0.6	00.0-01.2
\$50,000- 74,999	323	217,938	150	43.3	32.9-53.7	77	23.8	15.4-32.2	90	31.2	21.2-41.2	6	1.8	00.0-03.6
\$75,000+	443	324,440	237	55.7	46.5-64.9	117	26.6	18.2-35.0	83	17.1	10.0-24.2	6	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5476	4,513,611	462	7.1	05.7-08.5	2268	39.1	36.4-41.8	2056	40.0	37.3-42.7	690	13.8	11.6-16.0
Male	1698	2,159,633	126	6.3	04.1-08.5	706	40.5	36.2-44.8	675	39.7	35.4-44.0	191	13.5	10.2-16.8
Female	3778	2,353,978	336	7.9	06.1-09.7	1562	37.9	34.4-41.4	1381	40.3	36.8-43.8	499	14.0	11.3-16.7
White/Non-Hisp	4569	3,565,163	391	7.8	06.0-09.6	1971	40.2	37.3-43.1	1689	40.3	37.2-43.4	518	11.7	09.5-13.9
Black or Afr. Am./Non-Hisp	666	641,547	51	3.6	02.0-05.2	220	35.1	27.3-42.9	255	34.2	26.8-41.6	140	27.1	19.1-35.1
Oth. Race/Non-Hisp.	72	95,526	7	10.6	00.0-25.5	30	44.6	20.9-68.3	28	43.5	19.2-67.8	7	1.4	00.0-02.8
MultiRacial/Non-Hisp.	67	71,736	4	6.2	00.0-15.6	17	30.5	09.5-51.5	36	47.8	25.1-70.5	10	15.6	00.0-32.1
Hispanic	72	126,941	7	4.4	00.0-09.1	19	29.2	07.4-51.0	37	55.4	32.1-78.7	9	11.0	00.0-26.9
18-24	132	537,106	12	8.0	01.1-14.9	47	27.7	16.9-38.5	46	43.7	31.2-56.2	27	20.6	10.6-30.6
25-34	379	786,680	30	7.6	03.1-12.1	156	42.1	34.1-50.1	139	34.7	26.9-42.5	54	15.5	09.4-21.6
35-44	597	794,744	41	4.7	02.0-07.4	245	42.8	36.1-49.5	235	40.9	34.2-47.6	76	11.6	06.9-16.3
45-54	954	843,629	93	7.5	05.1-09.9	357	39.2	33.7-44.7	400	42.0	36.7-47.3	104	11.3	07.6-15.0
55-64	1378	723,581	93	6.8	03.7-09.9	559	38.8	33.3-44.3	553	39.9	34.6-45.2	173	14.6	10.1-19.1
65+	1993	805,601	186	8.1	06.5-09.7	890	40.9	37.2-44.6	665	39.4	35.1-43.7	252	11.7	09.2-14.2
Less Than H.S.	689	757,974	70	10.3	06.0-14.6	268	36.8	29.9-43.7	255	42.4	35.3-49.5	96	10.4	06.5-14.3
H.S. or G.E.D.	1858	1,513,570	150	7.3	04.8-09.8	774	40.3	35.6-45.0	684	37.3	32.8-41.8	250	15.1	11.6-18.6
Some Post-H.S.	1536	1,280,583	137	5.6	03.4-07.8	665	38.9	33.4-44.4	540	39.4	33.5-45.3	194	16.0	11.1-20.9
College Graduate	1381	955,069	103	6.4	03.9-08.9	557	39.2	33.5-44.9	571	43.1	37.4-48.8	150	11.3	07.0-15.6
Less than \$15,000	650	593,476	64	5.0	02.8-07.2	208	28.0	20.2-35.8	279	46.5	37.1-55.9	99	20.4	11.8-29.0
\$15,000- 24,999	1211	885,217	112	7.4	03.9-10.9	569	42.3	36.0-48.6	372	36.1	30.0-42.2	158	14.2	09.5-18.9
\$25,000- 34,999	524	442,528	41	8.3	02.6-14.0	209	41.2	32.4-50.0	197	34.9	26.7-43.1	77	15.6	09.1-22.1
\$35,000- 49,999	564	499,434	50	5.4	01.9-08.9	233	46.0	37.2-54.8	222	39.1	30.9-47.3	59	9.5	04.8-14.2
\$50,000- 74,999	511	470,134	36	6.4	02.3-10.5	217	41.8	33.8-49.8	200	42.1	33.9-50.3	58	9.6	05.9-13.3
\$75,000+	746	724,166	66	8.3	05.0-11.6	303	41.3	34.8-47.8	300	38.8	32.3-45.3	77	11.6	06.9-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1698	2,159,633	126	6.3	04.1-08.5	706	40.5	36.2-44.8	675	39.7	35.4-44.0	191	13.5	10.2-16.8
White/Non-Hisp	1436	1,676,695	108	6.7	04.2-09.2	610	41.1	36.4-45.8	572	41.6	36.9-46.3	146	10.6	07.9-13.3
Black or Afr. Am./Non-Hisp	172	312,508	8	2.3	00.5-04.1	67	38.5	25.4-51.6	66	27.3	17.1-37.5	31	32.0	18.1-45.9
18-24	53	275,544	4	9.4	00.0-19.8	24	31.9	16.8-47.0	17	39.5	22.6-56.4	8	19.2	06.1-32.3
25-34	111	384,338	8	7.7	00.6-14.8	52	45.6	32.5-58.7	41	34.2	21.7-46.7	10	12.5	02.7-22.3
35-44	181	390,830	10	4.2	00.1-08.3	72	39.8	29.4-50.2	78	43.7	33.1-54.3	21	12.3	04.5-20.1
45-54	314	415,144	24	4.6	02.1-07.1	117	41.2	32.6-49.8	141	42.7	34.5-50.9	32	11.5	06.2-16.8
55-64	454	342,584	25	6.0	01.9-10.1	176	40.1	31.9-48.3	200	35.7	29.0-42.4	53	18.2	10.6-25.8
65+	575	343,934	54	6.7	04.3-09.1	260	41.9	35.0-48.8	195	42.1	34.7-49.5	66	9.3	06.2-12.4
Less Than H.S.	203	346,124	18	4.3	01.8-06.8	82	44.4	33.0-55.8	76	42.3	30.9-53.7	27	9.1	04.2-14.0
H.S. or G.E.D.	529	748,905	40	8.5	03.4-13.6	211	38.4	31.1-45.7	213	37.4	30.5-44.3	65	15.6	09.7-21.5
Some Post-H.S.	455	571,199	37	5.1	01.8-08.4	210	41.1	32.3-49.9	152	38.8	29.6-48.0	56	15.0	08.1-21.9
College Graduate	508	490,722	31	5.8	02.3-09.3	202	40.0	31.8-48.2	232	42.6	34.6-50.6	43	11.6	04.5-18.7
Less than \$15,000	174	244,624	16	3.8	00.7-06.9	62	26.9	14.6-39.2	70	47.3	31.6-63.0	26	22.0	07.5-36.5
\$15,000- 24,999	333	384,832	33	9.4	02.0-16.8	154	44.2	34.2-54.2	109	33.7	24.7-42.7	37	12.7	05.8-19.6
\$25,000- 34,999	169	202,665	11	11.4	00.0-23.0	76	52.6	39.1-66.1	57	21.2	12.8-29.6	25	14.8	06.2-23.4
\$35,000- 49,999	198	260,224	14	5.2	00.0-11.1	79	48.6	34.7-62.5	86	36.1	23.6-48.6	19	10.0	02.2-17.8
\$50,000- 74,999	189	254,336	13	3.9	01.0-06.8	83	44.5	32.0-57.0	79	46.0	33.3-58.7	14	5.5	01.6-09.4
\$75,000+	305	398,798	17	5.4	01.7-09.1	124	40.7	31.7-49.7	137	41.4	32.2-50.6	27	12.6	05.2-20.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3778	2,353,978	336	7.9	06.1-09.7	1562	37.9	34.4-41.4	1381	40.3	36.8-43.8	499	14.0	11.3-16.7
White/Non-Hisp	3133	1,888,468	283	8.7	06.5-10.9	1361	39.3	35.6-43.0	1117	39.2	35.3-43.1	372	12.7	09.8-15.6
Black or Afr. Am./Non-Hisp	494	329,039	43	4.8	02.3-07.3	153	31.8	22.6-41.0	189	40.9	31.1-50.7	109	22.6	15.2-30.0
Hispanic	50	75,197	4	3.5	00.0-09.6	13	24.6	00.0-50.7	26	55.0	24.0-86.0	7	16.8	00.0-42.3
18-24	79	261,562	8	6.4	00.0-15.0	23	23.2	07.3-39.1	29	48.2	29.8-66.6	19	22.1	06.8-37.4
25-34	268	402,342	22	7.6	01.9-13.3	104	38.8	29.0-48.6	98	35.2	25.8-44.6	44	18.4	10.6-26.2
35-44	416	403,914	31	5.2	01.9-08.5	173	45.7	37.1-54.3	157	38.2	30.0-46.4	55	11.0	05.7-16.3
45-54	640	428,485	69	10.3	06.6-14.0	240	37.2	30.5-43.9	259	41.3	34.6-48.0	72	11.2	06.1-16.3
55-64	924	380,997	68	7.5	02.8-12.2	383	37.6	30.3-44.9	353	43.6	35.8-51.4	120	11.3	06.6-16.0
65+	1418	461,668	132	9.1	06.9-11.3	630	40.0	35.7-44.3	470	37.4	32.3-42.5	186	13.5	10.0-17.0
Less Than H.S.	486	411,850	52	15.3	07.9-22.7	186	30.5	22.5-38.5	179	42.5	33.9-51.1	69	11.6	05.7-17.5
H.S. or G.E.D.	1329	764,666	110	6.0	04.2-07.8	563	42.2	36.5-47.9	471	37.1	31.4-42.8	185	14.6	10.7-18.5
Some Post-H.S.	1081	709,384	100	6.1	03.4-08.8	455	37.2	30.5-43.9	388	39.9	32.5-47.3	138	16.9	10.2-23.6
College Graduate	873	464,346	72	7.0	03.1-10.9	355	38.4	30.8-46.0	339	43.7	35.9-51.5	107	10.9	06.4-15.4
Less than \$15,000	476	348,852	48	5.9	03.0-08.8	146	28.8	18.8-38.8	209	46.0	34.2-57.8	73	19.3	08.7-29.9
\$15,000- 24,999	878	500,385	79	5.9	03.9-07.9	415	40.8	33.0-48.6	263	38.0	29.8-46.2	121	15.4	09.1-21.7
\$25,000- 34,999	355	239,863	30	5.6	02.5-08.7	133	31.6	21.4-41.8	140	46.4	34.8-58.0	52	16.3	06.7-25.9
\$35,000- 49,999	366	239,210	36	5.6	02.1-09.1	154	43.1	32.9-53.3	136	42.4	32.0-52.8	40	9.0	04.1-13.9
\$50,000- 74,999	322	215,798	23	9.4	01.2-17.6	134	38.6	28.8-48.4	121	37.6	28.0-47.2	44	14.4	08.1-20.7
\$75,000+	441	325,368	49	12.0	06.1-17.9	179	42.0	33.0-51.0	163	35.6	26.8-44.4	50	10.4	05.1-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5491	4,518,759	916	15.4	13.4-17.4	2416	43.1	40.4-45.8	1732	32.8	30.1-35.5	427	8.6	06.8-10.4
Male	1704	2,164,126	241	14.7	11.4-18.0	723	43.0	38.7-47.3	581	34.4	30.1-38.7	159	7.9	05.7-10.1
Female	3787	2,354,633	675	16.1	13.6-18.6	1693	43.2	39.5-46.9	1151	31.4	28.1-34.7	268	9.3	06.6-12.0
White/Non-Hisp	4576	3,558,246	752	14.4	12.2-16.6	2024	43.2	40.1-46.3	1416	32.6	29.7-35.5	384	9.8	07.8-11.8
Black or Afr. Am./Non-Hisp	675	653,669	111	14.4	08.7-20.1	315	45.1	36.9-53.3	223	36.9	28.9-44.9	26	3.7	01.0-06.4
Oth. Race/Non-Hisp.	71	95,341	21	36.2	12.5-59.9	27	34.8	12.1-57.5	18	27.4	05.4-49.4	5	1.6	00.0-03.4
MultiRacial/Non-Hisp.	68	72,352	12	18.2	00.4-36.0	23	49.3	26.6-72.0	30	31.6	13.6-49.6	3	1.0	00.0-02.4
Hispanic	72	126,941	16	32.3	10.0-54.6	15	33.0	09.5-56.5	34	23.6	10.3-36.9	7	11.0	00.0-27.7
18-24	134	548,864	27	19.9	10.3-29.5	61	40.5	28.3-52.7	35	28.0	16.8-39.2	11	11.6	03.0-20.2
25-34	382	783,718	69	14.4	08.7-20.1	169	49.1	40.9-57.3	120	32.3	24.5-40.1	24	4.3	01.8-06.8
35-44	602	803,210	101	14.9	10.0-19.8	266	46.6	39.7-53.5	191	29.9	23.8-36.0	44	8.6	04.7-12.5
45-54	948	836,001	159	15.5	11.2-19.8	386	38.6	33.5-43.7	335	37.4	32.1-42.7	68	8.5	05.2-11.8
55-64	1381	720,636	198	12.4	08.9-15.9	588	40.4	34.9-45.9	495	37.6	32.1-43.1	100	9.6	05.7-13.5
65+	2002	804,276	353	16.5	13.8-19.2	927	42.9	39.0-46.8	543	30.2	26.3-34.1	179	10.3	07.0-13.6
Less Than H.S.	685	748,096	101	14.9	09.2-20.6	277	36.6	29.9-43.3	210	32.2	25.9-38.5	97	16.4	10.5-22.3
H.S. or G.E.D.	1861	1,526,598	269	13.9	10.6-17.2	797	42.0	37.3-46.7	614	34.6	30.1-39.1	181	9.5	07.0-12.0
Some Post-H.S.	1544	1,277,070	269	16.0	11.9-20.1	738	44.0	38.3-49.7	447	32.4	26.9-37.9	90	7.5	03.8-11.2
College Graduate	1389	960,580	276	17.7	13.6-21.8	597	48.6	42.9-54.3	459	31.2	26.1-36.3	57	2.5	01.5-03.5
Less than \$15,000	646	589,292	96	13.6	06.7-20.5	238	32.9	24.3-41.5	231	39.5	30.1-48.9	81	14.0	07.5-20.5
\$15,000- 24,999	1222	887,921	184	17.5	12.0-23.0	603	43.0	36.7-49.3	315	27.1	21.8-32.4	120	12.5	07.8-17.2
\$25,000- 34,999	521	437,200	80	11.8	06.7-16.9	223	48.1	39.1-57.1	182	31.2	23.4-39.0	36	8.9	03.4-14.4
\$35,000- 49,999	565	502,114	110	20.8	13.2-28.4	239	43.3	34.7-51.9	183	30.9	23.5-38.3	33	5.1	02.6-07.6
\$50,000- 74,999	517	472,012	93	14.6	10.1-19.1	220	40.1	32.1-48.1	183	39.9	31.7-48.1	21	5.5	00.8-10.2
\$75,000+	751	729,998	148	17.0	12.5-21.5	320	46.4	39.7-53.1	261	32.1	26.2-38.0	22	4.4	00.9-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1704	2,164,126	241	14.7	11.4-18.0	723	43.0	38.7-47.3	581	34.4	30.1-38.7	159	7.9	05.7-10.1
White/Non-Hisp	1444	1,682,709	203	13.8	10.3-17.3	611	43.5	38.8-48.2	486	34.0	29.5-38.5	144	8.8	06.4-11.2
Black or Afr. Am./Non-Hisp	172	311,660	22	16.4	05.6-27.2	79	41.2	28.5-53.9	61	38.9	25.4-52.4	10	3.5	00.6-06.4
18-24	54	276,166	8	18.7	05.0-32.4	26	41.4	24.9-57.9	18	38.3	21.6-55.0	2	1.6	00.0-04.0
25-34	112	383,748	15	12.2	03.4-21.0	51	47.4	34.3-60.5	35	34.2	21.1-47.3	11	6.2	01.5-10.9
35-44	186	397,331	26	13.2	05.6-20.8	78	44.3	33.7-54.9	65	32.3	22.7-41.9	17	10.2	04.1-16.3
45-54	312	411,044	43	13.3	06.8-19.8	118	39.5	31.1-47.9	123	39.2	31.0-47.4	28	8.0	03.9-12.1
55-64	451	339,469	55	15.2	08.5-21.9	177	42.9	34.7-51.1	178	34.3	27.0-41.6	41	7.6	04.1-11.1
65+	579	349,108	92	16.9	11.6-22.2	268	41.8	35.1-48.5	159	28.7	22.4-35.0	60	12.6	05.9-19.3
Less Than H.S.	197	336,060	35	19.0	08.6-29.4	79	39.3	28.1-50.5	46	22.4	13.6-31.2	37	19.3	10.3-28.3
H.S. or G.E.D.	529	751,213	60	11.9	06.4-17.4	205	37.6	30.3-44.9	203	40.7	33.4-48.0	61	9.8	06.1-13.5
Some Post-H.S.	466	578,984	68	15.3	08.8-21.8	226	44.9	36.1-53.7	140	36.8	27.8-45.8	32	3.0	01.4-04.6
College Graduate	509	495,185	78	15.4	09.9-20.9	211	51.3	43.1-59.5	191	30.2	22.8-37.6	29	3.1	01.3-04.9
Less than \$15,000	171	240,320	26	10.5	00.9-20.1	61	29.1	15.8-42.4	58	42.2	26.1-58.3	26	18.2	06.8-29.6
\$15,000- 24,999	335	382,988	53	24.9	14.3-35.5	151	40.9	31.3-50.5	87	25.5	17.5-33.5	44	8.7	04.4-13.0
\$25,000- 34,999	167	198,817	19	10.3	02.5-18.1	71	56.8	43.9-69.7	61	25.8	16.0-35.6	16	7.2	01.7-12.7
\$35,000- 49,999	199	263,339	25	16.2	04.8-27.6	92	47.4	33.7-61.1	65	29.6	17.6-41.6	17	6.8	02.1-11.5
\$50,000- 74,999	195	258,060	30	12.2	05.9-18.5	81	39.2	27.2-51.2	75	44.1	31.6-56.6	9	4.5	00.0-10.0
\$75,000+	306	403,375	40	14.1	07.8-20.4	122	44.9	35.5-54.3	130	36.4	27.6-45.2	14	4.6	00.9-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3787	2,354,633	675	16.1	13.6-18.6	1693	43.2	39.5-46.9	1151	31.4	28.1-34.7	268	9.3	06.6-12.0
White/Non-Hisp	3132	1,875,537	549	15.0	12.6-17.4	1413	42.9	39.0-46.8	930	31.4	27.7-35.1	240	10.8	07.7-13.9
Black or Afr. Am./Non-Hisp	503	342,009	89	12.5	07.8-17.2	236	48.6	38.6-58.6	162	35.0	25.6-44.4	16	3.9	00.0-08.6
Hispanic	50	75,197	14	51.5	20.5-82.5	10	30.2	00.0-61.4	22	16.7	04.0-29.4	4	1.5	00.0-03.9
18-24	80	272,699	19	21.1	07.6-34.6	35	39.6	21.8-57.4	17	17.6	04.1-31.1	9	21.8	05.7-37.9
25-34	270	399,970	54	16.5	09.6-23.4	118	50.7	40.7-60.7	85	30.4	21.6-39.2	13	2.4	00.6-04.2
35-44	416	405,878	75	16.5	10.6-22.4	188	48.9	40.3-57.5	126	27.5	20.2-34.8	27	7.0	02.1-11.9
45-54	636	424,957	116	17.6	12.1-23.1	268	37.7	31.4-44.0	212	35.7	29.0-42.4	40	9.0	03.5-14.5
55-64	930	381,166	143	9.9	07.5-12.3	411	38.3	31.2-45.4	317	40.4	32.6-48.2	59	11.5	04.8-18.2
65+	1423	455,168	261	16.3	13.6-19.0	659	43.7	39.2-48.2	384	31.4	26.5-36.3	119	8.6	06.2-11.0
Less Than H.S.	488	412,036	66	11.6	05.9-17.3	198	34.4	26.6-42.2	164	40.1	31.5-48.7	60	13.9	06.1-21.7
H.S. or G.E.D.	1332	775,384	209	15.7	12.0-19.4	592	46.3	40.4-52.2	411	28.8	23.7-33.9	120	9.2	05.9-12.5
Some Post-H.S.	1078	698,086	201	16.6	11.3-21.9	512	43.4	36.1-50.7	307	28.8	22.1-35.5	58	11.3	04.8-17.8
College Graduate	880	465,395	198	20.1	14.2-26.0	386	45.8	38.0-53.6	268	32.2	25.1-39.3	28	1.8	00.8-02.8
Less than \$15,000	475	348,972	70	15.7	06.5-24.9	177	35.5	24.3-46.7	173	37.7	26.5-48.9	55	11.1	03.3-18.9
\$15,000- 24,999	887	504,933	131	11.9	07.6-16.2	452	44.6	36.6-52.6	228	28.2	21.1-35.3	76	15.3	08.0-22.6
\$25,000- 34,999	354	238,383	61	13.0	06.3-19.7	152	40.9	29.9-51.9	121	35.7	24.3-47.1	20	10.4	01.4-19.4
\$35,000- 49,999	366	238,775	85	25.7	15.5-35.9	147	38.7	28.5-48.9	118	32.4	24.0-40.8	16	3.2	01.0-05.4
\$50,000- 74,999	322	213,952	63	17.5	11.0-24.0	139	41.1	30.9-51.3	108	34.9	25.7-44.1	12	6.6	00.0-14.4
\$75,000+	445	326,623	108	20.6	14.3-26.9	198	48.3	39.1-57.5	131	26.8	19.0-34.6	8	4.3	00.0-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5445	4,478,163	456	7.2	05.8-08.6	2233	35.8	33.1-38.5	2022	40.0	37.3-42.7	734	17.0	14.6-19.4
Male	1679	2,135,356	107	5.0	03.0-07.0	643	34.9	30.8-39.0	662	41.9	37.4-46.4	267	18.1	14.6-21.6
Female	3766	2,342,808	349	9.1	06.9-11.3	1590	36.6	33.3-39.9	1360	38.2	34.7-41.7	467	16.1	13.2-19.0
White/Non-Hisp	4545	3,540,318	370	6.7	05.1-08.3	1906	36.9	34.0-39.8	1679	41.0	37.9-44.1	590	15.3	13.1-17.5
Black or Afr. Am./Non-Hisp	662	635,656	54	4.8	02.8-06.8	246	29.8	22.9-36.7	255	39.6	31.4-47.8	107	25.8	17.6-34.0
Oth. Race/Non-Hisp.	70	91,220	13	23.6	00.7-46.5	29	42.0	17.7-66.3	19	30.8	07.1-54.5	9	3.6	00.3-06.9
MultiRacial/Non-Hisp.	67	71,495	2	1.7	00.0-04.8	25	41.4	18.1-64.7	28	24.0	10.1-37.9	12	32.9	10.2-55.6
Hispanic	71	126,777	14	22.2	02.6-41.8	18	26.5	05.7-47.3	28	29.6	11.0-48.2	11	21.8	00.0-43.9
18-24	131	535,389	15	14.6	05.8-23.4	51	30.2	18.8-41.6	40	31.8	20.0-43.6	25	23.4	12.6-34.2
25-34	384	790,675	31	7.6	03.3-11.9	137	34.5	26.9-42.1	145	41.3	33.1-49.5	71	16.6	10.9-22.3
35-44	597	792,314	51	5.8	03.4-08.2	223	36.0	29.5-42.5	226	39.7	33.0-46.4	97	18.5	13.0-24.0
45-54	943	829,218	64	3.8	02.6-05.0	343	33.2	28.1-38.3	378	43.6	38.1-49.1	158	19.4	14.7-24.1
55-64	1374	717,755	97	4.7	03.3-06.1	534	36.5	31.2-41.8	559	43.5	37.8-49.2	184	15.2	10.7-19.7
65+	1973	790,542	192	8.5	06.7-10.3	926	42.8	38.9-46.7	660	37.3	33.2-41.4	195	11.3	08.0-14.6
Less Than H.S.	676	743,922	49	4.7	02.9-06.5	231	27.9	22.2-33.6	261	47.1	39.8-54.4	135	20.3	14.2-26.4
H.S. or G.E.D.	1841	1,506,721	140	6.1	03.9-08.3	741	37.5	33.0-42.0	671	38.8	34.1-43.5	289	17.6	14.1-21.1
Some Post-H.S.	1533	1,268,269	142	9.0	05.5-12.5	650	32.8	27.9-37.7	552	40.4	34.7-46.1	189	17.8	12.7-22.9
College Graduate	1382	952,584	124	8.4	05.1-11.7	607	43.3	37.6-49.0	534	35.8	30.5-41.1	117	12.4	08.1-16.7
Less than \$15,000	640	584,745	59	11.4	04.9-17.9	208	28.6	20.4-36.8	250	36.8	27.8-45.8	123	23.3	14.9-31.7
\$15,000- 24,999	1206	884,051	111	7.7	04.2-11.2	542	37.8	31.9-43.7	368	34.7	28.4-41.0	185	19.8	14.3-25.3
\$25,000- 34,999	517	436,164	40	6.7	02.8-10.6	214	39.8	31.0-48.6	187	36.0	27.6-44.4	76	17.5	10.6-24.4
\$35,000- 49,999	563	498,763	56	7.2	02.5-11.9	234	38.1	29.9-46.3	208	39.4	31.0-47.8	65	15.2	08.3-22.1
\$50,000- 74,999	514	471,219	41	5.1	02.9-07.3	200	35.2	27.4-43.0	224	48.3	40.1-56.5	49	11.4	06.5-16.3
\$75,000+	752	728,260	60	6.7	03.6-09.8	305	36.7	30.6-42.8	308	39.1	32.6-45.6	79	17.5	11.6-23.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1679	2,135,356	107	5.0	03.0-07.0	643	34.9	30.8-39.0	662	41.9	37.4-46.4	267	18.1	14.6-21.6
White/Non-Hisp	1424	1,663,031	91	5.1	02.9-07.3	550	37.0	32.3-41.7	560	43.2	38.3-48.1	223	14.8	11.7-17.9
Black or Afr. Am./Non-Hisp	167	306,201	7	3.1	00.4-05.8	61	25.3	15.5-35.1	69	40.3	26.8-53.8	30	31.3	17.2-45.4
18-24	53	274,255	5	10.5	00.1-20.9	20	31.9	16.6-47.2	19	38.8	22.1-55.5	9	18.8	05.3-32.3
25-34	112	386,686	7	5.1	00.0-11.0	46	35.3	23.0-47.6	40	42.9	29.8-56.0	19	16.7	07.1-26.3
35-44	183	387,274	12	3.3	01.1-05.5	62	30.6	21.0-40.2	73	41.6	31.0-52.2	36	24.5	14.9-34.1
45-54	307	404,566	9	1.1	00.3-01.9	109	34.1	26.1-42.1	132	45.3	36.7-53.9	57	19.5	12.1-26.9
55-64	446	336,552	19	3.1	01.5-04.7	153	37.7	29.5-45.9	204	45.5	37.3-53.7	70	13.7	09.0-18.4
65+	568	338,763	54	9.0	05.9-12.1	247	39.7	33.0-46.4	193	36.8	29.7-43.9	74	14.6	07.7-21.5
Less Than H.S.	193	333,965	16	4.6	01.9-07.3	62	29.0	19.4-38.6	69	41.1	29.5-52.7	46	25.3	14.1-36.5
H.S. or G.E.D.	520	742,517	31	5.4	01.5-09.3	183	32.6	25.3-39.9	205	43.5	36.1-50.9	101	18.4	13.1-23.7
Some Post-H.S.	458	568,741	36	6.1	02.4-09.8	180	31.1	23.5-38.7	164	45.4	36.2-54.6	78	17.4	10.1-24.7
College Graduate	505	487,449	24	3.6	00.5-06.7	216	46.7	38.3-55.1	223	36.1	28.5-43.7	42	13.6	06.7-20.5
Less than \$15,000	166	236,311	11	2.6	00.6-04.6	53	27.0	14.1-39.9	59	42.1	26.0-58.2	43	28.3	13.0-43.6
\$15,000- 24,999	329	382,053	35	10.3	02.9-17.7	137	39.7	30.1-49.3	99	31.4	22.0-40.8	58	18.6	10.6-26.6
\$25,000- 34,999	163	198,602	6	6.6	00.0-14.2	65	44.8	30.7-58.9	62	31.1	19.7-42.5	30	17.6	08.2-27.0
\$35,000- 49,999	196	257,894	11	2.7	00.3-05.1	74	33.8	20.9-46.7	81	44.7	30.8-58.6	30	18.8	07.2-30.4
\$50,000- 74,999	192	255,132	13	3.0	01.0-05.0	70	33.5	21.9-45.1	91	54.1	41.8-66.4	18	9.4	02.7-16.1
\$75,000+	306	401,498	10	3.3	00.0-07.0	120	35.1	26.5-43.7	135	42.6	33.4-51.8	41	19.1	10.9-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3766	2,342,808	349	9.1	06.9-11.3	1590	36.6	33.3-39.9	1360	38.2	34.7-41.7	467	16.1	13.2-19.0
White/Non-Hisp	3121	1,877,287	279	8.1	05.9-10.3	1356	36.9	33.2-40.6	1119	39.2	35.3-43.1	367	15.8	12.5-19.1
Black or Afr. Am./Non-Hisp	495	329,455	47	6.4	03.5-09.3	185	33.9	24.9-42.9	186	38.9	29.3-48.5	77	20.7	12.1-29.3
18-24	78	261,134	10	19.0	04.7-33.3	31	28.3	11.4-45.2	21	24.4	08.5-40.3	16	28.2	11.5-44.9
25-34	272	403,990	24	10.1	04.0-16.2	91	33.7	24.3-43.1	105	39.8	30.0-49.6	52	16.4	09.9-22.9
35-44	414	405,040	39	8.1	04.2-12.0	161	41.2	32.8-49.6	153	38.0	29.6-46.4	61	12.7	07.2-18.2
45-54	636	424,652	55	6.4	04.0-08.8	234	32.4	26.3-38.5	246	41.9	35.0-48.8	101	19.3	13.4-25.2
55-64	928	381,203	78	6.2	04.2-08.2	381	35.4	28.5-42.3	355	41.8	34.0-49.6	114	16.6	09.5-23.7
65+	1405	451,778	138	8.2	06.0-10.4	679	45.2	40.7-49.7	467	37.7	32.8-42.6	121	8.9	06.4-11.4
Less Than H.S.	483	409,956	33	4.9	02.5-07.3	169	26.9	20.0-33.8	192	52.0	43.4-60.6	89	16.3	10.6-22.0
H.S. or G.E.D.	1321	764,204	109	6.7	04.7-08.7	558	42.2	36.5-47.9	466	34.3	29.0-39.6	188	16.8	12.5-21.1
Some Post-H.S.	1075	699,529	106	11.3	05.8-16.8	470	34.2	27.7-40.7	388	36.3	29.2-43.4	111	18.2	11.1-25.3
College Graduate	877	465,135	100	13.4	07.7-19.1	391	39.8	32.2-47.4	311	35.6	28.2-43.0	75	11.2	06.3-16.1
Less than \$15,000	474	348,434	48	17.3	06.9-27.7	155	29.6	18.8-40.4	191	33.2	23.0-43.4	80	19.9	10.3-29.5
\$15,000- 24,999	877	501,998	76	5.7	03.5-07.9	405	36.3	28.9-43.7	269	37.2	29.0-45.4	127	20.7	13.4-28.0
\$25,000- 34,999	354	237,562	34	6.8	03.5-10.1	149	35.6	25.4-45.8	125	40.1	28.3-51.9	46	17.5	07.7-27.3
\$35,000- 49,999	367	240,869	45	12.0	03.2-20.8	160	42.8	32.8-52.8	127	33.8	25.0-42.6	35	11.3	04.4-18.2
\$50,000- 74,999	322	216,086	28	7.6	03.3-11.9	130	37.2	27.2-47.2	133	41.4	31.4-51.4	31	13.8	06.9-20.7
\$75,000+	446	326,762	50	10.9	05.6-16.2	185	38.7	30.1-47.3	173	34.9	26.5-43.3	38	15.4	06.6-24.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5419	4,489,043	2099	38.3	35.6-41.0	1932	33.2	30.5-35.9	1287	26.6	24.1-29.1	101	1.9	01.1-02.7
Male	1679	2,132,958	591	34.6	30.3-38.9	593	33.6	29.5-37.7	455	29.8	25.7-33.9	40	2.0	01.0-03.0
Female	3740	2,356,085	1508	41.7	38.0-45.4	1339	32.8	29.5-36.1	832	23.7	20.6-26.8	61	1.8	00.6-03.0
White/Non-Hisp	4522	3,540,822	1813	39.5	36.6-42.4	1598	33.7	30.8-36.6	1025	24.9	22.2-27.6	86	1.9	00.9-02.9
Black or Afr. Am./Non-Hisp	660	642,169	192	32.8	24.6-41.0	264	29.9	23.2-36.6	193	34.6	26.4-42.8	11	2.6	00.0-05.3
Oth. Race/Non-Hisp.	70	95,242	24	35.7	12.0-59.4	28	36.0	13.7-58.3	18	28.3	05.6-51.0			
MultiRacial/Non-Hisp.	68	72,352	24	27.5	08.9-46.1	24	41.9	19.8-64.0	19	30.4	08.3-52.5	1	0.1	00.0-00.3
Hispanic	71	126,009	29	38.6	15.5-61.7	13	29.2	05.9-52.5	27	31.1	11.7-50.5	2	1.1	00.0-03.3
18-24	133	538,764	40	32.4	20.6-44.2	56	35.8	23.8-47.8	32	27.5	16.3-38.7	5	4.3	00.0-09.4
25-34	380	780,965	152	41.5	33.3-49.7	140	35.6	27.8-43.4	85	22.5	15.4-29.6	3	0.4	00.0-00.8
35-44	596	797,447	231	39.1	32.4-45.8	204	34.7	28.2-41.2	150	24.3	18.8-29.8	11	1.9	00.0-03.9
45-54	950	849,270	367	37.6	32.1-43.1	315	31.5	26.6-36.4	247	28.9	24.0-33.8	21	2.0	00.6-03.4
55-64	1364	713,853	513	38.8	33.3-44.3	445	26.6	22.1-31.1	376	32.2	26.5-37.9	30	2.4	00.8-04.0
65+	1955	786,844	777	38.1	34.4-41.8	764	35.8	32.1-39.5	385	24.9	20.4-29.4	29	1.3	00.7-01.9
Less Than H.S.	667	737,330	241	35.4	28.5-42.3	232	32.1	25.6-38.6	173	30.9	24.0-37.8	21	1.5	00.5-02.5
H.S. or G.E.D.	1836	1,503,378	683	38.2	33.5-42.9	680	34.8	30.3-39.3	429	24.8	20.9-28.7	44	2.2	01.2-03.2
Some Post-H.S.	1527	1,282,130	582	39.1	33.4-44.8	581	32.0	26.9-37.1	342	26.8	21.3-32.3	22	2.1	00.0-04.3
College Graduate	1378	959,866	589	39.8	34.3-45.3	436	33.1	27.6-38.6	341	25.5	20.4-30.6	12	1.6	00.0-03.4
Less than \$15,000	641	586,358	233	32.6	23.8-41.4	204	29.6	21.4-37.8	184	33.1	23.9-42.3	20	4.7	00.0-09.4
\$15,000- 24,999	1207	881,587	387	39.3	32.8-45.8	548	36.2	30.1-42.3	248	23.1	18.2-28.0	24	1.5	00.7-02.3
\$25,000- 34,999	518	439,130	189	33.7	25.5-41.9	189	39.7	30.9-48.5	129	23.4	15.8-31.0	11	3.2	00.0-06.9
\$35,000- 49,999	557	501,496	236	41.9	33.5-50.3	185	34.3	25.7-42.9	126	21.9	14.6-29.2	10	1.9	00.1-03.7
\$50,000- 74,999	515	481,519	212	37.9	30.1-45.7	152	30.3	22.9-37.7	146	30.7	22.7-38.7	5	1.1	00.0-02.7
\$75,000+	744	724,912	319	36.8	30.5-43.1	228	34.6	28.3-40.9	189	27.3	21.2-33.4	8	1.2	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1679	2,132,958	591	34.6	30.3-38.9	593	33.6	29.5-37.7	455	29.8	25.7-33.9	40	2.0	01.0-03.0
White/Non-Hisp	1423	1,659,624	516	35.3	30.8-39.8	507	36.0	31.3-40.7	367	26.7	22.4-31.0	33	2.0	00.8-03.2
Black or Afr. Am./Non-Hisp	168	304,022	46	35.5	22.0-49.0	59	22.7	12.9-32.5	58	39.3	25.6-53.0	5	2.5	00.0-05.0
18-24	53	266,065	14	27.9	12.4-43.4	19	29.0	14.1-43.9	17	38.6	21.5-55.7	3	4.4	00.0-10.9
25-34	111	380,245	45	39.2	26.3-52.1	40	37.2	24.5-49.9	25	23.4	11.6-35.2	1	0.3	00.0-00.9
35-44	183	395,013	62	33.6	23.6-43.6	61	35.2	25.0-45.4	56	30.3	20.7-39.9	4	0.9	00.0-01.9
45-54	312	409,803	101	30.4	22.2-38.6	101	34.8	26.8-42.8	102	32.8	25.0-40.6	8	2.0	00.0-04.0
55-64	449	335,576	155	37.0	29.2-44.8	143	29.1	21.7-36.5	138	29.6	21.8-37.4	13	4.3	01.2-07.4
65+	562	339,206	210	37.9	31.2-44.6	227	35.0	28.7-41.3	114	26.1	18.3-33.9	11	1.1	00.1-02.1
Less Than H.S.	195	330,196	68	34.9	23.7-46.1	67	32.5	22.1-42.9	52	30.7	19.3-42.1	8	2.0	00.2-03.8
H.S. or G.E.D.	521	734,985	171	35.0	27.6-42.4	186	34.9	27.6-42.2	146	27.3	21.0-33.6	18	2.8	01.0-04.6
Some Post-H.S.	455	572,902	167	34.6	26.2-43.0	175	32.0	24.2-39.8	104	33.0	23.6-42.4	9	0.4	00.0-00.8
College Graduate	505	492,192	184	33.7	26.3-41.1	165	34.5	26.3-42.7	152	29.3	21.5-37.1	4	2.5	00.0-06.0
Less than \$15,000	171	237,166	57	22.8	10.8-34.8	57	24.9	12.7-37.1	48	46.5	30.2-62.8	9	5.7	00.0-13.0
\$15,000- 24,999	328	381,714	105	42.0	31.6-52.4	136	30.6	21.6-39.6	76	25.3	17.3-33.3	11	2.1	00.5-03.7
\$25,000- 34,999	166	201,815	49	30.6	18.1-43.1	67	51.6	38.1-65.1	45	15.3	08.6-22.0	5	2.5	00.0-05.8
\$35,000- 49,999	198	263,044	72	33.1	20.6-45.6	62	39.0	25.3-52.7	59	25.2	13.2-37.2	5	2.7	00.0-05.6
\$50,000- 74,999	191	255,860	79	39.5	27.5-51.5	56	26.2	15.6-36.8	54	34.0	21.5-46.5	2	0.4	00.0-01.0
\$75,000+	305	402,351	107	30.3	22.1-38.5	102	40.0	30.8-49.2	94	28.6	20.4-36.8	2	1.1	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3740	2,356,085	1508	41.7	38.0-45.4	1339	32.8	29.5-36.1	832	23.7	20.6-26.8	61	1.8	00.6-03.0
White/Non-Hisp	3099	1,881,197	1297	43.2	39.3-47.1	1091	31.7	28.0-35.4	658	23.3	20.0-26.6	53	1.8	00.4-03.2
Black or Afr. Am./Non-Hisp	492	338,147	146	30.4	20.6-40.2	205	36.4	27.4-45.4	135	30.4	21.2-39.6	6	2.8	00.0-07.3
Hispanic	50	75,197	24	56.4	26.0-86.8	9	31.5	01.7-61.3	16	12.0	01.6-22.4	1	0.1	00.0-00.3
18-24	80	272,699	26	36.7	19.3-54.1	37	42.4	24.4-60.4	15	16.7	03.4-30.0	2	4.3	00.0-12.3
25-34	269	400,720	107	43.8	33.6-54.0	100	34.1	25.1-43.1	60	21.6	13.6-29.6	2	0.5	00.0-01.1
35-44	413	402,434	169	44.5	35.9-53.1	143	34.2	26.2-42.2	94	18.4	13.1-23.7	7	3.0	00.0-06.9
45-54	638	439,467	266	44.3	37.2-51.4	214	28.5	22.6-34.4	145	25.3	19.2-31.4	13	2.0	00.2-03.8
55-64	915	378,277	358	40.3	32.7-47.9	302	24.4	19.1-29.7	238	34.5	26.5-42.5	17	0.8	00.2-01.4
65+	1393	447,637	567	38.3	34.2-42.4	537	36.4	31.9-40.9	271	23.9	19.0-28.8	18	1.4	00.4-02.4
Less Than H.S.	472	407,134	173	35.9	27.3-44.5	165	31.8	23.4-40.2	121	31.1	22.9-39.3	13	1.2	00.2-02.2
H.S. or G.E.D.	1315	768,393	512	41.2	35.3-47.1	494	34.8	29.3-40.3	283	22.4	17.7-27.1	26	1.6	00.4-02.8
Some Post-H.S.	1072	709,227	415	42.7	35.3-50.1	406	32.0	25.1-38.9	238	21.9	15.8-28.0	13	3.4	00.0-07.1
College Graduate	873	467,673	405	46.1	38.3-53.9	271	31.6	24.2-39.0	189	21.6	15.3-27.9	8	0.6	00.0-01.2
Less than \$15,000	470	349,192	176	39.3	27.5-51.1	147	32.7	21.7-43.7	136	24.0	15.4-32.6	11	4.0	00.0-10.3
\$15,000- 24,999	879	499,873	282	37.2	29.0-45.4	412	40.5	32.5-48.5	172	21.4	15.3-27.5	13	1.0	00.2-01.8
\$25,000- 34,999	352	237,316	140	36.4	25.8-47.0	122	29.5	20.3-38.7	84	30.4	18.4-42.4	6	3.7	00.0-10.2
\$35,000- 49,999	359	238,452	164	51.5	41.1-61.9	123	29.2	20.0-38.4	67	18.3	11.0-25.6	5	1.0	00.0-02.2
\$50,000- 74,999	324	225,659	133	36.1	25.9-46.3	96	35.0	24.6-45.4	92	26.9	18.3-35.5	3	2.0	00.0-05.1
\$75,000+	439	322,561	212	45.0	36.0-54.0	126	27.9	19.9-35.9	95	25.7	16.5-34.9	6	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	188
2	MALES ONLY	189
3	FEMALES ONLY	190
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)	
4	MALES AND FEMALES	191
5	MALES ONLY	192
6	FEMALES ONLY	193
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7	MALES AND FEMALES	194
8	MALES ONLY	195
9	FEMALES ONLY	196
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10	MALES AND FEMALES	197
11	MALES ONLY	198
12	FEMALES ONLY	199
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13	MALES AND FEMALES	200
14	MALES ONLY	201
15	FEMALES ONLY	202

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	203
17	MALES ONLY	204
18	FEMALES ONLY	205
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	206
20	MALES ONLY	207
21	FEMALES ONLY	208
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	209
23	MALES ONLY	210
24	FEMALES ONLY	211
	33	
25	MALES AND FEMALES	212
26	MALES ONLY	213
27	FEMALES ONLY	214
	37	
28	MALES AND FEMALES	215
29	MALES ONLY	216
30	FEMALES ONLY	217

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5606	4,588,172	3416	64.9	62.4-67.4	2190	35.1	32.6-37.6
Male	1736	2,180,654	1135	67.1	63.2-71.0	601	32.9	29.0-36.8
Female	3870	2,407,518	2281	62.8	59.5-66.1	1589	37.2	33.9-40.5
White/Non-Hisp	4680	3,619,089	2855	64.8	62.1-67.5	1825	35.2	32.5-37.9
Black or Afr. Am./Non-Hisp	681	655,711	407	63.2	55.4-71.0	274	36.8	29.0-44.6
Oth. Race/Non-Hisp.	72	95,526	50	80.6	63.9-97.3	22	19.4	02.7-36.1
MultiRacial/Non-Hisp.	69	73,046	45	57.4	35.3-79.5	24	42.6	20.5-64.7
Hispanic	73	131,158	41	67.7	46.3-89.1	32	32.3	10.9-53.7
18-24	136	549,832	94	73.7	62.9-84.5	42	26.3	15.5-37.1
25-34	385	796,480	288	78.4	72.1-84.7	97	21.6	15.3-27.9
35-44	604	802,857	412	65.6	59.1-72.1	192	34.4	27.9-40.9
45-54	962	855,599	598	59.7	54.2-65.2	364	40.3	34.8-45.8
55-64	1394	725,912	833	60.5	55.0-66.0	561	39.5	34.0-45.0
65+	2084	836,783	1164	54.5	50.4-58.6	920	45.5	41.4-49.6
Less Than H.S.	720	768,459	315	43.9	37.0-50.8	405	56.1	49.2-63.0
H.S. or G.E.D.	1906	1,543,976	1026	59.8	55.3-64.3	880	40.2	35.7-44.7
Some Post-H.S.	1559	1,300,753	990	70.5	65.6-75.4	569	29.5	24.6-34.4
College Graduate	1408	968,141	1081	82.2	78.5-85.9	327	17.8	14.1-21.5
Less than \$15,000	669	595,525	338	59.0	50.2-67.8	331	41.0	32.2-49.8
\$15,000- 24,999	1242	901,396	650	55.2	48.9-61.5	592	44.8	38.5-51.1
\$25,000- 34,999	529	444,675	296	55.1	46.3-63.9	233	44.9	36.1-53.7
\$35,000- 49,999	574	509,274	394	72.8	65.7-79.9	180	27.2	20.1-34.3
\$50,000- 74,999	520	488,874	393	75.3	68.4-82.2	127	24.7	17.8-31.6
\$75,000+	751	725,780	599	79.6	74.5-84.7	152	20.4	15.3-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	2,180,654	1135	67.1	63.2-71.0	601	32.9	29.0-36.8
White/Non-Hisp	1470	1,692,488	961	67.6	63.5-71.7	509	32.4	28.3-36.5
Black or Afr. Am./Non-Hisp	175	313,520	114	69.0	57.4-80.6	61	31.0	19.4-42.6
18-24	54	276,166	38	73.8	59.5-88.1	16	26.2	11.9-40.5
25-34	114	392,033	89	84.4	76.2-92.6	25	15.6	07.4-23.8
35-44	185	394,730	122	65.3	55.3-75.3	63	34.7	24.7-44.7
45-54	318	413,049	211	59.8	51.2-68.4	107	40.2	31.6-48.8
55-64	458	343,378	296	62.5	54.5-70.5	162	37.5	29.5-45.5
65+	598	355,439	373	58.0	50.7-65.3	225	42.0	34.7-49.3
Less Than H.S.	209	347,688	91	38.9	28.3-49.5	118	61.1	50.5-71.7
H.S. or G.E.D.	540	756,279	323	66.1	59.4-72.8	217	33.9	27.2-40.6
Some Post-H.S.	465	576,295	310	72.7	65.3-80.1	155	27.3	19.9-34.7
College Graduate	519	497,709	408	81.7	76.2-87.2	111	18.3	12.8-23.8
Less than \$15,000	176	242,006	85	57.8	42.9-72.7	91	42.2	27.3-57.1
\$15,000- 24,999	343	391,303	192	56.2	46.6-65.8	151	43.8	34.2-53.4
\$25,000- 34,999	171	204,339	104	60.2	46.7-73.7	67	39.8	26.3-53.3
\$35,000- 49,999	205	265,380	146	74.9	63.7-86.1	59	25.1	13.9-36.3
\$50,000- 74,999	196	263,457	149	78.6	69.8-87.4	47	21.4	12.6-30.2
\$75,000+	309	400,209	249	78.2	71.1-85.3	60	21.8	14.7-28.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3870	2,407,518	2281	62.8	59.5-66.1	1589	37.2	33.9-40.5
White/Non-Hisp	3210	1,926,601	1894	62.4	58.7-66.1	1316	37.6	33.9-41.3
Black or Afr. Am./Non-Hisp	506	342,191	293	57.8	47.8-67.8	213	42.2	32.2-52.2
Hispanic	50	75,197	26	85.4	74.2-96.6	24	14.6	03.4-25.8
18-24	82	273,666	56	73.6	57.5-89.7	26	26.4	10.3-42.5
25-34	271	404,447	199	72.6	63.8-81.4	72	27.4	18.6-36.2
35-44	419	408,127	290	65.8	57.8-73.8	129	34.2	26.2-42.2
45-54	644	442,550	387	59.6	52.5-66.7	257	40.4	33.3-47.5
55-64	936	382,534	537	58.6	51.2-66.0	399	41.4	34.0-48.8
65+	1486	481,344	791	51.9	47.2-56.6	695	48.1	43.4-52.8
Less Than H.S.	511	420,772	224	48.0	39.4-56.6	287	52.0	43.4-60.6
H.S. or G.E.D.	1366	787,697	703	53.8	48.1-59.5	663	46.2	40.5-51.9
Some Post-H.S.	1094	724,457	680	68.7	62.0-75.4	414	31.3	24.6-38.0
College Graduate	889	470,432	673	82.8	77.5-88.1	216	17.2	11.9-22.5
Less than \$15,000	493	353,518	253	59.8	48.8-70.8	240	40.2	29.2-51.2
\$15,000- 24,999	899	510,093	458	54.5	46.5-62.5	441	45.5	37.5-53.5
\$25,000- 34,999	358	240,336	192	50.7	39.1-62.3	166	49.3	37.7-60.9
\$35,000- 49,999	369	243,895	248	70.5	62.3-78.7	121	29.5	21.3-37.7
\$50,000- 74,999	324	225,417	244	71.4	60.8-82.0	80	28.6	18.0-39.2
\$75,000+	442	325,571	350	81.4	74.0-88.8	92	18.6	11.2-26.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3364	2,919,648	579	24.5	21.2-27.8	2158	55.2	51.5-58.9	115	5.9	03.7-08.1	61	1.7	00.7-02.7	3	0.0	00.0-00.0	448	12.6	10.2-15.0
Male	1115	1,443,362	214	28.1	22.8-33.4	628	44.9	39.6-50.2	75	8.3	05.0-11.6	18	1.6	00.0-03.2	1	0.0	00.0-00.0	179	17.1	12.8-21.4
Female	2249	1,476,286	365	21.0	16.7-25.3	1530	65.3	60.6-70.0	40	3.5	01.0-06.0	43	1.8	00.6-03.0	2	0.1	00.1-00.1	269	8.2	06.4-10.0
White/Non-Hisp	2813	2,317,706	482	23.9	20.2-27.6	1784	56.6	52.7-60.5	98	4.9	02.9-06.9	53	2.0	00.8-03.2	2	0.0	00.0-00.0	394	12.6	10.2-15.0
Black or Afr. Am./Non-Hisp	402	410,243	71	24.5	14.9-34.1	274	52.7	41.9-63.5	12	6.0	00.0-12.1	5	0.7	00.0-01.5	1	0.0	00.0-00.0	39	16.1	07.1-25.1
18-24	90	383,198	41	48.9	34.0-63.8	35	27.1	14.4-39.8	8	13.6	03.2-24.0	2	2.9	00.0-08.4				4	7.4	00.0-15.4
25-34	285	622,373	72	33.1	23.9-42.3	163	44.2	35.0-53.4	10	8.4	02.1-14.7	5	0.8	00.0-01.6				35	13.5	07.0-20.0
35-44	406	517,815	107	22.5	15.8-29.2	233	59.6	51.4-67.8	17	4.5	01.8-07.2	5	0.7	00.0-01.5	1	0.0	00.0-00.0	43	12.5	06.0-19.0
45-54	592	499,256	95	17.4	12.5-22.3	384	63.5	57.2-69.8	17	3.6	01.1-06.1	12	1.4	00.4-02.4	2	0.2	00.0-00.4	82	13.9	09.2-18.6
55-64	818	434,188	101	13.7	08.6-18.8	553	67.8	61.1-74.5	34	2.6	01.4-03.8	22	3.1	00.0-06.8				108	12.8	08.7-16.9
65+	1146	448,284	159	13.0	10.1-15.9	773	67.3	62.8-71.8	29	3.5	00.8-06.2	15	2.0	00.4-03.6				170	14.2	11.3-17.1
Less Than H.S.	307	332,020	34	10.2	05.1-15.3	230	66.5	56.3-76.7	5	7.4	00.0-15.6	1	0.2	00.0-00.6				37	15.7	08.3-23.1
H.S. or G.E.D.	1007	908,981	133	18.1	12.6-23.6	692	61.8	55.3-68.3	22	4.7	01.4-08.0	17	2.9	00.0-05.8	1	0.1	00.0-00.3	142	12.5	08.8-16.2
Some Post-H.S.	975	885,902	154	27.1	20.0-34.2	613	52.0	44.7-59.3	40	6.7	02.6-10.8	19	1.0	00.4-01.6	1	0.0	00.0-00.0	148	13.3	08.2-18.4
College Graduate	1071	790,005	257	35.0	28.3-41.7	621	46.6	40.1-53.1	48	5.8	02.5-09.1	24	1.7	00.7-02.7	1	0.0	00.0-00.0	120	10.8	06.9-14.7
Less than \$15,000	330	329,872	48	30.3	17.2-43.4	238	51.7	38.6-64.8	6	8.0	00.0-16.4	5	0.1	00.0-00.3	1	0.0	00.0-00.0	32	9.8	01.2-18.4
\$15,000- 24,999	638	489,034	85	18.0	10.0-26.0	456	65.8	56.8-74.8	14	2.2	00.6-03.8	13	2.8	00.0-06.3				70	11.2	05.1-17.3
\$25,000- 34,999	294	244,673	41	21.7	10.1-33.3	198	63.1	51.3-74.9	6	4.7	00.0-10.8	4	0.4	00.0-00.8				45	10.1	05.6-14.6
\$35,000- 49,999	388	365,030	69	24.1	14.5-33.7	235	52.2	41.4-63.0	15	4.9	00.0-11.6	9	5.2	00.0-11.1				60	13.6	07.3-19.9
\$50,000- 74,999	385	361,775	65	23.2	13.4-33.0	237	53.2	43.4-63.0	23	6.6	02.5-10.7	5	0.6	00.0-01.2	1	0.2	00.0-00.6	54	16.2	08.9-23.5
\$75,000+	593	572,531	148	34.2	26.6-41.8	319	45.3	38.0-52.6	30	4.5	01.4-07.6	12	1.2	00.2-02.2	1	0.1	00.0-00.3	83	14.7	09.0-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1115	1,443,362	214	28.1	22.8-33.4	628	44.9	39.6-50.2	75	8.3	05.0-11.6	18	1.6	00.0-03.2	1	0.0	00.0-00.0	179	17.1	12.8-21.4
White/Non-Hisp	943	1,127,410	185	28.8	22.9-34.7	527	46.8	40.9-52.7	64	6.5	03.6-09.4	14	1.8	00.0-03.8	1	0.0	00.0-00.0	152	16.0	11.7-20.3
Black or Afr. Am./Non-Hisp	113	215,307	17	20.7	06.4-35.0	67	40.7	24.8-56.6	7	10.7	00.0-22.1	2	0.7	00.0-01.9				20	27.3	11.2-43.4
25-34	89	330,765	33	43.5	29.0-58.0	33	26.4	13.9-38.9	7	9.3	00.5-18.1							16	20.8	09.2-32.4
35-44	119	251,816	36	25.4	14.6-36.2	51	50.1	36.4-63.8	9	6.7	02.0-11.4	2	0.9	00.0-02.5				21	16.9	05.7-28.1
45-54	208	242,191	42	20.5	12.9-28.1	112	54.4	44.4-64.4	13	6.1	01.0-11.2	2	1.0	00.0-02.6	1	0.1	00.0-00.3	38	17.9	09.9-25.9
55-64	290	212,301	38	16.6	08.0-25.2	175	61.6	51.4-71.8	23	3.1	01.5-04.7	7	1.2	00.0-02.4				47	17.5	09.9-25.1
65+	366	201,064	48	11.7	07.2-16.2	243	67.0	59.4-74.6	17	5.8	00.0-11.7	6	2.2	00.2-04.2				52	13.3	08.6-18.0
Less Than H.S.	87	132,624	9	12.7	02.7-22.7	58	57.3	41.0-73.6	2	2.9	00.0-06.8	1	0.6	00.0-01.8				17	26.5	11.0-42.0
H.S. or G.E.D.	315	489,346	46	21.8	13.0-30.6	187	53.8	44.0-63.6	16	6.0	01.9-10.1	5	2.7	00.0-07.0				61	15.7	09.4-22.0
Some Post-H.S.	304	415,150	53	27.1	16.1-38.1	166	38.6	28.6-48.6	27	12.4	04.0-20.8	5	0.9	00.0-02.1				53	20.9	10.9-30.9
College Graduate	406	403,559	105	41.7	31.9-51.5	215	36.2	28.2-44.2	30	8.9	02.6-15.2	7	1.2	00.2-02.2	1	0.1	00.0-00.3	48	11.9	05.6-18.2
Less than \$15,000	84	139,748	11	28.5	06.7-50.3	58	43.0	22.2-63.8	3	10.9	00.0-24.8	1	0.1	00.0-00.3				11	17.5	00.0-36.5
\$15,000- 24,999	184	213,665	30	21.2	08.5-33.9	119	54.8	40.7-68.9	9	4.3	00.8-07.8	2	0.1	00.0-00.3				24	19.5	06.8-32.2
\$25,000- 34,999	104	123,038	20	32.5	14.1-50.9	60	49.2	32.1-66.3	5	9.2	00.0-21.0	1	0.1	00.0-00.3				18	9.1	02.6-15.6
\$35,000- 49,999	143	194,634	27	21.8	08.5-35.1	78	47.5	31.2-63.8	11	8.6	00.0-20.6	4	7.5	00.0-18.3				23	14.6	05.2-24.0
\$50,000- 74,999	145	202,414	25	29.8	14.1-45.5	75	40.5	27.0-54.0	16	9.0	02.3-15.7	3	0.9	00.0-01.9				26	19.7	08.9-30.5
\$75,000+	247	309,457	65	37.4	26.4-48.4	113	34.3	24.9-43.7	20	6.5	00.8-12.2	3	1.0	00.0-02.4	1	0.1	00.0-00.3	45	20.7	11.1-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2249	1,476,286	365	21.0	16.7-25.3	1530	65.3	60.6-70.0	40	3.5	01.0-06.0	43	1.8	00.6-03.0	2	0.1	00.1-00.1	269	8.2	06.4-10.0
White/Non-Hisp	1870	1,190,296	297	19.3	14.8-23.8	1257	65.8	60.7-70.9	34	3.3	00.8-05.8	39	2.1	00.5-03.7	1	0.1	00.0-00.3	242	9.3	07.1-11.5
Black or Afr. Am./Non-Hisp	289	194,937	54	28.7	16.4-41.0	207	66.0	53.7-78.3	5	0.9	00.0-01.9	3	0.6	00.0-01.4	1	0.1	00.0-00.3	19	3.8	01.1-06.5
18-24	53	181,359	24	54.4	32.3-76.5	25	38.3	16.7-59.9	2	6.9	00.0-19.6	1	0.2	00.0-00.6				1	0.2	00.0-00.6
25-34	196	291,608	39	21.3	12.3-30.3	130	64.4	53.0-75.8	3	7.3	00.0-16.5	5	1.7	00.0-03.5				19	5.3	02.6-08.0
35-44	287	265,999	71	19.8	11.8-27.8	182	68.7	59.1-78.3	8	2.5	00.0-05.0	3	0.6	00.0-01.4	1	0.1	00.0-00.3	22	8.4	02.1-14.7
45-54	384	257,065	53	14.4	07.9-20.9	272	72.2	64.4-80.0	4	1.2	00.0-02.6	10	1.7	00.3-03.1	1	0.2	00.0-00.6	44	10.2	05.1-15.3
55-64	528	221,887	63	10.9	05.4-16.4	378	73.7	64.9-82.5	11	2.1	00.3-03.9	15	5.0	00.0-12.1				61	8.3	05.4-11.2
65+	780	247,220	111	14.0	09.9-18.1	530	67.6	62.1-73.1	12	1.6	00.6-02.6	9	1.8	00.0-04.0				118	15.0	11.5-18.5
Less Than H.S.	220	199,396	25	8.5	03.6-13.4	172	72.6	59.7-85.5	3	10.4	00.0-23.3							20	8.6	03.7-13.5
H.S. or G.E.D.	692	419,635	87	13.7	07.6-19.8	505	71.1	63.1-79.1	6	3.3	00.0-08.8	12	3.1	00.0-07.0	1	0.1	00.0-00.3	81	8.6	05.9-11.3
Some Post-H.S.	671	470,752	101	27.0	17.6-36.4	447	63.7	54.5-72.9	13	1.7	00.5-02.9	14	1.0	00.2-01.8	1	0.0	00.0-00.0	95	6.5	04.7-08.3
College Graduate	665	386,446	152	28.1	19.9-36.3	406	57.4	48.6-66.2	18	2.5	00.5-04.5	17	2.3	00.5-04.1				72	9.7	04.8-14.6
Less than \$15,000	246	190,124	37	31.7	15.2-48.2	180	58.0	41.3-74.7	3	5.9	00.0-16.7	4	0.1	00.0-00.3	1	0.1	00.0-00.3	21	4.1	01.4-06.8
\$15,000- 24,999	454	275,368	55	15.5	04.9-26.1	337	74.4	63.2-85.6	5	0.5	00.0-01.1	11	4.8	00.0-10.9				46	4.8	02.6-07.0
\$25,000- 34,999	190	121,635	21	10.8	00.2-21.4	138	77.1	65.3-88.9	1	0.2	00.0-00.6	3	0.7	00.0-01.7				27	11.2	05.1-17.3
\$35,000- 49,999	245	170,396	42	26.6	13.3-39.9	157	57.5	44.2-70.8	4	0.7	00.0-01.5	5	2.6	00.0-05.3				37	12.5	05.6-19.4
\$50,000- 74,999	240	159,361	40	14.9	08.6-21.2	162	69.2	58.4-80.0	7	3.6	00.0-07.7	2	0.2	00.0-00.6	1	0.4	00.0-01.2	28	11.7	02.3-21.1
\$75,000+	346	263,075	83	30.5	20.1-40.9	206	58.2	48.0-68.4	10	2.1	00.5-03.7	9	1.5	00.3-02.7				38	7.7	04.0-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3297	2,897,819	1719	49.9	46.2-53.6	927	27.8	24.5-31.1	471	15.1	12.4-17.8	66	2.3	01.1-03.5	114	4.9	03.1-06.7
Male	1096	1,425,421	536	47.1	41.4-52.8	326	28.9	23.8-34.0	167	15.9	11.8-20.0	25	2.6	00.6-04.6	42	5.4	02.5-08.3
Female	2201	1,472,398	1183	52.5	47.8-57.2	601	26.8	22.5-31.1	304	14.3	10.8-17.8	41	2.0	00.8-03.2	72	4.4	02.2-06.6
White/Non-Hisp	2752	2,282,888	1435	48.7	44.8-52.6	774	28.6	24.9-32.3	394	15.3	12.4-18.2	50	1.8	01.0-02.6	99	5.6	03.4-07.8
Black or Afr. Am./Non-Hisp	398	407,193	217	55.4	44.8-66.0	102	25.0	15.8-34.2	60	15.3	07.1-23.5	10	2.3	00.0-05.2	9	2.0	00.0-04.5
18-24	92	402,552	42	45.8	31.3-60.3	31	31.4	18.1-44.7	12	14.2	04.2-24.2	3	2.2	00.0-05.1	4	6.4	00.0-13.7
25-34	282	616,638	145	47.4	37.8-57.0	77	30.9	21.9-39.9	42	14.0	07.5-20.5	8	3.7	00.0-07.4	10	4.1	00.8-07.4
35-44	406	511,249	213	53.2	44.6-61.8	96	21.6	14.9-28.3	78	20.0	12.7-27.3	9	1.5	00.0-03.1	10	3.7	00.0-08.4
45-54	587	495,876	350	56.5	49.8-63.2	138	25.8	20.1-31.5	74	12.4	08.1-16.7	12	1.1	00.3-01.9	13	4.2	00.5-07.9
55-64	803	427,290	382	44.0	36.7-51.3	231	27.3	20.8-33.8	129	20.2	13.3-27.1	22	2.1	00.9-03.3	39	6.5	02.6-10.4
65+	1101	429,736	574	52.3	47.0-57.6	344	30.3	26.0-34.6	135	10.2	07.8-12.6	11	1.7	00.0-04.1	37	5.5	01.8-09.2
Less Than H.S.	294	318,351	138	53.2	42.6-63.8	104	25.1	18.0-32.2	41	14.1	06.5-21.7	1	0.1	00.0-00.3	10	7.4	00.0-15.0
H.S. or G.E.D.	981	895,756	499	45.8	39.3-52.3	281	28.5	22.6-34.4	148	18.1	12.8-23.4	18	2.0	00.4-03.6	35	5.6	02.1-09.1
Some Post-H.S.	953	891,544	512	51.1	43.8-58.4	264	31.8	24.9-38.7	121	11.7	07.2-16.2	21	1.3	00.5-02.1	35	4.2	01.3-07.1
College Graduate	1066	789,485	568	51.8	45.1-58.5	277	23.7	18.0-29.4	161	15.8	10.9-20.7	26	4.7	01.4-08.0	34	3.9	01.4-06.4
Less than \$15,000	326	347,113	153	49.7	36.4-63.0	113	32.6	20.1-45.1	44	11.4	03.2-19.6	3	1.0	00.0-02.8	13	5.3	00.0-12.4
\$15,000- 24,999	619	478,814	350	53.4	44.6-62.2	165	27.3	19.3-35.3	78	11.8	06.9-16.7	9	2.7	00.0-05.4	17	4.8	00.1-09.5
\$25,000- 34,999	288	241,825	144	39.7	28.9-50.5	86	35.7	24.1-47.3	42	17.2	07.6-26.8	4	0.5	00.0-01.1	12	6.9	00.0-15.1
\$35,000- 49,999	385	364,392	196	44.1	33.5-54.7	110	31.2	21.0-41.4	47	15.3	07.3-23.3	8	1.3	00.1-02.5	24	8.1	02.6-13.6
\$50,000- 74,999	381	361,189	203	55.0	45.4-64.6	100	26.5	17.9-35.1	57	12.6	06.9-18.3	8	1.1	00.0-02.3	13	4.8	00.7-08.9
\$75,000+	586	570,319	309	48.7	41.3-56.1	147	21.9	16.2-27.6	95	19.6	12.9-26.3	16	4.2	00.1-08.3	19	5.6	01.3-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1096	1,425,421	536	47.1	41.4-52.8	326	28.9	23.8-34.0	167	15.9	11.8-20.0	25	2.6	00.6-04.6	42	5.4	02.5-08.3
White/Non-Hisp	929	1,115,797	448	44.5	38.4-50.6	279	31.3	25.6-37.0	143	15.7	11.2-20.2	20	2.1	00.7-03.5	39	6.5	02.8-10.2
Black or Afr. Am./Non-Hisp	110	211,539	64	62.1	45.4-78.8	26	23.0	08.1-37.9	16	14.6	02.8-26.4	3	0.3	00.0-00.7	1	0.0	00.0-00.0
25-34	88	326,266	37	38.1	23.8-52.4	29	37.5	23.0-52.0	15	14.4	04.6-24.2	3	5.1	00.0-12.0	4	4.9	00.0-10.4
35-44	118	249,530	58	49.9	36.6-63.2	31	18.2	09.6-26.8	23	25.0	12.1-37.9	4	1.9	00.0-04.4	2	5.0	00.0-14.4
45-54	206	240,490	118	55.0	44.8-65.2	47	24.1	15.5-32.7	32	16.1	08.3-23.9	3	0.8	00.0-01.8	6	4.1	00.0-09.0
55-64	283	207,992	128	45.0	34.6-55.4	78	31.7	20.9-42.5	53	16.0	10.1-21.9	10	2.5	00.5-04.5	14	4.9	00.0-09.8
65+	358	195,918	176	48.3	39.9-56.7	127	33.5	26.2-40.8	37	9.1	05.4-12.8	3	0.2	00.0-00.4	15	8.9	01.3-16.5
Less Than H.S.	83	123,524	40	49.9	32.8-67.0	28	25.6	13.3-37.9	11	9.7	01.9-17.5				4	14.8	00.0-32.8
H.S. or G.E.D.	308	482,819	138	40.7	31.1-50.3	99	32.3	22.9-41.7	50	18.7	10.7-26.7	7	2.0	00.0-04.2	14	6.3	00.6-12.0
Some Post-H.S.	298	413,168	153	55.8	44.6-67.0	89	28.3	18.3-38.3	43	12.5	05.2-19.8	6	0.7	00.0-01.5	7	2.7	00.0-05.8
College Graduate	404	403,227	203	45.2	35.6-54.8	109	26.1	17.7-34.5	63	18.2	10.8-25.6	12	6.2	00.3-12.1	17	4.2	00.1-08.3
Less than \$15,000	84	138,605	40	52.2	29.5-74.9	29	25.3	06.1-44.5	12	11.3	00.0-23.8	1	2.2	00.0-06.7	2	9.0	00.0-25.3
\$15,000- 24,999	181	209,294	98	56.0	42.1-69.9	47	25.6	13.6-37.6	25	8.8	03.9-13.7	2	1.9	00.0-04.8	9	7.8	00.0-17.8
\$25,000- 34,999	102	122,803	41	35.7	20.0-51.4	39	44.0	26.4-61.6	17	16.1	04.7-27.5	1	0.5	00.0-01.5	4	3.7	00.0-09.0
\$35,000- 49,999	140	193,332	57	37.4	21.1-53.7	46	34.9	19.6-50.2	19	20.0	06.1-33.9	5	1.3	00.0-02.9	13	6.3	00.0-13.0
\$50,000- 74,999	144	202,339	80	51.0	36.3-65.7	41	31.5	17.8-45.2	18	11.5	02.7-20.3	1	0.1	00.0-00.3	4	5.9	00.0-13.0
\$75,000+	244	308,376	119	40.5	30.3-50.7	60	23.3	14.3-32.3	48	23.4	13.2-33.6	10	7.0	00.0-14.4	7	5.8	00.0-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2201	1,472,398	1183	52.5	47.6-57.4	601	26.8	22.5-31.1	304	14.3	10.8-17.8	41	2.0	00.8-03.2	72	4.4	02.2-06.6
White/Non-Hisp	1823	1,167,091	987	52.8	47.5-58.1	495	25.9	21.4-30.4	251	14.9	11.0-18.8	30	1.6	00.6-02.6	60	4.8	02.3-07.3
Black or Afr. Am./Non-Hisp	288	195,654	153	48.2	35.9-60.5	76	27.1	16.5-37.7	44	16.1	04.7-27.5	7	4.4	00.0-10.3	8	4.2	00.0-09.3
18-24	55	200,714	26	41.1	20.3-61.9	20	36.9	16.3-57.5	5	14.4	00.0-29.5	1	0.1	00.0-00.3	3	7.5	00.0-18.1
25-34	194	290,372	108	57.8	46.4-69.2	48	23.5	14.1-32.9	27	13.5	05.5-21.5	5	2.0	00.0-04.0	6	3.2	00.0-06.5
35-44	288	261,719	155	56.3	45.9-66.7	65	24.7	14.9-34.5	55	15.3	09.6-21.0	5	1.2	00.0-02.8	8	2.4	00.2-04.6
45-54	381	255,387	232	57.9	49.3-66.5	91	27.4	19.8-35.0	42	9.0	05.7-12.3	9	1.4	00.2-02.6	7	4.3	00.0-10.0
55-64	520	219,298	254	43.1	32.9-53.3	153	23.2	16.3-30.1	76	24.1	12.5-35.7	12	1.7	00.5-02.9	25	8.0	02.1-13.9
65+	743	233,818	398	55.7	49.2-62.2	217	27.6	22.1-33.1	98	11.1	08.2-14.0	8	3.0	00.0-07.1	22	2.6	01.2-04.0
Less Than H.S.	211	194,827	98	55.4	42.3-68.5	76	24.7	16.1-33.3	30	17.0	05.6-28.4	1	0.2	00.0-00.6	6	2.8	00.0-05.9
H.S. or G.E.D.	673	412,937	361	51.8	43.8-59.8	182	24.0	18.3-29.7	98	17.5	10.6-24.4	11	1.9	00.0-04.3	21	4.8	00.7-08.9
Some Post-H.S.	655	478,376	359	47.0	37.8-56.2	175	34.7	25.3-44.1	78	11.1	05.4-16.8	15	1.8	00.4-03.2	28	5.4	00.7-10.1
College Graduate	662	386,257	365	58.6	50.0-67.2	168	21.2	13.9-28.5	98	13.4	07.5-19.3	14	3.2	00.1-06.3	17	3.6	00.9-06.3
Less than \$15,000	242	208,508	113	48.0	31.7-64.3	84	37.5	21.4-53.6	32	11.5	00.3-22.7	2	0.1	00.0-00.3	11	2.9	00.0-06.4
\$15,000- 24,999	438	269,520	252	51.3	39.7-62.9	118	28.7	17.9-39.5	53	14.2	06.6-21.8	7	3.4	00.0-07.7	8	2.5	00.0-05.2
\$25,000- 34,999	186	119,021	103	43.8	28.9-58.7	47	27.2	14.3-40.1	25	18.2	02.7-33.7	3	0.6	00.0-01.4	8	10.1	00.0-25.4
\$35,000- 49,999	245	171,060	139	51.7	38.6-64.8	64	26.9	14.4-39.4	28	10.0	03.5-16.5	3	1.4	00.0-03.2	11	10.1	01.5-18.7
\$50,000- 74,999	237	158,850	123	60.1	49.7-70.5	59	20.3	12.5-28.1	39	13.8	07.3-20.3	7	2.4	00.0-04.9	9	3.3	00.4-06.2
\$75,000+	342	261,943	190	58.4	48.4-68.4	87	20.2	13.5-26.9	47	15.1	07.5-22.7	6	1.0	00.0-02.0	12	5.4	00.0-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3373	2,936,836	1571	38.9	35.6-42.2	362	13.5	10.8-16.2	11	0.1	00.0-00.3	848	27.0	23.9-30.1	375	13.3	10.8-15.8	206	7.2	05.2-09.2
Male	1113	1,434,684	416	30.5	25.6-35.4	124	15.1	10.8-19.4	2	0.1	00.1-00.1	301	28.3	23.4-33.2	172	17.0	12.5-21.5	98	9.0	05.7-12.3
Female	2260	1,502,153	1155	46.9	42.2-51.6	238	12.0	08.7-15.3	9	0.2	00.0-00.4	547	25.7	21.6-29.8	203	9.7	06.8-12.6	108	5.4	02.9-07.9
White/Non-Hisp	2817	2,316,031	1309	39.9	36.2-43.6	305	12.9	10.0-15.8	9	0.2	00.0-00.4	699	27.4	23.9-30.9	317	12.3	09.8-14.8	178	7.4	05.2-09.6
Black or Afr. Am./Non-Hisp	405	411,024	195	34.9	25.7-44.1	41	13.2	05.8-20.6	1	0.0	00.0-00.0	113	32.1	22.1-42.1	36	14.0	05.2-22.8	19	5.8	00.0-11.7
18-24	93	403,193	30	27.9	15.0-40.8	13	20.4	08.1-32.7				25	24.3	12.3-36.3	19	19.3	07.9-30.7	6	8.1	00.0-16.3
25-34	286	619,519	119	39.9	30.7-49.1	30	10.1	04.4-15.8	2	0.3	00.0-00.7	89	32.8	23.8-41.8	32	9.7	04.0-15.4	14	7.3	01.8-12.8
35-44	407	517,832	183	39.4	31.4-47.4	45	13.3	06.6-20.0	1	0.2	00.0-00.6	123	28.5	20.9-36.1	41	14.2	08.1-20.3	14	4.3	00.6-08.0
45-54	594	500,742	242	34.7	28.6-40.8	84	18.1	12.2-24.0				171	29.0	23.3-34.7	71	10.8	07.1-14.5	26	7.3	03.2-11.4
55-64	820	434,812	391	43.3	36.2-50.4	87	11.1	06.4-15.8	3	0.1	00.0-00.3	187	21.6	15.3-27.9	99	16.7	10.4-23.0	53	7.3	03.2-11.4
65+	1146	446,204	593	47.4	42.5-52.3	101	9.5	06.4-12.6	5	0.2	00.0-00.4	245	23.1	18.6-27.6	111	11.4	06.9-15.9	91	8.3	05.6-11.0
Less Than H.S.	309	333,938	169	46.1	35.9-56.3	12	4.6	00.7-08.5				57	21.0	11.8-30.2	36	14.1	07.4-20.8	35	14.2	06.6-21.8
H.S. or G.E.D.	1008	906,171	485	36.6	30.9-42.3	96	12.1	07.4-16.8	1	0.0	00.0-00.0	234	24.5	19.2-29.8	118	17.5	12.0-23.0	74	9.4	04.9-13.9
Some Post-H.S.	975	901,567	454	36.2	29.5-42.9	105	18.2	11.9-24.5	4	0.1	00.0-00.3	235	27.8	21.3-34.3	123	12.9	08.0-17.8	54	4.8	02.3-07.3
College Graduate	1077	792,421	462	41.6	35.1-48.1	148	13.4	09.1-17.7	6	0.4	00.0-00.8	321	31.6	25.7-37.5	97	8.5	04.6-12.4	43	4.5	01.4-07.6
Less than \$15,000	335	350,906	186	46.5	33.6-59.4	24	9.5	01.7-17.3	1	0.0	00.0-00.0	71	25.0	13.2-36.8	22	8.8	00.8-16.8	31	10.1	02.3-17.9
\$15,000- 24,999	640	490,179	321	40.6	32.4-48.8	48	8.1	02.4-13.8	1	0.0	00.0-00.0	123	22.6	15.7-29.5	110	20.9	13.3-28.5	37	7.8	02.5-13.1
\$25,000- 34,999	294	244,721	137	38.9	27.9-49.9	31	11.6	03.0-20.2				76	32.4	20.8-44.0	30	12.0	04.6-19.4	20	5.1	01.8-08.4
\$35,000- 49,999	391	366,645	172	35.6	26.2-45.0	43	11.5	04.4-18.6	1	0.1	00.0-00.3	112	31.0	21.2-40.8	44	17.4	07.2-27.6	19	4.6	00.5-08.7
\$50,000- 74,999	386	358,741	175	41.8	32.4-51.2	57	22.2	12.6-31.8	2	0.1	00.1-00.1	90	21.8	13.8-29.8	47	11.4	06.5-16.3	15	2.7	00.9-04.5
\$75,000+	595	573,702	229	37.0	29.9-44.1	82	19.8	12.5-27.1	3	0.4	00.0-00.8	205	33.2	26.5-39.9	47	5.1	03.1-07.1	29	4.6	01.3-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1113	1,434,684	416	30.5	25.6-35.4	124	15.1	10.8-19.4	2	0.1	0.1-0.1	301	28.3	23.2-33.4	172	17.0	12.5-21.5	98	9.0	0.7-12.3
White/Non-Hisp	943	1,123,106	354	31.7	26.4-37.0	103	14.4	09.7-19.1	1	0.0	0.0-0.0	253	28.5	23.0-34.0	142	14.4	10.1-18.7	90	11.0	0.9-15.1
Black or Afr. Am./Non-Hisp	112	213,218	41	24.3	10.8-37.8	15	18.6	05.7-31.5				33	31.8	16.1-47.5	17	23.6	07.7-39.5	6	1.8	0.0-03.8
25-34	88	326,322	34	33.1	19.6-46.6	8	10.6	01.2-20.0				22	33.2	18.9-47.5	17	13.7	03.3-24.1	7	9.4	0.1-17.6
35-44	118	249,530	43	35.1	22.0-48.2	9	13.6	02.2-25.0				42	28.2	16.6-39.8	18	15.8	07.4-24.2	6	7.4	0.0-15.0
45-54	208	242,191	58	20.1	12.8-27.4	32	23.4	13.6-33.2				66	32.6	23.4-41.8	36	12.8	07.3-18.3	16	11.1	0.5-18.7
55-64	291	212,375	117	35.9	27.1-44.7	28	13.0	04.6-21.4	1	0.2	0.0-0.6	71	24.0	15.2-32.8	41	18.5	08.7-28.3	33	8.4	0.3-12.9
65+	365	199,041	156	43.8	35.8-51.8	41	12.3	07.0-17.6	1	0.2	0.0-0.6	89	24.7	16.7-32.7	45	11.6	05.3-17.9	33	7.5	0.4-10.6
Less Than H.S.	87	132,559	35	37.1	20.6-53.6	6	9.4	0.0-18.8				18	18.8	05.7-31.9	14	17.0	06.0-28.0	14	17.8	0.4-29.2
H.S. or G.E.D.	314	485,158	117	28.7	20.5-36.9	28	13.6	05.8-21.4				82	26.1	17.9-34.3	54	19.8	11.4-28.2	33	11.8	0.7-18.9
Some Post-H.S.	302	410,651	114	26.2	17.2-35.2	35	20.6	10.4-30.8				71	29.7	18.9-40.5	55	18.1	09.1-27.1	27	5.4	0.1-09.5
College Graduate	407	403,633	149	35.1	26.1-44.1	54	12.9	06.8-19.0	2	0.2	0.0-0.4	130	32.9	23.9-41.9	48	12.4	05.3-19.5	24	6.5	0.1-12.0
Less than \$15,000	85	139,970	41	42.8	20.7-64.9	6	2.7	0.0-05.6				17	28.6	07.8-49.4	13	15.9	0.0-33.5	8	10.0	0.0-22.2
\$15,000- 24,999	186	213,925	78	32.9	21.3-44.5	13	8.3	0.0-16.7				39	20.5	09.9-31.1	40	25.5	12.6-38.4	16	12.7	0.1-23.3
\$25,000- 34,999	103	122,983	39	26.6	13.5-39.7	8	14.7	0.0-30.8				30	34.9	18.2-51.6	15	16.8	03.7-29.9	11	7.0	0.1-12.9
\$35,000- 49,999	143	194,634	48	17.8	10.2-25.4	14	12.7	0.1-24.3				50	40.7	24.2-57.2	20	21.5	05.2-37.8	11	7.3	0.0-14.7
\$50,000- 74,999	144	197,971	51	33.1	20.0-46.2	21	29.8	14.3-45.3				36	18.6	07.0-30.2	26	15.5	07.1-23.9	10	2.9	0.0-05.1
\$75,000+	247	309,457	74	30.9	20.9-40.9	37	17.5	07.9-27.1	1	0.1	0.0-0.3	88	37.7	27.3-48.1	27	6.0	0.2-09.3	20	7.8	0.1-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2260	1,502,153	1155	46.9	42.2-51.6	238	12.0	08.7-15.3	9	0.2	00.0-00.4	547	25.7	21.6-29.8	203	9.7	06.8-12.6	108	5.4	02.9-07.9
White/Non-Hisp	1874	1,192,925	955	47.6	42.5-52.7	202	11.4	08.1-14.7	8	0.3	00.1-00.5	446	26.4	21.7-31.1	175	10.3	07.2-13.4	88	4.0	02.2-05.8
Black or Afr. Am./Non-Hisp	293	197,805	154	46.4	34.6-58.2	26	7.3	01.4-13.2	1	0.0	00.0-00.0	80	32.4	20.2-44.6	19	3.7	01.2-06.2	13	10.1	00.0-21.5
18-24	56	201,354	24	41.4	20.8-62.0	8	22.1	03.9-40.3				15	24.8	06.6-43.0	6	6.0	00.0-15.4	3	5.7	00.0-16.3
25-34	198	293,198	85	47.4	35.8-59.0	22	9.5	03.8-15.2	2	0.5	00.0-01.3	67	32.3	21.7-42.9	15	5.3	02.2-08.4	7	4.9	00.0-12.0
35-44	289	268,302	140	43.4	33.4-53.4	36	13.1	06.0-20.2	1	0.4	00.0-01.2	81	28.9	18.7-39.1	23	12.8	03.8-21.8	8	1.4	00.2-02.6
45-54	386	258,551	184	48.4	39.8-57.0	52	13.1	06.6-19.6				105	25.7	19.0-32.4	35	8.9	03.4-14.4	10	3.8	00.5-07.1
55-64	529	222,437	274	50.3	39.9-60.7	59	9.2	05.7-12.7	2	0.1	00.0-00.3	116	19.2	10.4-28.0	58	14.9	07.3-22.5	20	6.3	00.0-13.2
65+	781	247,163	437	50.3	44.0-56.6	60	7.3	03.4-11.2	4	0.2	00.0-00.4	156	21.9	17.0-26.8	66	11.3	05.0-17.6	58	9.0	04.7-13.3
Less Than H.S.	222	201,379	134	52.1	38.8-65.4	6	1.5	00.1-02.9				39	22.4	09.9-34.9	22	12.2	03.6-20.8	21	11.8	01.4-22.2
H.S. or G.E.D.	694	421,013	368	45.6	38.0-53.2	68	10.3	06.0-14.6	1	0.0	00.0-00.0	152	22.6	16.1-29.1	64	14.9	08.0-21.8	41	6.6	01.1-12.1
Some Post-H.S.	673	490,916	340	44.6	35.6-53.6	70	16.2	08.2-24.2	4	0.2	00.0-00.6	164	26.3	18.3-34.3	68	8.5	03.6-13.4	27	4.3	01.0-07.6
College Graduate	670	388,788	313	48.5	39.7-57.3	94	14.0	08.1-19.9	4	0.5	00.0-01.1	191	30.2	22.4-38.0	49	4.5	02.7-06.3	19	2.3	00.0-05.2
Less than \$15,000	250	210,936	145	49.0	32.9-65.1	18	14.1	01.6-26.6	1	0.0	00.0-00.0	54	22.6	08.5-36.7	9	4.1	00.0-09.6	23	10.2	00.0-20.4
\$15,000- 24,999	454	276,254	243	46.6	35.4-57.8	35	7.9	00.1-15.7	1	0.1	00.0-00.3	84	24.2	15.0-33.4	70	17.3	08.5-26.1	21	4.0	00.0-08.1
\$25,000- 34,999	191	121,738	98	51.3	35.6-67.0	23	8.4	03.7-13.1				46	29.8	13.5-46.1	15	7.3	01.0-13.6	9	3.1	00.4-05.8
\$35,000- 49,999	248	172,011	124	55.7	43.0-68.4	29	10.1	02.8-17.4	1	0.1	00.0-00.3	62	20.0	12.0-28.0	24	12.7	01.9-23.5	8	1.5	00.1-02.9
\$50,000- 74,999	242	160,770	124	52.4	41.0-63.8	36	12.9	07.2-18.6	2	0.1	00.0-00.3	54	25.8	15.2-36.4	21	6.3	03.0-09.6	5	2.4	00.0-05.3
\$75,000+	348	264,246	155	44.0	34.0-54.0	45	22.4	11.8-33.0	2	0.7	00.0-01.7	117	27.9	20.3-35.5	20	4.1	01.9-06.3	9	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1392	1,289,043	303	29.1	23.8-34.4	480	24.1	19.8-28.4	81	9.2	05.3-13.1	72	5.5	03.0-08.0	3	0.1	00.0-00.3	453	32.0	26.9-37.1
Male	499	690,889	111	29.8	22.0-37.6	157	20.2	14.5-25.9	54	12.5	06.2-18.8	27	3.8	01.3-06.3	1	0.1	00.0-00.3	149	33.5	25.5-41.5
Female	893	598,155	192	28.4	21.1-35.7	323	28.7	22.0-35.4	27	5.2	00.7-09.7	45	7.4	02.7-12.1	2	0.1	00.0-00.3	304	30.2	24.1-36.3
White/Non-Hisp	1177	1,001,611	240	28.7	23.0-34.4	415	23.2	19.1-27.3	70	8.8	04.5-13.1	62	6.5	03.2-09.8	3	0.2	00.0-00.4	387	32.7	27.2-38.2
Black or Afr. Am./Non-Hisp	137	158,378	44	38.4	20.2-56.6	44	27.7	11.6-43.8	6	10.9	00.0-25.6	7	2.4	00.0-04.8				36	20.5	07.0-34.0
25-34	135	298,327	45	43.3	29.8-56.8	37	14.4	08.1-20.7	11	7.6	00.0-15.8	9	5.2	00.1-10.3				33	29.5	17.0-42.0
35-44	181	239,343	41	24.8	13.8-35.8	52	23.3	13.7-32.9	10	3.2	00.8-05.6	10	7.6	00.3-14.9	1	0.3	00.0-00.9	67	40.8	28.3-53.3
45-54	267	196,235	57	20.3	13.2-27.4	89	23.2	16.5-29.9	19	10.5	04.8-16.2	12	5.7	00.0-11.6				90	40.4	30.4-50.4
55-64	325	168,878	69	22.3	12.1-32.5	114	31.3	20.5-42.1	14	8.3	00.5-16.1	20	9.7	00.0-20.9	2	0.4	00.0-01.2	106	27.9	18.7-37.1
65+	430	170,418	74	22.4	13.6-31.2	172	32.8	26.1-39.5	23	5.1	02.6-07.6	18	3.6	01.4-05.8				143	36.2	28.6-43.8
Less Than H.S.	72	93,053	15	19.4	04.9-33.9	31	28.8	14.3-43.3	2	3.1	00.0-08.0	4	12.6	00.0-32.2				20	36.0	14.2-57.8
H.S. or G.E.D.	368	317,770	78	27.2	17.8-36.6	127	25.7	16.9-34.5	18	8.0	02.3-13.7	16	5.2	01.1-09.3	1	0.2	00.0-00.6	128	33.7	24.9-42.5
Some Post-H.S.	437	459,287	81	30.1	19.9-40.3	185	27.9	19.1-36.7	18	11.0	02.4-19.6	28	5.0	01.1-08.9	1	0.2	00.0-00.6	124	25.8	17.4-34.2
College Graduate	514	416,998	128	31.3	22.1-40.5	137	17.8	11.9-23.7	43	9.4	03.3-15.5	24	4.7	01.0-08.4	1	0.0	00.0-00.0	181	36.8	27.6-46.0
Less than \$15,000	78	156,709	23	30.3	09.9-50.7	28	36.5	14.5-58.5	3	15.9	00.0-35.5	3	1.1	00.0-02.7				21	16.1	00.0-32.6
\$15,000- 24,999	278	199,596	44	25.0	11.5-38.5	148	41.9	28.8-55.0	7	7.7	00.0-19.1	7	1.1	00.0-02.5	1	0.3	00.0-00.9	71	24.0	14.4-33.6
\$25,000- 34,999	132	145,645	34	31.9	14.3-49.5	44	18.3	08.3-28.3	4	6.7	00.0-16.5	10	10.8	00.0-24.1				40	32.4	16.3-48.5
\$35,000- 49,999	174	155,382	34	41.0	25.1-56.9	52	13.1	07.4-18.8	17	16.8	01.5-32.1	9	2.2	00.2-04.2	1	0.5	00.0-01.5	61	26.4	16.0-36.8
\$50,000- 74,999	164	162,408	36	26.4	12.3-40.5	43	16.2	09.1-23.3	14	6.8	01.5-12.1	12	6.7	00.0-14.0				59	43.9	29.6-58.2
\$75,000+	312	297,848	74	24.9	16.1-33.7	85	22.3	14.3-30.3	23	8.0	03.9-12.1	18	5.8	00.9-10.7				112	39.0	28.6-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	499	690,889	111	29.8	22.0-37.6	157	20.2	14.5-25.9	54	12.5	06.0-19.0	27	3.8	01.3-06.3	1	0.1	00.0-00.3	149	33.5	25.5-41.5
White/Non-Hisp	420	516,867	88	30.5	21.9-39.1	138	20.3	14.2-26.4	48	11.3	04.6-18.0	22	4.3	01.0-07.6	1	0.1	00.0-00.3	123	33.5	24.7-42.3
35-44	60	137,755	18	27.3	11.4-43.2	15	23.0	08.1-37.9	5	3.3	00.0-06.8	4	5.3	00.0-13.9				18	41.1	22.1-60.1
45-54	99	99,191	20	16.9	06.7-27.1	27	17.8	08.6-27.0	15	18.1	07.3-28.9	8	9.1	00.0-20.3				29	38.2	21.7-54.7
55-64	114	89,006	25	29.9	12.8-47.0	42	37.7	20.6-54.8	7	7.1	00.0-14.9	7	3.7	00.2-07.2	1	0.7	00.0-02.1	32	20.9	10.1-31.7
65+	162	86,569	25	21.2	07.1-35.3	59	29.5	19.9-39.1	18	8.2	03.3-13.1	4	2.9	00.0-06.0				56	38.2	26.2-50.2
H.S. or G.E.D.	124	180,861	24	27.1	12.2-42.0	32	23.9	09.8-38.0	15	13.5	03.7-23.3	10	6.8	00.0-13.7	1	0.4	00.0-01.2	42	28.4	15.7-41.1
Some Post-H.S.	150	223,922	26	30.1	15.0-45.2	64	17.6	10.5-24.7	8	12.7	00.0-26.6	7	3.9	00.0-09.2				45	35.6	20.9-50.3
College Graduate	201	247,108	55	32.7	20.0-45.4	50	18.4	09.2-27.6	31	13.7	03.7-23.7	8	2.0	00.4-03.6				57	33.3	20.0-46.6
\$15,000- 24,999	88	85,168	12	21.8	02.4-41.2	42	49.6	28.0-71.2	3	1.8	00.0-04.9	3	1.8	00.0-04.7	1	0.7	00.0-02.3	27	24.2	09.9-38.5
\$35,000- 49,999	66	83,119	11	39.3	16.4-62.2	15	9.7	02.4-17.0	13	23.1	00.0-47.6	4	1.8	00.0-04.0				23	26.1	10.8-41.4
\$50,000- 74,999	67	98,193	16	33.6	12.2-55.0	21	16.8	06.6-27.0	9	9.6	01.0-18.2	2	7.1	00.0-18.7				19	32.9	13.1-52.7
\$75,000+	134	186,873	34	25.9	12.8-39.0	35	20.9	09.3-32.5	16	9.4	03.3-15.5	8	2.8	00.6-05.0				41	41.0	25.7-56.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	893	598,155	192	28.4	21.1-35.7	323	28.7	22.0-35.4	27	5.2	00.7-09.7	45	7.4	02.7-12.1	2	0.1	00.0-00.3	304	30.2	24.3-36.1
White/Non-Hisp	757	484,744	152	26.8	19.2-34.4	277	26.3	20.6-32.0	22	6.1	00.6-11.6	40	8.7	03.0-14.4	2	0.2	00.0-00.6	264	31.8	25.1-38.5
Black or Afr. Am./Non-Hisp	91	59,450	31	40.8	15.7-65.9	32	37.2	10.7-63.7	3	1.7	00.0-03.7	3	0.7	00.0-01.7				22	19.7	06.6-32.8
25-34	91	126,624	28	40.2	23.5-56.9	28	20.9	11.3-30.5	5	3.3	00.0-07.0	7	10.7	00.0-21.9				23	24.9	11.4-38.4
35-44	121	101,588	23	21.4	06.9-35.9	37	23.6	13.6-33.6	5	3.0	00.0-06.1	6	10.8	00.0-23.3	1	0.8	00.0-02.4	49	40.4	25.3-55.5
45-54	168	97,044	37	23.8	14.6-33.0	62	28.7	19.5-37.9	4	2.7	00.0-05.6	4	2.2	00.0-04.7				61	42.5	30.9-54.1
55-64	211	79,873	44	13.8	06.9-20.7	72	24.3	14.3-34.3	7	9.6	00.0-23.3	13	16.5	00.0-38.3	1	0.1	00.0-00.3	74	35.8	20.5-51.1
65+	268	83,849	49	23.5	12.5-34.5	113	36.3	27.5-45.1	5	1.8	00.0-03.8	14	4.3	01.4-07.2				87	34.1	24.5-43.7
H.S. or G.E.D.	244	136,909	54	27.4	18.0-36.8	95	28.0	19.6-36.4	3	0.8	00.0-01.8	6	3.1	00.0-06.4				86	40.8	30.0-51.6
Some Post-H.S.	287	235,365	55	30.2	16.1-44.3	121	37.8	23.5-52.1	10	9.3	00.0-20.1	21	6.0	00.3-11.7	1	0.3	00.0-00.9	79	16.4	09.7-23.1
College Graduate	313	169,890	73	29.4	16.1-42.7	87	16.8	11.5-22.1	12	3.2	01.0-05.4	16	8.7	00.3-17.1	1	0.0	00.0-00.2	124	41.9	29.4-54.4
\$15,000- 24,999	190	114,428	32	27.4	09.0-45.8	106	36.2	23.1-49.3	4	12.0	00.0-31.0	4	0.5	00.0-01.1				44	23.9	10.6-37.2
\$25,000- 34,999	86	71,713	24	37.4	12.1-62.7	29	15.6	05.6-25.6	1	0.4	00.0-01.2	6	18.4	00.0-43.3				26	28.1	09.3-46.9
\$35,000- 49,999	108	72,263	23	43.0	21.4-64.6	37	16.9	08.1-25.7	4	9.5	00.0-24.8	5	2.7	00.0-06.2	1	1.1	00.0-03.3	38	26.8	13.3-40.3
\$50,000- 74,999	97	64,215	20	15.3	05.3-25.3	22	15.1	05.9-24.3	5	2.6	00.0-05.3	10	6.2	01.3-11.1				40	60.8	45.3-76.3
\$75,000+	178	110,975	40	23.1	14.3-31.9	50	24.8	16.2-33.4	7	5.6	00.5-10.7	10	10.8	00.0-22.6				71	35.7	24.9-46.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1371	1,285,792	866	53.9	48.2-59.6	211	17.3	13.0-21.6	237	23.6	18.3-28.9	23	2.1	00.9-03.3	34	3.1	00.6-05.6
Male	487	677,357	292	55.3	46.9-63.7	71	15.4	09.5-21.3	101	24.2	16.8-31.6	10	2.3	00.1-04.5	13	2.8	00.0-06.3
Female	884	608,436	574	52.4	45.0-59.8	140	19.4	12.9-25.9	136	22.9	15.5-30.3	13	1.8	00.4-03.2	21	3.4	00.0-06.9
White/Non-Hisp	1155	997,086	735	54.5	48.2-60.8	170	14.6	10.5-18.7	201	25.3	19.4-31.2	15	1.6	00.2-03.0	34	4.0	00.9-07.1
Black or Afr. Am./Non-Hisp	139	160,300	88	57.5	39.5-75.5	22	25.5	08.6-42.4	25	15.1	04.5-25.7	4	1.9	00.0-04.4			
25-34	134	291,071	88	64.5	51.4-77.6	18	12.4	04.0-20.8	24	20.1	08.1-32.1	3	1.8	00.0-04.2	1	1.2	00.0-03.6
35-44	181	243,037	114	40.3	29.1-51.5	23	19.7	09.7-29.7	36	31.0	18.8-43.2	5	3.4	00.1-06.7	3	5.6	00.0-15.2
45-54	259	192,096	173	66.2	56.8-75.6	37	14.9	09.0-20.8	39	16.2	07.6-24.8	5	1.0	00.0-02.0	5	1.6	00.0-03.6
55-64	320	164,731	187	46.3	34.3-58.3	49	14.4	04.8-24.0	68	28.8	17.6-40.0	4	0.5	00.0-01.1	12	10.0	00.0-21.6
65+	420	166,973	274	64.3	56.3-72.3	70	15.8	10.9-20.7	58	14.8	08.3-21.3	5	3.3	00.0-08.0	13	1.8	00.6-03.0
Less Than H.S.	72	93,053	37	41.4	22.2-60.6	16	14.9	04.7-25.1	11	11.6	01.2-22.0	1	2.5	00.0-07.4	7	29.5	04.2-54.8
H.S. or G.E.D.	360	310,536	207	43.2	34.0-52.4	74	29.8	19.8-39.8	67	23.2	14.0-32.4	3	1.2	00.0-03.0	9	2.6	00.1-05.1
Some Post-H.S.	425	465,198	283	54.0	43.2-64.8	54	14.7	06.7-22.7	68	29.3	18.7-39.9	10	1.3	00.3-02.3	10	0.6	00.0-01.2
College Graduate	513	415,070	339	64.9	55.9-73.9	66	10.9	05.8-16.0	91	20.3	12.3-28.3	9	3.5	00.2-06.8	8	0.3	00.1-00.5
Less than \$15,000	80	169,446	35	38.8	17.2-60.4	18	26.1	06.7-45.5	20	24.3	04.7-43.9				7	10.7	00.0-24.6
\$15,000- 24,999	273	199,062	187	54.4	40.1-68.7	51	23.0	10.5-35.5	27	18.6	04.3-32.9	2	2.6	00.0-06.3	6	1.3	00.0-02.9
\$25,000- 34,999	131	139,634	81	55.5	37.3-73.7	18	15.2	03.6-26.8	26	20.5	05.4-35.6	2	0.5	00.0-01.3	4	8.2	00.0-21.9
\$35,000- 49,999	176	158,377	114	56.5	41.2-71.8	19	6.3	02.0-10.6	39	34.2	18.9-49.5	4	3.0	00.0-08.1			
\$50,000- 74,999	159	157,816	103	57.0	41.9-72.1	21	15.3	05.7-24.9	30	25.8	10.3-41.3	4	1.8	00.0-04.3	1	0.1	00.0-00.3
\$75,000+	302	290,269	200	62.0	51.6-72.4	40	12.4	05.9-18.9	49	20.8	11.4-30.2	7	3.9	00.0-07.8	6	0.9	00.0-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	487	677,357	292	55.3	46.9-63.7	71	15.4	09.5-21.3	101	24.2	16.8-31.6	10	2.3	00.3-04.3	13	2.8	00.0-06.3
White/Non-Hisp	408	503,767	240	51.4	42.0-60.8	56	15.9	09.0-22.8	92	26.9	18.1-35.7	7	2.2	00.0-04.4	13	3.7	00.0-08.4
35-44	60	137,755	29	32.8	16.9-48.7	12	17.1	05.7-28.5	15	37.3	18.9-55.7	2	3.3	00.0-08.0	2	9.4	00.0-25.7
45-54	96	97,263	58	63.3	47.6-79.0	11	8.8	02.7-14.9	22	25.7	10.2-41.2	2	0.9	00.3-01.5	3	1.3	00.0-03.1
55-64	109	84,776	61	49.5	31.9-67.1	16	18.5	01.3-35.7	26	27.4	12.9-41.9	2	0.4	00.0-01.2	4	4.1	00.0-08.8
65+	158	84,609	103	65.2	53.2-77.2	21	13.5	06.1-20.9	27	14.1	07.0-21.2	3	6.0	00.0-15.2	4	1.2	00.0-02.8
H.S. or G.E.D.	120	170,812	56	34.6	20.9-48.3	27	33.6	17.5-49.7	32	30.3	15.4-45.2	1	0.2	00.0-00.6	4	1.3	00.0-02.7
Some Post-H.S.	144	220,996	98	64.0	48.7-79.3	13	6.2	01.1-11.3	29	29.2	14.1-44.3	2	0.5	00.0-01.1	2	0.1	00.0-00.3
College Graduate	199	246,551	125	65.2	52.9-77.5	27	11.3	04.2-18.4	37	17.5	07.3-27.7	7	5.8	00.3-11.3	3	0.3	00.0-00.7
\$15,000- 24,999	86	84,984	58	52.4	30.6-74.2	17	38.9	15.8-62.0	8	6.6	00.7-12.5				3	2.1	00.0-05.4
\$35,000- 49,999	64	82,504	37	56.9	34.8-79.0	4	1.5	00.0-03.3	21	36.2	15.0-57.4	2	5.4	00.0-15.0			
\$50,000- 74,999	66	97,282	44	62.2	40.6-83.8	9	9.9	01.5-18.3	11	27.4	05.3-49.5	2	0.5	00.0-01.3			
\$75,000+	128	180,646	81	57.3	42.0-72.6	13	10.2	01.2-19.2	27	26.1	12.0-40.2	4	5.4	00.0-11.5	3	1.1	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	884	608,436	574	52.4	45.1-59.7	140	19.4	12.9-25.9	136	22.9	15.5-30.3	13	1.8	00.4-03.2	21	3.4	00.0-06.9
White/Non-Hisp	747	493,319	495	57.7	49.5-65.9	114	13.4	09.3-17.5	109	23.7	15.5-31.9	8	1.0	00.0-02.2	21	4.3	00.0-08.6
Black or Afr. Am./Non-Hisp	93	61,371	57	43.0	20.7-65.3	14	38.4	11.2-65.6	20	14.8	03.8-25.8	2	3.8	00.0-10.3			
25-34	91	125,295	59	63.1	47.0-79.2	13	14.4	03.6-25.2	15	15.5	01.6-29.4	3	4.2	00.0-09.5	1	2.8	00.0-08.3
35-44	121	105,282	85	50.0	35.1-64.9	11	23.1	06.2-40.0	21	22.8	09.7-35.9	3	3.4	00.0-08.1	1	0.7	00.0-02.1
45-54	163	94,832	115	69.2	58.8-79.6	26	21.2	11.6-30.8	17	6.5	02.2-10.8	3	1.2	00.0-02.8	2	2.0	00.0-05.5
55-64	211	79,954	126	42.9	28.0-57.8	33	10.1	05.0-15.2	42	30.3	13.2-47.4	2	0.6	00.0-01.6	8	16.2	00.0-38.0
65+	262	82,364	171	63.4	52.8-74.0	49	18.2	11.9-24.5	31	15.6	04.6-26.6	2	0.4	00.0-01.0	9	2.3	00.3-04.3
H.S. or G.E.D.	240	139,725	151	53.8	43.0-64.6	47	25.3	14.7-35.9	35	14.5	06.5-22.5	2	2.3	00.0-06.2	5	4.1	00.0-09.4
Some Post-H.S.	281	244,202	185	45.0	31.7-58.3	41	22.4	08.9-35.9	39	29.5	14.4-44.6	8	2.0	00.0-04.0	8	1.1	00.1-02.1
College Graduate	314	168,519	214	64.5	51.4-77.6	39	10.4	03.1-17.7	54	24.6	11.9-37.3	2	0.1	00.0-00.3	5	0.5	00.0-01.1
Less than \$15,000	51	86,957	22	26.8	01.3-52.3	12	39.8	09.6-70.0	12	27.2	00.0-55.4				5	6.1	00.0-14.5
\$15,000- 24,999	187	114,078	129	56.0	37.0-75.0	34	11.2	05.1-17.3	19	27.5	05.7-49.3	2	4.6	00.0-10.9	3	0.6	00.0-01.6
\$25,000- 34,999	87	71,809	59	63.8	38.9-88.7	11	6.4	00.9-11.9	14	14.8	00.0-29.9	1	0.2	00.0-00.6	2	14.9	00.0-40.0
\$35,000- 49,999	112	75,872	77	56.0	35.4-76.6	15	11.6	03.0-20.2	18	31.9	09.8-54.0	2	0.5	00.0-01.3			
\$50,000- 74,999	93	60,534	59	48.6	29.8-67.4	12	24.0	05.2-42.8	19	23.3	03.9-42.7	2	3.8	00.0-10.1	1	0.3	00.0-00.9
\$75,000+	174	109,623	119	69.8	59.8-79.8	27	16.0	07.8-24.2	22	12.2	05.9-18.5	3	1.4	00.0-03.2	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1398	1,305,707	642	42.1	36.6-47.6	74	5.4	02.9-07.9	1	0.0	00.0-00.0	339	27.6	22.3-32.9	260	19.3	14.8-23.8	82	5.5	03.0-08.0
Male	496	689,941	194	39.8	31.8-47.8	30	6.1	01.8-10.4				120	25.9	18.3-33.5	110	21.2	14.7-27.7	42	7.0	02.7-11.3
Female	902	615,766	448	44.7	37.4-52.0	44	4.6	02.1-07.1	1	0.1	00.0-00.3	219	29.5	22.1-36.9	150	17.2	10.9-23.5	40	3.8	01.4-06.2
White/Non-Hisp	1178	1,013,939	543	45.0	38.9-51.1	61	4.7	02.3-07.1	1	0.0	00.0-00.0	278	25.9	20.2-31.6	225	19.0	14.3-23.7	70	5.3	02.4-08.2
Black or Afr. Am./Non-Hisp	141	162,989	70	43.3	25.7-60.9	10	12.1	00.0-26.4				36	25.2	10.5-39.9	22	18.2	03.1-33.3	3	1.2	00.0-02.8
25-34	136	299,170	67	49.3	35.8-62.8	4	5.2	00.0-13.2				41	28.5	15.8-41.2	20	12.5	04.3-20.7	4	4.5	00.0-10.0
35-44	185	244,118	92	52.9	40.7-65.1	12	8.4	01.3-15.5				48	20.4	12.6-28.2	26	16.2	06.8-25.6	7	2.1	00.1-04.1
45-54	267	196,332	107	40.6	30.6-50.6	19	6.9	02.6-11.2				67	27.8	18.8-36.8	57	18.6	12.3-24.9	17	6.1	02.4-09.8
55-64	325	168,853	151	35.8	25.4-46.2	17	3.5	01.1-05.9				78	25.6	14.0-37.2	60	29.0	16.3-41.7	19	6.0	01.5-10.5
65+	428	169,348	205	43.8	35.8-51.8	17	2.8	01.2-04.4	1	0.3	00.0-00.9	86	18.7	13.2-24.2	85	23.1	15.8-30.4	34	11.3	04.2-18.4
Less Than H.S.	72	93,053	41	52.7	31.9-73.5							14	18.0	05.1-30.9	16	27.7	07.7-47.7	1	1.6	00.0-04.7
H.S. or G.E.D.	369	322,045	170	38.8	29.8-47.8	16	4.9	00.0-10.0	1	0.1	00.0-00.3	75	21.3	12.9-29.7	76	27.0	17.4-36.6	31	7.8	03.3-12.3
Some Post-H.S.	436	469,336	193	38.3	28.3-48.3	20	5.0	00.0-10.3				96	32.7	21.9-43.5	109	19.4	12.0-26.8	18	4.6	00.0-09.9
College Graduate	520	419,337	238	46.8	37.4-56.2	37	7.0	03.1-10.9				154	29.0	20.4-37.6	59	11.5	04.6-18.4	32	5.7	01.6-09.8
Less than \$15,000	80	169,446	36	35.6	15.6-55.6	5	8.2	00.0-21.9				20	34.3	12.7-55.9	15	10.0	00.0-23.7	4	12.0	00.0-27.1
\$15,000- 24,999	276	199,755	117	36.7	24.4-49.0	12	2.1	00.5-03.7				47	28.8	14.5-43.1	94	31.9	19.6-44.2	6	0.7	00.0-01.5
\$25,000- 34,999	133	145,741	66	35.8	19.9-51.7	8	7.4	00.0-16.6				16	12.0	00.6-23.4	32	37.8	19.4-56.2	11	7.0	00.0-15.0
\$35,000- 49,999	179	159,835	74	33.5	21.0-46.0	9	7.6	00.0-17.0				49	26.1	11.0-41.2	31	28.1	13.8-42.4	16	4.7	01.8-07.6
\$50,000- 74,999	165	162,448	75	45.7	31.0-60.4	10	6.8	00.5-13.1				46	26.4	15.0-37.8	22	13.6	04.2-23.0	12	7.4	00.0-15.0
\$75,000+	310	296,782	145	54.1	44.1-64.1	23	4.9	02.4-07.4				89	29.6	20.2-39.0	31	6.2	03.1-09.3	22	5.3	02.2-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	496	689,941	194	39.8	31.8-47.8	30	6.1	01.8-10.4	120	25.9	18.3-33.5	110	21.2	14.7-27.7	42	7.0	02.5-11.5
White/Non-Hisp	417	516,352	168	44.6	35.4-53.8	21	4.0	00.7-07.3	100	23.8	15.6-32.0	93	20.2	13.5-26.9	35	7.3	02.0-12.6
35-44	60	137,755	29	53.3	35.1-71.5	5	10.7	00.0-22.5	14	16.8	06.0-27.6	9	17.4	03.7-31.1	3	1.9	00.0-04.4
45-54	98	99,136	34	41.8	25.3-58.3	9	7.7	00.6-14.8	26	25.1	11.4-38.8	24	21.2	10.8-31.6	5	4.3	00.0-08.6
55-64	112	88,545	46	32.5	18.6-46.4	7	2.8	00.4-05.2	26	31.9	13.3-50.5	24	24.1	10.0-38.2	9	8.7	00.5-16.9
65+	161	85,625	58	31.9	21.5-42.3	5	1.8	00.0-03.6	38	18.4	10.6-26.2	39	31.2	19.2-43.2	21	16.6	03.9-29.3
H.S. or G.E.D.	124	180,861	42	28.7	16.2-41.2	4	6.5	00.0-15.3	28	20.6	07.1-34.1	32	33.4	18.1-48.7	18	10.9	03.1-18.7
Some Post-H.S.	148	222,923	57	40.0	24.9-55.1	8	8.3	00.0-19.1	31	28.1	12.8-43.4	47	17.2	09.6-24.8	5	6.4	00.0-16.8
College Graduate	200	247,159	84	45.5	32.0-59.0	17	4.0	01.5-06.5	54	28.1	15.6-40.6	26	16.5	05.3-27.7	19	5.9	00.6-11.2
\$15,000- 24,999	87	85,113	26	36.7	16.1-57.3	7	4.1	00.4-07.8	19	30.9	07.4-54.4	33	28.0	13.1-42.9	2	0.2	00.0-00.6
\$35,000- 49,999	65	82,963	20	27.6	10.9-44.3	4	11.1	00.0-28.3	19	31.0	05.5-56.5	14	24.8	07.9-41.7	8	5.5	00.6-10.4
\$50,000- 74,999	67	98,193	31	49.0	28.2-69.8	3	6.2	00.0-14.4	15	23.6	07.5-39.7	12	19.6	04.3-34.9	6	1.6	00.0-03.2
\$75,000+	132	185,625	59	55.6	40.9-70.3	10	2.7	00.5-04.9	32	28.3	14.2-42.4	18	8.0	02.9-13.1	13	5.5	01.2-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	902	615,766	448	44.7	37.3-52.1	44	4.6	02.1-07.1	1	0.1	00.0-00.3	219	29.5	22.1-36.9	150	17.2	10.9-23.5	40	3.8	01.4-06.2
White/Non-Hisp	761	497,588	375	45.4	37.6-53.2	40	5.5	02.4-08.6	1	0.1	00.0-00.3	178	28.1	20.3-35.9	132	17.8	10.9-24.7	35	3.2	01.6-04.8
Black or Afr. Am./Non-Hisp	95	64,060	54	67.5	49.7-85.3	4	1.5	00.0-03.3				25	23.9	08.6-39.2	11	6.9	00.4-13.4	1	0.2	00.0-00.6
25-34	92	127,467	48	56.2	40.3-72.1	2	1.7	00.0-04.2				30	27.9	13.4-42.4	11	9.5	02.6-16.4	1	4.7	00.0-13.7
35-44	125	106,363	63	52.3	37.4-67.2	7	5.4	00.0-11.5				34	25.2	14.4-36.0	17	14.7	02.0-27.4	4	2.4	00.0-05.3
45-54	169	97,197	73	39.4	28.6-50.2	10	6.2	01.3-11.1				41	30.6	19.0-42.2	33	15.9	09.0-22.8	12	7.9	02.0-13.8
55-64	213	80,307	105	39.4	23.9-54.9	10	4.4	00.3-08.5				52	18.6	10.0-27.2	36	34.4	14.0-54.8	10	3.1	00.4-05.8
65+	267	83,723	147	56.0	46.2-65.8	12	3.7	01.2-06.2	1	0.5	00.0-01.5	48	19.0	11.4-26.6	46	14.8	09.3-20.3	13	5.9	01.4-10.4
H.S. or G.E.D.	245	141,184	128	51.8	41.2-62.4	12	2.8	00.4-05.2	1	0.3	00.0-00.9	47	22.3	14.5-30.1	44	18.9	08.9-28.9	13	3.9	01.2-06.6
Some Post-H.S.	288	246,414	136	36.8	23.5-50.1	12	2.0	00.2-03.8				65	36.9	22.0-51.8	62	21.3	09.0-33.6	13	2.9	00.5-05.3
College Graduate	320	172,178	154	48.7	36.2-61.2	20	11.3	02.9-19.7				100	30.3	19.1-41.5	33	4.4	02.4-06.4	13	5.4	00.0-12.3
Less than \$15,000	51	86,957	28	33.3	07.6-59.0	3	0.7	00.0-01.7				15	63.4	37.3-89.5	4	0.8	00.0-02.0	1	1.7	00.0-05.2
\$15,000- 24,999	189	114,642	91	36.6	21.5-51.7	5	0.5	00.1-00.9				28	27.1	08.9-45.3	61	34.7	16.7-52.7	4	1.0	00.0-02.4
\$25,000- 34,999	87	71,809	50	57.8	32.7-82.9	6	11.9	00.0-29.1				8	4.3	00.4-08.2	18	24.7	00.4-49.0	5	1.4	00.0-02.8
\$35,000- 49,999	114	76,872	54	40.0	21.6-58.4	5	3.8	00.0-08.1				30	20.8	09.0-32.6	17	31.6	09.6-53.6	8	3.8	00.5-07.1
\$50,000- 74,999	98	64,255	44	40.7	22.3-59.1	7	7.7	00.0-17.5				31	30.8	16.1-45.5	10	4.5	01.0-08.0	6	16.4	00.0-33.8
\$75,000+	178	111,157	86	51.6	40.2-63.0	13	8.5	03.2-13.8				57	31.8	22.0-41.6	13	3.2	01.0-05.4	9	4.8	00.9-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5469	4,482,829	834	17.5	15.1-19.9	223	5.4	03.8-07.0	227	6.3	04.7-07.9	34	1.0	00.4-01.6	40	1.1	00.3-01.9	4111	68.6	65.9-71.3
Male	1695	2,131,383	286	20.4	16.7-24.1	101	7.1	04.6-09.6	87	6.4	04.2-08.6	18	1.7	00.3-03.1	17	1.8	00.4-03.2	1186	62.7	58.2-67.2
Female	3774	2,351,446	548	15.0	12.3-17.7	122	3.9	02.3-05.5	140	6.3	04.1-08.5	16	0.3	00.0-00.7	23	0.5	00.1-00.9	2925	74.0	70.7-77.3
White/Non-Hisp	4564	3,525,869	671	16.5	14.1-18.9	182	5.4	03.8-07.0	189	6.4	04.6-08.2	30	1.2	00.4-02.0	34	1.2	00.2-02.2	3458	69.3	66.4-72.2
Black or Afr. Am./Non-Hisp	666	646,374	112	16.3	10.6-22.0	28	5.5	01.6-09.4	29	7.5	02.4-12.6	3	0.4	00.0-01.0	4	0.9	00.0-02.1	490	69.4	61.8-77.0
Oth. Race/Non-Hisp.	71	94,662	17	33.4	09.5-57.3	5	11.9	00.0-30.7	4	4.9	00.0-11.4							45	49.7	25.4-74.0
MultiRacial/Non-Hisp.	68	72,266	12	33.3	09.0-57.6	2	1.5	00.0-03.7	2	1.5	00.0-04.2	1	0.5	00.0-01.5	1	0.2	00.0-00.6	50	62.9	39.2-86.6
Hispanic	71	130,447	14	28.9	07.5-50.3	3	3.2	00.0-07.5	2	2.4	00.0-06.9				1	0.1	00.0-00.3	51	65.4	43.6-87.2
18-24	134	531,375	30	31.6	19.6-43.6	9	6.8	00.9-12.7	15	14.3	05.7-22.9	2	0.9	00.0-02.7				78	46.3	33.8-58.8
25-34	373	776,657	82	24.7	17.4-32.0	18	8.9	03.6-14.2	20	6.2	02.5-09.9	4	2.0	00.0-04.9				249	58.1	49.9-66.3
35-44	594	783,993	101	13.8	09.7-17.9	18	4.5	00.8-08.2	40	9.2	04.7-13.7	6	1.1	00.0-02.3	8	3.3	00.0-06.6	421	68.0	61.3-74.7
45-54	934	834,242	165	14.8	11.5-18.1	41	4.3	02.5-06.1	42	3.0	01.8-04.2	5	1.0	00.0-02.4	8	1.7	00.0-03.7	673	75.3	71.0-79.6
55-64	1367	715,998	174	9.3	07.1-11.5	55	4.9	01.8-08.0	60	4.0	02.4-05.6	9	0.5	00.1-00.9	16	0.9	00.3-01.5	1053	80.4	76.5-84.3
65+	2028	820,602	278	15.1	12.4-17.8	80	3.7	02.5-04.9	47	3.3	01.5-05.1	8	0.3	00.0-00.7	8	0.4	00.0-00.8	1607	77.1	73.8-80.4
Less Than H.S.	696	755,500	45	8.3	04.2-12.4	17	3.9	00.6-07.2	17	3.3	00.0-06.6				6	2.6	00.0-05.9	611	81.9	75.6-88.2
H.S. or G.E.D.	1867	1,499,111	240	14.1	10.8-17.4	70	5.0	02.8-07.2	54	4.7	02.7-06.7	5	0.7	00.0-01.5	15	0.7	00.3-01.1	1483	74.7	70.6-78.8
Some Post-H.S.	1523	1,275,690	229	20.0	14.9-25.1	58	6.3	03.0-09.6	64	6.8	03.3-10.3	10	1.3	00.0-03.1	8	1.0	00.0-02.4	1154	64.6	58.5-70.7
College Graduate	1370	945,684	318	26.9	21.6-32.2	78	6.1	03.2-09.0	92	10.7	06.6-14.8	19	1.7	00.3-03.1	11	0.8	00.0-01.6	852	53.9	48.0-59.8
Less than \$15,000	650	586,392	72	13.4	06.5-20.3	26	2.8	00.4-05.2	22	4.0	00.1-07.9	3	0.5	00.0-01.5	10	2.5	00.0-06.6	517	76.9	68.5-85.3
\$15,000- 24,999	1226	874,270	147	20.1	13.8-26.4	31	5.2	01.3-09.1	34	5.6	02.1-09.1	2	0.4	00.0-01.0	7	0.4	00.0-00.8	1005	68.3	61.4-75.2
\$25,000- 34,999	519	435,009	68	13.1	07.0-19.2	18	7.4	01.1-13.7	19	4.0	00.3-07.7	4	0.2	00.0-00.6	3	0.8	00.0-02.0	407	74.5	66.1-82.9
\$35,000- 49,999	565	501,892	98	16.4	10.3-22.5	30	6.7	01.6-11.8	27	6.4	01.9-10.9	4	0.4	00.0-00.8	4	0.3	00.0-00.7	402	69.8	61.8-77.8
\$50,000- 74,999	511	476,364	96	19.3	12.6-26.0	29	9.6	03.7-15.5	28	6.9	02.8-11.0	8	4.2	00.0-09.3	5	2.9	00.0-06.4	345	57.0	48.6-65.4
\$75,000+	742	720,108	180	23.6	18.1-29.1	39	4.6	02.1-07.1	49	11.1	05.6-16.6	10	1.6	00.0-03.2	8	0.9	00.0-01.9	456	58.1	51.4-64.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	2,131,383	286	20.4	16.7-24.1	101	7.1	04.6-09.6	87	6.4	04.2-08.6	18	1.7	00.3-03.1	17	1.8	00.4-03.2	1186	62.7	58.2-67.2
White/Non-Hisp	1432	1,645,990	226	18.5	14.6-22.4	82	8.1	05.0-11.2	70	5.5	03.5-07.5	18	2.2	00.4-04.0	16	2.1	00.3-03.9	1020	63.7	58.8-68.6
Black or Afr. Am./Non-Hisp	173	310,810	36	16.2	07.2-25.2	10	3.7	00.0-09.0	12	12.0	02.2-21.8				1	1.1	00.0-03.3	114	67.0	54.3-79.7
18-24	52	257,709	14	39.0	21.6-56.4	3	3.9	00.0-08.8	5	7.5	00.1-14.9	1	1.9	00.0-05.6				29	47.7	30.5-64.9
25-34	112	381,794	30	29.4	17.4-41.4	13	16.9	06.5-27.3	5	4.8	00.0-09.7	1	2.8	00.0-08.3				63	46.0	32.9-59.1
35-44	183	395,115	33	16.7	09.6-23.8	7	4.5	00.0-10.6	15	13.4	05.0-21.8	5	2.1	00.0-04.3	3	4.9	00.0-11.4	120	58.4	47.6-69.2
45-54	307	401,934	55	14.2	09.1-19.3	19	4.3	01.9-06.7	15	3.5	01.3-05.7	4	1.9	00.0-04.8	2	2.8	00.0-06.9	212	73.3	66.0-80.6
55-64	451	340,469	52	9.2	05.7-12.7	23	7.0	00.9-13.1	26	4.7	02.0-07.4	4	0.8	00.0-01.6	7	1.2	00.0-02.4	339	77.1	70.0-84.2
65+	581	348,503	99	18.4	13.5-23.3	36	5.2	02.7-07.7	21	4.2	01.3-07.1	3	0.5	00.0-01.3	5	0.8	00.0-01.6	417	71.0	64.9-77.1
Less Than H.S.	204	344,284	21	13.1	04.9-21.3	5	5.3	00.0-12.4	10	3.0	00.8-05.2				3	5.3	00.0-12.6	165	73.3	62.1-84.5
H.S. or G.E.D.	531	733,881	73	16.4	10.7-22.1	25	6.9	02.8-11.0	23	6.4	02.7-10.1	3	1.0	00.0-02.6	5	0.5	00.1-00.9	402	68.8	61.7-75.9
Some Post-H.S.	452	566,499	70	24.3	15.5-33.1	26	6.8	01.7-11.9	20	7.3	02.0-12.6	5	2.5	00.0-06.2	6	2.2	00.0-05.1	325	56.9	47.5-66.3
College Graduate	505	484,036	120	26.4	18.8-34.0	45	9.1	03.6-14.6	34	7.6	03.1-12.1	10	3.0	00.3-05.7	3	0.7	00.0-01.7	293	53.2	44.8-61.6
Less than \$15,000	171	238,973	17	11.8	00.4-23.2	7	3.9	00.0-09.4	5	1.5	00.0-03.3	1	1.3	00.0-03.8	1	5.2	00.0-15.0	140	76.3	61.8-90.8
\$15,000- 24,999	339	379,346	61	28.5	18.3-38.7	17	8.3	00.9-15.7	16	5.3	02.0-08.6	1	0.2	00.0-00.6	5	0.7	00.0-01.5	239	57.0	46.8-67.2
\$25,000- 34,999	168	198,206	19	11.0	02.6-19.4	10	13.9	01.0-26.8	7	4.0	00.0-08.9	2	0.4	00.0-01.0	2	0.6	00.0-01.6	128	70.1	56.2-84.0
\$35,000- 49,999	201	261,339	39	15.0	06.6-23.4	13	4.2	00.0-09.7	13	5.8	00.0-11.9	2	0.4	00.0-01.0	1	0.0	00.0-00.0	133	74.4	63.4-85.4
\$50,000- 74,999	193	254,869	36	24.0	12.6-35.4	15	13.8	03.4-24.2	13	7.5	01.8-13.2	3	6.8	00.0-15.8	3	4.6	00.0-10.9	123	43.3	31.9-54.7
\$75,000+	307	398,947	73	22.9	15.1-30.7	22	5.9	01.8-10.0	20	11.2	03.6-18.8	7	2.8	00.0-05.7	4	1.3	00.0-02.9	181	56.0	46.6-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3774	2,351,446	548	15.0	12.3-17.7	122	3.9	0.2-05.5	140	6.3	0.4-08.5	16	0.3	0.0-00.7	23	0.5	0.0-00.9	2925	74.0	70.7-77.3
White/Non-Hisp	3132	1,879,880	445	14.8	11.9-17.7	100	3.0	0.1-04.2	119	7.2	0.4-09.9	12	0.3	0.0-00.7	18	0.5	0.0-00.9	2438	74.2	70.5-77.9
Black or Afr. Am./Non-Hisp	493	335,565	76	16.4	09.1-23.7	18	7.1	0.4-12.8	17	3.4	0.0-06.9	3	0.7	0.0-01.9	3	0.8	0.0-02.0	376	71.7	62.7-80.7
18-24	82	273,666	16	24.7	08.8-40.6	6	9.6	0.0-19.8	10	20.7	0.6-35.4	1	0.1	0.0-00.3				49	44.9	26.9-62.9
25-34	261	394,863	52	20.2	12.2-28.2	5	1.1	0.0-02.1	15	7.6	0.1-13.5	3	1.3	0.0-03.1				186	69.9	60.7-79.1
35-44	411	388,878	68	10.9	07.4-14.4	11	4.6	0.0-08.9	25	5.0	0.2-07.5	1	0.1	0.0-00.3	5	1.7	0.0-03.5	301	77.7	71.6-83.8
45-54	627	432,308	110	15.4	11.3-19.5	22	4.3	0.1-06.7	27	2.5	0.1-03.7	1	0.1	0.0-00.3	6	0.6	0.0-01.4	461	77.2	72.3-82.1
55-64	916	375,529	122	9.4	06.9-11.9	32	2.9	0.1-04.3	34	3.2	0.1-04.8	5	0.3	0.0-00.7	9	0.7	0.0-01.5	714	83.4	79.9-86.9
65+	1447	472,099	179	12.7	09.8-15.6	44	2.6	0.1-03.6	26	2.7	0.0-04.9	5	0.2	0.0-00.4	3	0.1	0.0-00.3	1190	81.6	78.1-85.1
Less Than H.S.	492	411,216	24	4.2	01.7-06.7	12	2.7	0.0-04.7	7	3.6	0.0-09.3				3	0.3	0.0-00.7	446	89.2	82.9-95.5
H.S. or G.E.D.	1336	765,231	167	11.9	08.6-15.2	45	3.3	0.1-04.7	31	3.1	0.1-04.9	2	0.4	0.0-01.2	10	0.9	0.0-01.7	1081	80.4	76.3-84.5
Some Post-H.S.	1071	709,192	159	16.5	10.6-22.4	32	5.9	0.1-10.4	44	6.3	0.1-10.8	5	0.4	0.0-01.0	2	0.0	0.0-00.0	829	70.8	63.4-78.2
College Graduate	865	461,648	198	27.3	20.0-34.6	33	2.9	0.0-05.1	58	14.0	0.7-20.7	9	0.4	0.0-00.8	8	0.9	0.0-01.9	559	54.5	46.5-62.5
Less than \$15,000	479	347,420	55	14.4	06.0-22.8	19	2.0	0.0-03.4	17	5.6	0.0-12.1	2	0.0	0.0-00.0	9	0.6	0.0-01.2	377	77.3	67.3-87.3
\$15,000- 24,999	887	494,923	86	13.6	06.3-20.9	14	2.8	0.0-06.7	18	5.9	0.0-11.6	1	0.6	0.0-01.8	2	0.1	0.0-00.3	766	77.0	68.4-85.6
\$25,000- 34,999	351	236,803	49	14.8	06.2-23.4	8	1.9	0.0-03.5	12	4.1	0.0-09.6	2	0.1	0.0-00.3	1	1.0	0.0-03.0	279	78.1	68.3-87.9
\$35,000- 49,999	364	240,553	59	17.9	09.5-26.3	17	9.5	0.0-18.1	14	6.9	0.0-13.8	2	0.3	0.0-00.7	3	0.6	0.0-01.6	269	64.8	54.0-75.6
\$50,000- 74,999	318	221,494	60	13.9	08.8-19.0	14	4.8	0.1-08.3	15	6.3	0.0-12.4	5	1.3	0.0-03.1	2	1.1	0.0-02.9	222	72.8	64.4-81.2
\$75,000+	435	321,161	107	24.5	17.2-31.8	17	3.1	0.0-05.3	29	10.9	0.3-18.7	3	0.3	0.0-00.7	4	0.5	0.0-01.3	275	60.7	51.5-69.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 11: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5557	4,539,216	1768	26.1	23.7-28.5	3789	73.9	71.5-76.3
Male	1717	2,144,398	484	24.3	20.6-28.0	1233	75.7	72.0-79.4
Female	3840	2,394,818	1284	27.6	24.5-30.7	2556	72.4	69.3-75.5
White/Non-Hisp	4638	3,576,902	1504	26.9	24.4-29.4	3134	73.1	70.6-75.6
Black or Afr. Am./Non-Hisp	675	649,806	189	23.6	16.5-30.7	486	76.4	69.3-83.5
Oth. Race/Non-Hisp.	71	94,662	21	16.4	01.3-31.5	50	83.6	68.5-98.7
MultiRacial/Non-Hisp.	69	73,046	25	29.0	11.0-47.0	44	71.0	53.0-89.0
Hispanic	73	131,158	16	19.6	02.5-36.7	57	80.4	63.3-97.5
18-24	134	531,375	16	7.6	01.7-13.5	118	92.4	86.5-98.3
25-34	381	786,835	56	14.0	07.9-20.1	325	86.0	79.9-92.1
35-44	603	803,996	135	23.0	16.9-29.1	468	77.0	70.9-83.1
45-54	953	848,496	297	31.9	26.6-37.2	656	68.1	62.8-73.4
55-64	1387	722,078	516	37.9	32.2-43.6	871	62.1	56.4-67.8
65+	2058	826,137	736	35.8	31.9-39.7	1322	64.2	60.3-68.1
Less Than H.S.	709	758,191	318	44.5	37.4-51.6	391	55.5	48.4-62.6
H.S. or G.E.D.	1893	1,529,068	637	25.6	21.9-29.3	1256	74.4	70.7-78.1
Some Post-H.S.	1551	1,292,856	506	25.7	21.0-30.4	1045	74.3	69.6-79.0
College Graduate	1392	954,626	305	12.8	09.7-15.9	1087	87.2	84.1-90.3
Less than \$15,000	662	593,179	340	38.9	30.3-47.5	322	61.1	52.5-69.7
\$15,000- 24,999	1235	886,989	469	34.8	29.1-40.5	766	65.2	59.5-70.9
\$25,000- 34,999	525	443,733	154	26.0	18.4-33.6	371	74.0	66.4-81.6
\$35,000- 49,999	567	505,236	133	18.0	11.9-24.1	434	82.0	75.9-88.1
\$50,000- 74,999	516	482,378	123	21.5	14.8-28.2	393	78.5	71.8-85.2
\$75,000+	749	723,284	116	11.0	07.1-14.9	633	89.0	85.1-92.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	2,144,398	484	24.3	20.8-27.8	1233	75.7	72.2-79.2
White/Non-Hisp	1454	1,660,103	407	23.7	20.0-27.4	1047	76.3	72.6-80.0
Black or Afr. Am./Non-Hisp	172	309,649	46	25.2	12.5-37.9	126	74.8	62.1-87.5
18-24	52	257,709	7	9.4	01.2-17.6	45	90.6	82.4-98.8
25-34	112	383,363	17	15.9	05.7-26.1	95	84.1	73.9-94.3
35-44	186	397,256	39	25.7	15.7-35.7	147	74.3	64.3-84.3
45-54	315	408,714	94	28.3	20.3-36.3	221	71.7	63.7-79.7
55-64	454	340,954	151	29.6	23.1-36.1	303	70.4	63.9-76.9
65+	589	350,543	172	33.3	26.0-40.6	417	66.7	59.4-74.0
Less Than H.S.	204	339,286	84	42.0	30.6-53.4	120	58.0	46.6-69.4
H.S. or G.E.D.	539	744,822	158	24.7	18.6-30.8	381	75.3	69.2-81.4
Some Post-H.S.	460	570,721	143	25.7	18.1-33.3	317	74.3	66.7-81.9
College Graduate	511	486,886	99	10.0	06.9-13.1	412	90.0	86.9-93.1
Less than \$15,000	176	242,006	88	48.6	32.9-64.3	88	51.4	35.7-67.1
\$15,000- 24,999	338	376,773	125	38.5	29.1-47.9	213	61.5	52.1-70.9
\$25,000- 34,999	170	203,961	47	21.8	13.0-30.6	123	78.2	69.4-87.0
\$35,000- 49,999	201	262,460	37	16.0	06.0-26.0	164	84.0	74.0-94.0
\$50,000- 74,999	193	257,289	41	14.0	07.3-20.7	152	86.0	79.3-92.7
\$75,000+	307	399,941	46	11.6	05.3-17.9	261	88.4	82.1-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3840	2,394,818	1284	27.6	24.5-30.7	2556	72.4	69.3-75.5
White/Non-Hisp	3184	1,916,799	1097	29.6	26.1-33.1	2087	70.4	66.9-73.9
Black or Afr. Am./Non-Hisp	503	340,157	143	22.2	14.9-29.5	360	77.8	70.5-85.1
Hispanic	50	75,197	9	8.3	00.0-16.7	41	91.7	83.3-0100
18-24	82	273,666	9	6.0	00.0-14.2	73	94.0	85.8-0100
25-34	269	403,472	39	12.2	05.5-18.9	230	87.8	81.1-94.5
35-44	417	406,740	96	20.3	13.4-27.2	321	79.7	72.8-86.6
45-54	638	439,782	203	35.2	28.1-42.3	435	64.8	57.7-71.9
55-64	933	381,124	365	45.3	37.5-53.1	568	54.7	46.9-62.5
65+	1469	475,594	564	37.5	33.0-42.0	905	62.5	58.0-67.0
Less Than H.S.	505	418,904	234	46.5	37.9-55.1	271	53.5	44.9-62.1
H.S. or G.E.D.	1354	784,246	479	26.4	21.7-31.1	875	73.6	68.9-78.3
Some Post-H.S.	1091	722,136	363	25.8	19.7-31.9	728	74.2	68.1-80.3
College Graduate	881	467,740	206	15.8	10.7-20.9	675	84.2	79.1-89.3
Less than \$15,000	486	351,172	252	32.2	23.4-41.0	234	67.8	59.0-76.6
\$15,000- 24,999	897	510,216	344	32.0	25.1-38.9	553	68.0	61.1-74.9
\$25,000- 34,999	355	239,773	107	29.5	18.1-40.9	248	70.5	59.1-81.9
\$35,000- 49,999	366	242,776	96	20.2	13.3-27.1	270	79.8	72.9-86.7
\$50,000- 74,999	323	225,089	82	30.1	19.1-41.1	241	69.9	58.9-80.9
\$75,000+	442	323,343	70	10.3	06.2-14.4	372	89.7	85.6-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5567	4,544,169	749	8.7	07.3-10.1	4818	91.3	89.9-92.7
Male	1723	2,149,927	199	7.7	05.7-09.7	1524	92.3	90.3-94.3
Female	3844	2,394,242	550	9.6	07.8-11.4	3294	90.4	88.6-92.2
White/Non-Hisp	4647	3,581,930	600	8.6	07.2-10.0	4047	91.4	90.0-92.8
Black or Afr. Am./Non-Hisp	676	649,731	110	9.8	05.5-14.1	566	90.2	85.9-94.5
Oth. Race/Non-Hisp.	71	94,662	13	6.3	01.0-11.6	58	93.7	88.4-99.0
MultiRacial/Non-Hisp.	69	73,046	13	14.1	01.6-26.6	56	85.9	73.4-98.4
Hispanic	73	131,158	8	5.1	00.0-10.2	65	94.9	89.8-0100
18-24	134	531,375	3	0.7	00.0-01.7	131	99.3	98.3-0100
25-34	382	789,020	11	2.9	00.0-05.8	371	97.1	94.2-0100
35-44	605	805,424	28	5.8	02.7-08.9	577	94.2	91.1-97.3
45-54	954	849,333	87	10.2	06.3-14.1	867	89.8	85.9-93.7
55-64	1388	721,669	204	12.8	09.1-16.5	1184	87.2	83.5-90.9
65+	2062	826,551	411	17.2	14.7-19.7	1651	82.8	80.3-85.3
Less Than H.S.	711	763,488	162	16.8	12.3-21.3	549	83.2	78.7-87.7
H.S. or G.E.D.	1896	1,528,503	290	8.9	06.7-11.1	1606	91.1	88.9-93.3
Some Post-H.S.	1552	1,291,003	202	7.8	05.3-10.3	1350	92.2	89.7-94.7
College Graduate	1395	956,448	92	3.5	01.9-05.1	1303	96.5	94.9-98.1
Less than \$15,000	662	593,457	158	14.9	09.2-20.6	504	85.1	79.4-90.8
\$15,000- 24,999	1238	889,021	233	15.4	11.5-19.3	1005	84.6	80.7-88.5
\$25,000- 34,999	523	441,970	55	9.1	04.2-14.0	468	90.9	86.0-95.8
\$35,000- 49,999	570	506,511	45	4.2	02.4-06.0	525	95.8	94.0-97.6
\$50,000- 74,999	516	482,363	29	4.1	00.4-07.8	487	95.9	92.2-99.6
\$75,000+	749	724,216	21	1.3	00.7-01.9	728	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1723	2,149,927	199	7.7	05.7-09.7	1524	92.3	90.3-94.3
White/Non-Hisp	1459	1,664,253	150	7.1	05.1-09.1	1309	92.9	90.9-94.9
Black or Afr. Am./Non-Hisp	173	311,029	29	9.7	01.9-17.5	144	90.3	82.5-98.1
18-24	52	257,709	2	1.2	00.0-03.0	50	98.8	97.0-0100
25-34	114	388,482	4	4.4	00.0-10.1	110	95.6	89.9-0100
35-44	186	397,256	9	5.0	00.9-09.1	177	95.0	90.9-99.1
45-54	316	409,876	27	9.8	03.5-16.1	289	90.2	83.9-96.5
55-64	455	340,297	66	11.4	07.7-15.1	389	88.6	84.9-92.3
65+	591	350,448	90	13.3	09.8-16.8	501	86.7	83.2-90.2
Less Than H.S.	206	344,185	44	16.3	08.5-24.1	162	83.7	75.9-91.5
H.S. or G.E.D.	538	743,388	65	6.6	03.7-09.5	473	93.4	90.5-96.3
Some Post-H.S.	464	572,383	58	8.4	04.3-12.5	406	91.6	87.5-95.7
College Graduate	512	487,289	32	2.6	01.4-03.8	480	97.4	96.2-98.6
Less than \$15,000	176	242,006	43	16.6	05.6-27.6	133	83.4	72.4-94.4
\$15,000- 24,999	341	378,806	57	16.9	10.0-23.8	284	83.1	76.2-90.0
\$25,000- 34,999	169	202,501	18	6.1	02.2-10.0	151	93.9	90.0-97.8
\$35,000- 49,999	204	263,824	17	4.0	01.3-06.7	187	96.0	93.3-98.7
\$50,000- 74,999	194	257,688	11	2.4	00.6-04.2	183	97.6	95.8-99.4
\$75,000+	306	399,538	9	1.2	00.2-02.2	297	98.8	97.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3844	2,394,242	550	9.6	07.8-11.4	3294	90.4	88.6-92.2
White/Non-Hisp	3188	1,917,677	450	10.0	07.8-12.2	2738	90.0	87.8-92.2
Black or Afr. Am./Non-Hisp	503	338,702	81	9.9	06.0-13.8	422	90.1	86.2-94.0
Hispanic	50	75,197	5	3.6	00.0-08.1	45	96.4	91.9-0100
18-24	82	273,666	1	0.2	00.0-00.6	81	99.8	99.4-0100
25-34	268	400,538	7	1.5	00.1-02.9	261	98.5	97.1-99.9
35-44	419	408,169	19	6.6	02.1-11.1	400	93.4	88.9-97.9
45-54	638	439,457	60	10.6	05.7-15.5	578	89.4	84.5-94.3
55-64	933	381,372	138	14.0	07.9-20.1	795	86.0	79.9-92.1
65+	1471	476,103	321	20.1	16.6-23.6	1150	79.9	76.4-83.4
Less Than H.S.	505	419,303	118	17.1	12.0-22.2	387	82.9	77.8-88.0
H.S. or G.E.D.	1358	785,115	225	11.0	07.9-14.1	1133	89.0	85.9-92.1
Some Post-H.S.	1088	718,620	144	7.2	03.9-10.5	944	92.8	89.5-96.1
College Graduate	883	469,159	60	4.4	01.5-07.3	823	95.6	92.7-98.5
Less than \$15,000	486	351,451	115	13.8	07.9-19.7	371	86.2	80.3-92.1
\$15,000- 24,999	897	510,216	176	14.3	09.8-18.8	721	85.7	81.2-90.2
\$25,000- 34,999	354	239,469	37	11.7	03.7-19.7	317	88.3	80.3-96.3
\$35,000- 49,999	366	242,687	28	4.5	02.3-06.7	338	95.5	93.3-97.7
\$50,000- 74,999	322	224,675	18	6.1	00.0-13.5	304	93.9	86.5-0100
\$75,000+	443	324,678	12	1.4	00.4-02.4	431	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	226
2 MALES ONLY	227
3 FEMALES ONLY	228
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	229
5 MALES ONLY	230
6 FEMALES ONLY	231
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	232
8 MALES ONLY	233
9 FEMALES ONLY	234
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	235
11 MALES ONLY	236
12 FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1939	1,153,565	1064	51.5	46.8-56.2	875	48.5	43.8-53.2
Male	481	437,966	217	47.9	39.9-55.9	264	52.1	44.1-60.1
Female	1458	715,599	847	53.7	48.0-59.4	611	46.3	40.6-52.0
White/Non-Hisp	1622	943,037	889	50.9	45.8-56.0	733	49.1	44.0-54.2
Black or Afr. Am./Non-Hisp	245	166,138	135	51.5	37.6-65.4	110	48.5	34.6-62.4
35-44	84	125,617	51	46.7	28.3-65.1	33	53.3	34.9-71.7
45-54	286	248,213	167	57.3	46.5-68.1	119	42.7	31.9-53.5
55-64	523	272,000	308	56.2	47.4-65.0	215	43.8	35.0-52.6
65+	999	404,129	518	50.8	45.5-56.1	481	49.2	43.9-54.5
Less Than H.S.	372	303,431	238	60.0	50.4-69.6	134	40.0	30.4-49.6
H.S. or G.E.D.	733	433,769	401	48.6	41.0-56.2	332	51.4	43.8-59.0
Some Post-H.S.	497	282,463	279	54.0	44.0-64.0	218	46.0	36.0-56.0
College Graduate	333	133,336	144	36.2	25.6-46.8	189	63.8	53.2-74.4
Less than \$15,000	353	216,537	249	74.6	64.4-84.8	104	25.4	15.2-35.6
\$15,000- 24,999	498	308,446	283	54.2	44.8-63.6	215	45.8	36.4-55.2
\$25,000- 34,999	183	96,416	91	53.6	41.1-66.1	92	46.4	33.9-58.9
\$35,000- 49,999	191	110,574	79	35.9	24.7-47.1	112	64.1	52.9-75.3
\$50,000- 74,999	133	97,059	69	51.1	34.0-68.2	64	48.9	31.8-66.0
\$75,000+	148	101,145	45	19.9	11.5-28.3	103	80.1	71.7-88.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	481	437,966	217	47.9	40.1-55.7	264	52.1	44.3-59.9
White/Non-Hisp	398	346,853	177	46.2	37.8-54.6	221	53.8	45.4-62.2
Black or Afr. Am./Non-Hisp	58	65,567	26	51.7	27.0-76.4	32	48.3	23.6-73.0
45-54	80	96,036	40	55.0	37.0-73.0	40	45.0	27.0-63.0
55-64	148	112,519	74	56.0	43.8-68.2	74	44.0	31.8-56.2
65+	218	133,702	87	37.6	27.0-48.2	131	62.4	51.8-73.0
Less Than H.S.	86	119,750	47	53.0	35.0-71.0	39	47.0	29.0-65.0
H.S. or G.E.D.	163	161,494	68	45.3	31.8-58.8	95	54.7	41.2-68.2
Some Post-H.S.	118	97,286	59	57.5	42.6-72.4	59	42.5	27.6-57.4
College Graduate	114	59,436	43	29.0	15.1-42.9	71	71.0	57.1-84.9
Less than \$15,000	84	80,518	53	78.6	66.8-90.4	31	21.4	09.6-33.2
\$15,000- 24,999	113	143,334	57	52.8	36.9-68.7	56	47.2	31.3-63.1
\$35,000- 49,999	68	57,081	25	29.8	12.0-47.6	43	70.2	52.4-88.0
\$75,000+	55	37,474	14	23.0	09.1-36.9	41	77.0	63.1-90.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1458	715,599	847	53.7	48.0-59.4	611	46.3	40.6-52.0
White/Non-Hisp	1224	596,185	712	53.6	47.3-59.9	512	46.4	40.1-52.7
Black or Afr. Am./Non-Hisp	187	100,571	109	51.4	34.9-67.9	78	48.6	32.1-65.1
35-44	63	62,457	42	54.3	32.3-76.3	21	45.7	23.7-67.7
45-54	206	152,177	127	58.7	45.0-72.4	79	41.3	27.6-55.0
55-64	375	159,481	234	56.3	44.0-68.6	141	43.7	31.4-56.0
65+	781	270,427	431	57.3	51.4-63.2	350	42.7	36.8-48.6
Less Than H.S.	286	183,680	191	64.6	54.4-74.8	95	35.4	25.2-45.6
H.S. or G.E.D.	570	272,275	333	50.5	41.5-59.5	237	49.5	40.5-58.5
Some Post-H.S.	379	185,177	220	52.2	39.3-65.1	159	47.8	34.9-60.7
College Graduate	219	73,900	101	42.0	26.5-57.5	118	58.0	42.5-73.5
Less than \$15,000	269	136,018	196	72.2	58.3-86.1	73	27.8	13.9-41.7
\$15,000- 24,999	385	165,112	226	55.4	45.0-65.8	159	44.6	34.2-55.0
\$25,000- 34,999	134	58,208	73	65.7	52.6-78.8	61	34.3	21.2-47.4
\$35,000- 49,999	123	53,493	54	42.4	30.1-54.7	69	57.6	45.3-69.9
\$50,000- 74,999	95	70,508	54	56.5	34.4-78.6	41	43.5	21.4-65.6
\$75,000+	93	63,672	31	18.1	07.9-28.3	62	81.9	71.7-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1912	1,148,505	729	40.5	35.8-45.2	1183	59.5	54.8-64.2
Male	479	436,043	163	43.5	35.3-51.7	316	56.5	48.3-64.7
Female	1433	712,462	566	38.6	33.3-43.9	867	61.4	56.1-66.7
White/Non-Hisp	1596	936,706	612	40.8	35.7-45.9	984	59.2	54.1-64.3
Black or Afr. Am./Non-Hisp	245	168,024	86	38.6	24.7-52.5	159	61.4	47.5-75.3
35-44	83	130,572	42	57.1	39.1-75.1	41	42.9	24.9-60.9
45-54	284	246,066	145	50.3	39.1-61.5	139	49.7	38.5-60.9
55-64	520	273,520	232	45.6	36.6-54.6	288	54.4	45.4-63.4
65+	977	394,606	291	27.9	23.2-32.6	686	72.1	67.4-76.8
Less Than H.S.	365	304,036	170	50.8	41.4-60.2	195	49.2	39.8-58.6
H.S. or G.E.D.	715	428,781	277	41.9	34.3-49.5	438	58.1	50.5-65.7
Some Post-H.S.	495	281,560	186	33.1	24.7-41.5	309	66.9	58.5-75.3
College Graduate	333	133,562	94	28.2	17.6-38.8	239	71.8	61.2-82.4
Less than \$15,000	341	212,991	159	52.0	39.7-64.3	182	48.0	35.7-60.3
\$15,000- 24,999	488	308,284	215	50.0	40.6-59.4	273	50.0	40.6-59.4
\$25,000- 34,999	182	94,196	66	34.7	23.7-45.7	116	65.3	54.3-76.3
\$35,000- 49,999	193	110,529	56	40.5	27.4-53.6	137	59.5	46.4-72.6
\$50,000- 74,999	136	101,639	43	33.6	17.7-49.5	93	66.4	50.5-82.3
\$75,000+	150	100,303	28	13.2	06.3-20.1	122	86.8	79.9-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	479	436,043	163	43.5	35.9-51.1	316	56.5	48.9-64.1
White/Non-Hisp	395	342,954	132	46.1	38.5-53.7	263	53.9	46.3-61.5
Black or Afr. Am./Non-Hisp	60	68,125	20	33.5	07.0-60.0	40	66.5	40.0-93.0
45-54	79	94,214	38	53.6	35.2-72.0	41	46.4	28.0-64.8
55-64	148	114,675	52	40.8	28.1-53.5	96	59.2	46.5-71.9
65+	218	132,751	56	26.7	17.9-35.5	162	73.3	64.5-82.1
Less Than H.S.	86	118,392	40	60.6	44.9-76.3	46	39.4	23.7-55.1
H.S. or G.E.D.	162	161,154	63	46.6	35.6-57.6	99	53.4	42.4-64.4
Some Post-H.S.	117	96,631	35	30.9	17.6-44.2	82	69.1	55.8-82.4
College Graduate	114	59,865	25	22.1	08.6-35.6	89	77.9	64.4-91.4
Less than \$15,000	82	79,852	39	59.1	40.7-77.5	43	40.9	22.5-59.3
\$15,000- 24,999	111	140,986	42	47.9	31.2-64.6	69	52.1	35.4-68.8
\$35,000- 49,999	70	57,285	21	47.7	27.1-68.3	49	52.3	31.7-72.9
\$75,000+	54	34,985	10	16.8	04.1-29.5	44	83.2	70.5-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1433	712,462	566	38.6	33.3-43.9	867	61.4	56.1-66.7
White/Non-Hisp	1201	593,752	480	37.7	32.0-43.4	721	62.3	56.6-68.0
Black or Afr. Am./Non-Hisp	185	99,899	66	42.2	26.1-58.3	119	57.8	41.7-73.9
35-44	63	68,718	32	46.0	25.8-66.2	31	54.0	33.8-74.2
45-54	205	151,852	107	48.3	35.4-61.2	98	51.7	38.8-64.6
55-64	372	158,845	180	49.0	36.7-61.3	192	51.0	38.7-63.3
65+	759	261,855	235	28.5	23.2-33.8	524	71.5	66.2-76.8
Less Than H.S.	279	185,644	130	44.5	34.5-54.5	149	55.5	45.5-65.5
H.S. or G.E.D.	553	267,627	214	39.1	30.5-47.7	339	60.9	52.3-69.5
Some Post-H.S.	378	184,928	151	34.2	23.2-45.2	227	65.8	54.8-76.8
College Graduate	219	73,697	69	33.2	17.3-49.1	150	66.8	50.9-82.7
Less than \$15,000	259	133,139	120	47.8	34.3-61.3	139	52.2	38.7-65.7
\$15,000- 24,999	377	167,298	173	51.7	41.1-62.3	204	48.3	37.7-58.9
\$25,000- 34,999	133	55,988	50	40.0	24.7-55.3	83	60.0	44.7-75.3
\$35,000- 49,999	123	53,244	35	32.8	20.8-44.8	88	67.2	55.2-79.2
\$50,000- 74,999	97	72,453	33	40.6	19.4-61.8	64	59.4	38.2-80.6
\$75,000+	96	65,318	18	11.3	03.7-18.9	78	88.7	81.1-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1945	1,163,335	518	28.6	24.3-32.9	603	26.7	23.0-30.4	824	44.7	40.0-49.4
Male	483	440,378	107	26.0	18.4-33.6	137	27.3	20.4-34.2	239	46.7	38.7-54.7
Female	1462	722,957	411	30.1	25.0-35.2	466	26.3	22.0-30.6	585	43.5	37.8-49.2
White/Non-Hisp	1625	950,153	440	27.9	23.4-32.4	495	26.4	22.3-30.5	690	45.7	40.6-50.8
Black or Afr. Am./Non-Hisp	248	168,793	59	32.0	17.7-46.3	88	23.4	14.8-32.0	101	44.6	30.9-58.3
35-44	85	131,045	33	32.3	16.2-48.4	27	22.4	10.4-34.4	25	45.4	26.8-64.0
45-54	285	247,541	109	43.3	31.9-54.7	77	23.7	14.7-32.7	99	33.1	23.3-42.9
55-64	528	276,762	161	32.1	23.7-40.5	176	29.5	21.3-37.7	191	38.4	29.8-47.0
65+	1000	404,304	206	19.4	14.9-23.9	311	30.7	25.6-35.8	483	49.9	44.2-55.6
Less Than H.S.	372	310,557	141	39.3	30.1-48.5	127	28.2	20.9-35.5	104	32.6	22.8-42.4
H.S. or G.E.D.	730	431,973	193	27.4	20.3-34.5	235	25.8	19.7-31.9	302	46.8	39.2-54.4
Some Post-H.S.	504	286,145	140	26.8	18.0-35.6	146	27.9	19.3-36.5	218	45.3	35.5-55.1
College Graduate	336	134,151	43	11.6	03.8-19.4	94	23.6	15.6-31.6	199	64.8	54.4-75.2
Less than \$15,000	350	215,456	150	59.1	47.9-70.3	113	21.0	13.9-28.1	87	19.8	10.4-29.2
\$15,000- 24,999	498	313,128	146	24.9	18.2-31.6	160	34.1	25.3-42.9	192	41.0	31.4-50.6
\$25,000- 34,999	184	96,551	47	37.8	23.9-51.7	51	24.2	14.6-33.8	86	38.0	26.4-49.6
\$35,000- 49,999	196	111,615	38	23.4	13.4-33.4	53	21.6	12.8-30.4	105	55.0	42.8-67.2
\$50,000- 74,999	138	102,086	29	24.0	07.7-40.3	51	37.1	20.8-53.4	58	38.9	24.6-53.2
\$75,000+	152	102,904	11	5.3	01.4-09.2	36	17.1	09.3-24.9	105	77.6	68.6-86.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	440,378	107	26.0	18.2-33.8	137	27.3	20.2-34.4	239	46.7	38.5-54.9
White/Non-Hisp	398	346,706	85	23.0	15.7-30.3	111	26.2	18.8-33.6	202	50.9	41.9-59.9
Black or Afr. Am./Non-Hisp	60	68,125	14	40.5	13.5-67.5	19	23.2	07.3-39.1	27	36.3	15.5-57.1
45-54	79	95,369	26	43.5	23.3-63.7	19	18.8	06.5-31.1	34	37.7	20.8-54.6
55-64	150	116,142	40	30.8	18.8-42.8	44	31.4	18.1-44.7	66	37.8	26.2-49.4
65+	220	134,545	32	11.0	05.7-16.3	65	35.3	24.3-46.3	123	53.7	43.3-64.1
Less Than H.S.	86	120,003	29	34.2	16.2-52.2	32	32.2	17.3-47.1	25	33.7	15.7-51.7
H.S. or G.E.D.	163	161,494	37	27.4	13.7-41.1	45	22.5	11.1-33.9	81	50.0	35.9-64.1
Some Post-H.S.	118	98,930	26	22.4	10.4-34.4	32	28.9	14.4-43.4	60	48.6	32.7-64.5
College Graduate	116	59,952	15	12.1	00.0-24.6	28	27.3	13.2-41.4	73	60.6	44.5-76.7
Less than \$15,000	83	79,757	38	68.1	51.8-84.4	28	22.5	08.4-36.6	17	9.3	03.0-15.6
\$15,000- 24,999	112	142,667	25	16.2	07.0-25.4	34	36.2	20.3-52.1	53	47.6	30.7-64.5
\$35,000- 49,999	70	57,285	13	21.0	04.3-37.7	18	20.8	05.9-35.7	39	58.2	37.4-79.0
\$75,000+	56	37,587	4	6.4	00.0-13.3	11	20.3	06.8-33.8	41	73.3	58.6-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1462	722,957	411	30.1	25.0-35.2	466	26.3	22.0-30.6	585	43.5	37.8-49.2
White/Non-Hisp	1227	603,447	355	30.8	25.1-36.5	384	26.5	21.6-31.4	488	42.7	36.4-49.0
Black or Afr. Am./Non-Hisp	188	100,668	45	26.2	13.7-38.7	69	23.6	13.8-33.4	74	50.2	34.3-66.1
35-44	65	69,270	28	39.8	20.4-59.2	21	23.3	10.6-36.0	16	36.8	14.8-58.8
45-54	206	152,172	83	43.1	30.0-56.2	58	26.7	14.4-39.0	65	30.2	17.9-42.5
55-64	378	160,620	121	33.0	21.2-44.8	132	28.1	17.7-38.5	125	38.8	26.6-51.0
65+	780	269,759	174	23.6	17.7-29.5	246	28.5	23.6-33.4	360	47.9	41.0-54.8
Less Than H.S.	286	190,554	112	42.5	32.5-52.5	95	25.6	18.3-32.9	79	31.9	20.7-43.1
H.S. or G.E.D.	567	270,479	156	27.4	19.4-35.4	190	27.7	20.4-35.0	221	44.9	35.7-54.1
Some Post-H.S.	386	187,215	114	29.2	17.4-41.0	114	27.3	16.9-37.7	158	43.5	30.8-56.2
College Graduate	220	74,200	28	11.1	01.1-21.1	66	20.7	12.1-29.3	126	68.2	55.5-80.9
Less than \$15,000	267	135,699	112	53.8	40.5-67.1	85	20.2	12.9-27.5	70	26.0	12.9-39.1
\$15,000- 24,999	386	170,461	121	32.1	23.3-40.9	126	32.4	22.6-42.2	139	35.5	25.1-45.9
\$25,000- 34,999	135	58,343	35	42.2	23.8-60.6	40	24.4	13.0-35.8	60	33.3	20.4-46.2
\$35,000- 49,999	126	54,331	25	25.9	14.1-37.7	35	22.5	13.7-31.3	66	51.6	39.3-63.9
\$50,000- 74,999	98	72,560	25	31.5	09.7-53.3	34	37.5	15.9-59.1	39	31.0	15.1-46.9
\$75,000+	96	65,318	7	4.7	00.2-09.2	25	15.2	06.0-24.4	64	80.1	69.3-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1875	1,129,592	69	3.3	01.7-04.9	401	21.7	17.8-25.6	642	32.7	28.2-37.2	488	28.1	23.6-32.6	275	14.2	10.7-17.7	
Male	461	425,745	23	4.2	01.7-06.7	131	23.0	17.1-28.9	162	35.7	27.9-43.5	96	22.9	15.8-30.0	49	14.2	06.6-21.8	
Female	1414	703,847	46	2.8	00.6-05.0	270	20.9	15.8-26.0	480	30.9	25.6-36.2	392	31.2	25.5-36.9	226	14.2	11.3-17.1	
White/Non-Hisp	1565	921,108	51	3.6	01.6-05.6	353	22.1	18.0-26.2	546	33.4	28.5-38.3	402	28.8	23.9-33.7	213	12.2	08.9-15.5	
Black or Afr. Am./Non-Hisp	237	164,158	12	2.1	00.1-04.1	37	23.2	10.7-35.7	69	24.5	12.7-36.3	69	25.0	13.6-36.4	50	25.2	11.9-38.5	
35-44	84	130,378	1	0.6	00.0-01.8	22	26.3	10.2-42.4	17	21.7	06.6-36.8	29	32.3	16.0-48.6	15	19.2	02.1-36.3	
45-54	276	237,695	4	1.6	00.0-03.6	41	15.7	08.8-22.6	87	29.6	19.6-39.6	95	34.6	23.6-45.6	49	18.5	08.5-28.5	
55-64	514	272,729	18	4.5	01.2-07.8	110	22.4	14.4-30.4	156	28.2	20.8-35.6	148	30.3	21.5-39.1	82	14.6	08.9-20.3	
65+	955	386,039	42	3.2	02.0-04.4	216	23.0	18.5-27.5	368	38.1	32.4-43.8	205	23.1	17.4-28.8	124	12.6	09.7-15.5	
Less Than H.S.	356	298,256	9	1.3	00.1-02.5	44	14.9	09.2-20.6	106	24.1	16.5-31.7	106	32.6	23.8-41.4	91	27.1	17.1-37.1	
H.S. or G.E.D.	699	420,994	26	2.9	00.7-05.1	127	20.4	14.3-26.5	250	33.9	26.5-41.3	189	30.6	23.0-38.2	107	12.3	08.0-16.6	
Some Post-H.S.	486	277,737	14	4.4	00.0-09.7	107	21.2	12.8-29.6	166	40.0	30.0-50.0	143	26.1	17.3-34.9	56	8.3	05.2-11.4	
College Graduate	331	132,095	20	7.1	02.6-11.6	123	42.3	30.3-54.3	120	33.3	23.1-43.5	49	14.0	06.0-22.0	19	3.3	01.5-05.1	
Less than \$15,000	336	208,953	7	1.1	00.1-02.1	25	4.9	02.0-07.8	112	27.2	16.6-37.8	117	39.5	27.3-51.7	75	27.3	15.3-39.3	
\$15,000- 24,999	484	305,163	18	1.9	00.7-03.1	91	19.5	12.8-26.2	143	29.7	20.9-38.5	150	32.6	23.6-41.6	82	16.3	08.5-24.1	
\$25,000- 34,999	175	94,446	10	2.9	00.5-05.3	32	15.8	07.2-24.4	68	34.2	23.0-45.4	45	34.1	19.6-48.6	20	13.0	05.6-20.4	
\$35,000- 49,999	191	108,127	6	2.9	00.0-06.6	63	22.5	14.7-30.3	70	48.0	35.3-60.7	42	22.2	13.6-30.8	10	4.3	01.0-07.6	
\$50,000- 74,999	133	99,950	5	4.6	00.0-11.7	37	20.8	11.2-30.4	52	39.7	23.0-56.4	32	31.9	14.8-49.0	7	3.1	00.2-06.0	
\$75,000+	146	99,165	10	13.9	00.0-28.0	59	48.3	32.2-64.4	54	25.9	15.7-36.1	16	8.1	02.8-13.4	7	3.7	00.2-07.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

**TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	461	425,745	23	4.2	01.8-06.6	131	23.0	17.5-28.5	162	35.7	28.3-43.1	96	22.9	15.8-30.0	49	14.2	06.8-21.6
White/Non-Hisp	380	335,082	19	4.7	01.8-07.6	115	24.4	18.1-30.7	133	36.9	28.3-45.5	78	22.7	15.1-30.3	35	11.4	04.1-18.7
Black or Afr. Am./Non-Hisp	56	65,116	3	2.8	00.0-07.3	13	22.9	05.1-40.7	19	19.5	06.4-32.6	10	24.1	01.8-46.4	11	30.7	02.7-58.7
45-54	74	91,329	2	3.4	00.0-08.3	19	25.0	10.3-39.7	19	18.3	06.3-30.3	24	30.5	12.1-48.9	10	22.8	00.3-45.3
55-64	150	115,779	11	9.1	01.5-16.7	32	15.2	07.9-22.5	51	37.9	25.4-50.4	38	27.7	16.7-38.7	18	10.1	04.0-16.2
65+	204	125,246	10	3.2	00.7-05.7	73	35.2	25.0-45.4	78	41.6	30.4-52.8	24	7.8	03.3-12.3	19	12.2	05.7-18.7
Less Than H.S.	82	116,038	1	0.8	00.0-02.4	19	21.3	09.3-33.3	23	18.4	07.4-29.4	24	28.9	14.2-43.6	15	30.5	09.1-51.9
H.S. or G.E.D.	151	155,956	7	4.4	00.0-09.5	35	18.1	10.5-25.7	61	40.0	26.1-53.9	33	28.9	14.6-43.2	15	8.6	01.7-15.5
Some Post-H.S.	116	95,703	4	2.1	00.0-05.2	30	23.5	10.8-36.2	42	47.0	30.7-63.3	26	16.7	07.5-25.9	14	10.8	03.4-18.2
College Graduate	112	58,048	11	13.6	03.8-23.4	47	38.8	22.9-54.7	36	39.9	23.4-56.4	13	5.2	01.9-08.5	5	2.4	00.0-04.9
Less than \$15,000	79	78,698	2	0.6	00.0-01.6	8	5.4	00.9-09.9	26	20.4	06.9-33.9	32	46.6	24.8-68.4	11	27.0	01.9-52.1
\$15,000- 24,999	105	137,269	5	2.2	00.0-04.6	28	22.5	11.3-33.7	34	37.3	21.6-53.0	27	23.1	11.1-35.1	11	14.9	00.0-30.2
\$35,000- 49,999	67	54,896	3	4.1	00.0-11.4	25	21.6	09.6-33.6	27	59.1	40.7-77.5	8	11.4	01.6-21.2	4	3.8	00.0-08.9
\$75,000+	54	34,920	6	16.2	02.1-30.3	21	37.9	18.5-57.3	19	30.2	15.1-45.3	7	11.8	01.4-22.2	1	3.8	00.0-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1414	703,847	46	2.8	00.6-05.0	270	20.9	15.8-26.0	480	30.9	25.6-36.2	392	31.2	25.5-36.9	226	14.2	11.3-17.1
White/Non-Hisp	1185	586,026	32	2.9	00.4-05.4	238	20.8	15.5-26.1	413	31.4	25.9-36.9	324	32.2	25.9-38.5	178	12.6	09.5-15.7
Black or Afr. Am./Non-Hisp	181	99,042	9	1.7	00.3-03.1	24	23.4	06.5-40.3	50	27.8	11.1-44.5	59	25.5	13.5-37.5	39	21.6	11.2-32.0
35-44	64	68,603	1	1.1	00.0-03.3	17	36.8	14.7-58.9	9	10.0	01.4-18.6	23	33.6	15.0-52.2	14	18.4	05.5-31.3
45-54	202	146,366	2	0.4	00.0-01.0	22	9.8	03.9-15.7	68	36.7	23.2-50.2	71	37.2	23.5-50.9	39	15.8	08.7-22.9
55-64	364	156,949	7	1.1	00.1-02.1	78	27.7	15.2-40.2	105	21.1	15.0-27.2	110	32.3	19.6-45.0	64	17.9	09.1-26.7
65+	751	260,793	32	3.2	01.8-04.6	143	17.2	13.1-21.3	290	36.5	30.2-42.8	181	30.4	23.1-37.7	105	12.8	09.7-15.9
Less Than H.S.	274	182,218	8	1.5	00.0-03.1	25	10.8	04.9-16.7	83	27.6	17.6-37.6	82	35.0	24.4-45.6	76	25.0	17.4-32.6
H.S. or G.E.D.	548	265,038	19	2.0	01.0-03.0	92	21.7	13.5-29.9	189	30.2	22.0-38.4	156	31.6	22.4-40.8	92	14.5	08.8-20.2
Some Post-H.S.	370	182,034	10	5.6	00.0-13.4	77	20.0	08.8-31.2	124	36.3	24.0-48.6	117	31.1	18.9-43.3	42	7.0	04.1-09.9
College Graduate	219	74,048	9	1.9	00.3-03.5	76	45.0	28.3-61.7	84	28.1	16.5-39.7	36	21.0	07.5-34.5	14	3.9	01.4-06.4
Less than \$15,000	257	130,255	5	1.5	00.0-03.1	17	4.6	00.9-08.3	86	31.2	17.3-45.1	85	35.2	22.1-48.3	64	27.5	15.9-39.1
\$15,000- 24,999	379	167,894	13	1.6	00.6-02.6	63	17.1	09.3-24.9	109	23.5	17.0-30.0	123	40.3	29.1-51.5	71	17.5	11.4-23.6
\$25,000- 34,999	129	57,028	7	4.0	00.3-07.7	21	12.2	04.8-19.6	50	30.2	17.9-42.5	38	43.9	25.5-62.3	13	9.8	02.4-17.2
\$35,000- 49,999	124	53,232	3	1.7	00.0-03.7	38	23.5	13.5-33.5	43	36.6	24.3-48.9	34	33.4	21.4-45.4	6	4.9	00.4-09.4
\$50,000- 74,999	96	71,964	3	0.8	00.0-02.0	24	16.9	06.5-27.3	37	43.4	21.6-65.2	25	34.7	12.7-56.7	7	4.3	00.2-08.4
\$75,000+	92	64,245	4	12.7	00.0-33.3	38	54.0	31.9-76.1	35	23.5	10.6-36.4	9	6.1	00.4-11.8	6	3.7	00.2-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5554	4,535,127	4959	86.7	84.7-88.7	282	6.8	05.2-08.4	152	3.4	02.2-04.6	55	1.2	00.6-01.8	88	1.5	00.7-02.3	18	0.3	00.1-00.5
Male	1719	2,144,975	1445	81.5	78.0-85.0	121	9.0	06.3-11.7	76	4.7	02.7-06.7	30	1.9	00.7-03.1	41	2.3	00.9-03.7	6	0.5	00.0-01.1
Female	3835	2,390,152	3514	91.3	89.1-93.5	161	4.8	03.2-06.4	76	2.2	01.0-03.4	25	0.6	00.0-01.2	47	0.9	00.5-01.3	12	0.2	00.0-00.4
White/Non-Hisp	4634	3,572,888	4132	87.0	84.8-89.2	241	6.9	05.1-08.7	125	2.8	01.8-03.8	50	1.5	00.7-02.3	75	1.6	00.8-02.4	11	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	676	649,731	616	90.0	85.3-94.7	28	3.1	00.9-05.3	18	5.5	01.4-09.6	2	0.1	00.0-00.3	7	0.8	00.0-01.8	5	0.4	00.0-00.8
Oth. Race/Non-Hisp.	71	94,662	63	70.6	46.7-94.5	3	8.7	00.0-23.6	3	14.3	00.0-35.1				2	6.4	00.0-16.0			
MultiRacial/Non-Hisp.	69	73,046	59	70.1	46.0-94.2	4	21.5	00.0-45.6	3	0.7	00.0-01.7	1	1.6	00.0-04.7	1	0.1	00.0-00.3	1	5.9	00.0-17.1
Hispanic	73	131,158	63	81.9	64.5-99.3	6	14.7	00.0-31.9	2	2.4	00.0-05.9	1	0.1	00.0-00.3				1	0.9	00.0-02.9
18-24	134	531,375	110	79.9	70.3-89.5	14	14.9	06.3-23.5	6	3.4	00.0-07.7				4	1.8	00.0-04.0			
25-34	382	789,020	331	85.6	79.5-91.7	27	6.0	02.1-09.9	15	5.4	01.3-09.5	7	2.5	00.0-05.2	2	0.5	00.0-01.3			
35-44	603	800,968	538	89.8	85.7-93.9	22	3.5	01.7-05.3	18	3.0	00.8-05.2	11	0.9	00.3-01.5	10	2.0	00.0-04.9	4	0.8	00.0-02.0
45-54	955	848,623	848	86.0	81.9-90.1	47	6.2	03.3-09.1	26	3.4	01.2-05.6	11	0.8	00.2-01.4	20	2.9	00.9-04.9	3	0.7	00.0-01.7
55-64	1387	722,838	1238	87.8	84.1-91.5	81	7.4	04.1-10.7	36	2.8	01.4-04.2	11	0.9	00.0-01.9	19	1.1	00.3-01.9	2	0.1	00.0-00.3
65+	2053	822,177	1858	88.6	85.3-91.9	90	5.9	03.0-08.8	50	2.4	01.4-03.4	14	1.8	00.0-03.6	32	0.9	00.5-01.3	9	0.4	00.0-00.8
Less Than H.S.	707	756,447	617	85.1	79.8-90.4	28	5.0	01.7-08.3	25	3.0	01.2-04.8	13	3.0	00.6-05.4	18	3.5	00.2-06.8	6	0.4	00.0-00.8
H.S. or G.E.D.	1892	1,527,082	1664	85.5	82.2-88.8	99	6.5	04.3-08.7	63	4.2	02.2-06.2	23	1.6	00.2-03.0	34	1.7	00.7-02.7	9	0.5	00.0-01.1
Some Post-H.S.	1552	1,291,543	1395	87.6	83.3-91.9	80	7.4	03.7-11.1	41	3.4	01.2-05.6	10	0.3	00.1-00.5	24	1.0	00.0-02.0	2	0.3	00.0-00.9
College Graduate	1391	955,415	1272	88.7	84.6-92.8	75	7.9	04.4-11.4	23	2.4	00.0-04.8	8	0.3	00.0-00.7	12	0.5	00.1-00.9	1	0.1	00.0-00.3
Less than \$15,000	658	592,632	571	85.3	78.4-92.2	39	5.9	01.8-10.0	25	3.8	00.0-07.7	8	2.0	00.0-04.4	12	2.7	00.0-06.8	3	0.3	00.0-00.7
\$15,000- 24,999	1238	889,021	1108	86.6	82.3-90.9	52	6.5	02.8-10.2	29	2.4	00.8-04.0	16	1.6	00.6-02.6	27	1.7	00.5-02.9	6	1.0	00.0-02.4
\$25,000- 34,999	523	443,191	466	90.6	86.1-95.1	27	6.2	01.9-10.5	18	2.4	00.8-04.0	6	0.5	00.0-01.1	5	0.3	00.1-00.5	1	0.1	00.0-00.3
\$35,000- 49,999	571	506,695	499	85.2	79.7-90.7	36	6.9	03.0-10.8	20	4.6	01.3-07.9	7	1.3	00.1-02.5	9	2.0	00.2-03.8			
\$50,000- 74,999	517	482,777	465	80.2	72.0-88.4	34	13.8	06.2-21.4	12	5.1	00.4-09.8	2	0.4	00.0-01.0	4	0.5	00.0-01.1			
\$75,000+	746	722,201	689	89.7	85.0-94.4	32	5.7	02.4-09.0	12	2.3	00.0-05.2	2	0.1	00.0-00.3	10	2.1	00.1-04.1	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	2,144,975	1445	81.5	78.0-85.0	121	9.0	06.3-11.7	76	4.7	02.7-06.7	30	1.9	00.7-03.1	41	2.3	00.9-03.7	6	0.5	00.0-01.1
White/Non-Hisp	1455	1,659,300	1219	82.2	78.3-86.1	106	8.8	05.9-11.7	64	4.0	02.2-05.8	28	2.4	00.8-04.0	34	2.4	00.6-04.2	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	173	311,029	153	88.4	81.1-95.7	8	3.6	00.0-07.9	8	6.4	00.9-11.9	1	0.2	00.0-00.6	3	1.5	00.0-03.7			
18-24	52	257,709	38	74.4	59.7-89.1	8	19.8	05.7-33.9	3	2.3	00.0-04.8				3	3.5	00.0-08.0			
25-34	114	388,482	95	79.6	68.6-90.6	7	6.3	00.0-13.0	7	9.3	01.1-17.5	5	4.8	00.0-10.5						
35-44	185	392,907	158	85.6	77.8-93.4	8	3.7	01.0-06.4	9	4.8	00.5-09.1	5	1.0	00.0-02.0	3	3.6	00.0-09.7	2	1.3	00.0-03.5
45-54	316	409,876	259	79.3	72.2-86.4	23	9.7	04.0-15.4	12	3.7	01.0-06.4	8	1.5	00.3-02.7	12	4.5	00.8-08.2	2	1.3	00.0-03.3
55-64	455	341,488	390	85.5	79.6-91.4	34	8.5	03.4-13.6	18	3.5	01.0-06.0	6	1.6	00.0-03.6	7	0.9	00.1-01.7			
65+	588	348,653	498	83.1	76.2-90.0	41	9.9	03.4-16.4	26	3.8	01.6-06.0	6	1.9	00.0-04.3	15	1.3	00.5-02.1	2	0.1	00.0-00.3
Less Than H.S.	203	338,139	160	76.7	66.5-86.9	11	7.8	00.7-14.9	14	5.3	01.4-09.2	8	4.3	00.8-07.8	9	5.7	00.0-13.0	1	0.1	00.0-00.3
H.S. or G.E.D.	538	744,749	440	81.5	76.0-87.0	41	8.0	04.3-11.7	27	4.6	01.9-07.3	14	2.8	00.0-05.7	13	2.3	00.5-04.1	3	0.8	00.0-02.0
Some Post-H.S.	464	572,383	389	80.1	72.1-88.1	33	11.4	04.3-18.5	25	5.6	01.5-09.7	4	0.5	00.0-01.1	11	1.7	00.0-03.9	2	0.8	00.0-02.4
College Graduate	511	487,021	453	86.6	80.1-93.1	36	8.6	03.5-13.7	10	3.5	00.0-08.0	4	0.4	00.0-01.0	8	0.8	00.0-01.6			
Less than \$15,000	176	242,006	139	79.0	65.7-92.3	11	9.4	00.0-19.2	14	3.4	00.0-07.1	3	2.1	00.0-05.0	8	6.1	00.0-15.7	1	0.1	00.0-00.3
\$15,000- 24,999	341	378,806	282	81.9	74.8-89.0	26	7.4	02.3-12.5	12	3.8	00.5-07.1	10	2.9	00.7-05.1	8	1.8	00.0-04.2	3	2.2	00.0-05.3
\$25,000- 34,999	170	203,961	143	87.7	79.5-95.9	11	8.1	00.5-15.7	9	2.9	00.2-05.6	3	0.8	00.0-01.8	4	0.5	00.0-01.1			
\$35,000- 49,999	204	263,824	164	83.1	75.1-91.1	17	6.9	00.8-13.0	12	4.9	01.0-08.8	5	2.0	00.0-04.2	6	3.1	00.0-06.2			
\$50,000- 74,999	194	257,688	160	69.5	56.2-82.8	20	20.1	07.6-32.6	9	8.9	00.3-17.5	2	0.7	00.0-01.7	3	0.9	00.0-01.9			
\$75,000+	305	399,270	277	86.7	79.3-94.1	17	7.1	02.2-12.0	4	3.2	00.0-08.5	1	0.1	00.0-00.3	6	2.9	00.0-06.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3835	2,390,152	3514	91.3	89.1-93.5	161	4.8	03.2-06.4	76	2.2	01.0-03.4	25	0.6	00.0-01.2	47	0.9	00.5-01.3	12	0.2	00.0-00.4
White/Non-Hisp	3179	1,913,587	2913	91.2	89.0-93.4	135	5.2	03.2-07.2	61	1.8	01.0-02.6	22	0.7	00.1-01.3	41	0.9	00.5-01.3	7	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	503	338,702	463	91.6	85.1-98.1	20	2.6	01.0-04.2	10	4.8	00.0-11.1	1	0.1	00.0-00.3	4	0.2	00.0-00.6	5	0.7	00.0-01.5
Hispanic	50	75,197	46	97.8	94.5-0100	2	0.6	00.0-01.6	1	1.5	00.0-04.4	1	0.1	00.0-00.3						
18-24	82	273,666	72	85.1	72.8-97.4	6	10.4	00.4-20.4	3	4.4	00.0-12.2				1	0.1	00.0-00.3			
25-34	268	400,538	236	91.5	86.6-96.4	20	5.6	01.1-10.1	8	1.6	00.4-02.8	2	0.3	00.0-00.7	2	1.0	00.0-02.6			
35-44	418	408,060	380	93.9	91.2-96.6	14	3.3	01.1-05.5	9	1.2	00.2-02.2	6	0.8	00.0-01.6	7	0.5	00.1-00.9	2	0.3	00.0-00.9
45-54	639	438,747	589	92.3	88.6-96.0	24	2.9	01.3-04.5	14	3.0	00.0-06.3	3	0.2	00.0-00.4	8	1.4	00.2-02.6	1	0.1	00.0-00.3
55-64	932	381,350	848	89.9	85.2-94.6	47	6.3	01.8-10.8	18	2.1	00.9-03.3	5	0.2	00.0-00.4	12	1.4	00.2-02.6	2	0.1	00.0-00.3
65+	1465	473,524	1360	92.7	89.8-95.6	49	2.9	01.7-04.1	24	1.4	00.6-02.2	8	1.7	00.0-04.2	17	0.6	00.2-01.0	7	0.6	00.0-01.2
Less Than H.S.	504	418,308	457	91.9	88.2-95.6	17	2.7	01.1-04.3	11	1.2	00.4-02.0	5	1.9	00.0-04.8	9	1.7	00.0-03.5	5	0.6	00.0-01.2
H.S. or G.E.D.	1354	782,333	1224	89.3	85.6-93.0	58	5.1	02.6-07.6	36	3.8	00.9-06.7	9	0.4	00.0-00.8	21	1.2	00.4-02.0	6	0.2	00.0-00.4
Some Post-H.S.	1088	719,160	1006	93.6	89.9-97.3	47	4.1	01.0-07.2	16	1.6	00.0-03.6	6	0.2	00.0-00.4	13	0.4	00.0-00.8			
College Graduate	880	468,394	819	90.8	85.7-95.9	39	7.2	02.3-12.1	13	1.3	00.3-02.3	4	0.2	00.0-00.6	4	0.3	00.1-00.5	1	0.2	00.0-00.6
Less than \$15,000	482	350,626	432	89.7	82.6-96.8	28	3.5	01.5-05.5	11	4.1	00.0-10.2	5	2.0	00.0-05.5	4	0.4	00.0-00.8	2	0.4	00.0-01.0
\$15,000- 24,999	897	510,216	826	90.2	84.7-95.7	26	5.8	00.5-11.1	17	1.4	00.6-02.2	6	0.7	00.1-01.3	19	1.7	00.3-03.1	3	0.2	00.0-00.4
\$25,000- 34,999	353	239,230	323	93.0	88.3-97.7	16	4.5	00.0-09.0	9	1.9	00.3-03.5	3	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3
\$35,000- 49,999	367	242,870	335	87.5	80.1-94.9	19	6.8	01.7-11.9	8	4.2	00.0-09.9	2	0.6	00.0-01.6	3	0.8	00.0-02.2			
\$50,000- 74,999	323	225,089	305	92.4	86.3-98.5	14	6.6	00.5-12.7	3	0.9	00.0-02.1				1	0.1	00.0-00.3			
\$75,000+	441	322,931	412	93.3	88.6-98.0	15	3.9	00.0-08.2	8	1.2	00.0-02.4	1	0.1	00.0-00.3	4	1.2	00.0-02.6	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	243
2 MALES ONLY	244
3 FEMALES ONLY	245
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	246
5 MALES ONLY	247
6 FEMALES ONLY	248
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	249
8 MALES ONLY	250
9 FEMALES ONLY	251
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	252
11 MALES ONLY	253
12 FEMALES ONLY	254

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5531	4,515,045	2951	44.3	41.6-47.0	2580	55.7	53.0-58.4
Male	1708	2,128,353	878	40.0	35.9-44.1	830	60.0	55.9-64.1
Female	3823	2,386,692	2073	48.2	44.5-51.9	1750	51.8	48.1-55.5
White/Non-Hisp	4612	3,552,990	2585	48.0	44.9-51.1	2027	52.0	48.9-55.1
Black or Afr. Am./Non-Hisp	676	649,731	266	32.6	25.2-40.0	410	67.4	60.0-74.8
Oth. Race/Non-Hisp.	70	94,477	30	36.2	12.5-59.9	40	63.8	40.1-87.5
MultiRacial/Non-Hisp.	69	73,046	34	39.3	16.4-62.2	35	60.7	37.8-83.6
Hispanic	73	131,158	24	11.9	04.1-19.7	49	88.1	80.3-95.9
18-24	133	519,030	56	45.3	32.8-57.8	77	54.7	42.2-67.2
25-34	381	788,003	126	30.5	23.2-37.8	255	69.5	62.2-76.8
35-44	603	800,968	224	32.2	26.3-38.1	379	67.8	61.9-73.7
45-54	952	846,621	403	40.1	34.8-45.4	549	59.9	54.6-65.2
55-64	1385	723,020	716	49.9	44.2-55.6	669	50.1	44.4-55.8
65+	2037	817,278	1405	67.7	63.8-71.6	632	32.3	28.4-36.2
Less Than H.S.	702	753,536	359	40.1	33.4-46.8	343	59.9	53.2-66.6
H.S. or G.E.D.	1887	1,525,416	956	41.3	36.8-45.8	931	58.7	54.2-63.2
Some Post-H.S.	1542	1,277,764	831	47.9	42.2-53.6	711	52.1	46.4-57.8
College Graduate	1388	953,688	798	47.5	41.8-53.2	590	52.5	46.8-58.2
Less than \$15,000	652	578,989	335	38.6	29.8-47.4	317	61.4	52.6-70.2
\$15,000- 24,999	1230	886,180	620	42.3	36.2-48.4	610	57.7	51.6-63.8
\$25,000- 34,999	521	442,886	271	42.6	34.0-51.2	250	57.4	48.8-66.0
\$35,000- 49,999	568	506,195	319	40.5	32.5-48.5	249	59.5	51.5-67.5
\$50,000- 74,999	516	481,759	270	46.3	38.1-54.5	246	53.7	45.5-61.9
\$75,000+	745	720,753	395	46.6	40.1-53.1	350	53.4	46.9-59.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	2,128,353	878	40.0	35.9-44.1	830	60.0	55.9-64.1
White/Non-Hisp	1445	1,642,863	775	43.7	39.0-48.4	670	56.3	51.6-61.0
Black or Afr. Am./Non-Hisp	173	311,029	71	27.8	16.6-39.0	102	72.2	61.0-83.4
18-24	51	245,364	20	40.2	22.8-57.6	31	59.8	42.4-77.2
25-34	114	388,482	31	26.8	15.4-38.2	83	73.2	61.8-84.6
35-44	185	392,907	63	26.6	18.2-35.0	122	73.4	65.0-81.8
45-54	314	408,041	137	39.3	31.3-47.3	177	60.7	52.7-68.7
55-64	456	341,982	239	45.8	37.8-53.8	217	54.2	46.2-62.2
65+	579	345,717	384	64.8	57.4-72.2	195	35.2	27.8-42.6
Less Than H.S.	203	336,839	87	31.1	21.9-40.3	116	68.9	59.7-78.1
H.S. or G.E.D.	538	744,749	253	37.5	30.6-44.4	285	62.5	55.6-69.4
Some Post-H.S.	457	558,865	250	47.3	38.3-56.3	207	52.7	43.7-61.7
College Graduate	507	485,217	286	41.3	33.5-49.1	221	58.7	50.9-66.5
Less than \$15,000	174	229,506	74	27.6	14.7-40.5	100	72.4	59.5-85.3
\$15,000- 24,999	338	376,654	164	41.8	32.4-51.2	174	58.2	48.8-67.6
\$25,000- 34,999	169	203,881	82	42.0	28.7-55.3	87	58.0	44.7-71.3
\$35,000- 49,999	201	263,324	114	32.1	21.3-42.9	87	67.9	57.1-78.7
\$50,000- 74,999	194	257,688	104	46.6	34.1-59.1	90	53.4	40.9-65.9
\$75,000+	304	397,823	166	44.1	35.1-53.1	138	55.9	46.9-64.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3823	2,386,692	2073	48.2	44.5-51.9	1750	51.8	48.1-55.5
White/Non-Hisp	3167	1,910,127	1810	51.8	47.9-55.7	1357	48.2	44.3-52.1
Black or Afr. Am./Non-Hisp	503	338,702	195	36.9	27.3-46.5	308	63.1	53.5-72.7
Hispanic	50	75,197	18	10.0	02.0-18.0	32	90.0	82.0-98.0
18-24	82	273,666	36	49.9	31.7-68.1	46	50.1	31.9-68.3
25-34	267	399,520	95	34.2	25.0-43.4	172	65.8	56.6-75.0
35-44	418	408,060	161	37.6	29.6-45.6	257	62.4	54.4-70.4
45-54	638	438,580	266	40.9	34.0-47.8	372	59.1	52.2-66.0
55-64	929	381,038	477	53.7	46.1-61.3	452	46.3	38.7-53.9
65+	1458	471,561	1021	69.8	65.7-73.9	437	30.2	26.1-34.3
Less Than H.S.	499	416,697	272	47.4	38.6-56.2	227	52.6	43.8-61.4
H.S. or G.E.D.	1349	780,667	703	45.0	39.3-50.7	646	55.0	49.3-60.7
Some Post-H.S.	1085	718,899	581	48.4	41.0-55.8	504	51.6	44.2-59.0
College Graduate	881	468,471	512	53.9	46.1-61.7	369	46.1	38.3-53.9
Less than \$15,000	478	349,482	261	45.7	34.1-57.3	217	54.3	42.7-65.9
\$15,000- 24,999	892	509,526	456	42.6	34.8-50.4	436	57.4	49.6-65.2
\$25,000- 34,999	352	239,005	189	43.1	31.7-54.5	163	56.9	45.5-68.3
\$35,000- 49,999	367	242,870	205	49.5	39.3-59.7	162	50.5	40.3-60.7
\$50,000- 74,999	322	224,071	166	45.9	35.3-56.5	156	54.1	43.5-64.7
\$75,000+	441	322,931	229	49.6	40.4-58.8	212	50.4	41.2-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2728	1,825,512	8	0.4	00.0-00.8	22	1.6	00.2-03.0	1983	61.7	57.8-65.6	136	6.2	03.8-08.6	32	2.7	00.7-04.7	547	27.4	23.7-31.1
Male	793	759,781	4	0.7	00.0-01.5	10	3.0	00.0-06.3	572	61.8	55.1-68.5	45	8.2	03.7-12.7	15	2.8	00.0-05.7	147	23.5	17.6-29.4
Female	1935	1,065,731	4	0.2	00.0-00.4	12	0.7	00.1-01.3	1411	61.7	56.6-66.8	91	4.8	02.4-07.2	17	2.6	00.0-05.3	400	30.1	25.0-35.2
White/Non-Hisp	2405	1,562,951	8	0.5	00.1-00.9	17	1.0	00.2-01.8	1763	63.1	58.8-67.4	109	6.4	03.7-09.1	25	2.3	00.3-04.3	483	26.7	22.6-30.8
Black or Afr. Am./Non-Hisp	237	199,655				5	7.1	00.0-18.7	156	47.8	34.7-60.9	21	6.2	01.9-10.5	5	5.8	00.0-15.6	50	33.1	19.6-46.6
18-24	50	203,082	1	0.5	00.0-01.5	3	8.2	00.0-20.4	28	24.1	08.2-40.0	5	21.2	03.6-38.8	2	10.8	00.0-24.9	11	35.2	14.6-55.8
25-34	119	228,111				2	1.0	00.0-02.4	86	73.0	60.5-85.5	6	2.8	00.0-05.7	3	5.7	00.0-14.7	22	17.4	07.6-27.2
35-44	205	235,087	2	0.3	00.0-00.7	3	2.1	00.0-04.6	144	65.0	53.8-76.2	19	5.3	01.8-08.8				37	27.3	16.1-38.5
45-54	374	300,657	2	1.4	00.0-03.6	2	0.2	00.0-00.4	273	63.5	54.9-72.1	23	5.4	02.5-08.3	6	1.5	00.1-02.9	68	28.0	19.4-36.6
55-64	681	337,449	1	0.2	00.0-00.6	5	0.6	00.0-01.4	505	63.2	54.8-71.6	31	4.2	01.8-06.6	7	0.5	00.1-00.9	132	31.3	22.7-39.9
65+	1285	510,788	2	0.1	00.0-00.3	7	0.6	00.0-01.2	940	68.8	63.7-73.9	51	4.2	02.4-06.0	14	1.5	00.5-02.5	271	24.9	19.8-30.0
Less Than H.S.	308	254,600				5	0.7	00.0-01.5	209	65.7	55.7-75.7	18	6.4	02.3-10.5	12	6.9	00.0-15.3	64	20.3	12.5-28.1
H.S. or G.E.D.	883	576,171	5	1.0	00.0-02.2	5	1.0	00.0-02.0	633	63.7	56.6-70.8	52	5.9	02.0-09.8	6	0.6	00.0-01.2	182	27.8	20.7-34.9
Some Post-H.S.	778	556,817	2	0.2	00.0-00.4	5	1.5	00.0-03.3	579	55.9	47.7-64.1	27	5.8	00.3-11.3	9	4.3	00.0-09.4	156	32.3	24.1-40.5
College Graduate	754	437,040	1	0.0	00.0-00.0	7	3.2	00.0-08.7	560	64.3	56.3-72.3	38	7.1	03.2-11.0	5	0.9	00.1-01.7	143	24.5	17.2-31.8
Less than \$15,000	301	198,456	1	0.1	00.0-00.3	3	6.3	00.0-17.9	211	61.7	46.6-76.8	19	6.7	01.8-11.6	4	5.8	00.0-15.8	63	19.4	08.0-30.8
\$15,000- 24,999	580	343,668	1	0.3	00.0-00.9	5	2.0	00.0-04.5	435	66.5	57.7-75.3	25	3.1	01.5-04.7	12	1.9	00.7-03.1	102	26.2	17.4-35.0
\$25,000- 34,999	254	163,876				4	3.1	00.0-06.6	197	72.1	59.6-84.6	11	9.7	00.0-21.3	3	1.6	00.0-03.8	39	13.4	05.6-21.2
\$35,000- 49,999	301	197,521	3	1.0	00.0-02.4				205	57.7	46.1-69.3	20	11.1	00.1-22.1	4	0.7	00.0-01.5	69	29.4	19.0-39.8
\$50,000- 74,999	255	212,632	3	1.9	00.0-04.6	1	0.1	00.0-00.3	184	57.8	44.1-71.5	16	8.8	00.0-19.6	3	6.2	00.0-15.8	48	25.2	13.2-37.2
\$75,000+	381	324,828				2	0.2	00.0-00.4	279	64.1	54.9-73.3	19	5.7	01.8-09.6	1	0.4	00.0-01.2	80	29.6	20.6-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	793	759,781	4	0.7	00.0-01.5	10	3.0	00.0-06.3	572	61.8	55.7-67.9	45	8.2	03.7-12.7	15	2.8	00.0-05.7	147	23.5	17.8-29.2
White/Non-Hisp	709	650,837	4	0.8	00.0-01.8	7	1.4	00.0-02.8	517	62.9	56.2-69.6	37	8.2	03.1-13.3	13	3.1	00.0-06.4	131	23.6	17.5-29.7
Black or Afr. Am./Non-Hisp	59	79,406				3	17.3	00.0-43.6	36	50.6	27.1-74.1	7	10.5	00.5-20.5	1	0.8	00.0-02.4	12	20.9	01.5-40.3
35-44	57	96,296	1	0.6	00.0-01.8	1	0.9	00.0-02.7	33	55.8	37.8-73.8	8	6.4	00.0-13.3				14	36.4	17.8-55.0
45-54	124	139,460	2	3.1	00.0-07.6	1	0.2	00.0-00.6	92	65.5	52.6-78.4	7	6.0	00.7-11.3	4	2.8	00.0-05.7	18	22.4	10.1-34.7
55-64	221	146,766	1	0.4	00.0-01.2	3	1.2	00.0-02.8	164	62.9	50.7-75.1	8	5.3	00.6-10.0	2	0.4	00.0-01.0	43	29.8	17.3-42.3
65+	346	202,870				2	0.9	00.0-02.3	255	68.8	60.8-76.8	16	4.0	01.6-06.4	7	2.4	00.4-04.4	66	23.9	15.9-31.9
Less Than H.S.	75	86,181				1	1.1	00.0-03.3	48	67.0	53.9-80.1	7	9.2	01.2-17.2	4	3.1	00.0-06.2	15	19.7	08.3-31.1
H.S. or G.E.D.	224	245,143	3	2.0	00.0-04.5	2	0.8	00.0-02.0	159	63.5	52.1-74.9	11	6.9	00.0-15.3	4	1.3	00.0-02.9	45	25.4	14.8-36.0
Some Post-H.S.	229	236,059	1	0.2	00.0-00.6	4	2.8	00.0-06.5	172	56.2	43.1-69.3	10	6.8	00.0-16.8	3	5.0	00.0-13.8	39	29.0	16.1-41.9
College Graduate	264	192,310				3	6.7	00.0-18.7	192	64.1	51.9-76.3	17	11.2	03.9-18.5	4	1.9	00.0-03.9	48	16.0	09.1-22.9
Less than \$15,000	68	53,617				1	23.1	00.0-58.6	45	41.8	19.1-64.5	7	14.6	00.0-29.9	2	1.7	00.0-04.4	13	18.8	04.1-33.5
\$15,000- 24,999	149	145,187				3	3.9	00.0-09.8	110	60.6	46.1-75.1	4	2.2	00.0-04.6	6	2.8	00.4-05.2	26	30.5	16.0-45.0
\$25,000- 34,999	75	76,808				2	2.9	00.0-07.0	56	73.4	56.5-90.3	5	5.9	00.0-12.6	1	1.8	00.0-05.3	11	15.9	01.0-30.8
\$35,000- 49,999	103	80,042	2	2.3	00.0-05.6				73	62.3	42.1-82.5	7	16.5	00.0-39.2	2	0.8	00.0-02.0	19	18.1	05.6-30.6
\$50,000- 74,999	96	114,175	2	3.2	00.0-08.5	1	0.2	00.0-00.6	68	64.2	42.8-85.6	8	13.2	00.0-32.6	3	11.5	00.0-28.9	14	7.7	02.2-13.2
\$75,000+	160	170,087				1	0.2	00.0-00.6	115	64.9	52.7-77.1	10	9.1	01.7-16.5	1	0.7	00.0-02.1	33	25.0	13.8-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1935	1,065,731	4	0.2	00.0-00.4	12	0.7	00.1-01.3	1411	61.7	56.6-66.8	91	4.8	02.4-07.2	17	2.6	00.0-05.3	400	30.1	25.0-35.2
White/Non-Hisp	1696	912,114	4	0.2	00.0-00.4	10	0.7	00.1-01.3	1246	63.3	57.8-68.8	72	5.0	02.5-07.5	12	1.8	00.0-04.3	352	29.0	23.5-34.5
Black or Afr. Am./Non-Hisp	178	120,249				2	0.3	00.0-00.9	120	46.0	30.7-61.3	14	3.3	00.6-06.0	4	9.1	00.0-25.0	38	41.2	24.0-58.4
25-34	91	133,376				1	0.8	00.0-02.4	69	72.6	57.9-87.3	3	1.8	00.0-04.2	1	0.8	00.0-02.4	17	24.0	09.5-38.5
35-44	148	138,791	1	0.1	00.0-00.3	2	2.9	00.0-07.0	111	71.3	57.8-84.8	11	4.6	00.9-08.3				23	21.1	07.6-34.6
45-54	250	161,198				1	0.2	00.0-00.6	181	61.8	50.2-73.4	16	4.8	01.9-07.7	2	0.3	00.0-00.9	50	32.9	20.9-44.9
55-64	460	190,683				2	0.1	00.0-00.3	341	63.5	51.9-75.1	23	3.3	01.3-05.3	5	0.6	00.0-01.2	89	32.5	20.7-44.3
65+	939	307,918	2	0.2	00.0-00.4	5	0.4	00.0-00.8	685	68.8	62.3-75.3	35	4.3	01.8-06.8	7	0.9	00.1-01.7	205	25.5	19.0-32.0
Less Than H.S.	233	168,419				4	0.5	00.0-01.1	161	65.0	51.5-78.5	11	5.0	00.3-09.7	8	8.8	00.0-21.3	49	20.6	10.2-31.0
H.S. or G.E.D.	659	331,028	2	0.3	00.0-00.9	3	1.1	00.0-02.7	474	63.9	54.9-72.9	41	5.1	02.9-07.3	2	0.0	00.0-00.0	137	29.6	20.2-39.0
Some Post-H.S.	549	320,759	1	0.1	00.0-00.3	1	0.5	00.0-01.5	407	55.7	45.1-66.3	17	5.0	00.0-11.1	6	3.8	00.0-10.1	117	34.8	24.0-45.6
College Graduate	490	244,731	1	0.0	00.0-00.0	4	0.4	00.0-00.8	368	64.4	53.4-75.4	21	3.9	00.0-08.0	1	0.0	00.0-00.0	95	31.2	20.2-42.2
Less than \$15,000	233	144,838	1	0.1	00.0-00.3	2	0.1	00.0-00.3	166	69.1	51.7-86.5	12	3.8	00.5-07.1	2	7.3	00.0-20.8	50	19.7	05.2-34.2
\$15,000- 24,999	431	198,481	1	0.5	00.0-01.5	2	0.7	00.0-01.7	325	70.8	60.0-81.6	21	3.7	01.5-05.9	6	1.2	00.0-02.4	76	23.1	12.3-33.9
\$25,000- 34,999	179	87,068				2	3.3	00.0-08.6	141	71.0	52.8-89.2	6	13.0	00.0-33.0	2	1.5	00.0-04.0	28	11.2	04.1-18.3
\$35,000- 49,999	198	117,479	1	0.1	00.0-00.3				132	54.6	40.1-69.1	13	7.4	00.0-15.8	2	0.7	00.0-01.9	50	37.2	22.9-51.5
\$50,000- 74,999	159	98,457	1	0.4	00.0-01.2				116	50.4	34.5-66.3	8	3.8	00.3-07.3				34	45.4	28.7-62.1
\$75,000+	221	154,741				1	0.2	00.0-00.6	164	63.2	49.5-76.9	9	2.0	00.4-03.6				47	34.5	20.6-48.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2934	1,992,310	1533	47.0	43.1-50.9	311	13.5	10.4-16.6	27	0.3	00.1-00.5	655	19.5	16.8-22.2	406	19.6	16.3-22.9	2	0.0	00.0-00.0
Male	873	844,721	441	42.4	36.5-48.3	108	14.9	09.6-20.2	5	0.3	00.0-00.7	192	20.9	16.0-25.8	126	21.5	15.8-27.2	1	0.1	00.0-00.3
Female	2061	1,147,589	1092	50.4	45.3-55.5	203	12.6	08.5-16.7	22	0.4	00.2-00.6	463	18.5	15.4-21.6	280	18.2	14.1-22.3	1	0.0	00.0-00.0
White/Non-Hisp	2570	1,698,724	1330	45.7	41.6-49.8	266	14.1	10.6-17.6	25	0.4	00.2-00.6	597	20.3	17.4-23.2	350	19.4	15.9-22.9	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	265	211,415	147	48.4	35.3-61.5	34	12.4	01.4-23.4	2	0.1	00.0-00.3	41	14.9	07.1-22.7	41	24.3	12.1-36.5			
18-24	56	235,352	22	43.5	24.1-62.9	12	27.9	09.7-46.1				12	11.0	00.4-21.6	10	17.6	03.5-31.7			
25-34	126	240,685	53	36.9	24.0-49.8	20	19.4	07.4-31.4				22	15.6	06.4-24.8	31	28.2	14.7-41.7			
35-44	223	257,817	92	34.1	24.9-43.3	29	15.7	06.9-24.5	1	0.3	00.0-00.9	40	19.4	11.4-27.4	61	30.5	20.3-40.7			
45-54	400	335,984	167	32.9	26.2-39.6	54	15.3	08.8-21.8	1	0.1	00.0-00.3	73	20.2	13.5-26.9	105	31.5	23.3-39.7			
55-64	715	360,929	360	57.6	50.3-64.9	83	8.7	05.8-11.6	5	0.2	00.0-00.4	130	14.9	11.0-18.8	137	18.5	12.8-24.2			
65+	1394	548,209	827	61.0	56.5-65.5	112	6.2	04.6-07.8	20	0.9	00.3-01.5	373	26.8	22.5-31.1	60	5.1	03.1-07.1	2	0.1	00.0-00.3
Less Than H.S.	357	300,976	214	64.9	56.5-73.3	42	9.2	05.5-12.9	1	0.3	00.0-00.9	77	19.1	12.2-26.0	23	6.4	02.5-10.3			
H.S. or G.E.D.	946	624,969	519	49.0	42.3-55.7	110	13.9	09.4-18.4	9	0.4	00.0-00.8	205	18.3	14.2-22.4	102	18.4	12.1-24.7	1	0.1	00.0-00.3
Some Post-H.S.	829	610,806	423	43.1	35.3-50.9	82	16.3	08.7-23.9	10	0.3	00.1-00.5	180	17.7	12.4-23.0	133	22.6	15.9-29.3	1	0.0	00.0-00.0
College Graduate	795	452,683	374	37.6	30.7-44.5	76	12.4	05.5-19.3	6	0.4	00.0-00.8	192	24.0	17.7-30.3	147	25.7	18.6-32.8			
Less than \$15,000	331	221,943	192	44.4	31.3-57.5	57	35.4	20.7-50.1	2	0.1	00.0-00.3	61	16.4	08.0-24.8	19	3.6	00.9-06.3			
\$15,000- 24,999	617	372,694	374	57.1	48.5-65.7	68	16.5	08.5-24.5	2	0.3	00.0-00.7	130	18.9	13.2-24.6	43	7.1	03.2-11.0			
\$25,000- 34,999	269	188,447	144	60.5	48.3-72.7	21	5.1	01.8-08.4	1	0.1	00.0-00.3	68	17.8	11.1-24.5	35	16.5	05.3-27.7			
\$35,000- 49,999	317	204,182	159	44.2	33.6-54.8	28	6.9	02.6-11.2	3	0.6	00.0-01.4	65	17.5	10.8-24.2	62	30.8	19.2-42.4			
\$50,000- 74,999	268	220,078	119	32.0	22.2-41.8	26	17.6	04.7-30.5	1	0.0	00.0-00.0	54	15.9	08.1-23.7	67	34.2	21.3-47.1	1	0.3	00.0-00.9
\$75,000+	395	335,724	166	37.4	29.0-45.8	29	5.2	02.7-07.7	2	0.3	00.0-00.7	95	21.6	14.9-28.3	103	35.4	26.4-44.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	873	844,721	441	42.4	36.7-48.1	108	14.9	09.6-20.2	5	0.3	00.0-00.7	192	20.9	16.0-25.8	126	21.5	15.8-27.2	1	0.1	00.0-00.3
White/Non-Hisp	770	711,630	385	40.5	34.8-46.2	98	15.3	09.8-20.8	5	0.4	00.0-00.8	172	22.1	16.6-27.6	109	21.7	15.4-28.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	71	86,392	37	39.1	18.5-59.7	7	17.4	00.0-41.5				13	19.1	05.4-32.8	14	24.5	06.3-42.7			
35-44	63	104,417	24	30.4	16.7-44.1	6	10.2	00.0-21.6	1	0.7	00.0-02.1	14	28.5	12.4-44.6	18	30.2	13.3-47.1			
45-54	135	157,110	52	27.3	17.5-37.1	23	18.1	07.3-28.9				25	18.8	08.8-28.8	35	35.8	23.1-48.5			
55-64	239	156,515	116	54.1	43.9-64.3	28	10.4	05.1-15.7	1	0.1	00.0-00.3	48	17.6	10.7-24.5	46	17.8	11.3-24.3			
65+	381	220,969	230	63.5	56.4-70.6	39	8.1	04.8-11.4	3	0.7	00.0-01.7	92	22.3	16.4-28.2	16	5.2	01.5-08.9	1	0.3	00.0-00.9
Less Than H.S.	87	104,675	48	57.5	43.2-71.8	15	14.2	06.0-22.4	1	0.9	00.0-02.7	18	18.9	08.7-29.1	5	8.4	00.0-17.8			
H.S. or G.E.D.	249	274,740	129	43.5	32.7-54.3	39	16.0	08.0-24.0	1	0.1	00.0-00.3	44	16.2	09.3-23.1	35	24.1	13.1-35.1	1	0.2	00.0-00.6
Some Post-H.S.	249	262,872	136	40.6	28.8-52.4	23	15.4	03.8-27.0	1	0.1	00.0-00.3	47	19.1	08.5-29.7	42	24.9	13.5-36.3			
College Graduate	286	200,409	128	35.7	26.5-44.9	31	13.1	01.7-24.5	2	0.6	00.0-01.6	82	30.9	20.7-41.1	43	19.6	10.4-28.8			
Less than \$15,000	74	63,379	36	24.3	09.8-38.8	20	55.5	32.0-79.0				14	14.7	01.8-27.6	4	5.5	00.0-12.8			
\$15,000- 24,999	162	155,784	104	62.2	49.5-74.9	18	13.4	04.8-22.0				33	20.4	10.4-30.4	7	4.0	00.5-07.5			
\$25,000- 34,999	82	85,646	44	56.2	35.6-76.8	8	5.2	00.5-09.9				17	13.3	04.3-22.3	13	25.3	03.7-46.9			
\$35,000- 49,999	114	84,481	57	37.5	23.4-51.6	11	8.7	00.1-17.3	1	0.7	00.0-02.1	22	15.8	06.8-24.8	23	37.4	18.0-56.8			
\$50,000- 74,999	103	117,227	39	22.3	11.9-32.7	15	26.2	04.6-47.8				23	17.7	06.1-29.3	25	33.3	14.1-52.5	1	0.5	00.0-01.5
\$75,000+	166	175,488	71	30.7	21.5-39.9	15	6.5	02.4-10.6	1	0.4	00.0-01.2	41	25.0	14.0-36.0	38	37.4	24.5-50.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2061	1,147,589	1092	50.4	45.3-55.5	203	12.6	08.5-16.7	22	0.4	00.2-00.6	463	18.5	15.4-21.6	280	18.2	14.1-22.3	1	0.0	00.0-00.0
White/Non-Hisp	1800	987,094	945	49.5	44.0-55.0	168	13.2	08.5-17.9	20	0.4	00.2-00.6	425	19.1	15.8-22.4	241	17.8	13.5-22.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	194	125,023	110	54.8	38.5-71.1	27	8.9	03.0-14.8	2	0.1	00.0-00.3	28	12.1	02.5-21.7	27	24.1	07.6-40.6			
25-34	95	136,762	42	44.2	27.9-60.5	13	18.6	04.1-33.1				16	13.0	03.4-22.6	24	24.1	10.4-37.8			
35-44	160	153,400	68	36.7	24.4-49.0	23	19.5	07.0-32.0				26	13.2	06.5-19.9	43	30.7	18.0-43.4			
45-54	265	178,875	115	37.7	28.5-46.9	31	12.9	05.5-20.3	1	0.2	00.0-00.6	48	21.3	12.5-30.1	70	27.8	17.0-38.6			
55-64	476	204,413	244	60.3	50.3-70.3	55	7.5	04.6-10.4	4	0.3	00.0-00.7	82	12.8	08.5-17.1	91	19.1	10.5-27.7			
65+	1013	327,239	597	59.3	53.4-65.2	73	4.9	03.5-06.3	17	1.0	00.4-01.6	281	29.8	24.1-35.5	44	5.1	03.1-07.1	1	0.0	00.0-00.0
Less Than H.S.	270	196,301	166	68.8	58.6-79.0	27	6.6	03.3-09.9				59	19.2	10.2-28.2	18	5.3	02.2-08.4			
H.S. or G.E.D.	697	350,229	390	53.3	45.1-61.5	71	12.2	06.9-17.5	8	0.6	00.0-01.2	161	20.0	14.9-25.1	67	13.9	06.6-21.2			
Some Post-H.S.	580	347,934	287	45.0	34.6-55.4	59	17.0	06.8-27.2	9	0.5	00.1-00.9	133	16.6	11.9-21.3	91	20.9	12.9-28.9	1	0.0	00.0-00.0
College Graduate	509	252,274	246	39.1	29.1-49.1	45	11.8	03.4-20.2	4	0.1	00.0-00.3	110	18.5	10.7-26.3	104	30.5	20.3-40.7			
Less than \$15,000	257	158,564	156	52.4	36.1-68.7	37	27.4	10.7-44.1	2	0.1	00.0-00.3	47	17.1	06.5-27.7	15	2.9	00.5-05.3			
\$15,000- 24,999	455	216,910	270	53.5	42.3-64.7	50	18.8	06.8-30.8	2	0.4	00.0-01.0	97	17.8	11.1-24.5	36	9.4	03.3-15.5			
\$25,000- 34,999	187	102,801	100	64.1	51.0-77.2	13	5.0	00.5-09.5	1	0.3	00.0-00.9	51	21.6	12.0-31.2	22	9.1	04.0-14.2			
\$35,000- 49,999	203	119,701	102	49.0	34.7-63.3	17	5.6	01.5-09.7	2	0.5	00.0-01.3	43	18.7	09.1-28.3	39	26.2	13.1-39.3			
\$50,000- 74,999	165	102,851	80	43.0	27.7-58.3	11	7.7	00.8-14.6	1	0.1	00.0-00.3	31	14.0	02.8-25.2	42	35.2	18.3-52.1			
\$75,000+	229	160,236	95	44.8	31.9-57.7	14	3.8	01.3-06.3	1	0.3	00.0-00.9	54	18.0	11.5-24.5	65	33.2	20.7-45.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5364	4,225,372	2158	29.1	26.6-31.6	3206	70.9	68.4-73.4
Male	1630	1,957,119	617	28.6	24.7-32.5	1013	71.4	67.5-75.3
Female	3734	2,268,253	1541	29.5	26.4-32.6	2193	70.5	67.4-73.6
White/Non-Hisp	4484	3,338,571	1894	30.1	27.6-32.6	2590	69.9	67.4-72.4
Black or Afr. Am./Non-Hisp	645	587,984	180	21.5	14.4-28.6	465	78.5	71.4-85.6
Oth. Race/Non-Hisp.	67	92,705	21	19.4	02.5-36.3	46	80.6	63.7-97.5
MultiRacial/Non-Hisp.	65	61,843	28	33.1	12.5-53.7	37	66.9	46.3-87.5
Hispanic	72	130,626	20	41.8	18.7-64.9	52	58.2	35.1-81.3
18-24	117	426,614	21	20.1	08.9-31.3	96	79.9	68.7-91.1
25-34	353	687,768	46	17.7	10.4-25.0	307	82.3	75.0-89.6
35-44	578	773,645	71	11.8	07.1-16.5	507	88.2	83.5-92.9
45-54	923	812,593	203	18.6	14.3-22.9	720	81.4	77.1-85.7
55-64	1349	700,907	412	29.1	24.0-34.2	937	70.9	65.8-76.0
65+	2006	804,602	1389	70.4	66.9-73.9	617	29.6	26.1-33.1
Less Than H.S.	687	740,741	331	37.8	31.1-44.5	356	62.2	55.5-68.9
H.S. or G.E.D.	1837	1,440,936	755	31.1	26.8-35.4	1082	68.9	64.6-73.2
Some Post-H.S.	1503	1,182,337	616	27.9	23.0-32.8	887	72.1	67.2-77.0
College Graduate	1324	856,631	450	19.9	16.0-23.8	874	80.1	76.2-84.0
Less than \$15,000	624	529,359	287	36.6	27.4-45.8	337	63.4	54.2-72.6
\$15,000- 24,999	1214	867,271	552	34.7	29.2-40.2	662	65.3	59.8-70.8
\$25,000- 34,999	508	421,234	207	40.8	31.8-49.8	301	59.2	50.2-68.2
\$35,000- 49,999	547	441,300	203	23.3	17.2-29.4	344	76.7	70.6-82.8
\$50,000- 74,999	498	445,840	159	20.2	13.5-26.9	339	79.8	73.1-86.5
\$75,000+	714	686,102	164	16.1	12.0-20.2	550	83.9	79.8-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1630	1,957,119	617	28.6	24.7-32.5	1013	71.4	67.5-75.3
White/Non-Hisp	1378	1,525,940	542	29.7	25.4-34.0	836	70.3	66.0-74.6
Black or Afr. Am./Non-Hisp	165	267,381	44	19.5	09.1-29.9	121	80.5	70.1-90.9
25-34	100	312,680	16	26.4	12.9-39.9	84	73.6	60.1-87.1
35-44	173	373,798	26	14.4	06.6-22.2	147	85.6	77.8-93.4
45-54	295	382,495	59	14.9	09.4-20.4	236	85.1	79.6-90.6
55-64	438	323,242	130	32.6	24.4-40.8	308	67.4	59.2-75.6
65+	569	338,747	376	68.7	62.2-75.2	193	31.3	24.8-37.8
Less Than H.S.	197	328,497	94	42.2	30.8-53.6	103	57.8	46.4-69.2
H.S. or G.E.D.	511	690,511	176	26.1	19.6-32.6	335	73.9	67.4-80.4
Some Post-H.S.	442	510,018	182	29.3	21.5-37.1	260	70.7	62.9-78.5
College Graduate	477	425,409	164	21.7	15.4-28.0	313	78.3	72.0-84.6
Less than \$15,000	164	212,455	60	30.9	15.8-46.0	104	69.1	54.0-84.2
\$15,000- 24,999	334	372,935	156	35.9	26.9-44.9	178	64.1	55.1-73.1
\$25,000- 34,999	163	199,237	66	47.3	33.4-61.2	97	52.7	38.8-66.6
\$35,000- 49,999	189	210,335	72	26.0	15.0-37.0	117	74.0	63.0-85.0
\$50,000- 74,999	183	229,253	60	21.8	11.0-32.6	123	78.2	67.4-89.0
\$75,000+	287	377,715	72	17.9	11.4-24.4	215	82.1	75.6-88.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3734	2,268,253	1541	29.5	26.4-32.6	2193	70.5	67.4-73.6
White/Non-Hisp	3106	1,812,631	1352	30.4	27.3-33.5	1754	69.6	66.5-72.7
Black or Afr. Am./Non-Hisp	480	320,603	136	23.1	13.5-32.7	344	76.9	67.3-86.5
18-24	70	206,140	13	27.8	09.0-46.6	57	72.2	53.4-91.0
25-34	253	375,088	30	10.5	04.4-16.6	223	89.5	83.4-95.6
35-44	405	399,846	45	9.4	04.1-14.7	360	90.6	85.3-95.9
45-54	628	430,098	144	21.9	15.6-28.2	484	78.1	71.8-84.4
55-64	911	377,665	282	26.1	20.0-32.2	629	73.9	67.8-80.0
65+	1437	465,855	1013	71.6	67.7-75.5	424	28.4	24.5-32.3
Less Than H.S.	490	412,243	237	34.4	27.1-41.7	253	65.6	58.3-72.9
H.S. or G.E.D.	1326	750,424	579	35.7	30.2-41.2	747	64.3	58.8-69.8
Some Post-H.S.	1061	672,319	434	26.8	20.5-33.1	627	73.2	66.9-79.5
College Graduate	847	431,222	286	18.2	13.3-23.1	561	81.8	76.9-86.7
Less than \$15,000	460	316,904	227	40.5	28.9-52.1	233	59.5	47.9-71.1
\$15,000- 24,999	880	494,336	396	33.8	26.7-40.9	484	66.2	59.1-73.3
\$25,000- 34,999	345	221,997	141	34.9	23.7-46.1	204	65.1	53.9-76.3
\$35,000- 49,999	358	230,964	131	20.9	15.4-26.4	227	79.1	73.6-84.6
\$50,000- 74,999	315	216,587	99	18.5	10.5-26.5	216	81.5	73.5-89.5
\$75,000+	427	308,387	92	13.8	08.7-18.9	335	86.2	81.1-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	256
2	MALES ONLY	257
3	FEMALES ONLY	258
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	259
5	MALES ONLY	260
6	FEMALES ONLY	261
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	262
8	MALES ONLY	263
9	FEMALES ONLY	264
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	265
11	MALES ONLY	266
12	FEMALES ONLY	267
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13	MALES AND FEMALES	268
14	MALES ONLY	269
15	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5397	4,413,219	417	10.9	08.9-12.9	77	2.0	01.2-02.8	707	20.2	17.7-22.7	180	4.4	03.2-05.6	4016	62.5	59.8-65.2
Male	1662	2,057,145	190	14.6	11.3-17.9	43	2.7	01.3-04.1	267	22.0	17.9-26.1	99	5.6	03.6-07.6	1063	55.1	50.6-59.6
Female	3735	2,356,075	227	7.6	05.6-09.6	34	1.5	00.5-02.5	440	18.7	15.2-22.2	81	3.3	01.7-04.9	2953	68.8	65.1-72.5
White/Non-Hisp	4508	3,477,671	355	11.0	08.8-13.2	67	2.3	01.3-03.3	565	19.8	16.9-22.7	162	4.5	03.1-05.9	3359	62.5	59.4-65.6
Black or Afr. Am./Non-Hisp	656	638,673	36	8.6	03.7-13.5	8	0.8	00.2-01.4	112	23.5	16.1-30.9	10	3.6	00.1-07.1	490	63.6	55.4-71.8
Oth. Race/Non-Hisp.	69	94,098	8	13.6	00.0-27.9				8	25.3	01.0-49.6	1	0.8	00.0-02.4	52	60.4	35.7-85.1
MultiRacial/Non-Hisp.	67	62,440	8	13.6	00.0-29.1	1	5.5	00.0-15.9	9	11.0	02.0-20.0	5	13.4	00.0-30.8	44	56.6	35.2-78.0
Hispanic	70	129,197	7	16.6	00.0-34.8				8	18.4	00.0-37.4	2	4.3	00.0-10.4	53	60.7	37.8-83.6
18-24	128	506,523	11	13.6	04.8-22.4	1	0.2	00.0-00.6	28	38.1	25.4-50.8	1	2.1	00.0-06.0	87	46.0	33.5-58.5
25-34	375	778,778	37	15.7	09.4-22.0	5	2.4	00.0-05.1	82	27.2	19.2-35.2	18	7.5	03.4-11.6	233	47.2	39.2-55.2
35-44	585	779,369	70	14.9	09.6-20.2	6	1.3	00.0-02.9	126	19.9	14.6-25.2	13	2.7	00.3-05.1	370	61.2	54.5-67.9
45-54	928	824,135	86	8.2	05.7-10.7	13	2.5	00.3-04.7	164	20.2	15.5-24.9	36	4.7	02.5-06.9	629	64.3	59.0-69.6
55-64	1352	704,608	98	6.9	04.5-09.3	18	2.3	00.1-04.5	167	15.7	10.8-20.6	68	6.3	03.0-09.6	1001	68.8	63.1-74.5
65+	1993	803,235	110	6.8	04.6-09.0	34	2.9	01.1-04.7	136	6.8	04.6-09.0	44	2.5	01.1-03.9	1669	81.0	77.7-84.3
Less Than H.S.	685	740,255	28	8.3	03.4-13.2	7	1.8	00.0-03.8	30	7.3	02.8-11.8	7	2.3	00.3-04.3	613	80.3	73.8-86.8
H.S. or G.E.D.	1840	1,475,840	88	7.0	04.3-09.7	21	2.1	00.5-03.7	184	18.2	13.9-22.5	39	2.6	01.2-04.0	1508	70.1	65.4-74.8
Some Post-H.S.	1508	1,253,920	108	9.7	06.0-13.4	17	1.8	00.2-03.4	206	25.2	19.3-31.1	48	4.4	01.9-06.9	1129	58.9	52.8-65.0
College Graduate	1354	941,172	192	20.4	15.5-25.3	32	2.4	01.2-03.6	287	27.2	21.7-32.7	86	8.9	05.4-12.4	757	41.1	35.6-46.6
Less than \$15,000	639	574,103	29	5.5	01.4-09.6	5	1.4	00.0-03.6	68	23.3	14.3-32.3	8	3.2	00.0-07.1	529	66.7	57.1-76.3
\$15,000- 24,999	1213	863,345	55	6.5	02.8-10.2	7	0.6	00.0-01.4	95	13.9	08.4-19.4	17	2.0	00.2-03.8	1039	77.0	70.9-83.1
\$25,000- 34,999	508	429,354	24	9.0	02.9-15.1	14	4.8	00.3-09.3	62	12.4	05.7-19.1	20	5.5	01.0-10.0	388	68.3	59.3-77.3
\$35,000- 49,999	557	494,031	53	15.0	07.6-22.4	11	4.7	00.6-08.8	85	18.5	10.9-26.1	28	9.9	04.2-15.6	380	51.9	43.1-60.7
\$50,000- 74,999	507	473,532	57	16.2	09.3-23.1	6	0.9	00.0-01.9	105	27.7	19.5-35.9	23	4.3	01.4-07.2	316	50.8	42.6-59.0
\$75,000+	734	715,675	121	19.5	14.2-24.8	19	3.0	00.8-05.2	186	30.3	23.6-37.0	59	6.3	03.4-09.2	349	40.9	34.6-47.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1662	2,057,145	190	14.6	11.3-17.9	43	2.7	01.3-04.1	267	22.0	18.1-25.9	99	5.6	03.6-07.6	1063	55.1	50.8-59.4
White/Non-Hisp	1410	1,590,276	160	14.1	10.6-17.6	35	2.9	01.3-04.5	220	22.6	18.1-27.1	86	6.0	03.6-08.4	909	54.4	49.7-59.1
Black or Afr. Am./Non-Hisp	167	306,150	18	12.1	03.1-21.1	6	1.5	00.1-02.9	32	20.8	10.0-31.6	7	3.6	00.3-06.9	104	62.0	49.1-74.9
25-34	113	382,555	18	19.0	08.8-29.2	1	1.7	00.0-05.0	30	37.1	23.8-50.4	12	8.5	02.6-14.4	52	33.7	21.5-45.9
35-44	177	379,133	27	18.9	10.1-27.7	2	2.2	00.0-05.3	39	17.5	10.2-24.8	7	4.8	00.0-09.7	102	56.6	46.0-67.2
45-54	303	390,048	37	10.8	06.3-15.3	9	3.2	00.7-05.7	69	26.5	18.7-34.3	17	5.9	02.4-09.4	171	53.5	44.9-62.1
55-64	442	328,487	51	9.5	05.6-13.4	10	4.2	00.0-08.7	70	12.0	07.9-16.1	37	9.4	03.3-15.5	274	64.8	56.8-72.8
65+	571	339,656	48	10.0	05.5-14.5	20	3.8	01.8-05.8	45	8.2	03.7-12.7	26	3.1	01.7-04.5	432	74.9	68.8-81.0
Less Than H.S.	198	327,949	22	16.8	06.8-26.8	3	1.5	00.0-03.5	7	3.0	00.6-05.4	6	4.3	00.2-08.4	160	74.4	63.8-85.0
H.S. or G.E.D.	517	703,637	45	9.8	04.9-14.7	13	2.9	00.4-05.4	71	23.0	15.7-30.3	26	4.7	01.8-07.6	362	59.5	51.9-67.1
Some Post-H.S.	443	541,234	40	12.4	05.7-19.1	7	2.3	00.0-05.0	73	26.2	17.0-35.4	24	5.4	01.5-09.3	299	53.6	44.2-63.0
College Graduate	504	484,325	83	22.5	15.4-29.6	20	3.5	01.3-05.7	116	28.7	20.5-36.9	43	7.9	03.8-12.0	242	37.4	29.4-45.4
Less than \$15,000	171	229,513	24	10.7	01.7-19.7	1	0.5	00.0-01.5	21	17.5	05.9-29.1	4	1.0	00.0-02.2	121	70.3	56.4-84.2
\$15,000- 24,999	333	357,419	26	10.1	02.8-17.4	5	1.4	00.0-03.2	32	14.1	06.7-21.5	12	2.7	00.3-05.1	258	71.7	62.3-81.1
\$25,000- 34,999	162	192,325	8	8.4	01.3-15.5	9	5.6	00.0-11.7	20	6.4	02.7-10.1	9	8.2	00.0-16.4	116	71.4	59.4-83.4
\$35,000- 49,999	198	254,103	19	20.9	08.0-33.8	8	4.6	00.0-10.5	37	19.6	07.1-32.1	19	13.6	04.2-23.0	115	41.4	28.5-54.3
\$50,000- 74,999	189	252,893	28	24.0	12.2-35.8	2	1.0	00.0-02.4	44	33.1	20.2-46.0	15	4.5	01.4-07.6	100	37.4	26.8-48.0
\$75,000+	302	395,271	55	16.8	10.5-23.1	10	4.8	00.9-08.7	83	32.0	22.8-41.2	31	7.3	02.8-11.8	123	39.2	30.0-48.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3735	2,356,075	227	7.6	05.6-09.6	34	1.5	00.5-02.5	440	18.7	15.4-22.0	81	3.3	01.7-04.9	2953	68.8	65.3-72.3
White/Non-Hisp	3098	1,887,395	195	8.3	05.9-10.7	32	1.8	00.4-03.2	345	17.4	13.7-21.1	76	3.2	01.8-04.6	2450	69.2	65.3-73.1
Black or Afr. Am./Non-Hisp	489	332,524	18	5.3	00.8-09.8	2	0.2	00.0-00.4	80	26.0	15.8-36.2	3	3.5	00.0-09.6	386	65.1	54.3-75.9
18-24	80	273,181	3	7.9	00.0-16.9				16	44.2	26.0-62.4	1	3.8	00.0-11.2	60	44.1	26.3-61.9
25-34	262	396,223	19	12.6	05.3-19.9	4	3.0	00.0-07.1	52	17.6	09.8-25.4	6	6.5	00.8-12.2	181	60.2	50.2-70.2
35-44	408	400,236	43	11.1	05.4-16.8	4	0.5	00.0-01.1	87	22.2	14.6-29.8	6	0.7	00.1-01.3	268	65.4	57.0-73.8
45-54	625	434,087	49	5.9	03.5-08.3	4	1.8	00.0-04.9	95	14.5	09.0-20.0	19	3.7	01.0-06.4	458	74.1	67.6-80.6
55-64	910	376,121	47	4.6	01.5-07.7	8	0.6	00.2-01.0	97	18.9	10.7-27.1	31	3.6	00.7-06.5	727	72.2	64.0-80.4
65+	1422	463,579	62	4.4	02.6-06.2	14	2.3	00.0-05.0	91	5.8	04.2-07.4	18	2.0	00.0-04.0	1237	85.5	81.8-89.2
Less Than H.S.	487	412,307	6	1.6	00.0-03.2	4	1.9	00.0-04.8	23	10.8	03.4-18.2	1	0.6	00.0-01.8	453	85.1	77.1-93.1
H.S. or G.E.D.	1323	772,204	43	4.5	02.0-07.0	8	1.4	00.0-03.4	113	13.8	08.7-18.9	13	0.7	00.3-01.1	1146	79.7	74.0-85.4
Some Post-H.S.	1065	712,686	68	7.7	03.8-11.6	10	1.5	00.0-03.5	133	24.4	16.8-32.0	24	3.6	00.5-06.7	830	62.9	55.1-70.7
College Graduate	850	456,846	109	18.3	11.6-25.0	12	1.2	00.0-02.4	171	25.6	18.2-33.0	43	9.9	04.2-15.6	515	45.0	37.4-52.6
Less than \$15,000	468	344,590	5	2.0	00.0-05.1	4	2.0	00.0-05.5	47	27.2	14.7-39.7	4	4.6	00.0-10.9	408	64.2	51.7-76.7
\$15,000- 24,999	880	505,926	29	4.0	00.3-07.7	2	0.1	00.0-00.3	63	13.8	06.2-21.4	5	1.5	00.0-03.9	781	80.7	72.5-88.9
\$25,000- 34,999	346	237,029	16	9.5	00.1-18.9	5	4.0	00.0-10.5	42	17.4	06.2-28.6	11	3.4	00.0-07.9	272	65.7	53.0-78.4
\$35,000- 49,999	359	239,928	34	8.7	02.2-15.2	3	4.7	00.0-10.8	48	17.4	09.2-25.6	9	6.0	00.0-12.7	265	63.1	52.5-73.7
\$50,000- 74,999	318	220,639	29	7.3	03.4-11.2	4	0.9	00.0-02.1	61	21.6	12.8-30.4	8	4.0	00.0-09.3	216	66.2	56.2-76.2
\$75,000+	432	320,404	66	22.9	14.3-31.5	9	0.9	00.3-01.5	103	28.2	18.6-37.8	28	5.1	01.6-08.6	226	43.0	34.6-51.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1346	1,601,500	628	38.2	32.9-43.5	452	33.5	28.4-38.6	150	15.6	11.7-19.5	43	4.8	02.3-07.3	73	7.8	04.9-10.7
Male	584	900,165	211	30.0	23.3-36.7	202	32.9	26.0-39.8	91	19.6	13.9-25.3	26	6.6	02.9-10.3	54	10.9	06.4-15.4
Female	762	701,335	417	48.6	40.4-56.8	250	34.3	26.5-42.1	59	10.6	05.1-16.1	17	2.5	00.0-05.6	19	4.0	00.7-07.3
White/Non-Hisp	1126	1,282,839	525	36.8	31.1-42.5	382	34.1	28.4-39.8	129	17.3	12.6-22.0	34	5.2	02.1-08.3	56	6.6	03.7-09.5
Black or Afr. Am./Non-Hisp	158	213,622	68	37.5	23.0-52.0	56	38.0	22.5-53.5	15	10.4	03.3-17.5	7	3.2	00.0-07.9	12	10.9	01.5-20.3
25-34	138	405,845	45	34.4	22.4-46.4	43	30.3	18.7-41.9	27	20.6	10.8-30.4	14	7.4	01.5-13.3	9	7.3	00.0-14.7
35-44	212	301,551	78	30.3	20.3-40.3	77	37.9	26.7-49.1	28	12.7	06.6-18.8	8	1.4	00.0-02.8	21	17.8	08.6-27.0
45-54	289	286,975	121	41.6	32.0-51.2	107	34.2	25.2-43.2	38	16.6	09.3-23.9	7	3.5	00.4-06.6	16	4.2	01.7-06.7
55-64	344	210,895	181	54.3	42.5-66.1	111	28.8	18.8-38.8	27	11.1	01.3-20.9	7	1.4	00.2-02.6	18	4.4	01.7-07.1
65+	316	142,847	187	53.9	44.3-63.5	100	34.2	24.8-43.6	22	9.5	04.6-14.4	4	1.0	00.0-02.4	3	1.4	00.0-03.4
Less Than H.S.	63	120,736	19	21.0	07.1-34.9	20	28.7	10.3-47.1	11	24.5	06.7-42.3	5	16.0	00.5-31.5	8	9.7	00.0-21.1
H.S. or G.E.D.	324	432,411	133	37.8	27.4-48.2	107	33.9	23.7-44.1	44	17.9	09.7-26.1	12	1.2	00.4-02.0	28	9.3	04.4-14.2
Some Post-H.S.	371	496,058	182	43.9	33.3-54.5	128	36.5	25.9-47.1	36	8.2	02.9-13.5	8	5.1	00.0-10.6	17	6.4	00.9-11.9
College Graduate	587	552,239	293	37.1	29.5-44.7	197	31.6	24.3-38.9	59	18.7	11.8-25.6	18	5.0	00.9-09.1	20	7.6	02.3-12.9
Less than \$15,000	101	165,626	35	31.1	13.3-48.9	32	34.0	14.6-53.4	16	21.6	03.8-39.4	7	10.9	00.0-23.2	11	2.4	00.6-04.2
\$15,000- 24,999	165	179,822	76	46.0	29.1-62.9	56	31.3	15.6-47.0	18	11.2	02.8-19.6	8	4.6	00.1-09.1	7	6.9	00.0-14.2
\$25,000- 34,999	120	136,214	45	31.7	14.6-48.8	42	37.2	18.6-55.8	14	18.2	03.3-33.1	5	1.8	00.0-03.8	14	11.1	01.1-21.1
\$35,000- 49,999	176	237,251	74	40.6	25.7-55.5	61	27.8	14.5-41.1	21	16.5	05.3-27.7	8	3.8	00.0-07.7	12	11.3	03.3-19.3
\$50,000- 74,999	189	229,914	89	34.7	22.9-46.5	64	34.8	21.1-48.5	22	13.4	05.0-21.8	4	4.2	00.0-10.9	10	12.9	01.7-24.1
\$75,000+	377	417,355	181	37.6	28.8-46.4	134	35.2	26.4-44.0	44	18.2	10.8-25.6	7	3.6	00.0-08.9	11	5.4	00.1-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	584	900,165	211	30.0	23.3-36.7	202	32.9	26.0-39.8	91	19.6	13.9-25.3	26	6.6	02.9-10.3	54	10.9	06.4-15.4
White/Non-Hisp	494	718,631	176	28.6	21.3-35.9	173	33.6	26.0-41.2	81	21.4	14.7-28.1	21	7.0	02.5-11.5	43	9.4	04.9-13.9
Black or Afr. Am./Non-Hisp	59	113,745	21	34.6	13.8-55.4	22	33.7	12.9-54.5	7	15.3	02.8-27.8	3	5.1	00.0-13.7	6	11.4	00.0-23.2
25-34	60	253,321	12	26.3	10.4-42.2	17	26.4	11.7-41.1	16	25.1	11.2-39.0	9	11.1	01.9-20.3	6	11.2	00.0-22.8
35-44	73	163,865	16	20.3	07.4-33.2	25	38.8	22.7-54.9	13	13.3	05.3-21.3	2	1.2	00.0-03.2	17	26.4	12.1-40.7
45-54	127	175,561	43	36.2	23.7-48.7	42	28.6	17.4-39.8	24	24.4	13.4-35.4	6	5.2	00.1-10.3	12	5.6	01.7-09.5
55-64	164	113,194	67	44.6	30.1-59.1	62	37.1	23.4-50.8	18	10.3	02.3-18.3	5	1.7	00.0-03.5	12	6.3	01.6-11.0
65+	137	84,030	68	43.9	29.6-58.2	48	39.3	25.0-53.6	16	13.0	05.4-20.6	2	1.3	00.0-03.5	3	2.4	00.0-05.7
H.S. or G.E.D.	152	281,192	44	32.3	19.2-45.4	50	29.1	17.1-41.1	33	24.8	12.8-36.8	7	1.2	00.2-02.2	18	12.6	05.2-20.0
Some Post-H.S.	141	248,280	52	37.2	22.5-51.9	54	40.4	24.7-56.1	17	8.6	03.1-14.1	4	4.9	00.0-11.8	14	8.9	00.1-17.7
College Graduate	259	302,500	105	23.8	15.8-31.8	91	34.8	24.8-44.8	37	23.5	13.7-33.3	10	8.0	00.9-15.1	16	9.8	01.8-17.8
\$15,000- 24,999	72	87,279	24	29.5	10.5-48.5	27	28.1	11.6-44.6	10	19.6	03.7-35.5	5	8.8	00.0-17.8	6	13.9	00.0-27.8
\$35,000- 49,999	82	148,762	25	32.1	11.7-52.5	27	30.3	11.1-49.5	16	23.3	06.2-40.4	5	5.0	00.0-11.1	9	9.4	01.8-17.0
\$50,000- 74,999	88	155,420	30	22.7	10.0-35.4	32	39.8	21.2-58.4	14	12.5	03.3-21.7	2	6.1	00.0-15.9	10	19.0	03.1-34.9
\$75,000+	176	238,994	65	29.7	18.9-40.5	69	35.5	24.3-46.7	27	24.4	13.0-35.8	5	1.2	00.0-02.4	10	9.2	00.2-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2011
 SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	762	701,335	417	48.6	40.4-56.8	250	34.3	26.5-42.1	59	10.6	05.1-16.1	17	2.5	00.0-05.6	19	4.0	00.7-07.3
White/Non-Hisp	632	564,208	349	47.2	38.2-56.2	209	34.7	26.1-43.3	48	12.1	05.4-18.8	13	2.9	00.0-06.8	13	3.1	00.2-06.0
Black or Afr. Am./Non-Hisp	99	99,878	47	40.8	20.4-61.2	34	43.0	20.3-65.7	8	4.8	00.7-08.9	4	1.2	00.0-02.8	6	10.2	00.0-25.1
25-34	78	152,524	33	47.8	29.8-65.8	26	36.8	19.0-54.6	11	13.3	01.1-25.5	5	1.2	00.0-02.4	3	1.0	00.0-02.2
35-44	139	137,685	62	42.2	26.9-57.5	52	36.8	21.3-52.3	15	11.9	02.5-21.3	6	1.6	00.0-03.4	4	7.6	00.0-18.6
45-54	162	111,414	78	50.1	35.0-65.2	65	43.0	28.1-57.9	14	4.2	01.5-06.9	1	0.8	00.0-02.4	4	1.9	00.0-04.3
55-64	180	97,701	114	65.5	46.1-84.9	49	19.2	06.5-31.9	9	12.1	00.0-30.9	2	1.0	00.0-02.6	6	2.2	00.0-04.4
65+	179	58,816	119	68.2	58.2-78.2	52	26.8	17.8-35.8	6	4.4	00.1-08.7	2	0.6	00.0-01.6			
H.S. or G.E.D.	172	151,218	89	48.0	30.9-65.1	57	42.8	25.4-60.2	11	5.0	00.7-09.3	5	1.1	00.0-02.3	10	3.1	00.7-05.5
Some Post-H.S.	230	247,778	130	50.6	35.5-65.7	74	32.6	18.7-46.5	19	7.8	00.0-16.6	4	5.2	00.0-14.0	3	3.9	00.0-10.2
College Graduate	328	249,739	188	53.3	41.0-65.6	106	27.8	17.0-38.6	22	12.8	03.2-22.4	8	1.3	00.1-02.5	4	4.9	00.0-11.2
Less than \$15,000	56	100,555	22	37.2	11.1-63.3	16	36.8	09.0-64.6	12	23.7	00.0-48.6	2	0.4	00.0-01.0	4	2.0	00.0-04.4
\$15,000- 24,999	93	92,543	52	61.4	35.3-87.5	29	34.2	07.9-60.5	8	3.3	00.0-06.6	3	0.7	00.0-01.7	1	0.3	00.0-00.9
\$25,000- 34,999	74	81,248	33	36.7	11.2-62.2	27	43.7	16.8-70.6	5	14.7	00.0-37.4	4	2.3	00.0-05.2	5	2.5	00.0-05.0
\$35,000- 49,999	94	88,489	49	55.0	35.0-75.0	34	23.7	09.0-38.4	5	5.1	00.0-10.6	3	1.9	00.0-04.3	3	14.4	00.0-31.3
\$50,000- 74,999	101	74,494	59	59.9	42.5-77.3	32	24.4	12.4-36.4	8	15.4	00.0-32.1	2	0.4	00.0-01.0			
\$75,000+	201	178,360	116	48.1	33.6-62.6	65	34.8	20.9-48.7	17	9.8	02.4-17.2	2	7.0	00.0-19.0	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1345	1,603,665	97	8.3	05.2-11.4	95	7.6	04.7-10.5	37	4.0	01.8-06.2	19	1.1	00.5-01.7	52	6.2	03.5-08.9	1045	72.8	67.9-77.7
Male	576	895,606	47	11.0	06.1-15.9	48	8.5	04.8-12.2	20	5.0	01.9-08.1	10	1.3	00.1-02.5	31	8.3	04.0-12.6	420	65.8	58.7-72.9
Female	769	708,059	50	5.0	01.9-08.1	47	6.4	01.9-10.9	17	2.7	00.2-05.2	9	0.8	00.0-01.6	21	3.5	00.8-06.2	625	81.7	75.6-87.8
White/Non-Hisp	1124	1,277,738	78	9.5	05.6-13.4	77	8.2	04.7-11.7	32	4.0	01.6-06.4	15	1.2	00.4-02.0	38	4.9	02.4-07.4	884	72.0	66.5-77.5
Black or Afr. Am./Non-Hisp	158	219,056	13	3.5	00.6-06.4	14	5.1	01.2-09.0	4	5.6	00.0-12.7	2	0.3	00.0-00.9	8	7.2	00.1-14.3	117	78.3	67.5-89.1
25-34	138	395,613	16	9.2	02.5-15.9	8	7.1	00.4-13.8	7	6.4	00.0-12.9	4	0.9	00.0-02.1	10	6.5	01.6-11.4	93	69.9	58.7-81.1
35-44	211	300,124	21	12.5	03.3-21.7	17	7.9	02.6-13.2	6	2.0	00.0-04.2	7	3.6	00.5-06.7	13	10.5	02.7-18.3	147	63.5	52.3-74.7
45-54	291	289,093	18	6.6	02.7-10.5	19	5.0	01.9-08.1	11	4.1	01.4-06.8	3	0.3	00.0-00.7	12	3.3	00.6-06.0	228	80.8	74.7-86.9
55-64	345	217,587	25	5.6	02.5-08.7	25	7.1	00.6-13.6	8	2.7	00.2-05.2	3	0.4	00.0-01.0	11	1.9	00.3-03.5	273	82.3	74.7-89.9
65+	312	145,528	13	3.0	00.8-05.2	19	5.1	02.2-08.0	2	0.7	00.0-01.7	2	0.8	00.0-02.0	3	5.6	00.0-14.0	273	84.8	76.2-93.4
Less Than H.S.	67	142,163	3	4.1	00.0-09.6	4	4.2	00.0-08.7	4	5.2	00.0-10.7	3	1.4	00.0-03.2	8	23.4	04.6-42.2	45	61.6	42.6-80.6
H.S. or G.E.D.	319	430,399	33	17.6	08.2-27.0	14	3.3	00.4-06.2	13	4.3	00.4-08.2	6	2.1	00.0-04.3	13	5.5	01.0-10.0	240	67.1	56.9-77.3
Some Post-H.S.	371	490,372	26	5.4	01.7-09.1	30	7.0	01.5-12.5	3	2.6	00.0-06.9	6	0.6	00.0-01.2	13	3.3	00.4-06.2	293	81.2	73.2-89.2
College Graduate	587	540,674	35	4.7	01.8-07.6	47	12.4	06.1-18.7	17	4.7	01.4-08.0	4	0.6	00.0-01.4	18	4.8	01.3-08.3	466	72.7	65.3-80.1
Less than \$15,000	106	179,197	5	5.4	00.0-13.6	11	19.5	02.8-36.2	3	0.5	00.0-01.3	1	0.1	00.0-00.3	11	5.6	00.0-12.7	75	68.8	50.8-86.8
\$15,000- 24,999	165	192,770	11	9.5	00.0-20.3	11	5.5	00.0-11.8	5	3.3	00.0-07.0	1	0.3	00.0-00.9	5	10.0	00.0-22.3	132	71.3	55.6-87.0
\$25,000- 34,999	115	122,506	11	8.6	01.3-15.9	9	7.4	00.0-17.8	2	2.3	00.0-05.8	7	4.9	00.0-11.4	3	4.7	00.0-13.5	83	72.0	56.3-87.7
\$35,000- 49,999	172	231,097	12	11.2	00.2-22.2	18	8.1	01.2-15.0	9	5.8	00.9-10.7	1	0.5	00.0-01.5	9	7.8	00.7-14.9	123	66.6	52.9-80.3
\$50,000- 74,999	190	232,103	14	7.0	00.0-14.1	18	8.8	02.3-15.3	2	5.8	00.0-14.8	1	1.0	00.0-03.0	6	6.2	00.0-13.5	149	71.3	58.4-84.2
\$75,000+	379	410,797	26	5.1	02.4-07.8	19	5.1	01.0-09.2	11	3.8	00.1-07.5	2	0.6	00.0-01.6	10	5.1	00.6-09.6	311	80.3	73.0-87.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	576	895,606	47	11.0	06.1-15.9	48	8.5	04.6-12.4	20	5.0	01.9-08.1	10	1.3	00.3-02.3	31	8.3	04.0-12.6	420	65.8	58.7-72.9
White/Non-Hisp	485	711,866	40	12.7	06.6-18.8	42	9.4	04.7-14.1	17	4.7	01.4-08.0	8	1.5	00.1-02.9	21	5.6	01.9-09.3	357	66.2	58.4-74.0
Black or Afr. Am./Non-Hisp	59	114,119	5	5.5	00.0-11.2	3	3.6	00.0-08.3	3	10.1	00.0-23.2	1	0.5	00.0-01.7	5	13.5	00.0-27.0	42	66.8	48.2-85.4
25-34	59	240,786	8	10.7	01.1-20.3	7	7.8	00.0-16.0	5	7.3	00.0-16.5				6	9.0	01.4-16.6	33	65.1	49.6-80.6
35-44	73	162,533	7	14.1	00.4-27.8	6	11.0	01.8-20.2	3	2.2	00.0-05.5	6	6.0	00.1-11.9	8	17.8	04.1-31.5	43	48.8	32.7-64.9
45-54	126	176,789	11	8.0	02.1-13.9	7	4.7	00.8-08.6	5	5.7	01.4-10.0	1	0.1	00.0-00.3	6	2.9	00.0-06.6	96	78.6	69.8-87.4
55-64	163	113,331	13	8.4	02.5-14.3	13	10.5	00.0-22.5	5	4.2	00.0-08.7	1	0.6	00.0-01.8	7	3.0	00.1-05.9	124	73.3	60.4-86.2
65+	131	79,730	5	2.0	00.0-04.2	11	6.4	01.7-11.1				2	1.4	00.0-03.6	2	2.4	00.0-06.7	111	87.7	80.6-94.8
H.S. or G.E.D.	147	277,851	14	21.1	08.2-34.0	8	4.4	00.0-09.1	9	6.3	00.2-12.4	3	2.0	00.0-04.9	11	8.4	01.5-15.3	102	57.8	44.1-71.5
Some Post-H.S.	139	246,500	11	7.5	00.2-14.8	13	6.7	00.2-13.2	2	4.7	00.0-13.1	2	0.7	00.0-01.9	6	4.4	00.0-10.1	105	75.9	63.0-88.8
College Graduate	256	290,080	19	5.4	02.1-08.7	25	15.0	06.2-23.8	6	3.5	01.0-06.0	2	0.7	00.0-01.9	8	4.6	00.3-08.9	196	70.7	61.1-80.3
\$15,000- 24,999	70	98,799	2	1.6	00.0-04.0	5	9.4	00.0-21.2	3	6.3	00.0-13.7	1	0.6	00.0-01.8	5	19.5	00.0-41.3	54	62.6	41.0-84.2
\$35,000- 49,999	78	142,608	8	17.1	00.0-34.3	10	10.6	00.0-21.6	5	5.3	01.6-09.0				4	6.1	00.0-13.0	51	60.9	41.1-80.7
\$50,000- 74,999	88	157,550	7	8.6	00.0-19.0	13	9.4	00.6-18.2	2	8.5	00.0-21.6				3	8.7	00.0-19.3	63	64.8	47.0-82.6
\$75,000+	176	228,721	12	5.9	01.6-10.2	10	7.8	00.7-14.9	5	2.4	00.0-05.1	1	0.8	00.0-02.4	7	7.9	00.0-15.9	141	75.2	64.6-85.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	769	708,059	50	5.0	01.9-08.1	47	6.4	01.9-10.9	17	2.7	00.2-05.2	9	0.8	00.0-01.6	21	3.5	00.8-06.2	625	81.7	75.4-88.0
White/Non-Hisp	639	565,872	38	5.6	01.7-09.5	35	6.8	01.3-12.3	15	3.2	00.1-06.3	7	0.9	00.0-01.9	17	4.1	00.8-07.4	527	79.4	72.0-86.8
Black or Afr. Am./Non-Hisp	99	104,937	8	1.4	00.2-02.6	11	6.8	00.3-13.3	1	0.7	00.0-02.1	1	0.1	00.0-00.3	3	0.3	00.0-00.7	75	90.7	83.6-97.8
25-34	79	154,826	8	6.7	00.0-14.9	1	6.0	00.0-17.4	2	5.1	00.0-13.9	4	2.2	00.0-05.3	4	2.6	00.0-05.3	60	77.4	62.1-92.7
35-44	138	137,591	14	10.5	00.0-22.8	11	4.3	01.2-07.4	3	1.7	00.0-04.4	1	0.8	00.0-02.4	5	1.8	00.0-03.8	104	80.8	68.1-93.5
45-54	165	112,304	7	4.3	00.8-07.8	12	5.5	00.2-10.8	6	1.5	00.1-02.9	2	0.6	00.0-01.4	6	4.0	00.3-07.7	132	84.2	76.6-91.8
55-64	182	104,256	12	2.4	00.6-04.2	12	3.3	00.6-06.0	3	1.1	00.0-03.1	2	0.3	00.0-00.7	4	0.7	00.0-01.5	149	92.1	87.6-96.6
65+	181	65,798	8	4.1	00.2-08.0	8	3.5	00.4-06.6	2	1.5	00.0-03.7				1	9.5	00.0-26.6	162	81.4	65.1-97.7
H.S. or G.E.D.	172	152,548	19	11.3	00.0-22.9	6	1.5	00.0-03.1	4	0.7	00.0-01.7	3	2.3	00.0-05.6	2	0.2	00.0-00.4	138	84.1	72.1-96.1
Some Post-H.S.	232	243,872	15	3.3	01.1-05.5	17	7.2	00.0-16.0	1	0.4	00.0-01.2	4	0.4	00.0-00.8	7	2.2	00.2-04.2	188	86.5	77.3-95.7
College Graduate	331	250,594	16	3.9	00.0-08.8	22	9.5	00.7-18.3	11	6.1	00.0-12.8	2	0.4	00.0-01.0	10	4.9	00.0-10.4	270	75.1	63.5-86.7
Less than \$15,000	59	112,809	3	1.0	00.0-02.4	7	20.5	00.0-43.0	2	0.6	00.0-01.8	1	0.2	00.0-00.6	4	6.4	00.0-17.2	42	71.2	47.5-94.9
\$15,000- 24,999	95	93,972	9	17.8	00.0-39.0	6	1.4	00.0-03.0	2	0.2	00.0-00.6							78	80.5	59.3-0100
\$25,000- 34,999	72	70,784	5	3.7	00.0-07.8	6	10.2	00.0-27.6	1	1.1	00.0-03.3	2	0.3	00.0-00.7	2	0.3	00.0-00.7	56	84.4	66.4-0100
\$35,000- 49,999	94	88,489	4	1.7	00.0-03.9	8	4.1	00.2-08.0	4	6.7	00.0-17.5	1	1.2	00.0-03.6	5	10.5	00.0-24.8	72	75.8	58.6-93.0
\$50,000- 74,999	102	74,553	7	3.5	00.2-06.8	5	7.5	00.0-15.7				1	3.1	00.0-09.2	3	0.8	00.0-01.8	86	85.0	74.4-95.6
\$75,000+	203	182,076	14	4.1	01.4-06.8	9	1.7	00.5-02.9	6	5.6	00.0-13.2	1	0.4	00.0-01.2	3	1.5	00.0-03.3	170	86.6	78.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1305	1,553,121	428	24.0	19.5-28.5	396	27.3	22.4-32.2	215	20.4	15.7-25.1	101	7.7	05.0-10.4	165	20.5	15.8-25.2
Male	560	856,171	132	19.5	13.6-25.4	147	20.5	14.6-26.4	117	23.6	17.1-30.1	52	10.3	06.0-14.6	112	26.1	19.4-32.8
Female	745	696,951	296	29.6	22.5-36.7	249	35.7	27.9-43.5	98	16.5	09.8-23.2	49	4.6	02.2-07.0	53	13.7	07.6-19.8
White/Non-Hisp	1088	1,246,458	353	22.8	17.9-27.7	341	27.6	22.3-32.9	180	19.2	14.3-24.1	76	8.0	04.9-11.1	138	22.4	16.9-27.9
Black or Afr. Am./Non-Hisp	157	212,221	52	29.1	15.6-42.6	40	21.0	09.6-32.4	29	31.0	14.7-47.3	20	8.1	01.6-14.6	16	10.7	03.4-18.0
25-34	131	382,874	31	22.4	11.4-33.4	26	16.9	07.5-26.3	29	27.6	15.6-39.6	15	7.6	01.5-13.7	30	25.5	14.7-36.3
35-44	205	295,247	46	19.7	10.5-28.9	62	28.2	18.0-38.4	38	14.7	08.2-21.2	18	6.3	02.2-10.4	41	31.1	19.5-42.7
45-54	284	279,685	82	27.7	18.9-36.5	94	30.2	21.2-39.2	48	19.0	11.0-27.0	24	11.2	05.3-17.1	36	11.9	06.6-17.2
55-64	334	209,185	120	27.8	18.2-37.4	106	43.7	31.2-56.2	49	13.0	05.9-20.1	29	8.4	01.5-15.3	30	7.2	03.5-10.9
65+	305	142,787	137	39.6	29.4-49.8	100	33.9	23.7-44.1	40	12.7	07.6-17.8	12	4.2	01.1-07.3	16	9.7	01.1-18.3
Less Than H.S.	61	118,537	15	18.9	05.0-32.8	13	32.6	11.4-53.8	13	10.6	02.2-19.0	6	13.7	00.0-28.6	14	24.2	07.7-40.7
H.S. or G.E.D.	308	415,604	95	22.4	13.8-31.0	82	22.4	13.8-31.0	57	24.6	14.4-34.8	24	4.6	01.7-07.5	50	26.1	16.1-36.1
Some Post-H.S.	363	484,545	136	29.1	19.5-38.7	106	31.5	21.3-41.7	47	19.7	10.1-29.3	30	4.8	01.3-08.3	44	14.9	07.3-22.5
College Graduate	572	534,378	181	21.9	15.6-28.2	195	26.1	19.4-32.8	98	20.1	13.6-26.6	41	11.4	05.9-16.9	57	20.5	13.1-27.9
Less than \$15,000	101	171,706	22	14.3	02.3-26.3	26	28.7	11.1-46.3	22	21.8	04.7-38.9	10	10.6	00.0-22.4	21	24.6	06.8-42.4
\$15,000- 24,999	158	177,358	63	36.8	19.9-53.7	43	25.7	10.2-41.2	23	9.2	03.1-15.3	13	6.8	00.0-13.9	16	21.6	07.9-35.3
\$25,000- 34,999	114	121,384	37	30.5	12.3-48.7	28	31.3	11.9-50.7	16	8.2	02.5-13.9	11	3.8	00.7-06.9	22	26.1	10.4-41.8
\$35,000- 49,999	170	230,310	47	18.5	06.9-30.1	57	28.8	15.5-42.1	29	20.7	07.0-34.4	11	7.8	00.7-14.9	26	24.1	11.2-37.0
\$50,000- 74,999	183	222,426	59	24.1	13.7-34.5	58	26.2	13.1-39.3	31	20.3	09.5-31.1	14	6.2	00.9-11.5	21	23.3	10.0-36.6
\$75,000+	370	405,077	108	22.2	14.8-29.6	127	26.6	19.3-33.9	66	26.5	17.5-35.5	34	9.9	04.8-15.0	35	14.8	07.7-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	560	856,171	132	19.5	13.6-25.4	147	20.5	14.6-26.4	117	23.6	17.1-30.1	52	10.3	06.0-14.6	112	26.1	19.4-32.8
White/Non-Hisp	471	690,881	109	18.6	12.3-24.9	128	21.0	14.3-27.7	100	22.3	15.6-29.0	42	10.8	05.7-15.9	92	27.3	19.5-35.1
Black or Afr. Am./Non-Hisp	58	107,284	12	16.4	02.9-29.9	14	15.9	04.7-27.1	14	39.1	15.8-62.4	7	10.0	00.0-21.2	11	18.7	04.8-32.6
25-34	55	231,767	6	17.0	02.3-31.7	8	12.6	00.6-24.6	17	34.6	17.4-51.8	6	7.8	00.0-15.8	18	28.0	13.1-42.9
35-44	71	158,842	11	16.0	03.3-28.7	10	14.3	02.5-26.1	18	16.1	07.3-24.9	8	8.4	01.3-15.5	24	45.3	28.6-62.0
45-54	125	169,827	28	27.0	14.7-39.3	30	20.2	10.6-29.8	27	23.0	12.4-33.6	12	12.8	04.2-21.4	28	17.0	08.8-25.2
55-64	157	106,560	41	20.7	11.7-29.7	52	39.5	24.2-54.8	25	14.7	05.5-23.9	17	12.9	00.4-25.4	22	12.2	05.3-19.1
65+	129	78,982	42	32.9	17.8-48.0	43	34.9	20.2-49.6	25	18.3	09.5-27.1	7	4.9	00.0-09.8	12	9.0	02.5-15.5
H.S. or G.E.D.	142	265,836	27	17.8	07.6-28.0	31	14.6	05.4-23.8	37	28.2	15.1-41.3	12	5.1	00.8-09.4	35	34.3	20.6-48.0
Some Post-H.S.	135	241,944	37	26.6	12.7-40.5	36	26.7	12.4-41.0	23	20.6	06.9-34.3	12	6.2	00.0-12.9	27	19.9	07.7-32.1
College Graduate	253	287,581	62	15.1	08.0-22.2	78	23.7	15.5-31.9	51	24.0	14.8-33.2	23	15.3	06.7-23.9	39	22.0	12.4-31.6
\$15,000- 24,999	69	85,929	19	28.1	08.7-47.5	15	16.2	01.1-31.3	15	16.6	05.0-28.2	7	13.0	00.0-26.9	13	26.2	09.5-42.9
\$35,000- 49,999	78	143,186	19	16.0	00.0-32.1	17	17.8	02.7-32.9	16	27.1	06.5-47.7	7	10.9	00.0-22.1	19	28.2	10.0-46.4
\$50,000- 74,999	83	148,313	14	14.1	02.5-25.7	28	28.4	09.6-47.2	18	19.7	07.2-32.2	8	6.5	00.0-13.6	15	31.4	12.6-50.2
\$75,000+	173	226,735	37	20.3	10.1-30.5	53	22.1	13.7-30.5	39	26.4	15.6-37.2	17	9.8	03.3-16.3	27	21.4	10.8-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	745	696,951	296	29.6	22.5-36.7	249	35.7	27.9-43.5	98	16.5	09.8-23.2	49	4.6	02.2-07.0	53	13.7	07.6-19.8
White/Non-Hisp	617	555,576	244	28.1	20.7-35.5	213	35.8	27.2-44.4	80	15.3	08.2-22.4	34	4.4	01.7-07.1	46	16.5	09.1-23.9
Black or Afr. Am./Non-Hisp	99	104,937	40	42.2	20.8-63.6	26	26.3	07.1-45.5	15	22.7	02.5-42.9	13	6.2	00.1-12.3	5	2.6	00.0-05.7
25-34	76	151,107	25	30.8	14.1-47.5	18	23.5	08.2-38.8	12	16.8	03.7-29.9	9	7.3	00.0-16.5	12	21.6	05.9-37.3
35-44	134	136,405	35	24.1	10.4-37.8	52	44.4	28.5-60.3	20	13.1	03.7-22.5	10	3.8	00.9-06.7	17	14.6	01.9-27.3
45-54	159	109,857	54	28.9	17.1-40.7	64	45.6	30.1-61.1	21	12.8	00.1-25.5	12	8.7	02.2-15.2	8	4.0	00.5-07.5
55-64	177	102,625	79	35.1	18.0-52.2	54	48.1	28.3-67.9	24	11.3	00.5-22.1	12	3.6	00.7-06.5	8	1.9	00.3-03.5
65+	176	63,805	95	47.7	33.4-62.0	57	32.7	19.0-46.4	15	5.6	02.3-08.9	5	3.3	00.0-07.0	4	10.6	00.0-28.0
H.S. or G.E.D.	166	149,769	68	30.5	15.4-45.6	51	36.1	19.8-52.4	20	18.0	02.3-33.7	12	3.8	01.1-06.5	15	11.6	00.0-23.6
Some Post-H.S.	228	242,600	99	31.7	18.4-45.0	70	36.3	22.0-50.6	24	18.8	05.5-32.1	18	3.3	01.3-05.3	17	9.8	00.6-19.0
College Graduate	319	246,797	119	29.8	19.2-40.4	117	28.8	18.2-39.4	47	15.4	06.4-24.4	18	7.0	00.7-13.3	18	18.9	07.1-30.7
Less than \$15,000	57	112,453	13	17.2	00.0-34.8	15	25.3	02.8-47.8	14	28.6	04.1-53.1	6	2.5	00.0-05.0	9	26.3	02.6-50.0
\$15,000- 24,999	89	91,429	44	45.0	18.0-72.0	28	34.6	08.5-60.7	8	2.2	00.0-04.4	6	1.0	00.0-02.0	3	17.3	00.0-39.1
\$25,000- 34,999	72	70,784	30	40.0	13.0-67.0	19	39.6	11.8-67.4	10	4.6	00.3-08.9	7	3.5	00.0-07.4	6	12.3	00.0-30.1
\$35,000- 49,999	92	87,124	28	22.7	07.2-38.2	40	46.9	26.1-67.7	13	10.2	02.9-17.5	4	2.7	00.0-06.0	7	17.5	00.3-34.7
\$50,000- 74,999	100	74,112	45	44.2	26.4-62.0	30	21.7	10.7-32.7	13	21.5	01.9-41.1	6	5.6	00.0-13.0	6	7.0	00.0-14.3
\$75,000+	197	178,342	71	24.5	13.7-35.3	74	32.2	19.7-44.7	27	26.7	11.6-41.8	17	10.0	01.8-18.2	8	6.6	00.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	272
2	MALES ONLY	273
3	FEMALES ONLY	274
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	275
5	MALES ONLY	276
6	FEMALES ONLY	277
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	278
8	MALES ONLY	279
9	FEMALES ONLY	280

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3230	3,510,629	1273	46.4	42.9-49.9	1957	53.6	50.1-57.1
Male	1043	1,695,563	406	46.5	41.2-51.8	637	53.5	48.2-58.8
Female	2187	1,815,065	867	46.3	41.8-50.8	1320	53.7	49.2-58.2
White/Non-Hisp	2587	2,690,057	903	41.7	37.8-45.6	1684	58.3	54.4-62.2
Black or Afr. Am./Non-Hisp	481	573,051	283	66.0	57.6-74.4	198	34.0	25.6-42.4
Hispanic	54	113,230	31	47.1	23.2-71.0	23	52.9	29.0-76.8
18-24	130	514,760	55	47.2	34.5-59.9	75	52.8	40.1-65.5
25-34	363	762,533	225	64.2	56.4-72.0	138	35.8	28.0-43.6
35-44	564	759,614	299	54.6	47.7-61.5	265	45.4	38.5-52.3
45-54	895	799,715	354	39.6	34.1-45.1	541	60.4	54.9-65.9
55-64	1278	674,007	340	24.6	19.7-29.5	938	75.4	70.5-80.3
Less Than H.S.	295	472,566	123	48.7	38.5-58.9	172	51.3	41.1-61.5
H.S. or G.E.D.	1064	1,195,097	364	44.5	38.6-50.4	700	55.5	49.6-61.4
Some Post-H.S.	943	1,043,828	404	47.7	40.8-54.6	539	52.3	45.4-59.2
College Graduate	922	797,299	380	46.2	39.7-52.7	542	53.8	47.3-60.3
Less than \$15,000	378	462,353	188	56.3	45.1-67.5	190	43.7	32.5-54.9
\$15,000- 24,999	675	660,626	295	54.5	46.7-62.3	380	45.5	37.7-53.3
\$25,000- 34,999	304	331,776	129	51.2	40.4-62.0	175	48.8	38.0-59.6
\$35,000- 49,999	344	404,920	124	50.0	39.6-60.4	220	50.0	39.6-60.4
\$50,000- 74,999	374	420,909	130	37.9	28.9-46.9	244	62.1	53.1-71.1
\$75,000+	589	616,153	222	39.1	31.8-46.4	367	60.9	53.6-68.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1043	1,695,563	406	46.5	41.2-51.8	637	53.5	48.2-58.8
White/Non-Hisp	862	1,295,371	302	42.7	36.8-48.6	560	57.3	51.4-63.2
Black or Afr. Am./Non-Hisp	121	278,277	66	59.2	44.7-73.7	55	40.8	26.3-55.3
25-34	110	375,570	57	59.8	47.1-72.5	53	40.2	27.5-52.9
35-44	174	375,168	84	55.3	44.7-65.9	90	44.7	34.1-55.3
45-54	291	376,443	112	38.0	29.6-46.4	179	62.0	53.6-70.4
55-64	419	317,245	135	35.4	26.8-44.0	284	64.6	56.0-73.2
Less Than H.S.	102	221,483	32	38.7	23.2-54.2	70	61.3	45.8-76.8
H.S. or G.E.D.	341	612,201	123	47.4	39.0-55.8	218	52.6	44.2-61.0
Some Post-H.S.	284	466,231	122	52.3	41.5-63.1	162	47.7	36.9-58.5
College Graduate	315	394,990	128	42.4	32.8-52.0	187	57.6	48.0-67.2
Less than \$15,000	116	188,063	60	54.2	36.0-72.4	56	45.8	27.6-64.0
\$15,000- 24,999	188	282,856	91	60.4	48.8-72.0	97	39.6	28.0-51.2
\$25,000- 34,999	102	159,340	47	58.2	42.5-73.9	55	41.8	26.1-57.5
\$35,000- 49,999	116	210,952	40	53.8	37.7-69.9	76	46.2	30.1-62.3
\$50,000- 74,999	132	223,166	36	35.0	20.9-49.1	96	65.0	50.9-79.1
\$75,000+	227	327,721	83	38.9	28.5-49.3	144	61.1	50.7-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2187	1,815,065	867	46.3	41.8-50.8	1320	53.7	49.2-58.2
White/Non-Hisp	1725	1,394,686	601	40.9	35.8-46.0	1124	59.1	54.0-64.2
Black or Afr. Am./Non-Hisp	360	294,774	217	72.4	63.8-81.0	143	27.6	19.0-36.2
18-24	81	263,623	37	54.0	35.6-72.4	44	46.0	27.6-64.4
25-34	253	386,964	168	68.4	59.2-77.6	85	31.6	22.4-40.8
35-44	390	384,446	215	53.9	44.9-62.9	175	46.1	37.1-55.1
45-54	604	423,271	242	41.0	33.7-48.3	362	59.0	51.7-66.3
55-64	859	356,762	205	14.9	11.4-18.4	654	85.1	81.6-88.6
Less Than H.S.	193	251,082	91	57.6	44.9-70.3	102	42.4	29.7-55.1
H.S. or G.E.D.	723	582,896	241	41.4	33.8-49.0	482	58.6	51.0-66.2
Some Post-H.S.	659	577,598	282	44.0	35.2-52.8	377	56.0	47.2-64.8
College Graduate	607	402,309	252	49.8	41.0-58.6	355	50.2	41.4-59.0
Less than \$15,000	262	274,290	128	57.8	43.7-71.9	134	42.2	28.1-56.3
\$15,000- 24,999	487	377,770	204	50.0	39.4-60.6	283	50.0	39.4-60.6
\$25,000- 34,999	202	172,436	82	44.6	30.7-58.5	120	55.4	41.5-69.3
\$35,000- 49,999	228	193,968	84	46.0	33.3-58.7	144	54.0	41.3-66.7
\$50,000- 74,999	242	197,743	94	41.2	30.2-52.2	148	58.8	47.8-69.8
\$75,000+	362	288,431	139	39.4	29.6-49.2	223	60.6	50.8-70.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	725	1,055,956	21	2.1	00.5-03.7	45	4.2	02.2-06.2	54	6.2	03.5-08.9	138	15.1	10.2-20.0	331	48.2	41.1-55.3	136	24.3	18.0-30.6
Male	222	514,736	8	2.9	00.0-06.0	14	5.1	01.4-08.8	13	5.0	01.3-08.7	38	17.3	08.7-25.9	108	50.5	39.5-61.5	41	19.3	10.7-27.9
Female	503	541,220	13	1.3	00.5-02.1	31	3.4	01.6-05.2	41	7.3	03.4-11.2	100	13.1	08.4-17.8	223	46.0	37.0-55.0	95	29.0	20.0-38.0
White/Non-Hisp	493	726,679	21	3.0	00.6-05.4	37	4.9	02.2-07.6	47	7.6	03.9-11.3	108	19.0	12.3-25.7	205	45.7	37.1-54.3	75	19.8	12.7-26.9
Black or Afr. Am./Non-Hisp	181	271,575				2	1.4	00.0-04.1	3	1.6	00.0-04.1	21	5.4	01.1-09.7	105	56.8	42.3-71.3	50	34.8	20.7-48.9
25-34	174	374,821				1	2.0	00.0-05.9	8	5.5	00.6-10.4	37	19.2	09.4-29.0	94	54.8	42.3-67.3	34	18.6	09.2-28.0
35-44	176	243,080	1	0.8	00.0-02.4	16	8.3	02.6-14.0	15	7.4	02.3-12.5	33	13.6	06.2-21.0	81	47.9	35.2-60.6	30	22.1	11.1-33.1
45-54	186	172,935	9	9.5	00.9-18.1	18	8.2	03.5-12.9	19	8.7	03.0-14.4	40	18.7	08.7-28.7	68	33.8	22.0-45.6	32	21.0	10.0-32.0
55-64	146	71,844	11	5.1	01.2-09.0	10	3.6	00.5-06.7	12	15.5	00.0-33.5	23	9.4	03.1-15.7	67	43.2	26.1-60.3	23	23.3	03.9-42.7
Less Than H.S.	63	134,685	2	0.6	00.0-01.6	3	4.4	00.0-09.7	6	10.9	00.9-20.9	11	7.7	01.2-14.2	26	33.3	13.9-52.7	15	43.0	22.2-63.8
H.S. or G.E.D.	209	328,980	7	2.7	00.0-06.6	9	3.0	00.1-05.9	15	4.5	01.0-08.0	49	26.6	14.4-38.8	99	47.8	34.9-60.7	30	15.3	05.5-25.1
Some Post-H.S.	224	320,307	6	1.4	00.2-02.6	17	5.4	01.9-08.9	13	5.6	00.3-10.9	44	10.2	04.7-15.7	100	50.4	36.9-63.9	44	27.1	14.2-40.0
College Graduate	228	271,327	6	2.9	00.0-06.0	16	4.1	00.0-09.4	20	6.4	00.9-11.9	34	10.7	03.8-17.6	105	53.4	41.1-65.7	47	22.5	12.5-32.5
Less than \$15,000	105	166,118	3	1.0	00.0-02.4	4	2.6	00.0-05.9	4	5.3	00.0-12.4	10	3.5	00.2-06.8	61	61.5	43.5-79.5	23	26.0	09.9-42.1
\$15,000- 24,999	163	215,597	3	0.3	00.0-00.7	11	4.7	00.4-09.0	6	2.8	00.0-05.7	44	26.0	12.7-39.3	67	36.1	22.2-50.0	32	30.2	15.1-45.3
\$25,000- 34,999	70	105,545	1	1.0	00.0-03.0	2	0.4	00.0-01.0	8	9.6	00.4-18.8	11	6.5	00.8-12.2	32	65.3	48.1-82.5	16	17.2	04.9-29.5
\$35,000- 49,999	77	160,600	3	5.2	00.0-13.2	2	3.1	00.0-08.2	3	5.0	00.0-13.8	15	22.5	04.7-40.3	34	44.0	24.6-63.4	20	20.3	03.1-37.5
\$50,000- 74,999	82	111,826				8	6.5	00.2-12.8	10	10.4	01.8-19.0	16	9.8	02.9-16.7	36	57.4	39.4-75.4	12	15.9	02.6-29.2
\$75,000+	118	147,343	6	5.3	00.0-11.2	13	9.3	00.0-19.3	17	11.4	01.2-21.6	18	13.0	03.8-22.2	49	46.9	30.4-63.4	15	14.1	03.7-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	222	514,736	8	2.9	01.1-04.7	14	5.1	01.2-09.0	13	5.0	01.3-08.7	38	17.3	08.7-25.9	108	50.5	39.5-61.5	41	19.3	10.7-27.9
White/Non-Hisp	163	371,580	8	4.0	01.5-06.5	10	5.4	00.5-10.3	9	4.8	00.1-09.5	30	21.0	09.8-32.2	75	45.0	32.1-57.9	31	19.8	09.8-29.8
45-54	61	80,050	4	15.4	05.8-25.0	4	3.8	00.1-07.5	5	10.8	00.2-21.4	12	14.4	02.4-26.4	21	30.6	14.7-46.5	15	25.0	09.1-40.9
55-64	57	49,760	3	1.6	00.0-03.8	3	2.4	00.0-06.3	4	19.5	00.0-44.8	6	8.7	00.3-17.1	33	42.5	19.0-66.0	8	25.3	00.0-52.5
H.S. or G.E.D.	66	199,765	3	3.7	02.5-04.9	4	4.2	00.0-08.9	4	3.9	00.0-08.6	16	34.5	16.5-52.5	30	44.6	26.4-62.8	9	9.1	00.1-18.1
Some Post-H.S.	65	148,672	1	0.6	00.0-01.8	6	5.5	00.0-11.6	4	9.4	00.0-20.4	11	6.1	01.2-11.0	32	55.3	33.7-76.9	11	23.2	03.0-43.4
College Graduate	74	123,725	4	5.5	00.0-12.6	3	6.6	00.0-18.2	5	3.0	00.0-06.1	8	5.9	00.4-11.4	37	55.6	36.8-74.4	17	23.4	07.9-38.9
\$15,000- 24,999	51	94,787				3	5.1	00.0-13.1				14	38.6	15.7-61.5	23	28.5	12.6-44.4	11	27.8	06.8-48.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	503	541,220	13	1.3	00.5-02.1	31	3.4	01.6-05.2	41	7.3	03.6-11.0	100	13.1	08.4-17.8	223	46.0	37.0-55.0	95	29.0	20.0-38.0
White/Non-Hisp	330	355,099	13	2.0	00.6-03.4	27	4.3	01.9-06.7	38	10.6	04.9-16.3	78	16.9	10.0-23.8	130	46.5	35.3-57.7	44	19.8	09.4-30.2
Black or Afr. Am./Non-Hisp	143	158,584							1	0.6	00.0-01.8	17	5.3	01.0-09.6	82	49.3	32.4-66.2	43	44.8	27.6-62.0
25-34	133	191,787							7	10.4	01.0-19.8	24	11.0	03.7-18.3	77	61.4	47.5-75.3	25	17.2	07.4-27.0
35-44	127	128,509				10	4.5	00.4-08.6	12	9.1	02.6-15.6	28	19.6	08.4-30.8	53	35.9	21.6-50.2	24	30.9	14.8-47.0
45-54	125	92,885	5	4.4	00.3-08.5	14	12.1	04.1-20.1	14	6.9	02.2-11.6	28	22.4	07.5-37.3	47	36.6	20.3-52.9	17	17.6	02.9-32.3
55-64	89	22,084	8	12.9	02.7-23.1	7	6.2	01.3-11.1	8	6.6	01.5-11.7	17	10.9	04.6-17.2	34	44.7	29.2-60.2	15	18.7	04.8-32.6
H.S. or G.E.D.	143	129,215	4	1.2	00.0-02.6	5	1.2	00.0-02.4	11	5.5	00.6-10.4	33	14.4	07.1-21.7	69	52.8	35.4-70.2	21	24.9	06.5-43.3
Some Post-H.S.	159	171,635	5	2.1	00.0-04.3	11	5.4	01.7-09.1	9	2.3	00.5-04.1	33	13.6	04.4-22.8	68	46.1	29.0-63.2	33	30.5	13.6-47.4
College Graduate	154	147,602	2	0.7	00.0-01.9	13	2.1	00.7-03.5	15	9.3	00.0-18.9	26	14.8	03.4-26.2	68	51.5	35.2-67.8	30	21.6	08.5-34.7
Less than \$15,000	70	88,323	2	1.8	00.0-04.3	2	2.5	00.0-07.2	3	9.1	00.0-21.8	7	4.8	00.0-10.7	38	48.3	22.4-74.2	18	33.5	09.6-57.4
\$15,000- 24,999	112	120,811	3	0.5	00.0-01.1	8	4.3	00.0-08.8	6	5.0	00.0-10.3	30	16.1	04.1-28.1	44	42.1	21.5-62.7	21	32.0	10.4-53.6
\$35,000- 49,999	53	68,316	1	1.1	00.0-03.3	1	1.3	00.0-03.8	2	1.1	00.0-02.7	12	18.9	00.0-38.5	22	51.3	25.8-76.8	15	26.3	01.8-50.8
\$50,000- 74,999	61	54,870				5	5.7	00.0-13.1	7	7.3	00.6-14.0	13	12.6	04.4-20.8	27	47.1	27.3-66.9	9	27.4	05.8-49.0
\$75,000+	80	74,657	3	1.7	00.0-04.1	10	7.2	00.7-13.7	14	20.9	02.9-38.9	13	18.8	02.9-34.7	32	38.7	19.5-57.9	8	12.7	00.0-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3296	3,550,015	84	4.1	02.5-05.7	3212	95.9	94.3-97.5
Male	1060	1,699,825	34	3.8	01.6-06.0	1026	96.2	94.0-98.4
Female	2236	1,850,189	50	4.3	01.9-06.7	2186	95.7	93.3-98.1
White/Non-Hisp	2656	2,745,436	58	3.0	01.4-04.6	2598	97.0	95.4-98.6
Black or Afr. Am./Non-Hisp	480	561,042	16	5.4	00.3-10.5	464	94.6	89.5-99.7
Hispanic	54	113,788	5	16.6	00.0-35.0	49	83.4	65.0-0100
18-24	129	517,687	14	10.7	02.5-18.9	115	89.3	81.1-97.5
25-34	370	764,974	17	6.3	01.8-10.8	353	93.7	89.2-98.2
35-44	580	773,003	14	3.0	00.8-05.2	566	97.0	94.8-99.2
45-54	906	797,866	18	1.2	00.4-02.0	888	98.8	98.0-99.6
55-64	1311	696,485	21	1.1	00.5-01.7	1290	98.9	98.3-99.5
Less Than H.S.	304	470,604	11	4.2	00.0-08.9	293	95.8	91.1-0100
H.S. or G.E.D.	1095	1,216,402	33	4.1	01.4-06.8	1062	95.9	93.2-98.6
Some Post-H.S.	954	1,056,768	23	5.3	01.6-09.0	931	94.7	91.0-98.4
College Graduate	937	804,401	17	2.4	00.4-04.4	920	97.6	95.6-99.6
Less than \$15,000	388	453,695	17	11.2	02.6-19.8	371	88.8	80.2-97.4
\$15,000- 24,999	689	671,952	19	4.4	01.1-07.7	670	95.6	92.3-98.9
\$25,000- 34,999	315	334,779	8	3.3	00.0-06.8	307	96.7	93.2-0100
\$35,000- 49,999	356	415,840	7	1.7	00.0-03.9	349	98.3	96.1-0100
\$50,000- 74,999	384	427,345	6	0.8	00.0-01.6	378	99.2	98.4-0100
\$75,000+	605	635,644	12	1.4	00.2-02.6	593	98.6	97.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1060	1,699,825	34	3.8	01.6-06.0	1026	96.2	94.0-98.4
White/Non-Hisp	881	1,313,931	23	3.1	00.7-05.5	858	96.9	94.5-99.3
Black or Afr. Am./Non-Hisp	121	268,147	5	2.5	00.0-05.6	116	97.5	94.4-0100
18-24	50	254,968	6	11.9	00.1-23.7	44	88.1	76.3-99.9
25-34	111	373,912	4	3.5	00.0-07.4	107	96.5	92.6-0100
35-44	174	374,964	4	3.2	00.0-06.9	170	96.8	93.1-0100
45-54	297	369,719	8	0.9	00.1-01.7	289	99.1	98.3-99.9
55-64	428	326,262	12	1.9	00.5-03.3	416	98.1	96.7-99.5
Less Than H.S.	105	212,109	2	0.4	00.0-01.0	103	99.6	99.0-0100
H.S. or G.E.D.	353	620,159	16	3.5	01.0-06.0	337	96.5	94.0-99.0
Some Post-H.S.	284	467,151	8	5.9	00.0-12.4	276	94.1	87.6-0100
College Graduate	317	399,747	8	3.8	00.0-07.7	309	96.2	92.3-0100
Less than \$15,000	121	179,025	8	3.4	00.3-06.5	113	96.6	93.5-99.7
\$15,000- 24,999	191	286,467	8	5.7	00.4-11.0	183	94.3	89.0-99.6
\$25,000- 34,999	105	157,683	4	4.7	00.0-11.8	101	95.3	88.2-0100
\$35,000- 49,999	121	216,495	3	2.8	00.0-06.7	118	97.2	93.3-0100
\$50,000- 74,999	132	223,202	2	0.3	00.0-00.7	130	99.7	99.3-0100
\$75,000+	234	337,220	3	0.5	00.0-01.1	231	99.5	98.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	1,850,189	50	4.3	01.9-06.7	2186	95.7	93.3-98.1
White/Non-Hisp	1775	1,431,505	35	2.9	00.9-04.9	1740	97.1	95.1-99.1
Black or Afr. Am./Non-Hisp	359	292,895	11	8.0	00.0-17.2	348	92.0	82.8-0100
18-24	79	262,719	8	9.4	00.0-20.8	71	90.6	79.2-0100
25-34	259	391,062	13	9.0	01.4-16.6	246	91.0	83.4-98.6
35-44	406	398,039	10	2.8	00.6-05.0	396	97.2	95.0-99.4
45-54	609	428,147	10	1.4	00.0-02.8	599	98.6	97.2-0100
55-64	883	370,223	9	0.4	00.0-00.8	874	99.6	99.2-0100
Less Than H.S.	199	258,495	9	7.3	00.0-15.5	190	92.7	84.5-0100
H.S. or G.E.D.	742	596,244	17	4.7	00.0-09.4	725	95.3	90.6-0100
Some Post-H.S.	670	589,617	15	4.7	00.2-09.2	655	95.3	90.8-99.8
College Graduate	620	404,654	9	1.0	00.0-02.0	611	99.0	98.0-0100
Less than \$15,000	267	274,671	9	16.3	03.0-29.6	258	83.7	70.4-97.0
\$15,000- 24,999	498	385,485	11	3.4	00.0-07.5	487	96.6	92.5-0100
\$25,000- 34,999	210	177,096	4	2.1	00.0-04.8	206	97.9	95.2-0100
\$35,000- 49,999	235	199,345	4	0.5	00.1-00.9	231	99.5	99.1-99.9
\$50,000- 74,999	252	204,143	4	1.3	00.0-02.7	248	98.7	97.3-0100
\$75,000+	371	298,423	9	2.5	00.3-04.7	362	97.5	95.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2011**

End of Core Data Report