

TENNESSEE

2014 Core Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5128 | 5,045,748 | 707 | 16.5 | 14.9-18.1 | 1424 | 29.9 | 27.9-31.9 | 1574 | 29.8 | 28.0-31.6 | 959 | 16.1 | 14.7-17.5 | 464 | 7.6 | 06.6-08.6 |
| Male | 1877 | 2,424,217 | 279 | 17.8 | 15.3-20.3 | 517 | 30.5 | 27.6-33.4 | 574 | 29.5 | 26.6-32.4 | 337 | 14.8 | 12.6-17.0 | 170 | 7.4 | 05.8-09.0 |
| Female | 3251 | 2,621,531 | 428 | 15.4 | 13.4-17.4 | 907 | 29.4 | 27.0-31.8 | 1000 | 30.1 | 27.7-32.5 | 622 | 17.4 | 15.4-19.4 | 294 | 7.8 | 06.6-09.0 |
| White/Non-Hisp | 4244 | 3,839,912 | 607 | 17.5 | 15.7-19.3 | 1207 | 29.8 | 27.8-31.8 | 1267 | 28.6 | 26.6-30.6 | 775 | 16.1 | 14.5-17.7 | 388 | 8.0 | 07.0-09.0 |
| Black or Afr. Am./Non-Hisp | 626 | 796,034 | 65 | 14.1 | 09.8-18.4 | 150 | 30.2 | 24.5-35.9 | 221 | 33.7 | 28.4-39.0 | 143 | 16.5 | 12.6-20.4 | 47 | 5.6 | 03.2-08.0 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 18 | 19.4 | 09.6-29.2 | 16 | 17.7 | 07.9-27.5 | 33 | 42.3 | 29.2-55.4 | 14 | 10.6 | 03.7-17.5 | 16 | 10.0 | 04.1-15.9 |
| Hispanic | 61 | 147,753 | 7 | 10.2 | 01.8-18.6 | 22 | 32.6 | 18.3-46.9 | 20 | 31.3 | 18.0-44.6 | 10 | 17.1 | 06.3-27.9 | 2 | 8.8 | 00.0-21.1 |
| 18-24 | 205 | 618,184 | 52 | 25.1 | 18.0-32.2 | 79 | 37.0 | 29.4-44.6 | 53 | 27.4 | 20.3-34.5 | 17 | 9.0 | 04.1-13.9 | 4 | 1.4 | 00.0-03.0 |
| 25-34 | 405 | 851,588 | 109 | 25.3 | 20.4-30.2 | 132 | 33.8 | 28.3-39.3 | 110 | 28.0 | 22.7-33.3 | 45 | 9.8 | 06.7-12.9 | 9 | 3.1 | 00.9-05.3 |
| 35-44 | 479 | 826,716 | 89 | 18.1 | 13.8-22.4 | 152 | 31.2 | 25.9-36.5 | 144 | 29.8 | 24.5-35.1 | 67 | 14.7 | 10.8-18.6 | 27 | 6.2 | 03.1-09.3 |
| 45-54 | 817 | 883,278 | 122 | 13.7 | 10.8-16.6 | 224 | 27.4 | 23.5-31.3 | 241 | 29.5 | 25.6-33.4 | 156 | 20.3 | 16.6-24.0 | 74 | 9.1 | 06.6-11.6 |
| 55-64 | 1157 | 829,033 | 137 | 11.8 | 09.4-14.2 | 306 | 26.9 | 23.6-30.2 | 357 | 30.2 | 26.9-33.5 | 220 | 18.9 | 16.0-21.8 | 137 | 12.2 | 09.7-14.7 |
| 65+ | 1999 | 1,001,095 | 188 | 8.9 | 07.3-10.5 | 513 | 26.1 | 23.6-28.6 | 640 | 32.3 | 29.6-35.0 | 449 | 21.4 | 19.0-23.8 | 209 | 11.3 | 09.3-13.3 |
| Less Than H.S. | 646 | 792,382 | 28 | 7.7 | 03.8-11.6 | 90 | 16.2 | 11.3-21.1 | 181 | 27.2 | 22.1-32.3 | 197 | 28.6 | 23.5-33.7 | 150 | 20.3 | 16.0-24.6 |
| H.S. or G.E.D. | 1756 | 1,676,789 | 168 | 15.1 | 12.2-18.0 | 424 | 24.7 | 21.8-27.6 | 579 | 33.2 | 29.9-36.5 | 408 | 19.3 | 16.8-21.8 | 177 | 7.7 | 06.1-09.3 |
| Some Post-H.S. | 1255 | 1,460,309 | 181 | 15.5 | 12.8-18.2 | 374 | 36.9 | 33.0-40.8 | 410 | 30.9 | 27.4-34.4 | 202 | 11.8 | 09.6-14.0 | 88 | 4.9 | 03.3-06.5 |
| College Graduate | 1430 | 1,080,013 | 320 | 26.3 | 23.2-29.4 | 524 | 38.8 | 35.5-42.1 | 397 | 25.4 | 22.5-28.3 | 141 | 7.5 | 05.7-09.3 | 48 | 2.0 | 01.4-02.6 |
| Less than \$15,000 | 679 | 591,625 | 43 | 8.8 | 04.9-12.7 | 90 | 17.1 | 12.4-21.8 | 184 | 28.5 | 23.4-33.6 | 213 | 27.8 | 22.9-32.7 | 149 | 17.9 | 14.0-21.8 |
| \$15,000- 24,999 | 869 | 825,660 | 74 | 9.5 | 06.6-12.4 | 177 | 22.9 | 18.4-27.4 | 275 | 30.9 | 26.2-35.6 | 229 | 24.5 | 20.6-28.4 | 114 | 12.1 | 08.8-15.4 |
| \$25,000- 34,999 | 530 | 505,793 | 49 | 13.9 | 09.2-18.6 | 168 | 25.6 | 20.7-30.5 | 178 | 36.5 | 30.2-42.8 | 106 | 19.3 | 14.4-24.2 | 29 | 4.7 | 02.2-07.2 |
| \$35,000- 49,999 | 606 | 632,171 | 93 | 19.8 | 15.1-24.5 | 194 | 35.4 | 29.9-40.9 | 198 | 28.2 | 23.5-32.9 | 91 | 12.9 | 09.8-16.0 | 30 | 3.7 | 01.9-05.5 |
| \$50,000- 74,999 | 535 | 575,451 | 90 | 18.8 | 14.1-23.5 | 192 | 39.8 | 33.9-45.7 | 158 | 25.9 | 20.8-31.0 | 78 | 13.3 | 09.4-17.2 | 17 | 2.2 | 01.0-03.4 |
| \$75,000+ | 835 | 945,763 | 228 | 27.0 | 22.5-31.5 | 315 | 39.2 | 34.5-43.9 | 229 | 27.3 | 23.0-31.6 | 47 | 4.1 | 02.5-05.7 | 16 | 2.4 | 00.8-04.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1877 | 2,424,217 | 279 | 17.8 | 15.3-20.3 | 517 | 30.5 | 27.6-33.4 | 574 | 29.5 | 26.6-32.4 | 337 | 14.8 | 12.8-16.8 | 170 | 7.4 | 05.8-09.0 |
| White/Non-Hisp | 1569 | 1,840,915 | 240 | 18.2 | 15.3-21.1 | 437 | 30.4 | 27.3-33.5 | 467 | 28.5 | 25.4-31.6 | 283 | 15.2 | 13.0-17.4 | 142 | 7.7 | 06.1-09.3 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 25 | 19.1 | 11.3-26.9 | 48 | 29.4 | 20.2-38.6 | 68 | 34.5 | 25.7-43.3 | 38 | 10.7 | 06.0-15.4 | 14 | 6.3 | 02.2-10.4 |
| 18-24 | 92 | 310,575 | 28 | 29.5 | 18.9-40.1 | 35 | 38.3 | 27.3-49.3 | 22 | 24.2 | 14.4-34.0 | 6 | 7.3 | 00.8-13.8 | 1 | 0.6 | 00.0-01.8 |
| 25-34 | 165 | 422,793 | 51 | 28.0 | 20.4-35.6 | 54 | 34.7 | 26.1-43.3 | 37 | 24.6 | 16.6-32.6 | 19 | 9.0 | 04.7-13.3 | 4 | 3.8 | 00.1-07.5 |
| 35-44 | 175 | 406,472 | 31 | 18.9 | 11.6-26.2 | 59 | 33.1 | 24.5-41.7 | 54 | 30.1 | 21.7-38.5 | 23 | 13.2 | 07.5-18.9 | 8 | 4.8 | 00.0-09.7 |
| 45-54 | 310 | 435,093 | 44 | 13.6 | 08.7-18.5 | 91 | 30.0 | 23.5-36.5 | 94 | 29.9 | 23.6-36.2 | 58 | 17.9 | 12.6-23.2 | 23 | 8.6 | 04.7-12.5 |
| 55-64 | 451 | 400,957 | 52 | 10.5 | 07.4-13.6 | 109 | 24.7 | 19.6-29.8 | 140 | 31.7 | 26.4-37.0 | 87 | 18.3 | 14.0-22.6 | 63 | 14.8 | 10.5-19.1 |
| 65+ | 668 | 439,337 | 72 | 9.8 | 07.1-12.5 | 165 | 24.5 | 20.6-28.4 | 218 | 34.3 | 29.8-38.8 | 143 | 20.9 | 17.0-24.8 | 70 | 10.5 | 07.6-13.4 |
| Less Than H.S. | 229 | 379,250 | 15 | 11.6 | 04.3-18.9 | 31 | 17.6 | 09.6-25.6 | 62 | 24.5 | 16.9-32.1 | 66 | 26.0 | 18.6-33.4 | 55 | 20.3 | 13.2-27.4 |
| H.S. or G.E.D. | 620 | 802,117 | 66 | 16.7 | 12.0-21.4 | 138 | 24.1 | 19.4-28.8 | 210 | 34.4 | 29.1-39.7 | 144 | 17.8 | 14.1-21.5 | 62 | 7.0 | 04.6-09.4 |
| Some Post-H.S. | 444 | 699,816 | 58 | 14.4 | 10.1-18.7 | 142 | 40.2 | 33.9-46.5 | 147 | 30.4 | 24.7-36.1 | 64 | 9.6 | 06.5-12.7 | 33 | 5.4 | 02.9-07.9 |
| College Graduate | 573 | 526,560 | 136 | 27.7 | 22.8-32.6 | 203 | 36.9 | 31.8-42.0 | 154 | 25.0 | 20.3-29.7 | 60 | 8.6 | 05.7-11.5 | 20 | 1.8 | 00.8-02.8 |
| Less than \$15,000 | 211 | 242,873 | 17 | 11.1 | 03.5-18.7 | 28 | 19.1 | 10.9-27.3 | 59 | 28.1 | 19.7-36.5 | 61 | 22.4 | 14.8-30.0 | 46 | 19.2 | 12.5-25.9 |
| \$15,000- 24,999 | 286 | 363,360 | 31 | 12.5 | 07.2-17.8 | 48 | 20.6 | 13.0-28.2 | 85 | 31.7 | 23.7-39.7 | 81 | 22.8 | 16.5-29.1 | 41 | 12.3 | 06.4-18.2 |
| \$25,000- 34,999 | 192 | 252,026 | 21 | 16.6 | 08.8-24.4 | 45 | 19.7 | 12.6-26.8 | 67 | 38.9 | 28.9-48.9 | 46 | 20.4 | 13.1-27.7 | 13 | 4.5 | 00.6-08.4 |
| \$35,000- 49,999 | 268 | 349,775 | 42 | 19.7 | 12.8-26.6 | 83 | 37.7 | 29.7-45.7 | 83 | 25.3 | 18.4-32.2 | 47 | 14.1 | 09.4-18.8 | 13 | 3.1 | 00.9-05.3 |
| \$50,000- 74,999 | 237 | 306,808 | 36 | 18.2 | 11.1-25.3 | 73 | 34.6 | 26.4-42.8 | 78 | 28.4 | 21.1-35.7 | 40 | 16.7 | 10.0-23.4 | 10 | 2.1 | 00.7-03.5 |
| \$75,000+ | 380 | 518,787 | 98 | 25.3 | 19.0-31.6 | 143 | 39.9 | 32.8-47.0 | 107 | 27.0 | 20.7-33.3 | 22 | 4.3 | 01.9-06.7 | 10 | 3.5 | 00.6-06.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3251 | 2,621,531 | 428 | 15.4 | 13.4-17.4 | 907 | 29.4 | 27.0-31.8 | 1000 | 30.1 | 27.7-32.5 | 622 | 17.4 | 15.4-19.4 | 294 | 7.8 | 06.6-09.0 |
| White/Non-Hisp | 2675 | 1,998,997 | 367 | 16.8 | 14.4-19.2 | 770 | 29.3 | 26.9-31.7 | 800 | 28.8 | 26.3-31.3 | 492 | 16.8 | 14.6-19.0 | 246 | 8.3 | 06.9-09.7 |
| Black or Afr. Am./Non-Hisp | 433 | 432,364 | 40 | 9.9 | 06.0-13.8 | 102 | 30.8 | 23.9-37.7 | 153 | 33.0 | 26.5-39.5 | 105 | 21.4 | 15.7-27.1 | 33 | 4.9 | 02.4-07.4 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 11 | 19.8 | 06.9-32.7 | 11 | 22.0 | 07.3-36.7 | 17 | 35.5 | 17.9-53.1 | 9 | 12.4 | 02.0-22.8 | 8 | 10.4 | 01.8-19.0 |
| 18-24 | 113 | 307,609 | 24 | 20.6 | 11.0-30.2 | 44 | 35.8 | 25.6-46.0 | 31 | 30.6 | 20.4-40.8 | 11 | 10.7 | 03.3-18.1 | 3 | 2.3 | 00.0-05.2 |
| 25-34 | 240 | 428,795 | 58 | 22.7 | 16.8-28.6 | 78 | 32.9 | 25.8-40.0 | 73 | 31.4 | 24.5-38.3 | 26 | 10.6 | 05.9-15.3 | 5 | 2.3 | 00.1-04.5 |
| 35-44 | 304 | 420,244 | 58 | 17.4 | 12.5-22.3 | 93 | 29.3 | 23.0-35.6 | 90 | 29.6 | 23.5-35.7 | 44 | 16.1 | 10.8-21.4 | 19 | 7.6 | 03.5-11.7 |
| 45-54 | 507 | 448,185 | 78 | 13.9 | 10.6-17.2 | 133 | 24.8 | 20.3-29.3 | 147 | 29.1 | 24.0-34.2 | 98 | 22.7 | 17.6-27.8 | 51 | 9.5 | 06.4-12.6 |
| 55-64 | 706 | 428,077 | 85 | 13.1 | 10.0-16.2 | 197 | 28.9 | 24.8-33.0 | 217 | 28.8 | 24.7-32.9 | 133 | 19.5 | 15.6-23.4 | 74 | 9.8 | 07.1-12.5 |
| 65+ | 1331 | 561,758 | 116 | 8.2 | 06.4-10.0 | 348 | 27.3 | 24.2-30.4 | 422 | 30.7 | 27.6-33.8 | 306 | 21.8 | 18.9-24.7 | 139 | 12.0 | 09.5-14.5 |
| Less Than H.S. | 417 | 413,132 | 13 | 4.1 | 01.4-06.8 | 59 | 14.9 | 09.4-20.4 | 119 | 29.8 | 23.3-36.3 | 131 | 31.0 | 23.9-38.1 | 95 | 20.3 | 15.2-25.4 |
| H.S. or G.E.D. | 1136 | 874,672 | 102 | 13.6 | 09.9-17.3 | 286 | 25.3 | 21.6-29.0 | 369 | 32.1 | 27.8-36.4 | 264 | 20.5 | 17.2-23.8 | 115 | 8.4 | 06.2-10.6 |
| Some Post-H.S. | 811 | 760,492 | 123 | 16.5 | 13.0-20.0 | 232 | 33.9 | 29.2-38.6 | 263 | 31.3 | 27.0-35.6 | 138 | 13.7 | 10.8-16.6 | 55 | 4.4 | 02.8-06.0 |
| College Graduate | 857 | 553,453 | 184 | 24.9 | 20.8-29.0 | 321 | 40.6 | 36.1-45.1 | 243 | 25.9 | 22.0-29.8 | 81 | 6.6 | 04.8-08.4 | 28 | 2.1 | 01.1-03.1 |
| Less than \$15,000 | 468 | 348,753 | 26 | 7.1 | 03.4-10.8 | 62 | 15.6 | 10.1-21.1 | 125 | 28.7 | 22.4-35.0 | 152 | 31.5 | 25.2-37.8 | 103 | 17.1 | 12.4-21.8 |
| \$15,000- 24,999 | 583 | 462,300 | 43 | 7.2 | 04.3-10.1 | 129 | 24.8 | 19.5-30.1 | 190 | 30.3 | 25.0-35.6 | 148 | 25.8 | 20.7-30.9 | 73 | 12.0 | 08.1-15.9 |
| \$25,000- 34,999 | 338 | 253,767 | 28 | 11.2 | 06.3-16.1 | 123 | 31.5 | 24.8-38.2 | 111 | 34.2 | 27.1-41.3 | 60 | 18.2 | 11.3-25.1 | 16 | 4.9 | 01.6-08.2 |
| \$35,000- 49,999 | 338 | 282,396 | 51 | 19.9 | 13.6-26.2 | 111 | 32.7 | 25.6-39.8 | 115 | 31.7 | 25.2-38.2 | 44 | 11.3 | 07.2-15.4 | 17 | 4.5 | 02.0-07.0 |
| \$50,000- 74,999 | 298 | 268,643 | 54 | 19.5 | 13.0-26.0 | 119 | 45.8 | 37.6-54.0 | 80 | 23.1 | 16.0-30.2 | 38 | 9.4 | 05.7-13.1 | 7 | 2.3 | 00.3-04.3 |
| \$75,000+ | 455 | 426,976 | 130 | 29.1 | 22.6-35.6 | 172 | 38.4 | 32.3-44.5 | 122 | 27.6 | 21.7-33.5 | 25 | 3.9 | 01.9-05.9 | 6 | 1.0 | 00.2-01.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH) | |
| 1 | MALES AND FEMALES | 7 |
| 2 | MALES ONLY | 8 |
| 3 | FEMALES ONLY | 9 |
| | NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH) | |
| 4 | MALES AND FEMALES | 10 |
| 5 | MALES ONLY | 11 |
| 6 | FEMALES ONLY | 12 |
| | DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH) | |
| 7 | MALES AND FEMALES | 13 |
| 8 | MALES ONLY | 14 |
| 9 | FEMALES ONLY | 15 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4965 | 4,954,787 | 2970 | 62.1 | 60.1-64.1 | 387 | 8.7 | 07.5-09.9 | 510 | 11.3 | 09.9-12.7 | 525 | 8.9 | 07.9-09.9 | 573 | 9.0 | 08.0-10.0 |
| Male | 1833 | 2,399,849 | 1157 | 64.5 | 61.4-67.6 | 128 | 8.6 | 06.6-10.6 | 163 | 10.9 | 08.7-13.1 | 179 | 7.6 | 06.0-09.2 | 206 | 8.4 | 07.0-09.8 |
| Female | 3132 | 2,554,938 | 1813 | 59.9 | 57.4-62.4 | 259 | 8.9 | 07.5-10.3 | 347 | 11.6 | 10.0-13.2 | 346 | 10.1 | 08.5-11.7 | 367 | 9.5 | 08.1-10.9 |
| White/Non-Hisp | 4115 | 3,777,866 | 2464 | 61.5 | 59.3-63.7 | 323 | 9.2 | 07.8-10.6 | 410 | 10.5 | 09.1-11.9 | 426 | 8.8 | 07.6-10.0 | 492 | 10.0 | 08.8-11.2 |
| Black or Afr. Am./Non-Hisp | 601 | 778,665 | 362 | 65.9 | 60.6-71.2 | 41 | 5.7 | 03.5-07.9 | 76 | 13.8 | 09.7-17.9 | 71 | 9.1 | 06.0-12.2 | 51 | 5.6 | 03.4-07.8 |
| Oth. Race/Non-Hisp. | 93 | 122,460 | 48 | 60.2 | 47.7-72.7 | 12 | 11.5 | 03.9-19.1 | 5 | 4.9 | 00.0-09.8 | 11 | 12.0 | 02.6-21.4 | 17 | 11.4 | 04.9-17.9 |
| Hispanic | 59 | 142,842 | 39 | 65.4 | 50.3-80.5 | 4 | 4.7 | 00.0-10.0 | 8 | 17.7 | 04.2-31.2 | 5 | 8.0 | 00.0-16.0 | 3 | 4.2 | 00.0-09.1 |
| 18-24 | 203 | 619,520 | 141 | 72.9 | 66.0-79.8 | 24 | 10.3 | 05.8-14.8 | 24 | 11.0 | 06.1-15.9 | 8 | 3.2 | 00.8-05.6 | 6 | 2.7 | 00.5-04.9 |
| 25-34 | 398 | 842,145 | 272 | 71.4 | 66.5-76.3 | 39 | 7.9 | 05.2-10.6 | 49 | 12.0 | 08.5-15.5 | 24 | 5.0 | 02.6-07.4 | 14 | 3.6 | 01.4-05.8 |
| 35-44 | 478 | 829,454 | 294 | 59.8 | 54.1-65.5 | 54 | 12.6 | 08.7-16.5 | 59 | 13.4 | 08.9-17.9 | 41 | 7.9 | 05.2-10.6 | 30 | 6.3 | 03.6-09.0 |
| 45-54 | 799 | 861,031 | 467 | 56.0 | 51.5-60.5 | 68 | 9.2 | 06.5-11.9 | 74 | 10.0 | 07.3-12.7 | 103 | 14.9 | 11.4-18.4 | 87 | 9.9 | 07.5-12.3 |
| 55-64 | 1125 | 807,591 | 614 | 53.9 | 50.2-57.6 | 99 | 8.8 | 06.8-10.8 | 116 | 11.8 | 09.3-14.3 | 128 | 10.3 | 08.1-12.5 | 168 | 15.2 | 12.5-17.9 |
| 65+ | 1899 | 959,845 | 1135 | 61.0 | 58.1-63.9 | 100 | 4.8 | 03.6-06.0 | 184 | 9.6 | 07.8-11.4 | 217 | 10.5 | 08.7-12.3 | 263 | 14.1 | 11.9-16.3 |
| Less Than H.S. | 594 | 755,653 | 262 | 47.1 | 41.0-53.2 | 25 | 6.9 | 03.2-10.6 | 72 | 12.4 | 08.3-16.5 | 87 | 13.4 | 09.7-17.1 | 148 | 20.2 | 15.9-24.5 |
| H.S. or G.E.D. | 1696 | 1,650,510 | 1004 | 64.8 | 61.5-68.1 | 107 | 6.6 | 05.0-08.2 | 176 | 10.6 | 08.4-12.8 | 206 | 9.1 | 07.3-10.9 | 203 | 8.8 | 07.2-10.4 |
| Some Post-H.S. | 1228 | 1,443,265 | 706 | 60.9 | 57.2-64.6 | 107 | 10.0 | 07.6-12.4 | 141 | 12.4 | 09.7-15.1 | 147 | 10.0 | 07.8-12.2 | 127 | 6.6 | 05.0-08.2 |
| College Graduate | 1407 | 1,069,472 | 973 | 70.6 | 67.5-73.7 | 146 | 11.7 | 09.3-14.1 | 115 | 9.1 | 06.9-11.3 | 80 | 3.9 | 02.7-05.1 | 93 | 4.6 | 03.4-05.8 |
| Less than \$15,000 | 638 | 564,103 | 247 | 43.3 | 37.4-49.2 | 36 | 7.4 | 04.1-10.7 | 74 | 13.8 | 09.7-17.9 | 123 | 15.6 | 11.7-19.5 | 158 | 19.9 | 15.8-24.0 |
| \$15,000- 24,999 | 834 | 802,708 | 433 | 53.8 | 48.7-58.9 | 59 | 7.4 | 05.0-09.8 | 100 | 12.8 | 08.7-16.9 | 131 | 14.8 | 11.5-18.1 | 111 | 11.3 | 08.4-14.2 |
| \$25,000- 34,999 | 512 | 495,269 | 293 | 60.7 | 54.6-66.8 | 58 | 10.7 | 07.2-14.2 | 50 | 10.0 | 06.5-13.5 | 52 | 9.6 | 05.7-13.5 | 59 | 9.0 | 05.7-12.3 |
| \$35,000- 49,999 | 599 | 637,383 | 394 | 70.1 | 65.4-74.8 | 37 | 6.0 | 03.5-08.5 | 64 | 12.0 | 08.5-15.5 | 53 | 6.3 | 04.1-08.5 | 51 | 5.7 | 03.9-07.5 |
| \$50,000- 74,999 | 526 | 569,016 | 347 | 68.7 | 63.2-74.2 | 46 | 7.8 | 04.9-10.7 | 50 | 9.8 | 05.9-13.7 | 45 | 8.9 | 05.4-12.4 | 38 | 4.9 | 02.9-06.9 |
| \$75,000+ | 830 | 943,669 | 612 | 72.2 | 67.9-76.5 | 92 | 13.2 | 09.9-16.5 | 66 | 8.3 | 05.6-11.0 | 37 | 3.8 | 02.0-05.6 | 23 | 2.5 | 01.1-03.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1833 | 2,399,849 | 1157 | 64.5 | 61.4-67.6 | 128 | 8.6 | 06.6-10.6 | 163 | 10.9 | 08.7-13.1 | 179 | 7.6 | 06.0-09.2 | 206 | 8.4 | 07.0-09.8 |
| White/Non-Hisp | 1535 | 1,827,632 | 971 | 64.4 | 61.1-67.7 | 110 | 9.2 | 07.0-11.4 | 132 | 9.7 | 07.5-11.9 | 150 | 7.4 | 05.8-09.0 | 172 | 9.2 | 07.4-11.0 |
| Black or Afr. Am./Non-Hisp | 187 | 358,306 | 123 | 68.7 | 59.9-77.5 | 9 | 4.2 | 00.9-07.5 | 16 | 12.8 | 05.9-19.7 | 22 | 8.7 | 03.8-13.6 | 17 | 5.5 | 02.0-09.0 |
| 18-24 | 92 | 318,329 | 69 | 77.8 | 68.6-87.0 | 7 | 7.6 | 01.3-13.9 | 12 | 12.0 | 05.1-18.9 | 1 | 0.4 | 00.0-01.2 | 3 | 2.2 | 00.0-04.7 |
| 25-34 | 164 | 420,867 | 119 | 73.7 | 66.3-81.1 | 11 | 7.0 | 02.7-11.3 | 18 | 10.3 | 05.4-15.2 | 7 | 4.2 | 00.7-07.7 | 9 | 4.9 | 01.2-08.6 |
| 35-44 | 176 | 410,826 | 117 | 62.4 | 53.2-71.6 | 22 | 15.2 | 08.3-22.1 | 20 | 14.3 | 06.5-22.1 | 9 | 5.4 | 01.7-09.1 | 8 | 2.7 | 00.5-04.9 |
| 45-54 | 303 | 424,044 | 188 | 58.1 | 51.0-65.2 | 23 | 9.4 | 04.9-13.9 | 22 | 8.5 | 04.4-12.6 | 41 | 14.9 | 09.6-20.2 | 29 | 9.0 | 05.5-12.5 |
| 55-64 | 440 | 392,818 | 238 | 52.6 | 46.7-58.5 | 33 | 7.5 | 04.6-10.4 | 45 | 13.2 | 08.9-17.5 | 49 | 9.5 | 06.4-12.6 | 75 | 17.3 | 12.8-21.8 |
| 65+ | 642 | 423,974 | 413 | 64.4 | 59.7-69.1 | 30 | 4.7 | 02.5-06.9 | 46 | 8.0 | 05.1-10.9 | 72 | 9.7 | 07.0-12.4 | 81 | 13.2 | 09.9-16.5 |
| Less Than H.S. | 213 | 369,315 | 101 | 48.7 | 38.9-58.5 | 10 | 8.9 | 02.0-15.8 | 25 | 14.8 | 07.5-22.1 | 24 | 8.8 | 04.5-13.1 | 53 | 18.8 | 12.7-24.9 |
| H.S. or G.E.D. | 606 | 796,235 | 380 | 69.4 | 64.7-74.1 | 31 | 5.0 | 02.6-07.4 | 58 | 10.2 | 06.9-13.5 | 64 | 7.4 | 04.9-09.9 | 73 | 8.0 | 05.6-10.4 |
| Some Post-H.S. | 436 | 692,648 | 269 | 62.0 | 55.7-68.3 | 33 | 10.4 | 06.3-14.5 | 39 | 11.9 | 07.2-16.6 | 53 | 9.4 | 06.3-12.5 | 42 | 6.3 | 03.8-08.8 |
| College Graduate | 567 | 525,176 | 400 | 71.8 | 67.1-76.5 | 53 | 11.3 | 07.8-14.8 | 39 | 7.4 | 04.7-10.1 | 38 | 5.0 | 03.0-07.0 | 37 | 4.6 | 02.6-06.6 |
| Less than \$15,000 | 200 | 230,972 | 80 | 45.0 | 34.8-55.2 | 11 | 8.2 | 02.3-14.1 | 17 | 12.1 | 05.0-19.2 | 42 | 14.6 | 08.5-20.7 | 50 | 20.1 | 13.2-27.0 |
| \$15,000- 24,999 | 275 | 351,770 | 151 | 57.3 | 48.7-65.9 | 14 | 3.9 | 01.4-06.4 | 33 | 15.3 | 07.5-23.1 | 38 | 11.7 | 06.8-16.6 | 39 | 11.8 | 07.1-16.5 |
| \$25,000- 34,999 | 184 | 246,540 | 109 | 66.4 | 57.6-75.2 | 14 | 8.2 | 02.9-13.5 | 13 | 7.8 | 03.1-12.5 | 18 | 8.4 | 03.1-13.7 | 30 | 9.1 | 05.0-13.2 |
| \$35,000- 49,999 | 267 | 357,375 | 181 | 75.5 | 69.2-81.8 | 15 | 5.4 | 01.9-08.9 | 22 | 8.3 | 04.0-12.6 | 25 | 5.1 | 02.6-07.6 | 24 | 5.6 | 03.1-08.1 |
| \$50,000- 74,999 | 233 | 305,211 | 160 | 69.8 | 62.2-77.4 | 17 | 6.8 | 02.7-10.9 | 19 | 9.0 | 04.1-13.9 | 21 | 9.5 | 04.4-14.6 | 16 | 4.9 | 02.0-07.8 |
| \$75,000+ | 377 | 517,769 | 285 | 71.4 | 64.7-78.1 | 40 | 14.3 | 09.0-19.6 | 25 | 7.0 | 03.3-10.7 | 16 | 4.4 | 01.7-07.1 | 11 | 2.9 | 00.5-05.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3132 | 2,554,938 | 1813 | 59.9 | 57.4-62.4 | 259 | 8.9 | 07.5-10.3 | 347 | 11.6 | 10.0-13.2 | 346 | 10.1 | 08.5-11.7 | 367 | 9.5 | 08.1-10.9 |
| White/Non-Hisp | 2580 | 1,950,234 | 1493 | 58.7 | 56.0-61.4 | 213 | 9.2 | 07.6-10.8 | 278 | 11.3 | 09.5-13.1 | 276 | 10.1 | 08.3-11.9 | 320 | 10.7 | 09.1-12.3 |
| Black or Afr. Am./Non-Hisp | 414 | 420,359 | 239 | 63.5 | 56.8-70.2 | 32 | 6.9 | 04.0-09.8 | 60 | 14.6 | 09.7-19.5 | 49 | 9.5 | 05.6-13.4 | 34 | 5.6 | 02.9-08.3 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 30 | 62.7 | 46.6-78.8 | 8 | 14.1 | 02.9-25.3 | 3 | 5.7 | 00.0-13.0 | 8 | 8.2 | 00.0-17.0 | 7 | 9.2 | 00.8-17.6 |
| 18-24 | 111 | 301,190 | 72 | 67.6 | 57.6-77.6 | 17 | 13.2 | 06.5-19.9 | 12 | 9.9 | 03.2-16.6 | 7 | 6.1 | 01.4-10.8 | 3 | 3.2 | 00.0-06.9 |
| 25-34 | 234 | 421,278 | 153 | 69.2 | 62.5-75.9 | 28 | 8.8 | 05.3-12.3 | 31 | 13.8 | 08.7-18.9 | 17 | 5.8 | 02.7-08.9 | 5 | 2.3 | 00.1-04.5 |
| 35-44 | 302 | 418,628 | 177 | 57.2 | 50.3-64.1 | 32 | 10.1 | 06.2-14.0 | 39 | 12.6 | 08.3-16.9 | 32 | 10.3 | 06.2-14.4 | 22 | 9.8 | 05.1-14.5 |
| 45-54 | 496 | 436,987 | 279 | 54.0 | 48.3-59.7 | 45 | 9.1 | 06.0-12.2 | 52 | 11.4 | 07.5-15.3 | 62 | 14.8 | 10.1-19.5 | 58 | 10.7 | 07.4-14.0 |
| 55-64 | 685 | 414,773 | 376 | 55.2 | 50.5-59.9 | 66 | 10.0 | 07.3-12.7 | 71 | 10.5 | 07.6-13.4 | 79 | 11.1 | 08.0-14.2 | 93 | 13.3 | 10.0-16.6 |
| 65+ | 1257 | 535,871 | 722 | 58.4 | 54.9-61.9 | 70 | 4.9 | 03.5-06.3 | 138 | 10.9 | 08.7-13.1 | 145 | 11.1 | 08.7-13.5 | 182 | 14.7 | 12.2-17.2 |
| Less Than H.S. | 381 | 386,338 | 161 | 45.6 | 38.2-53.0 | 15 | 5.0 | 01.9-08.1 | 47 | 10.1 | 05.6-14.6 | 63 | 17.7 | 11.8-23.6 | 95 | 21.6 | 15.9-27.3 |
| H.S. or G.E.D. | 1090 | 854,275 | 624 | 60.6 | 56.3-64.9 | 76 | 8.1 | 05.7-10.5 | 118 | 11.0 | 08.1-13.9 | 142 | 10.8 | 08.3-13.3 | 130 | 9.6 | 07.2-12.0 |
| Some Post-H.S. | 792 | 750,617 | 437 | 59.9 | 55.2-64.6 | 74 | 9.6 | 06.9-12.3 | 102 | 12.9 | 09.8-16.0 | 94 | 10.5 | 07.8-13.2 | 85 | 7.0 | 05.0-09.0 |
| College Graduate | 840 | 544,296 | 573 | 69.5 | 65.4-73.6 | 93 | 12.1 | 09.2-15.0 | 76 | 10.8 | 07.9-13.7 | 42 | 2.9 | 01.7-04.1 | 56 | 4.7 | 03.1-06.3 |
| Less than \$15,000 | 438 | 333,131 | 167 | 42.1 | 35.0-49.2 | 25 | 6.9 | 03.0-10.8 | 57 | 14.9 | 09.8-20.0 | 81 | 16.3 | 11.2-21.4 | 108 | 19.7 | 14.4-25.0 |
| \$15,000- 24,999 | 559 | 450,938 | 282 | 51.1 | 45.0-57.2 | 45 | 10.1 | 06.4-13.8 | 67 | 10.8 | 07.3-14.3 | 93 | 17.2 | 12.7-21.7 | 72 | 10.9 | 07.4-14.4 |
| \$25,000- 34,999 | 328 | 248,729 | 184 | 55.1 | 47.3-62.9 | 44 | 13.2 | 08.3-18.1 | 37 | 12.2 | 07.3-17.1 | 34 | 10.7 | 05.0-16.4 | 29 | 8.8 | 03.9-13.7 |
| \$35,000- 49,999 | 332 | 280,008 | 213 | 63.2 | 56.3-70.1 | 22 | 6.7 | 02.8-10.6 | 42 | 16.7 | 11.2-22.2 | 28 | 7.7 | 04.4-11.0 | 27 | 5.8 | 03.3-08.3 |
| \$50,000- 74,999 | 293 | 263,805 | 187 | 67.4 | 59.6-75.2 | 29 | 9.0 | 05.1-12.9 | 31 | 10.6 | 04.5-16.7 | 24 | 8.1 | 03.4-12.8 | 22 | 4.9 | 02.5-07.3 |
| \$75,000+ | 453 | 425,900 | 327 | 73.1 | 67.6-78.6 | 52 | 12.0 | 08.3-15.7 | 41 | 9.8 | 05.7-13.9 | 21 | 3.0 | 01.4-04.6 | 12 | 2.1 | 00.7-03.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5032 | 4,969,387 | 3477 | 66.4 | 64.4-68.4 | 297 | 6.4 | 05.4-07.4 | 398 | 8.4 | 07.2-09.6 | 472 | 9.5 | 08.3-10.7 | 388 | 9.2 | 07.8-10.6 |
| Male | 1840 | 2,391,853 | 1386 | 70.8 | 67.7-73.9 | 88 | 5.7 | 04.1-07.3 | 116 | 7.3 | 05.5-09.1 | 130 | 8.2 | 06.2-10.2 | 120 | 8.0 | 05.8-10.2 |
| Female | 3192 | 2,577,534 | 2091 | 62.4 | 59.9-64.9 | 209 | 7.0 | 05.8-08.2 | 282 | 9.4 | 08.0-10.8 | 342 | 10.8 | 09.2-12.4 | 268 | 10.3 | 08.5-12.1 |
| White/Non-Hisp | 4170 | 3,792,679 | 2896 | 67.0 | 64.8-69.2 | 242 | 6.2 | 05.0-07.4 | 318 | 8.0 | 06.8-09.2 | 386 | 9.6 | 08.2-11.0 | 328 | 9.1 | 07.5-10.7 |
| Black or Afr. Am./Non-Hisp | 615 | 786,232 | 417 | 67.7 | 62.2-73.2 | 39 | 6.1 | 03.7-08.5 | 60 | 9.3 | 05.6-13.0 | 64 | 8.8 | 05.9-11.7 | 35 | 8.0 | 04.3-11.7 |
| Oth. Race/Non-Hisp. | 93 | 121,113 | 63 | 62.5 | 49.2-75.8 | 4 | 9.2 | 00.0-19.0 | 8 | 9.1 | 02.0-16.2 | 7 | 5.3 | 00.0-11.4 | 11 | 13.8 | 04.2-23.4 |
| Hispanic | 59 | 144,519 | 32 | 51.1 | 35.6-66.6 | 10 | 13.5 | 03.5-23.5 | 6 | 11.4 | 02.2-20.6 | 4 | 7.5 | 00.0-17.7 | 7 | 16.6 | 03.1-30.1 |
| 18-24 | 202 | 612,180 | 111 | 59.0 | 51.2-66.8 | 25 | 10.2 | 05.9-14.5 | 23 | 9.1 | 05.2-13.0 | 29 | 13.5 | 08.2-18.8 | 14 | 8.2 | 02.7-13.7 |
| 25-34 | 404 | 849,339 | 247 | 60.5 | 54.8-66.2 | 31 | 8.0 | 04.5-11.5 | 47 | 11.6 | 07.7-15.5 | 50 | 11.8 | 08.3-15.3 | 29 | 8.0 | 04.5-11.5 |
| 35-44 | 477 | 827,148 | 306 | 64.8 | 59.3-70.3 | 30 | 5.9 | 03.5-08.3 | 52 | 9.8 | 06.9-12.7 | 39 | 5.6 | 03.1-08.1 | 50 | 13.8 | 09.1-18.5 |
| 45-54 | 805 | 864,745 | 499 | 63.7 | 59.4-68.0 | 56 | 5.6 | 03.8-07.4 | 68 | 7.4 | 05.2-09.6 | 96 | 11.7 | 08.8-14.6 | 86 | 11.5 | 08.6-14.4 |
| 55-64 | 1138 | 810,673 | 755 | 67.6 | 64.1-71.1 | 73 | 6.3 | 04.5-08.1 | 93 | 7.8 | 06.0-09.6 | 118 | 9.6 | 07.4-11.8 | 99 | 8.7 | 06.5-10.9 |
| 65+ | 1941 | 971,573 | 1506 | 78.5 | 76.1-80.9 | 81 | 4.0 | 03.0-05.0 | 111 | 5.5 | 04.1-06.9 | 135 | 6.5 | 05.1-07.9 | 108 | 5.6 | 04.2-07.0 |
| Less Than H.S. | 617 | 764,525 | 366 | 54.6 | 48.5-60.7 | 20 | 3.7 | 01.0-06.4 | 53 | 8.6 | 04.9-12.3 | 74 | 12.7 | 08.8-16.6 | 104 | 20.5 | 15.0-26.0 |
| H.S. or G.E.D. | 1721 | 1,656,432 | 1194 | 68.1 | 64.8-71.4 | 87 | 5.7 | 04.1-07.3 | 123 | 7.2 | 05.6-08.8 | 175 | 10.5 | 08.3-12.7 | 142 | 8.6 | 06.6-10.6 |
| Some Post-H.S. | 1237 | 1,442,395 | 839 | 67.5 | 63.8-71.2 | 75 | 6.3 | 04.3-08.3 | 99 | 8.4 | 06.2-10.6 | 124 | 8.5 | 06.5-10.5 | 100 | 9.3 | 06.8-11.8 |
| College Graduate | 1418 | 1,072,190 | 1050 | 71.2 | 67.9-74.5 | 114 | 9.7 | 07.5-11.9 | 119 | 9.9 | 07.7-12.1 | 96 | 7.3 | 05.3-09.3 | 39 | 1.8 | 01.0-02.6 |
| Less than \$15,000 | 657 | 569,191 | 327 | 47.1 | 41.4-52.8 | 26 | 4.6 | 01.9-07.3 | 66 | 10.6 | 07.1-14.1 | 117 | 19.4 | 14.7-24.1 | 121 | 18.3 | 14.0-22.6 |
| \$15,000- 24,999 | 853 | 814,241 | 551 | 60.5 | 55.4-65.6 | 47 | 4.8 | 03.0-06.6 | 67 | 10.5 | 07.0-14.0 | 104 | 10.2 | 07.7-12.7 | 84 | 14.0 | 09.7-18.3 |
| \$25,000- 34,999 | 525 | 503,370 | 386 | 71.1 | 65.4-76.8 | 31 | 6.7 | 03.8-09.6 | 38 | 7.7 | 04.8-10.6 | 42 | 7.1 | 04.2-10.0 | 28 | 7.4 | 03.3-11.5 |
| \$35,000- 49,999 | 600 | 629,671 | 437 | 71.7 | 66.6-76.8 | 34 | 6.3 | 03.6-09.0 | 49 | 7.8 | 04.9-10.7 | 60 | 9.3 | 06.6-12.0 | 20 | 4.8 | 01.3-08.3 |
| \$50,000- 74,999 | 527 | 567,131 | 381 | 71.3 | 65.8-76.8 | 38 | 8.1 | 04.6-11.6 | 48 | 9.7 | 06.2-13.2 | 32 | 6.2 | 03.1-09.3 | 28 | 4.7 | 02.5-06.9 |
| \$75,000+ | 831 | 941,098 | 630 | 72.9 | 68.4-77.4 | 72 | 9.2 | 06.3-12.1 | 65 | 7.8 | 05.4-10.2 | 46 | 6.4 | 03.9-08.9 | 18 | 3.7 | 01.3-06.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1840 | 2,391,853 | 1386 | 70.8 | 67.7-73.9 | 88 | 5.7 | 04.1-07.3 | 116 | 7.3 | 05.5-09.1 | 130 | 8.2 | 06.2-10.2 | 120 | 8.0 | 05.8-10.2 |
| White/Non-Hisp | 1541 | 1,826,509 | 1168 | 72.0 | 68.7-75.3 | 69 | 5.3 | 03.5-07.1 | 98 | 7.3 | 05.5-09.1 | 106 | 7.8 | 05.8-09.8 | 100 | 7.6 | 05.2-10.0 |
| Black or Afr. Am./Non-Hisp | 192 | 363,366 | 148 | 74.3 | 65.5-83.1 | 9 | 4.8 | 01.5-08.1 | 10 | 6.9 | 00.4-13.4 | 16 | 7.6 | 02.7-12.5 | 9 | 6.4 | 01.3-11.5 |
| 18-24 | 90 | 308,401 | 53 | 60.9 | 49.5-72.3 | 13 | 10.5 | 04.2-16.8 | 8 | 7.7 | 02.2-13.2 | 11 | 13.6 | 05.2-22.0 | 5 | 7.2 | 00.0-14.5 |
| 25-34 | 165 | 422,793 | 108 | 62.5 | 53.5-71.5 | 12 | 9.1 | 03.2-15.0 | 19 | 11.0 | 04.7-17.3 | 17 | 10.9 | 05.4-16.4 | 9 | 6.6 | 01.5-11.7 |
| 35-44 | 173 | 407,013 | 123 | 69.6 | 60.6-78.6 | 11 | 5.3 | 01.8-08.8 | 18 | 9.0 | 04.3-13.7 | 5 | 2.5 | 00.0-06.0 | 16 | 13.6 | 05.8-21.4 |
| 45-54 | 301 | 423,957 | 214 | 70.5 | 64.0-77.0 | 14 | 3.4 | 01.2-05.6 | 19 | 6.2 | 02.7-09.7 | 25 | 10.0 | 05.5-14.5 | 29 | 9.9 | 05.8-14.0 |
| 55-64 | 443 | 392,424 | 327 | 74.7 | 69.6-79.8 | 23 | 4.4 | 02.2-06.6 | 26 | 5.9 | 03.4-08.4 | 40 | 9.0 | 05.5-12.5 | 27 | 5.9 | 03.4-08.4 |
| 65+ | 652 | 428,275 | 546 | 83.5 | 80.0-87.0 | 15 | 2.9 | 01.3-04.5 | 26 | 4.2 | 02.4-06.0 | 31 | 4.5 | 02.5-06.5 | 34 | 4.9 | 02.7-07.1 |
| Less Than H.S. | 222 | 374,134 | 144 | 59.3 | 49.3-69.3 | 9 | 5.5 | 00.0-11.0 | 15 | 6.9 | 00.6-13.2 | 25 | 11.5 | 05.4-17.6 | 29 | 16.8 | 08.4-25.2 |
| H.S. or G.E.D. | 608 | 795,977 | 460 | 73.2 | 68.1-78.3 | 21 | 3.7 | 01.7-05.7 | 41 | 7.4 | 04.9-09.9 | 44 | 9.5 | 05.8-13.2 | 42 | 6.3 | 03.8-08.8 |
| Some Post-H.S. | 435 | 686,129 | 316 | 69.5 | 63.4-75.6 | 21 | 5.7 | 02.8-08.6 | 24 | 6.7 | 03.4-10.0 | 38 | 7.6 | 04.5-10.7 | 36 | 10.5 | 06.0-15.0 |
| College Graduate | 566 | 521,548 | 461 | 77.4 | 72.5-82.3 | 36 | 8.9 | 05.4-12.4 | 34 | 7.7 | 04.8-10.6 | 22 | 4.7 | 02.2-07.2 | 13 | 1.3 | 00.1-02.5 |
| Less than \$15,000 | 206 | 239,497 | 117 | 52.5 | 42.7-62.3 | 9 | 6.2 | 00.5-11.9 | 19 | 8.5 | 03.6-13.4 | 35 | 21.7 | 13.3-30.1 | 26 | 11.2 | 05.3-17.1 |
| \$15,000- 24,999 | 279 | 355,008 | 191 | 64.0 | 55.0-73.0 | 13 | 3.9 | 01.4-06.4 | 23 | 10.9 | 04.0-17.8 | 22 | 5.0 | 02.5-07.5 | 30 | 16.1 | 08.1-24.1 |
| \$25,000- 34,999 | 190 | 250,848 | 151 | 76.5 | 67.7-85.3 | 11 | 5.2 | 01.5-08.9 | 9 | 5.6 | 01.5-09.7 | 7 | 2.8 | 00.1-05.5 | 12 | 10.0 | 02.4-17.6 |
| \$35,000- 49,999 | 265 | 349,276 | 209 | 75.5 | 67.7-83.3 | 12 | 6.6 | 02.3-10.9 | 15 | 6.8 | 02.7-10.9 | 20 | 6.2 | 02.9-09.5 | 9 | 5.0 | 00.0-10.7 |
| \$50,000- 74,999 | 231 | 299,383 | 176 | 72.9 | 64.9-80.9 | 13 | 8.6 | 02.9-14.3 | 15 | 7.3 | 03.2-11.4 | 12 | 5.5 | 01.2-09.8 | 15 | 5.7 | 02.0-09.4 |
| \$75,000+ | 377 | 515,115 | 313 | 77.4 | 70.9-83.9 | 22 | 6.9 | 02.8-11.0 | 20 | 6.3 | 02.8-09.8 | 14 | 6.1 | 02.2-10.0 | 8 | 3.3 | 00.2-06.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3192 | 2,577,534 | 2091 | 62.4 | 59.9-64.9 | 209 | 7.0 | 05.8-08.2 | 282 | 9.4 | 08.0-10.8 | 342 | 10.8 | 09.2-12.4 | 268 | 10.3 | 08.5-12.1 |
| White/Non-Hisp | 2629 | 1,966,170 | 1728 | 62.3 | 59.6-65.0 | 173 | 7.0 | 05.6-08.4 | 220 | 8.7 | 07.1-10.3 | 280 | 11.4 | 09.6-13.2 | 228 | 10.6 | 08.6-12.6 |
| Black or Afr. Am./Non-Hisp | 423 | 422,866 | 269 | 62.1 | 55.2-69.0 | 30 | 7.3 | 04.0-10.6 | 50 | 11.4 | 07.1-15.7 | 48 | 9.8 | 06.1-13.5 | 26 | 9.4 | 03.9-14.9 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 38 | 64.5 | 47.4-81.6 | 2 | 9.4 | 00.0-22.5 | 6 | 12.7 | 01.7-23.7 | 4 | 2.9 | 00.0-06.0 | 6 | 10.5 | 00.5-20.5 |
| 18-24 | 112 | 303,779 | 58 | 57.0 | 46.0-68.0 | 12 | 9.8 | 04.1-15.5 | 15 | 10.6 | 04.9-16.3 | 18 | 13.5 | 07.0-20.0 | 9 | 9.2 | 01.2-17.2 |
| 25-34 | 239 | 426,546 | 139 | 58.5 | 51.2-65.8 | 19 | 7.0 | 03.3-10.7 | 28 | 12.2 | 07.5-16.9 | 33 | 12.8 | 08.1-17.5 | 20 | 9.5 | 04.8-14.2 |
| 35-44 | 304 | 420,135 | 183 | 60.2 | 53.5-66.9 | 19 | 6.5 | 03.4-09.6 | 34 | 10.6 | 06.7-14.5 | 34 | 8.6 | 05.1-12.1 | 34 | 14.1 | 09.0-19.2 |
| 45-54 | 504 | 440,789 | 285 | 57.3 | 51.8-62.8 | 42 | 7.8 | 05.1-10.5 | 49 | 8.6 | 05.9-11.3 | 71 | 13.3 | 09.8-16.8 | 57 | 13.0 | 08.7-17.3 |
| 55-64 | 695 | 418,249 | 428 | 60.9 | 56.2-65.6 | 50 | 8.0 | 05.5-10.5 | 67 | 9.5 | 06.8-12.2 | 78 | 10.3 | 07.6-13.0 | 72 | 11.3 | 08.0-14.6 |
| 65+ | 1289 | 543,298 | 960 | 74.4 | 71.3-77.5 | 66 | 4.9 | 03.5-06.3 | 85 | 6.4 | 04.6-08.2 | 104 | 8.0 | 06.2-09.8 | 74 | 6.2 | 04.2-08.2 |
| Less Than H.S. | 395 | 390,391 | 222 | 50.1 | 42.7-57.5 | 11 | 1.9 | 00.5-03.3 | 38 | 10.1 | 05.6-14.6 | 49 | 13.8 | 08.7-18.9 | 75 | 24.0 | 16.9-31.1 |
| H.S. or G.E.D. | 1113 | 860,455 | 734 | 63.4 | 59.1-67.7 | 66 | 7.5 | 05.1-09.9 | 82 | 7.1 | 05.1-09.1 | 131 | 11.4 | 08.9-13.9 | 100 | 10.6 | 07.5-13.7 |
| Some Post-H.S. | 802 | 756,266 | 523 | 65.7 | 61.2-70.2 | 54 | 6.8 | 04.3-09.3 | 75 | 9.9 | 07.2-12.6 | 86 | 9.2 | 06.7-11.7 | 64 | 8.3 | 05.6-11.0 |
| College Graduate | 852 | 550,641 | 589 | 65.4 | 60.9-69.9 | 78 | 10.5 | 07.8-13.2 | 85 | 12.0 | 08.7-15.3 | 74 | 9.8 | 06.9-12.7 | 26 | 2.2 | 01.0-03.4 |
| Less than \$15,000 | 451 | 329,694 | 210 | 43.2 | 36.3-50.1 | 17 | 3.4 | 00.9-05.9 | 47 | 12.2 | 07.3-17.1 | 82 | 17.7 | 12.6-22.8 | 95 | 23.5 | 17.4-29.6 |
| \$15,000- 24,999 | 574 | 459,234 | 360 | 57.8 | 51.9-63.7 | 34 | 5.5 | 03.1-07.9 | 44 | 10.1 | 06.6-13.6 | 82 | 14.3 | 10.4-18.2 | 54 | 12.3 | 08.0-16.6 |
| \$25,000- 34,999 | 335 | 252,522 | 235 | 65.7 | 58.4-73.0 | 20 | 8.2 | 03.7-12.7 | 29 | 9.8 | 05.5-14.1 | 35 | 11.4 | 06.5-16.3 | 16 | 4.8 | 01.7-07.9 |
| \$35,000- 49,999 | 335 | 280,395 | 228 | 67.1 | 60.4-73.8 | 22 | 6.0 | 03.1-08.9 | 34 | 9.2 | 05.1-13.3 | 40 | 13.2 | 08.5-17.9 | 11 | 4.5 | 01.6-07.4 |
| \$50,000- 74,999 | 296 | 267,748 | 205 | 69.5 | 62.1-76.9 | 25 | 7.6 | 04.1-11.1 | 33 | 12.4 | 06.7-18.1 | 20 | 7.0 | 02.3-11.7 | 13 | 3.5 | 01.3-05.7 |
| \$75,000+ | 454 | 425,983 | 317 | 67.5 | 61.4-73.6 | 50 | 12.0 | 07.7-16.3 | 45 | 9.5 | 06.4-12.6 | 32 | 6.8 | 03.9-09.7 | 10 | 4.3 | 00.8-07.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2713 | 2,674,650 | 1471 | 55.1 | 52.4-57.8 | 205 | 7.9 | 06.5-09.3 | 297 | 12.3 | 10.3-14.3 | 385 | 14.0 | 12.0-16.0 | 355 | 10.6 | 09.0-12.2 |
| Male | 882 | 1,188,457 | 480 | 57.3 | 52.6-62.0 | 59 | 6.7 | 04.3-09.1 | 94 | 11.5 | 08.4-14.6 | 113 | 12.2 | 09.1-15.3 | 136 | 12.2 | 09.5-14.9 |
| Female | 1831 | 1,486,193 | 991 | 53.4 | 50.1-56.7 | 146 | 8.9 | 07.1-10.7 | 203 | 13.0 | 10.3-15.7 | 272 | 15.5 | 13.0-18.0 | 219 | 9.2 | 07.4-11.0 |
| White/Non-Hisp | 2246 | 2,054,262 | 1215 | 54.2 | 51.3-57.1 | 163 | 7.4 | 06.0-08.8 | 252 | 12.9 | 10.5-15.3 | 312 | 14.6 | 12.4-16.8 | 304 | 10.8 | 09.2-12.4 |
| Black or Afr. Am./Non-Hisp | 325 | 388,980 | 176 | 55.2 | 47.0-63.4 | 33 | 10.2 | 06.1-14.3 | 34 | 11.5 | 05.8-17.2 | 53 | 12.5 | 07.8-17.2 | 29 | 10.6 | 04.9-16.3 |
| Oth. Race/Non-Hisp. | 54 | 68,750 | 28 | 69.2 | 54.5-83.9 | 2 | 3.9 | 00.0-09.6 | 5 | 6.6 | 00.0-14.4 | 8 | 5.6 | 00.9-10.3 | 11 | 14.7 | 03.5-25.9 |
| 18-24 | 117 | 326,410 | 82 | 64.1 | 53.3-74.9 | 10 | 8.5 | 02.4-14.6 | 17 | 19.7 | 10.1-29.3 | 6 | 6.3 | 00.4-12.2 | 2 | 1.4 | 00.0-03.4 |
| 25-34 | 214 | 438,383 | 133 | 62.1 | 54.5-69.7 | 21 | 9.5 | 05.4-13.6 | 26 | 10.8 | 06.3-15.3 | 27 | 14.6 | 08.9-20.3 | 7 | 3.1 | 00.4-05.8 |
| 35-44 | 253 | 438,119 | 133 | 52.3 | 44.3-60.3 | 31 | 9.8 | 05.7-13.9 | 30 | 13.7 | 07.4-20.0 | 38 | 14.7 | 09.2-20.2 | 21 | 9.5 | 04.4-14.6 |
| 45-54 | 466 | 510,012 | 229 | 50.4 | 44.5-56.3 | 43 | 7.0 | 04.5-09.5 | 47 | 9.7 | 06.2-13.2 | 75 | 17.6 | 12.7-22.5 | 72 | 15.4 | 11.1-19.7 |
| 55-64 | 646 | 468,072 | 313 | 47.0 | 42.1-51.9 | 57 | 9.4 | 06.5-12.3 | 73 | 12.9 | 09.2-16.6 | 100 | 15.0 | 11.3-18.7 | 103 | 15.8 | 12.3-19.3 |
| 65+ | 994 | 481,667 | 569 | 58.3 | 54.2-62.4 | 43 | 4.3 | 02.7-05.9 | 100 | 9.4 | 07.0-11.8 | 134 | 13.4 | 10.7-16.1 | 148 | 14.5 | 11.6-17.4 |
| Less Than H.S. | 443 | 575,367 | 202 | 47.2 | 39.9-54.5 | 16 | 5.1 | 01.4-08.8 | 47 | 13.1 | 08.0-18.2 | 76 | 16.5 | 11.4-21.6 | 102 | 18.0 | 13.3-22.7 |
| H.S. or G.E.D. | 920 | 816,601 | 489 | 53.4 | 48.5-58.3 | 60 | 7.1 | 04.9-09.3 | 101 | 12.9 | 09.2-16.6 | 144 | 14.8 | 11.3-18.3 | 126 | 11.9 | 09.0-14.8 |
| Some Post-H.S. | 691 | 766,725 | 373 | 55.2 | 49.9-60.5 | 52 | 6.7 | 04.5-08.9 | 86 | 13.8 | 09.7-17.9 | 110 | 16.7 | 12.8-20.6 | 70 | 7.6 | 04.9-10.3 |
| College Graduate | 639 | 493,717 | 394 | 66.0 | 61.1-70.9 | 76 | 14.9 | 10.8-19.0 | 62 | 8.7 | 06.0-11.4 | 51 | 5.8 | 03.8-07.8 | 56 | 4.6 | 03.0-06.2 |
| Less than \$15,000 | 483 | 421,973 | 182 | 42.1 | 35.4-48.8 | 24 | 5.6 | 02.7-08.5 | 55 | 12.3 | 07.8-16.8 | 111 | 22.0 | 16.5-27.5 | 111 | 18.0 | 13.5-22.5 |
| \$15,000- 24,999 | 513 | 485,199 | 263 | 53.3 | 46.6-60.0 | 28 | 5.2 | 02.7-07.7 | 57 | 10.4 | 05.7-15.1 | 90 | 16.4 | 11.9-20.9 | 75 | 14.7 | 10.4-19.0 |
| \$25,000- 34,999 | 281 | 256,061 | 174 | 61.6 | 53.2-70.0 | 22 | 7.9 | 03.8-12.0 | 18 | 6.3 | 02.6-10.0 | 40 | 16.4 | 09.7-23.1 | 27 | 7.8 | 02.5-13.1 |
| \$35,000- 49,999 | 288 | 294,548 | 170 | 62.6 | 55.2-70.0 | 23 | 9.5 | 05.0-14.0 | 41 | 14.2 | 08.7-19.7 | 29 | 8.2 | 04.7-11.7 | 25 | 5.6 | 02.9-08.3 |
| \$50,000- 74,999 | 261 | 286,099 | 151 | 55.2 | 46.6-63.8 | 22 | 9.9 | 04.8-15.0 | 37 | 16.7 | 09.4-24.0 | 26 | 11.2 | 05.5-16.9 | 25 | 7.0 | 03.1-10.9 |
| \$75,000+ | 347 | 411,090 | 228 | 66.8 | 59.7-73.9 | 52 | 12.3 | 08.4-16.2 | 26 | 7.1 | 03.6-10.6 | 27 | 9.9 | 04.8-15.0 | 14 | 3.8 | 00.3-07.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 882 | 1,188,457 | 480 | 57.3 | 52.8-61.8 | 59 | 6.7 | 04.3-09.1 | 94 | 11.5 | 08.4-14.6 | 113 | 12.2 | 09.1-15.3 | 136 | 12.2 | 09.5-14.9 |
| White/Non-Hisp | 737 | 904,891 | 393 | 55.9 | 50.8-61.0 | 51 | 6.5 | 04.1-08.9 | 83 | 13.2 | 09.5-16.9 | 96 | 12.7 | 09.2-16.2 | 114 | 11.7 | 09.0-14.4 |
| Black or Afr. Am./Non-Hisp | 78 | 144,476 | 46 | 56.6 | 41.3-71.9 | 3 | 3.9 | 00.0-09.4 | 8 | 8.8 | 00.6-17.0 | 11 | 11.8 | 02.8-20.8 | 10 | 18.9 | 06.0-31.8 |
| 18-24 | 50 | 157,556 | 40 | 74.6 | 59.3-89.9 | 3 | 8.6 | 00.0-19.4 | 3 | 6.3 | 00.0-13.6 | 3 | 9.2 | 00.0-20.4 | 1 | 1.3 | 00.0-03.8 |
| 25-34 | 77 | 203,060 | 45 | 59.0 | 46.1-71.9 | 9 | 9.9 | 03.2-16.6 | 10 | 12.2 | 04.6-19.8 | 10 | 14.9 | 05.3-24.5 | 3 | 3.9 | 00.0-08.8 |
| 35-44 | 80 | 196,978 | 44 | 56.0 | 42.1-69.9 | 10 | 9.0 | 02.3-15.7 | 12 | 17.2 | 05.2-29.2 | 6 | 9.3 | 01.7-16.9 | 8 | 8.4 | 00.4-16.4 |
| 45-54 | 155 | 226,332 | 78 | 50.2 | 40.4-60.0 | 12 | 4.8 | 01.5-08.1 | 18 | 11.6 | 04.9-18.3 | 19 | 12.8 | 05.9-19.7 | 28 | 20.6 | 12.6-28.6 |
| 55-64 | 236 | 215,739 | 104 | 45.5 | 37.5-53.5 | 16 | 5.5 | 02.2-08.8 | 30 | 13.5 | 07.8-19.2 | 40 | 15.8 | 09.9-21.7 | 46 | 19.7 | 13.2-26.2 |
| 65+ | 280 | 186,450 | 167 | 64.2 | 57.3-71.1 | 9 | 3.2 | 00.5-05.9 | 21 | 6.9 | 03.4-10.4 | 34 | 9.7 | 06.0-13.4 | 49 | 15.9 | 10.4-21.4 |
| Less Than H.S. | 155 | 282,727 | 70 | 52.8 | 41.4-64.2 | 6 | 6.7 | 00.0-13.4 | 17 | 11.2 | 04.5-17.9 | 18 | 9.0 | 03.7-14.3 | 44 | 20.2 | 12.8-27.6 |
| H.S. or G.E.D. | 286 | 347,306 | 160 | 56.7 | 48.7-64.7 | 13 | 4.0 | 01.5-06.5 | 30 | 11.0 | 06.5-15.5 | 39 | 15.4 | 08.5-22.3 | 44 | 13.0 | 07.9-18.1 |
| Some Post-H.S. | 214 | 340,386 | 121 | 56.3 | 47.3-65.3 | 12 | 4.4 | 01.5-07.3 | 24 | 14.7 | 06.9-22.5 | 32 | 15.1 | 08.6-21.6 | 25 | 9.4 | 04.1-14.7 |
| College Graduate | 220 | 208,157 | 122 | 63.9 | 55.9-71.9 | 28 | 15.6 | 08.7-22.5 | 23 | 8.2 | 04.1-12.3 | 24 | 7.0 | 03.9-10.1 | 23 | 5.3 | 02.6-08.0 |
| Less than \$15,000 | 139 | 159,809 | 54 | 45.7 | 34.1-57.3 | 5 | 5.1 | 00.0-10.6 | 14 | 8.9 | 02.6-15.2 | 29 | 17.8 | 08.8-26.8 | 37 | 22.5 | 13.7-31.3 |
| \$15,000- 24,999 | 156 | 204,053 | 75 | 55.2 | 43.2-67.2 | 7 | 2.2 | 00.0-04.4 | 16 | 12.5 | 02.5-22.5 | 23 | 10.9 | 04.6-17.2 | 35 | 19.2 | 11.4-27.0 |
| \$25,000- 34,999 | 92 | 111,978 | 59 | 73.7 | 61.9-85.5 | 4 | 2.7 | 00.0-05.8 | 3 | 1.9 | 00.0-04.4 | 11 | 11.3 | 03.3-19.3 | 15 | 10.5 | 01.9-19.1 |
| \$35,000- 49,999 | 115 | 146,219 | 66 | 61.7 | 49.7-73.7 | 9 | 10.6 | 03.2-18.0 | 19 | 15.1 | 06.3-23.9 | 11 | 7.1 | 02.0-12.2 | 10 | 5.5 | 01.6-09.4 |
| \$50,000- 74,999 | 106 | 144,456 | 58 | 50.3 | 37.8-62.8 | 9 | 11.0 | 02.6-19.4 | 15 | 18.9 | 08.7-29.1 | 12 | 10.3 | 02.5-18.1 | 12 | 9.5 | 02.4-16.6 |
| \$75,000+ | 130 | 205,764 | 76 | 64.6 | 53.2-76.0 | 19 | 9.1 | 03.8-14.4 | 12 | 6.8 | 01.1-12.5 | 15 | 13.7 | 05.5-21.9 | 8 | 5.8 | 00.0-12.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1831 | 1,486,193 | 991 | 53.4 | 50.1-56.7 | 146 | 8.9 | 07.1-10.7 | 203 | 13.0 | 10.3-15.7 | 272 | 15.5 | 13.0-18.0 | 219 | 9.2 | 07.4-11.0 |
| White/Non-Hisp | 1509 | 1,149,371 | 822 | 52.9 | 49.2-56.6 | 112 | 8.1 | 06.3-09.9 | 169 | 12.8 | 09.9-15.7 | 216 | 16.1 | 13.2-19.0 | 190 | 10.2 | 08.2-12.2 |
| Black or Afr. Am./Non-Hisp | 247 | 244,504 | 130 | 54.4 | 45.2-63.6 | 30 | 13.9 | 08.2-19.6 | 26 | 13.1 | 05.5-20.7 | 42 | 13.0 | 07.9-18.1 | 19 | 5.6 | 01.7-09.5 |
| 18-24 | 67 | 168,854 | 42 | 54.3 | 39.6-69.0 | 7 | 8.3 | 02.0-14.6 | 14 | 32.2 | 16.9-47.5 | 3 | 3.7 | 00.0-08.2 | 1 | 1.5 | 00.0-04.4 |
| 25-34 | 137 | 235,323 | 88 | 64.7 | 55.7-73.7 | 12 | 9.1 | 03.8-14.4 | 16 | 9.6 | 04.5-14.7 | 17 | 14.2 | 07.3-21.1 | 4 | 2.4 | 00.0-05.3 |
| 35-44 | 173 | 241,140 | 89 | 49.2 | 40.2-58.2 | 21 | 10.3 | 05.4-15.2 | 18 | 10.9 | 05.2-16.6 | 32 | 19.2 | 11.8-26.6 | 13 | 10.4 | 03.7-17.1 |
| 45-54 | 311 | 283,680 | 151 | 50.5 | 43.2-57.8 | 31 | 8.8 | 05.3-12.3 | 29 | 8.1 | 04.8-11.4 | 56 | 21.5 | 14.6-28.4 | 44 | 11.2 | 07.1-15.3 |
| 55-64 | 410 | 252,333 | 209 | 48.2 | 41.9-54.5 | 41 | 12.8 | 08.3-17.3 | 43 | 12.4 | 07.7-17.1 | 60 | 14.2 | 09.5-18.9 | 57 | 12.4 | 08.7-16.1 |
| 65+ | 714 | 295,217 | 402 | 54.6 | 49.9-59.3 | 34 | 4.9 | 02.7-07.1 | 79 | 11.0 | 07.9-14.1 | 100 | 15.8 | 12.1-19.5 | 99 | 13.6 | 10.3-16.9 |
| Less Than H.S. | 288 | 292,639 | 132 | 41.8 | 33.4-50.2 | 10 | 3.5 | 00.8-06.2 | 30 | 15.0 | 07.4-22.6 | 58 | 23.7 | 15.9-31.5 | 58 | 15.9 | 10.0-21.8 |
| H.S. or G.E.D. | 634 | 469,295 | 329 | 51.0 | 45.1-56.9 | 47 | 9.4 | 06.3-12.5 | 71 | 14.2 | 08.7-19.7 | 105 | 14.3 | 10.6-18.0 | 82 | 11.0 | 07.7-14.3 |
| Some Post-H.S. | 477 | 426,340 | 252 | 54.2 | 48.1-60.3 | 40 | 8.5 | 05.4-11.6 | 62 | 13.1 | 09.2-17.0 | 78 | 18.0 | 13.3-22.7 | 45 | 6.2 | 03.7-08.7 |
| College Graduate | 419 | 285,560 | 272 | 67.5 | 61.4-73.6 | 48 | 14.4 | 09.5-19.3 | 39 | 9.1 | 05.4-12.8 | 27 | 5.0 | 02.5-07.5 | 33 | 4.1 | 02.3-05.9 |
| Less than \$15,000 | 344 | 262,165 | 128 | 40.0 | 32.2-47.8 | 19 | 5.9 | 02.4-09.4 | 41 | 14.4 | 08.5-20.3 | 82 | 24.6 | 17.9-31.3 | 74 | 15.2 | 10.3-20.1 |
| \$15,000- 24,999 | 357 | 281,146 | 188 | 52.0 | 44.7-59.3 | 21 | 7.4 | 03.5-11.3 | 41 | 8.8 | 05.3-12.3 | 67 | 20.3 | 14.2-26.4 | 40 | 11.4 | 06.5-16.3 |
| \$25,000- 34,999 | 189 | 144,083 | 115 | 52.1 | 41.3-62.9 | 18 | 12.0 | 05.3-18.7 | 15 | 9.7 | 03.4-16.0 | 29 | 20.4 | 10.6-30.2 | 12 | 5.8 | 00.0-12.3 |
| \$35,000- 49,999 | 173 | 148,329 | 104 | 63.4 | 54.6-72.2 | 14 | 8.3 | 03.4-13.2 | 22 | 13.4 | 06.7-20.1 | 18 | 9.2 | 04.5-13.9 | 15 | 5.7 | 02.2-09.2 |
| \$50,000- 74,999 | 155 | 141,643 | 93 | 60.2 | 48.4-72.0 | 13 | 8.9 | 03.2-14.6 | 22 | 14.5 | 03.9-25.1 | 14 | 12.0 | 04.0-20.0 | 13 | 4.4 | 01.7-07.1 |
| \$75,000+ | 217 | 205,325 | 152 | 69.1 | 60.9-77.3 | 33 | 15.6 | 09.7-21.5 | 14 | 7.5 | 03.4-11.6 | 12 | 6.1 | 00.2-12.0 | 6 | 1.8 | 00.0-03.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1) | |
| 1 MALES AND FEMALES | 17 |
| 2 MALES ONLY | 18 |
| 3 FEMALES ONLY | 19 |
| DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2) | |
| 4 MALES AND FEMALES | 20 |
| 5 MALES ONLY | 21 |
| 6 FEMALES ONLY | 22 |
| WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST) | |
| 7 MALES AND FEMALES | 23 |
| 8 MALES ONLY | 24 |
| 9 FEMALES ONLY | 25 |
| ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1) | |
| 10 MALES AND FEMALES | 26 |
| 11 MALES ONLY | 27 |
| 12 FEMALES ONLY | 28 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5129 | 5,049,688 | 4666 | 85.8 | 84.2-87.4 | 463 | 14.2 | 12.6-15.8 |
| Male | 1877 | 2,430,610 | 1685 | 84.3 | 81.8-86.8 | 192 | 15.7 | 13.2-18.2 |
| Female | 3252 | 2,619,078 | 2981 | 87.1 | 85.1-89.1 | 271 | 12.9 | 10.9-14.9 |
| White/Non-Hisp | 4247 | 3,848,064 | 3894 | 87.5 | 85.9-89.1 | 353 | 12.5 | 10.9-14.1 |
| Black or Afr. Am./Non-Hisp | 626 | 796,551 | 556 | 82.0 | 76.9-87.1 | 70 | 18.0 | 12.9-23.1 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 93 | 97.6 | 94.9-0100 | 4 | 2.4 | 00.0-05.1 |
| Hispanic | 60 | 145,510 | 41 | 65.1 | 50.6-79.6 | 19 | 34.9 | 20.4-49.4 |
| 18-24 | 205 | 623,737 | 158 | 74.1 | 66.8-81.4 | 47 | 25.9 | 18.6-33.2 |
| 25-34 | 404 | 849,345 | 311 | 75.6 | 70.3-80.9 | 93 | 24.4 | 19.1-29.7 |
| 35-44 | 481 | 831,703 | 408 | 83.8 | 79.7-87.9 | 73 | 16.2 | 12.1-20.3 |
| 45-54 | 817 | 878,309 | 705 | 86.2 | 83.3-89.1 | 112 | 13.8 | 10.9-16.7 |
| 55-64 | 1157 | 829,549 | 1042 | 89.8 | 87.4-92.2 | 115 | 10.2 | 07.8-12.6 |
| 65+ | 2002 | 1,002,084 | 1983 | 99.3 | 98.9-99.7 | 19 | 0.7 | 00.3-01.1 |
| Less Than H.S. | 649 | 802,814 | 556 | 75.1 | 69.2-81.0 | 93 | 24.9 | 19.0-30.8 |
| H.S. or G.E.D. | 1755 | 1,671,751 | 1539 | 82.8 | 80.1-85.5 | 216 | 17.2 | 14.5-19.9 |
| Some Post-H.S. | 1254 | 1,460,108 | 1152 | 87.9 | 85.2-90.6 | 102 | 12.1 | 09.4-14.8 |
| College Graduate | 1432 | 1,081,060 | 1385 | 95.6 | 94.0-97.2 | 47 | 4.4 | 02.8-06.0 |
| Less than \$15,000 | 681 | 590,167 | 544 | 70.9 | 65.6-76.2 | 137 | 29.1 | 23.8-34.4 |
| \$15,000- 24,999 | 866 | 820,473 | 740 | 76.7 | 72.0-81.4 | 126 | 23.3 | 18.6-28.0 |
| \$25,000- 34,999 | 529 | 505,619 | 486 | 85.6 | 80.5-90.7 | 43 | 14.4 | 09.3-19.5 |
| \$35,000- 49,999 | 609 | 642,907 | 569 | 88.6 | 84.1-93.1 | 40 | 11.4 | 06.9-15.9 |
| \$50,000- 74,999 | 535 | 575,451 | 515 | 93.7 | 90.4-97.0 | 20 | 6.3 | 03.0-09.6 |
| \$75,000+ | 835 | 945,763 | 827 | 99.0 | 98.2-99.8 | 8 | 1.0 | 00.2-01.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1877 | 2,430,610 | 1685 | 84.3 | 81.8-86.8 | 192 | 15.7 | 13.2-18.2 |
| White/Non-Hisp | 1570 | 1,851,981 | 1429 | 86.7 | 84.2-89.2 | 141 | 13.3 | 10.8-15.8 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 165 | 80.1 | 71.5-88.7 | 28 | 19.9 | 11.3-28.5 |
| 18-24 | 93 | 320,604 | 71 | 75.7 | 65.5-85.9 | 22 | 24.3 | 14.1-34.5 |
| 25-34 | 164 | 420,550 | 113 | 67.8 | 59.2-76.4 | 51 | 32.2 | 23.6-40.8 |
| 35-44 | 176 | 410,826 | 148 | 83.0 | 76.5-89.5 | 28 | 17.0 | 10.5-23.5 |
| 45-54 | 308 | 429,739 | 262 | 87.2 | 82.7-91.7 | 46 | 12.8 | 08.3-17.3 |
| 55-64 | 451 | 400,957 | 412 | 90.3 | 86.6-94.0 | 39 | 9.7 | 06.0-13.4 |
| 65+ | 669 | 438,944 | 665 | 99.6 | 99.2-0100 | 4 | 0.4 | 00.0-00.8 |
| Less Than H.S. | 230 | 388,473 | 189 | 72.2 | 62.6-81.8 | 41 | 27.8 | 18.2-37.4 |
| H.S. or G.E.D. | 619 | 801,116 | 533 | 82.5 | 78.4-86.6 | 86 | 17.5 | 13.4-21.6 |
| Some Post-H.S. | 444 | 699,816 | 401 | 85.4 | 80.7-90.1 | 43 | 14.6 | 09.9-19.3 |
| College Graduate | 574 | 526,973 | 555 | 95.2 | 92.7-97.7 | 19 | 4.8 | 02.3-07.3 |
| Less than \$15,000 | 211 | 240,175 | 161 | 67.7 | 58.3-77.1 | 50 | 32.3 | 22.9-41.7 |
| \$15,000- 24,999 | 283 | 357,654 | 231 | 71.1 | 62.7-79.5 | 52 | 28.9 | 20.5-37.3 |
| \$25,000- 34,999 | 192 | 252,026 | 174 | 83.9 | 75.5-92.3 | 18 | 16.1 | 07.7-24.5 |
| \$35,000- 49,999 | 270 | 360,218 | 249 | 86.3 | 78.9-93.7 | 21 | 13.7 | 06.3-21.1 |
| \$50,000- 74,999 | 237 | 306,808 | 223 | 90.2 | 84.5-95.9 | 14 | 9.8 | 04.1-15.5 |
| \$75,000+ | 380 | 518,787 | 374 | 98.7 | 97.5-99.9 | 6 | 1.3 | 00.1-02.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3252 | 2,619,078 | 2981 | 87.1 | 85.1-89.1 | 271 | 12.9 | 10.9-14.9 |
| White/Non-Hisp | 2677 | 1,996,083 | 2465 | 88.2 | 86.2-90.2 | 212 | 11.8 | 09.8-13.8 |
| Black or Afr. Am./Non-Hisp | 433 | 432,882 | 391 | 83.5 | 77.2-89.8 | 42 | 16.5 | 10.2-22.8 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 55 | 99.7 | 99.1-0100 | 1 | 0.3 | 00.0-00.9 |
| 18-24 | 112 | 303,133 | 87 | 72.4 | 62.0-82.8 | 25 | 27.6 | 17.2-38.0 |
| 25-34 | 240 | 428,795 | 198 | 83.3 | 77.8-88.8 | 42 | 16.7 | 11.2-22.2 |
| 35-44 | 305 | 420,877 | 260 | 84.6 | 79.5-89.7 | 45 | 15.4 | 10.3-20.5 |
| 45-54 | 509 | 448,570 | 443 | 85.3 | 81.2-89.4 | 66 | 14.7 | 10.6-18.8 |
| 55-64 | 706 | 428,592 | 630 | 89.3 | 86.4-92.2 | 76 | 10.7 | 07.8-13.6 |
| 65+ | 1333 | 563,139 | 1318 | 99.1 | 98.5-99.7 | 15 | 0.9 | 00.3-01.5 |
| Less Than H.S. | 419 | 414,341 | 367 | 77.8 | 70.7-84.9 | 52 | 22.2 | 15.1-29.3 |
| H.S. or G.E.D. | 1136 | 870,635 | 1006 | 83.1 | 79.4-86.8 | 130 | 16.9 | 13.2-20.6 |
| Some Post-H.S. | 810 | 760,291 | 751 | 90.2 | 87.3-93.1 | 59 | 9.8 | 06.9-12.7 |
| College Graduate | 858 | 554,087 | 830 | 96.1 | 94.1-98.1 | 28 | 3.9 | 01.9-05.9 |
| Less than \$15,000 | 470 | 349,992 | 383 | 73.2 | 66.9-79.5 | 87 | 26.8 | 20.5-33.1 |
| \$15,000- 24,999 | 583 | 462,819 | 509 | 81.0 | 75.9-86.1 | 74 | 19.0 | 13.9-24.1 |
| \$25,000- 34,999 | 337 | 253,593 | 312 | 87.4 | 81.7-93.1 | 25 | 12.6 | 06.9-18.3 |
| \$35,000- 49,999 | 339 | 282,689 | 320 | 91.6 | 87.3-95.9 | 19 | 8.4 | 04.1-12.7 |
| \$50,000- 74,999 | 298 | 268,643 | 292 | 97.7 | 95.3-0100 | 6 | 2.3 | 00.0-04.7 |
| \$75,000+ | 455 | 426,976 | 453 | 99.5 | 98.7-0100 | 2 | 0.5 | 00.0-01.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5128 | 5,052,838 | 3989 | 70.0 | 68.0-72.0 | 377 | 5.7 | 04.9-06.5 | 762 | 24.3 | 22.3-26.3 |
| Male | 1876 | 2,431,974 | 1374 | 64.4 | 61.3-67.5 | 127 | 5.3 | 03.9-06.7 | 375 | 30.3 | 27.2-33.4 |
| Female | 3252 | 2,620,864 | 2615 | 75.1 | 72.7-77.5 | 250 | 6.1 | 05.1-07.1 | 387 | 18.8 | 16.4-21.2 |
| White/Non-Hisp | 4245 | 3,847,287 | 3348 | 71.7 | 69.5-73.9 | 301 | 5.8 | 04.8-06.8 | 596 | 22.5 | 20.5-24.5 |
| Black or Afr. Am./Non-Hisp | 625 | 796,285 | 467 | 68.6 | 62.9-74.3 | 58 | 5.7 | 03.3-08.1 | 100 | 25.7 | 20.0-31.4 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 73 | 67.8 | 55.5-80.1 | 6 | 5.3 | 00.6-10.0 | 18 | 27.0 | 14.8-39.2 |
| Hispanic | 60 | 147,103 | 34 | 49.0 | 33.7-64.3 | 3 | 5.2 | 00.0-11.3 | 23 | 45.8 | 30.5-61.1 |
| 18-24 | 204 | 622,101 | 105 | 47.9 | 39.9-55.9 | 5 | 2.3 | 00.0-04.7 | 94 | 49.9 | 41.9-57.9 |
| 25-34 | 404 | 850,938 | 234 | 56.9 | 51.2-62.6 | 17 | 3.6 | 01.6-05.6 | 153 | 39.5 | 33.8-45.2 |
| 35-44 | 481 | 831,703 | 328 | 64.3 | 58.6-70.0 | 26 | 5.7 | 03.2-08.2 | 127 | 29.9 | 24.4-35.4 |
| 45-54 | 818 | 882,626 | 624 | 75.2 | 71.3-79.1 | 47 | 4.5 | 02.9-06.1 | 147 | 20.3 | 16.6-24.0 |
| 55-64 | 1156 | 827,698 | 957 | 83.2 | 80.5-85.9 | 75 | 5.2 | 03.8-06.6 | 124 | 11.6 | 09.2-14.0 |
| 65+ | 1999 | 1,001,918 | 1692 | 84.0 | 81.8-86.2 | 200 | 11.0 | 09.0-13.0 | 107 | 5.0 | 03.8-06.2 |
| Less Than H.S. | 649 | 803,177 | 495 | 67.3 | 61.4-73.2 | 56 | 6.5 | 04.1-08.9 | 98 | 26.2 | 20.3-32.1 |
| H.S. or G.E.D. | 1753 | 1,676,263 | 1338 | 69.7 | 66.4-73.0 | 122 | 5.0 | 03.6-06.4 | 293 | 25.3 | 22.0-28.6 |
| Some Post-H.S. | 1254 | 1,456,341 | 965 | 67.6 | 63.7-71.5 | 98 | 6.6 | 04.8-08.4 | 191 | 25.8 | 21.9-29.7 |
| College Graduate | 1431 | 1,080,800 | 1164 | 76.3 | 73.2-79.4 | 97 | 5.0 | 03.8-06.2 | 170 | 18.7 | 15.6-21.8 |
| Less than \$15,000 | 679 | 589,257 | 477 | 61.4 | 55.7-67.1 | 66 | 6.3 | 04.1-08.5 | 136 | 32.3 | 26.6-38.0 |
| \$15,000- 24,999 | 869 | 826,180 | 641 | 61.7 | 56.6-66.8 | 67 | 6.6 | 04.4-08.8 | 161 | 31.6 | 26.5-36.7 |
| \$25,000- 34,999 | 529 | 505,236 | 417 | 72.0 | 66.3-77.7 | 36 | 5.0 | 03.0-07.0 | 76 | 23.0 | 17.3-28.7 |
| \$35,000- 49,999 | 608 | 641,407 | 496 | 74.4 | 69.1-79.7 | 34 | 4.5 | 02.5-06.5 | 78 | 21.0 | 15.9-26.1 |
| \$50,000- 74,999 | 534 | 575,192 | 431 | 74.8 | 69.3-80.3 | 39 | 5.0 | 03.0-07.0 | 64 | 20.2 | 14.9-25.5 |
| \$75,000+ | 834 | 942,497 | 684 | 77.2 | 72.9-81.5 | 57 | 6.0 | 04.0-08.0 | 93 | 16.9 | 12.8-21.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1876 | 2,431,974 | 1374 | 64.4 | 61.3-67.5 | 127 | 5.3 | 04.1-06.5 | 375 | 30.3 | 27.2-33.4 |
| White/Non-Hisp | 1568 | 1,848,818 | 1174 | 66.9 | 63.6-70.2 | 105 | 5.5 | 04.1-06.9 | 289 | 27.7 | 24.4-31.0 |
| Black or Afr. Am./Non-Hisp | 192 | 363,410 | 130 | 61.3 | 51.9-70.7 | 13 | 4.9 | 01.2-08.6 | 49 | 33.8 | 24.4-43.2 |
| 18-24 | 91 | 314,492 | 41 | 44.5 | 32.9-56.1 | 3 | 2.6 | 00.0-06.1 | 47 | 53.0 | 41.4-64.6 |
| 25-34 | 165 | 422,793 | 82 | 47.2 | 38.4-56.0 | 5 | 3.8 | 00.5-07.1 | 78 | 49.0 | 40.2-57.8 |
| 35-44 | 176 | 410,826 | 104 | 56.6 | 47.4-65.8 | 6 | 4.0 | 00.3-07.7 | 66 | 39.4 | 30.4-48.4 |
| 45-54 | 309 | 434,834 | 219 | 70.1 | 63.6-76.6 | 14 | 2.7 | 00.9-04.5 | 76 | 27.2 | 20.7-33.7 |
| 55-64 | 451 | 400,957 | 371 | 83.1 | 78.8-87.4 | 25 | 4.4 | 02.2-06.6 | 55 | 12.6 | 08.7-16.5 |
| 65+ | 668 | 439,082 | 545 | 79.6 | 75.7-83.5 | 74 | 13.7 | 10.2-17.2 | 49 | 6.7 | 04.3-09.1 |
| Less Than H.S. | 230 | 388,836 | 155 | 61.2 | 51.8-70.6 | 23 | 8.1 | 03.8-12.4 | 52 | 30.7 | 21.3-40.1 |
| H.S. or G.E.D. | 619 | 803,399 | 435 | 64.5 | 59.2-69.8 | 37 | 3.7 | 01.9-05.5 | 147 | 31.8 | 26.7-36.9 |
| Some Post-H.S. | 443 | 696,551 | 317 | 59.4 | 52.9-65.9 | 29 | 5.7 | 03.0-08.4 | 97 | 34.8 | 28.3-41.3 |
| College Graduate | 573 | 526,714 | 463 | 74.2 | 69.3-79.1 | 37 | 4.9 | 02.9-06.9 | 73 | 20.9 | 16.2-25.6 |
| Less than \$15,000 | 210 | 239,914 | 130 | 54.3 | 44.5-64.1 | 17 | 4.4 | 01.5-07.3 | 63 | 41.3 | 31.3-51.3 |
| \$15,000- 24,999 | 286 | 363,360 | 189 | 53.4 | 44.8-62.0 | 18 | 4.9 | 02.2-07.6 | 79 | 41.8 | 33.0-50.6 |
| \$25,000- 34,999 | 191 | 251,470 | 137 | 66.8 | 57.6-76.0 | 19 | 6.6 | 03.3-09.9 | 35 | 26.6 | 17.8-35.4 |
| \$35,000- 49,999 | 270 | 360,218 | 213 | 68.5 | 60.5-76.5 | 11 | 3.7 | 01.2-06.2 | 46 | 27.9 | 19.9-35.9 |
| \$50,000- 74,999 | 236 | 306,549 | 180 | 68.1 | 59.7-76.5 | 18 | 4.0 | 01.5-06.5 | 38 | 27.8 | 19.4-36.2 |
| \$75,000+ | 379 | 515,521 | 301 | 73.2 | 66.5-79.9 | 27 | 6.4 | 03.3-09.5 | 51 | 20.5 | 14.0-27.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3252 | 2,620,864 | 2615 | 75.1 | 72.7-77.5 | 250 | 6.1 | 05.1-07.1 | 387 | 18.8 | 16.6-21.0 |
| White/Non-Hisp | 2677 | 1,998,469 | 2174 | 76.2 | 73.7-78.7 | 196 | 6.0 | 04.8-07.2 | 307 | 17.8 | 15.4-20.2 |
| Black or Afr. Am./Non-Hisp | 433 | 432,875 | 337 | 74.8 | 68.1-81.5 | 45 | 6.3 | 03.6-09.0 | 51 | 18.9 | 12.4-25.4 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 46 | 77.6 | 62.3-92.9 | 3 | 4.1 | 00.0-09.8 | 7 | 18.3 | 03.6-33.0 |
| 18-24 | 113 | 307,609 | 64 | 51.4 | 40.2-62.6 | 2 | 2.0 | 00.0-04.7 | 47 | 46.7 | 35.5-57.9 |
| 25-34 | 239 | 428,145 | 152 | 66.4 | 59.5-73.3 | 12 | 3.4 | 01.2-05.6 | 75 | 30.1 | 23.4-36.8 |
| 35-44 | 305 | 420,877 | 224 | 71.9 | 65.6-78.2 | 20 | 7.5 | 03.8-11.2 | 61 | 20.7 | 15.0-26.4 |
| 45-54 | 509 | 447,792 | 405 | 80.2 | 76.1-84.3 | 33 | 6.3 | 03.9-08.7 | 71 | 13.5 | 10.0-17.0 |
| 55-64 | 705 | 426,742 | 586 | 83.4 | 80.1-86.7 | 50 | 5.9 | 03.9-07.9 | 69 | 10.7 | 07.8-13.6 |
| 65+ | 1331 | 562,836 | 1147 | 87.4 | 85.2-89.6 | 126 | 8.8 | 06.8-10.8 | 58 | 3.7 | 02.5-04.9 |
| Less Than H.S. | 419 | 414,341 | 340 | 73.0 | 65.7-80.3 | 33 | 5.0 | 02.6-07.4 | 46 | 21.9 | 14.6-29.2 |
| H.S. or G.E.D. | 1134 | 872,864 | 903 | 74.5 | 70.4-78.6 | 85 | 6.1 | 04.3-07.9 | 146 | 19.4 | 15.5-23.3 |
| Some Post-H.S. | 811 | 759,791 | 648 | 75.1 | 70.8-79.4 | 69 | 7.4 | 05.0-09.8 | 94 | 17.5 | 13.4-21.6 |
| College Graduate | 858 | 554,087 | 701 | 78.3 | 74.4-82.2 | 60 | 5.1 | 03.5-06.7 | 97 | 16.5 | 12.8-20.2 |
| Less than \$15,000 | 469 | 349,342 | 347 | 66.3 | 59.6-73.0 | 49 | 7.6 | 04.5-10.7 | 73 | 26.1 | 19.6-32.6 |
| \$15,000- 24,999 | 583 | 462,821 | 452 | 68.3 | 62.4-74.2 | 49 | 8.0 | 04.7-11.3 | 82 | 23.7 | 18.0-29.4 |
| \$25,000- 34,999 | 338 | 253,767 | 280 | 77.3 | 70.2-84.4 | 17 | 3.3 | 01.1-05.5 | 41 | 19.4 | 12.5-26.3 |
| \$35,000- 49,999 | 338 | 281,189 | 283 | 82.1 | 76.8-87.4 | 23 | 5.6 | 02.9-08.3 | 32 | 12.3 | 07.8-16.8 |
| \$50,000- 74,999 | 298 | 268,643 | 251 | 82.4 | 76.5-88.3 | 21 | 6.1 | 03.0-09.2 | 26 | 11.4 | 06.1-16.7 |
| \$75,000+ | 455 | 426,976 | 383 | 82.0 | 77.1-86.9 | 30 | 5.5 | 03.1-07.9 | 42 | 12.5 | 08.0-17.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5127 | 5,052,115 | 648 | 15.5 | 13.9-17.1 | 4479 | 84.5 | 82.9-86.1 |
| Male | 1876 | 2,436,655 | 206 | 14.0 | 11.6-16.4 | 1670 | 86.0 | 83.6-88.4 |
| Female | 3251 | 2,615,461 | 442 | 17.0 | 15.0-19.0 | 2809 | 83.0 | 81.0-85.0 |
| White/Non-Hisp | 4242 | 3,846,567 | 496 | 14.6 | 13.0-16.2 | 3746 | 85.4 | 83.8-87.0 |
| Black or Afr. Am./Non-Hisp | 627 | 796,667 | 94 | 15.1 | 11.4-18.8 | 533 | 84.9 | 81.2-88.6 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 21 | 17.6 | 09.0-26.2 | 76 | 82.4 | 73.8-91.0 |
| Hispanic | 61 | 147,753 | 18 | 28.7 | 15.8-41.6 | 43 | 71.3 | 58.4-84.2 |
| 18-24 | 204 | 620,353 | 37 | 18.9 | 12.4-25.4 | 167 | 81.1 | 74.6-87.6 |
| 25-34 | 405 | 851,588 | 83 | 19.8 | 15.5-24.1 | 322 | 80.2 | 75.9-84.5 |
| 35-44 | 481 | 831,703 | 86 | 14.9 | 11.2-18.6 | 395 | 85.1 | 81.4-88.8 |
| 45-54 | 820 | 884,385 | 171 | 22.2 | 18.5-25.9 | 649 | 77.8 | 74.1-81.5 |
| 55-64 | 1154 | 827,773 | 176 | 15.3 | 12.6-18.0 | 978 | 84.7 | 82.0-87.4 |
| 65+ | 1998 | 1,001,494 | 90 | 4.8 | 03.6-06.0 | 1908 | 95.2 | 94.0-96.4 |
| Less Than H.S. | 646 | 796,923 | 120 | 23.0 | 17.9-28.1 | 526 | 77.0 | 71.9-82.1 |
| H.S. or G.E.D. | 1757 | 1,681,585 | 264 | 17.7 | 15.2-20.2 | 1493 | 82.3 | 79.8-84.8 |
| Some Post-H.S. | 1253 | 1,457,546 | 160 | 14.2 | 11.5-16.9 | 1093 | 85.8 | 83.1-88.5 |
| College Graduate | 1431 | 1,080,840 | 99 | 8.4 | 06.2-10.6 | 1332 | 91.6 | 89.4-93.8 |
| Less than \$15,000 | 677 | 590,819 | 169 | 31.9 | 26.6-37.2 | 508 | 68.1 | 62.8-73.4 |
| \$15,000- 24,999 | 866 | 824,474 | 157 | 23.7 | 19.6-27.8 | 709 | 76.3 | 72.2-80.4 |
| \$25,000- 34,999 | 529 | 502,837 | 57 | 13.5 | 09.2-17.8 | 472 | 86.5 | 82.2-90.8 |
| \$35,000- 49,999 | 608 | 642,612 | 75 | 17.0 | 12.1-21.9 | 533 | 83.0 | 78.1-87.9 |
| \$50,000- 74,999 | 535 | 575,451 | 43 | 9.2 | 05.7-12.7 | 492 | 90.8 | 87.3-94.3 |
| \$75,000+ | 835 | 945,763 | 31 | 4.6 | 02.4-06.8 | 804 | 95.4 | 93.2-97.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1876 | 2,436,655 | 206 | 14.0 | 11.6-16.4 | 1670 | 86.0 | 83.6-88.4 |
| White/Non-Hisp | 1567 | 1,853,239 | 163 | 13.8 | 11.3-16.3 | 1404 | 86.2 | 83.7-88.7 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 21 | 9.3 | 04.6-14.0 | 172 | 90.7 | 86.0-95.4 |
| 18-24 | 93 | 320,604 | 13 | 16.3 | 06.7-25.9 | 80 | 83.7 | 74.1-93.3 |
| 25-34 | 165 | 422,793 | 28 | 18.5 | 11.8-25.2 | 137 | 81.5 | 74.8-88.2 |
| 35-44 | 176 | 410,826 | 25 | 11.8 | 06.3-17.3 | 151 | 88.2 | 82.7-93.7 |
| 45-54 | 310 | 435,093 | 52 | 18.2 | 12.7-23.7 | 258 | 81.8 | 76.3-87.3 |
| 55-64 | 450 | 400,019 | 63 | 15.7 | 11.2-20.2 | 387 | 84.3 | 79.8-88.8 |
| 65+ | 666 | 438,329 | 25 | 4.4 | 02.4-06.4 | 641 | 95.6 | 93.6-97.6 |
| Less Than H.S. | 229 | 388,303 | 50 | 25.0 | 16.8-33.2 | 179 | 75.0 | 66.8-83.2 |
| H.S. or G.E.D. | 619 | 805,307 | 78 | 14.1 | 10.4-17.8 | 541 | 85.9 | 82.2-89.6 |
| Some Post-H.S. | 444 | 699,816 | 43 | 12.1 | 07.8-16.4 | 401 | 87.9 | 83.6-92.2 |
| College Graduate | 573 | 526,754 | 34 | 7.9 | 04.8-11.0 | 539 | 92.1 | 89.0-95.2 |
| Less than \$15,000 | 209 | 241,923 | 48 | 27.8 | 19.2-36.4 | 161 | 72.2 | 63.6-80.8 |
| \$15,000- 24,999 | 284 | 361,951 | 57 | 24.2 | 17.3-31.1 | 227 | 75.8 | 68.9-82.7 |
| \$25,000- 34,999 | 192 | 252,026 | 14 | 9.0 | 03.5-14.5 | 178 | 91.0 | 85.5-96.5 |
| \$35,000- 49,999 | 270 | 360,218 | 30 | 16.6 | 09.2-24.0 | 240 | 83.4 | 76.0-90.8 |
| \$50,000- 74,999 | 237 | 306,808 | 18 | 8.8 | 03.7-13.9 | 219 | 91.2 | 86.1-96.3 |
| \$75,000+ | 380 | 518,787 | 11 | 3.8 | 00.7-06.9 | 369 | 96.2 | 93.1-99.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3251 | 2,615,461 | 442 | 17.0 | 15.0-19.0 | 2809 | 83.0 | 81.0-85.0 |
| White/Non-Hisp | 2675 | 1,993,328 | 333 | 15.4 | 13.4-17.4 | 2342 | 84.6 | 82.6-86.6 |
| Black or Afr. Am./Non-Hisp | 434 | 432,997 | 73 | 20.0 | 14.3-25.7 | 361 | 80.0 | 74.3-85.7 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 13 | 20.7 | 07.8-33.6 | 43 | 79.3 | 66.4-92.2 |
| 18-24 | 111 | 299,749 | 24 | 21.7 | 13.1-30.3 | 87 | 78.3 | 69.7-86.9 |
| 25-34 | 240 | 428,795 | 55 | 21.2 | 15.5-26.9 | 185 | 78.8 | 73.1-84.5 |
| 35-44 | 305 | 420,877 | 61 | 18.0 | 13.1-22.9 | 244 | 82.0 | 77.1-86.9 |
| 45-54 | 510 | 449,292 | 119 | 26.0 | 20.9-31.1 | 391 | 74.0 | 68.9-79.1 |
| 55-64 | 704 | 427,754 | 113 | 15.0 | 11.9-18.1 | 591 | 85.0 | 81.9-88.1 |
| 65+ | 1332 | 563,165 | 65 | 5.1 | 03.5-06.7 | 1267 | 94.9 | 93.3-96.5 |
| Less Than H.S. | 417 | 408,620 | 70 | 21.0 | 15.1-26.9 | 347 | 79.0 | 73.1-84.9 |
| H.S. or G.E.D. | 1138 | 876,277 | 186 | 21.0 | 17.5-24.5 | 952 | 79.0 | 75.5-82.5 |
| Some Post-H.S. | 809 | 757,729 | 117 | 16.2 | 12.7-19.7 | 692 | 83.8 | 80.3-87.3 |
| College Graduate | 858 | 554,087 | 65 | 8.8 | 06.1-11.5 | 793 | 91.2 | 88.5-93.9 |
| Less than \$15,000 | 468 | 348,896 | 121 | 34.7 | 28.0-41.4 | 347 | 65.3 | 58.6-72.0 |
| \$15,000- 24,999 | 582 | 462,523 | 100 | 23.3 | 18.2-28.4 | 482 | 76.7 | 71.6-81.8 |
| \$25,000- 34,999 | 337 | 250,811 | 43 | 18.0 | 11.3-24.7 | 294 | 82.0 | 75.3-88.7 |
| \$35,000- 49,999 | 338 | 282,394 | 45 | 17.6 | 11.9-23.3 | 293 | 82.4 | 76.7-88.1 |
| \$50,000- 74,999 | 298 | 268,643 | 25 | 9.7 | 05.0-14.4 | 273 | 90.3 | 85.6-95.0 |
| \$75,000+ | 455 | 426,976 | 20 | 5.5 | 02.8-08.2 | 435 | 94.5 | 91.8-97.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5075 | 4,988,217 | 4136 | 74.5 | 72.5-76.5 | 444 | 11.1 | 09.7-12.5 | 220 | 6.4 | 05.2-07.6 | 255 | 7.1 | 05.9-08.3 | 20 | 0.8 | 00.2-01.4 |
| Male | 1860 | 2,400,951 | 1437 | 68.2 | 65.1-71.3 | 175 | 12.6 | 10.2-15.0 | 103 | 8.2 | 06.2-10.2 | 134 | 9.8 | 07.6-12.0 | 11 | 1.2 | 00.0-02.4 |
| Female | 3215 | 2,587,266 | 2699 | 80.4 | 78.2-82.6 | 269 | 9.6 | 08.0-11.2 | 117 | 4.8 | 03.6-06.0 | 121 | 4.7 | 03.5-05.9 | 9 | 0.5 | 00.1-00.9 |
| White/Non-Hisp | 4198 | 3,804,069 | 3407 | 74.1 | 71.9-76.3 | 370 | 10.8 | 09.4-12.2 | 184 | 6.6 | 05.4-07.8 | 221 | 7.7 | 06.3-09.1 | 16 | 0.8 | 00.2-01.4 |
| Black or Afr. Am./Non-Hisp | 624 | 782,440 | 538 | 82.1 | 77.2-87.0 | 51 | 12.5 | 08.0-17.0 | 19 | 3.0 | 01.0-05.0 | 15 | 2.3 | 00.7-03.9 | 1 | 0.0 | 00.0-00.0 |
| Oth. Race/Non-Hisp. | 94 | 123,832 | 75 | 78.7 | 68.3-89.1 | 7 | 6.1 | 00.0-12.2 | 6 | 8.2 | 01.1-15.3 | 5 | 5.3 | 00.0-10.6 | 1 | 1.7 | 00.0-05.0 |
| Hispanic | 61 | 147,753 | 39 | 50.9 | 35.6-66.2 | 9 | 15.5 | 02.6-28.4 | 5 | 11.4 | 01.6-21.2 | 6 | 15.7 | 03.7-27.7 | 2 | 6.5 | 00.0-16.5 |
| 18-24 | 196 | 591,104 | 119 | 59.5 | 51.5-67.5 | 38 | 17.8 | 11.7-23.9 | 19 | 11.5 | 06.0-17.0 | 16 | 9.0 | 04.1-13.9 | 4 | 2.1 | 00.0-04.8 |
| 25-34 | 403 | 845,363 | 252 | 62.6 | 56.9-68.3 | 60 | 14.6 | 10.3-18.9 | 41 | 9.3 | 06.0-12.6 | 46 | 12.7 | 08.8-16.6 | 4 | 0.8 | 00.0-01.6 |
| 35-44 | 476 | 825,214 | 347 | 71.0 | 65.5-76.5 | 50 | 9.9 | 06.4-13.4 | 36 | 8.3 | 05.4-11.2 | 41 | 9.0 | 05.5-12.5 | 2 | 1.9 | 00.0-04.6 |
| 45-54 | 812 | 877,250 | 620 | 73.2 | 69.1-77.3 | 82 | 12.6 | 09.3-15.9 | 52 | 7.3 | 04.9-09.7 | 54 | 6.5 | 04.3-08.7 | 4 | 0.4 | 00.0-01.0 |
| 55-64 | 1146 | 823,164 | 942 | 81.6 | 78.7-84.5 | 112 | 10.0 | 07.6-12.4 | 40 | 3.5 | 02.1-04.9 | 51 | 4.7 | 03.1-06.3 | 1 | 0.2 | 00.0-00.6 |
| 65+ | 1978 | 991,381 | 1801 | 91.6 | 90.0-93.2 | 95 | 4.5 | 03.3-05.7 | 31 | 1.4 | 00.8-02.0 | 46 | 2.4 | 01.4-03.4 | 5 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 636 | 788,495 | 522 | 71.2 | 65.1-77.3 | 45 | 11.4 | 06.7-16.1 | 30 | 7.6 | 03.9-11.3 | 36 | 8.9 | 05.0-12.8 | 3 | 0.9 | 00.0-02.1 |
| H.S. or G.E.D. | 1736 | 1,646,111 | 1410 | 75.0 | 71.9-78.1 | 143 | 10.6 | 08.2-13.0 | 77 | 6.0 | 04.2-07.8 | 93 | 7.2 | 05.4-09.0 | 13 | 1.2 | 00.2-02.2 |
| Some Post-H.S. | 1244 | 1,443,466 | 1003 | 74.5 | 70.8-78.2 | 115 | 10.5 | 08.1-12.9 | 54 | 6.6 | 04.4-08.8 | 71 | 7.7 | 05.2-10.2 | 1 | 0.7 | 00.0-02.1 |
| College Graduate | 1421 | 1,075,366 | 1167 | 76.0 | 72.7-79.3 | 141 | 12.5 | 10.0-15.0 | 56 | 5.9 | 03.9-07.9 | 54 | 5.1 | 03.3-06.9 | 3 | 0.4 | 00.0-01.0 |
| Less than \$15,000 | 674 | 588,477 | 525 | 70.1 | 64.6-75.6 | 57 | 11.7 | 07.4-16.0 | 42 | 7.4 | 04.5-10.3 | 46 | 9.7 | 06.2-13.2 | 4 | 1.0 | 00.0-02.0 |
| \$15,000- 24,999 | 861 | 818,444 | 681 | 72.1 | 67.0-77.2 | 85 | 12.0 | 07.9-16.1 | 42 | 7.1 | 04.4-09.8 | 50 | 7.2 | 04.8-09.6 | 3 | 1.6 | 00.0-04.1 |
| \$25,000- 34,999 | 524 | 501,435 | 430 | 73.2 | 67.1-79.3 | 45 | 12.4 | 07.5-17.3 | 14 | 4.4 | 01.7-07.1 | 33 | 9.0 | 05.3-12.7 | 2 | 1.0 | 00.0-02.8 |
| \$35,000- 49,999 | 605 | 639,431 | 503 | 76.7 | 71.2-82.2 | 46 | 8.4 | 05.3-11.5 | 25 | 6.6 | 03.5-09.7 | 29 | 7.6 | 03.5-11.7 | 2 | 0.6 | 00.0-01.4 |
| \$50,000- 74,999 | 531 | 571,271 | 442 | 77.1 | 71.8-82.4 | 36 | 8.6 | 05.1-12.1 | 24 | 5.5 | 02.8-08.2 | 27 | 8.2 | 04.7-11.7 | 2 | 0.6 | 00.0-01.6 |
| \$75,000+ | 833 | 942,010 | 682 | 76.1 | 71.6-80.6 | 90 | 11.6 | 08.7-14.5 | 39 | 7.7 | 04.6-10.8 | 22 | 4.5 | 01.8-07.2 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1860 | 2,400,951 | 1437 | 68.2 | 65.1-71.3 | 175 | 12.6 | 10.2-15.0 | 103 | 8.2 | 06.2-10.2 | 134 | 9.8 | 07.6-12.0 | 11 | 1.2 | 00.0-02.4 |
| White/Non-Hisp | 1555 | 1,835,613 | 1204 | 68.8 | 65.3-72.3 | 145 | 11.5 | 09.1-13.9 | 84 | 8.1 | 05.9-10.3 | 113 | 10.5 | 08.0-13.0 | 9 | 1.2 | 00.0-02.4 |
| Black or Afr. Am./Non-Hisp | 191 | 351,665 | 150 | 71.3 | 62.1-80.5 | 22 | 19.4 | 10.8-28.0 | 8 | 5.1 | 01.0-09.2 | 10 | 4.1 | 00.8-07.4 | 1 | 0.1 | 00.0-00.3 |
| 18-24 | 88 | 296,495 | 51 | 52.3 | 40.3-64.3 | 16 | 19.2 | 09.6-28.8 | 11 | 13.9 | 05.3-22.5 | 7 | 11.0 | 02.6-19.4 | 3 | 3.6 | 00.0-08.7 |
| 25-34 | 165 | 422,793 | 83 | 50.1 | 41.3-58.9 | 30 | 19.2 | 11.8-26.6 | 23 | 13.0 | 06.9-19.1 | 27 | 16.9 | 10.4-23.4 | 2 | 0.7 | 00.0-01.9 |
| 35-44 | 174 | 407,241 | 114 | 63.9 | 54.7-73.1 | 19 | 9.8 | 03.9-15.7 | 15 | 10.3 | 05.2-15.4 | 25 | 13.4 | 06.9-19.9 | 1 | 2.6 | 00.0-07.5 |
| 45-54 | 308 | 432,577 | 215 | 66.6 | 59.9-73.3 | 37 | 15.6 | 10.1-21.1 | 23 | 8.5 | 04.4-12.6 | 30 | 8.5 | 04.8-12.2 | 3 | 0.7 | 00.0-01.7 |
| 55-64 | 449 | 399,327 | 372 | 81.4 | 76.7-86.1 | 35 | 8.5 | 04.8-12.2 | 19 | 4.0 | 01.8-06.2 | 22 | 5.6 | 02.9-08.3 | 1 | 0.4 | 00.0-01.2 |
| 65+ | 660 | 433,528 | 591 | 90.1 | 87.4-92.8 | 35 | 5.2 | 03.0-07.4 | 11 | 1.1 | 00.1-02.1 | 22 | 3.5 | 01.7-05.3 | 1 | 0.0 | 00.0-00.0 |
| Less Than H.S. | 226 | 379,420 | 166 | 62.5 | 52.5-72.5 | 27 | 16.8 | 08.2-25.4 | 13 | 9.0 | 02.3-15.7 | 18 | 11.2 | 04.3-18.1 | 2 | 0.6 | 00.0-01.6 |
| H.S. or G.E.D. | 613 | 785,568 | 464 | 68.0 | 62.7-73.3 | 48 | 11.7 | 07.6-15.8 | 44 | 8.9 | 05.8-12.0 | 50 | 9.4 | 06.3-12.5 | 7 | 1.9 | 00.0-04.1 |
| Some Post-H.S. | 442 | 696,305 | 343 | 68.5 | 62.0-75.0 | 39 | 10.4 | 06.7-14.1 | 20 | 7.8 | 03.9-11.7 | 39 | 11.8 | 07.1-16.5 | 1 | 1.5 | 00.0-04.4 |
| College Graduate | 568 | 523,184 | 456 | 72.1 | 66.8-77.4 | 61 | 14.3 | 10.0-18.6 | 23 | 6.3 | 03.4-09.2 | 27 | 7.0 | 04.1-09.9 | 1 | 0.3 | 00.0-00.9 |
| Less than \$15,000 | 209 | 242,200 | 143 | 60.1 | 50.3-69.9 | 26 | 16.2 | 08.0-24.4 | 14 | 7.6 | 02.7-12.5 | 24 | 15.4 | 08.0-22.8 | 2 | 0.7 | 00.0-02.1 |
| \$15,000- 24,999 | 284 | 362,181 | 201 | 59.0 | 50.0-68.0 | 32 | 15.9 | 07.7-24.1 | 20 | 10.1 | 04.8-15.4 | 28 | 11.4 | 06.5-16.3 | 3 | 3.6 | 00.0-09.3 |
| \$25,000- 34,999 | 189 | 248,562 | 149 | 71.1 | 61.7-80.5 | 13 | 11.7 | 04.1-19.3 | 8 | 6.3 | 01.2-11.4 | 19 | 10.8 | 04.9-16.7 | | | |
| \$35,000- 49,999 | 269 | 359,356 | 220 | 73.4 | 65.0-81.8 | 20 | 9.0 | 03.9-14.1 | 11 | 6.8 | 02.1-11.5 | 17 | 10.3 | 03.4-17.2 | 1 | 0.5 | 00.0-01.5 |
| \$50,000- 74,999 | 234 | 302,959 | 191 | 72.7 | 64.7-80.7 | 12 | 7.4 | 02.5-12.3 | 10 | 6.3 | 01.6-11.0 | 19 | 12.5 | 06.4-18.6 | 2 | 1.1 | 00.0-02.9 |
| \$75,000+ | 380 | 518,787 | 305 | 71.4 | 64.3-78.5 | 40 | 12.7 | 08.0-17.4 | 25 | 10.5 | 05.6-15.4 | 10 | 5.4 | 00.7-10.1 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|-----|------------|-----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3215 | 2,587,266 | 2699 | 80.4 | 78.4-82.4 | 269 | 9.6 | 08.0-11.2 | 117 | 4.8 | 03.6-06.0 | 121 | 4.7 | 03.5-05.9 | 9 | 0.5 | 00.1-00.9 |
| White/Non-Hisp | 2643 | 1,968,456 | 2203 | 79.0 | 76.6-81.4 | 225 | 10.2 | 08.4-12.0 | 100 | 5.3 | 03.9-06.7 | 108 | 5.2 | 03.8-06.6 | 7 | 0.4 | 00.0-01.0 |
| Black or Afr. Am./Non-Hisp | 433 | 430,775 | 388 | 91.0 | 87.5-94.5 | 29 | 7.0 | 03.7-10.3 | 11 | 1.3 | 00.3-02.3 | 5 | 0.8 | 00.0-01.6 | | | |
| Oth. Race/Non-Hisp. | 54 | 70,923 | 43 | 81.0 | 67.9-94.1 | 5 | 6.8 | 00.0-15.4 | 3 | 5.5 | 00.0-12.0 | 2 | 3.8 | 00.0-10.5 | 1 | 2.9 | 00.0-08.6 |
| 18-24 | 108 | 294,609 | 68 | 66.7 | 56.5-76.9 | 22 | 16.5 | 09.1-23.9 | 8 | 9.0 | 02.5-15.5 | 9 | 7.1 | 02.2-12.0 | 1 | 0.7 | 00.0-02.1 |
| 25-34 | 238 | 422,570 | 169 | 75.1 | 69.0-81.2 | 30 | 9.9 | 06.2-13.6 | 18 | 5.6 | 02.9-08.3 | 19 | 8.5 | 04.2-12.8 | 2 | 0.9 | 00.0-02.3 |
| 35-44 | 302 | 417,973 | 233 | 77.9 | 72.2-83.6 | 31 | 9.9 | 05.8-14.0 | 21 | 6.3 | 03.2-09.4 | 16 | 4.7 | 02.0-07.4 | 1 | 1.1 | 00.0-03.3 |
| 45-54 | 504 | 444,673 | 405 | 79.6 | 74.9-84.3 | 45 | 9.8 | 06.1-13.5 | 29 | 6.0 | 03.3-08.7 | 24 | 4.5 | 02.5-06.5 | 1 | 0.1 | 00.0-00.3 |
| 55-64 | 697 | 423,837 | 570 | 81.8 | 78.1-85.5 | 77 | 11.3 | 08.4-14.2 | 21 | 3.1 | 01.5-04.7 | 29 | 3.8 | 02.0-05.6 | | | |
| 65+ | 1318 | 557,853 | 1210 | 92.7 | 90.9-94.5 | 60 | 4.0 | 02.8-05.2 | 20 | 1.5 | 00.7-02.3 | 24 | 1.5 | 00.7-02.3 | 4 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 410 | 409,076 | 356 | 79.3 | 72.8-85.8 | 18 | 6.5 | 02.6-10.4 | 17 | 6.2 | 02.7-09.7 | 18 | 6.8 | 02.7-10.9 | 1 | 1.2 | 00.0-03.6 |
| H.S. or G.E.D. | 1123 | 860,544 | 946 | 81.3 | 78.0-84.6 | 95 | 9.6 | 07.1-12.1 | 33 | 3.2 | 01.8-04.6 | 43 | 5.2 | 03.2-07.2 | 6 | 0.6 | 00.0-01.2 |
| Some Post-H.S. | 802 | 747,160 | 660 | 80.1 | 76.2-84.0 | 76 | 10.6 | 07.7-13.5 | 34 | 5.5 | 03.1-07.9 | 32 | 3.9 | 02.1-05.7 | | | |
| College Graduate | 853 | 552,182 | 711 | 79.8 | 75.9-83.7 | 80 | 10.9 | 08.0-13.8 | 33 | 5.6 | 03.2-08.0 | 27 | 3.4 | 01.6-05.2 | 2 | 0.4 | 00.0-01.2 |
| Less than \$15,000 | 465 | 346,277 | 382 | 77.2 | 71.3-83.1 | 31 | 8.6 | 04.3-12.9 | 28 | 7.2 | 03.9-10.5 | 22 | 5.8 | 03.1-08.5 | 2 | 1.1 | 00.0-02.7 |
| \$15,000- 24,999 | 577 | 456,264 | 480 | 82.5 | 78.2-86.8 | 53 | 8.9 | 05.6-12.2 | 22 | 4.8 | 02.3-07.3 | 22 | 3.8 | 01.6-06.0 | | | |
| \$25,000- 34,999 | 335 | 252,873 | 281 | 75.1 | 67.5-82.7 | 32 | 13.1 | 06.8-19.4 | 6 | 2.5 | 00.3-04.7 | 14 | 7.2 | 02.7-11.7 | 2 | 2.0 | 00.0-05.7 |
| \$35,000- 49,999 | 336 | 280,075 | 283 | 80.9 | 75.2-86.6 | 26 | 7.8 | 04.5-11.1 | 14 | 6.4 | 02.5-10.3 | 12 | 4.2 | 01.3-07.1 | 1 | 0.7 | 00.0-02.1 |
| \$50,000- 74,999 | 297 | 268,312 | 251 | 82.1 | 76.0-88.2 | 24 | 10.0 | 05.1-14.9 | 14 | 4.6 | 01.7-07.5 | 8 | 3.2 | 00.7-05.7 | | | |
| \$75,000+ | 453 | 423,223 | 377 | 81.8 | 76.9-86.7 | 50 | 10.4 | 07.1-13.7 | 14 | 4.4 | 01.1-07.7 | 12 | 3.5 | 01.1-05.9 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2) | |
| 1 | MALES AND FEMALES | 30 |
| 2 | MALES ONLY | 31 |
| 3 | FEMALES ONLY | 32 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5139 | 5,060,322 | 3523 | 73.2 | 71.4-75.0 | 1616 | 26.8 | 25.0-28.6 |
| Male | 1881 | 2,439,127 | 1379 | 76.9 | 74.4-79.4 | 502 | 23.1 | 20.6-25.6 |
| Female | 3258 | 2,621,195 | 2144 | 69.7 | 67.5-71.9 | 1114 | 30.3 | 28.1-32.5 |
| White/Non-Hisp | 4254 | 3,858,479 | 2913 | 72.2 | 70.2-74.2 | 1341 | 27.8 | 25.8-29.8 |
| Black or Afr. Am./Non-Hisp | 626 | 791,928 | 420 | 76.7 | 72.4-81.0 | 206 | 23.3 | 19.0-27.6 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 72 | 75.2 | 63.4-87.0 | 25 | 24.8 | 13.0-36.6 |
| Hispanic | 61 | 147,753 | 45 | 77.7 | 65.2-90.2 | 16 | 22.3 | 09.8-34.8 |
| 18-24 | 206 | 628,213 | 172 | 84.3 | 78.2-90.4 | 34 | 15.7 | 09.6-21.8 |
| 25-34 | 405 | 851,588 | 323 | 81.4 | 77.1-85.7 | 82 | 18.6 | 14.3-22.9 |
| 35-44 | 480 | 826,964 | 367 | 79.2 | 75.1-83.3 | 113 | 20.8 | 16.7-24.9 |
| 45-54 | 820 | 884,385 | 556 | 66.6 | 62.3-70.9 | 264 | 33.4 | 29.1-37.7 |
| 55-64 | 1158 | 829,938 | 776 | 66.3 | 62.8-69.8 | 382 | 33.7 | 30.2-37.2 |
| 65+ | 2005 | 1,003,750 | 1278 | 65.6 | 62.9-68.3 | 727 | 34.4 | 31.7-37.1 |
| Less Than H.S. | 650 | 803,733 | 330 | 54.1 | 48.2-60.0 | 320 | 45.9 | 40.0-51.8 |
| H.S. or G.E.D. | 1761 | 1,678,700 | 1068 | 67.9 | 64.8-71.0 | 693 | 32.1 | 29.0-35.2 |
| Some Post-H.S. | 1256 | 1,460,942 | 901 | 79.5 | 76.8-82.2 | 355 | 20.5 | 17.8-23.2 |
| College Graduate | 1432 | 1,081,060 | 1197 | 87.3 | 85.1-89.5 | 235 | 12.7 | 10.5-14.9 |
| Less than \$15,000 | 682 | 592,979 | 352 | 57.1 | 51.6-62.6 | 330 | 42.9 | 37.4-48.4 |
| \$15,000- 24,999 | 870 | 826,294 | 540 | 65.8 | 61.3-70.3 | 330 | 34.2 | 29.7-38.7 |
| \$25,000- 34,999 | 530 | 505,793 | 350 | 70.6 | 64.9-76.3 | 180 | 29.4 | 23.7-35.1 |
| \$35,000- 49,999 | 609 | 642,907 | 452 | 77.4 | 72.7-82.1 | 157 | 22.6 | 17.9-27.3 |
| \$50,000- 74,999 | 535 | 575,451 | 417 | 80.1 | 75.4-84.8 | 118 | 19.9 | 15.2-24.6 |
| \$75,000+ | 835 | 945,763 | 733 | 90.7 | 88.3-93.1 | 102 | 9.3 | 06.9-11.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1881 | 2,439,127 | 1379 | 76.9 | 74.4-79.4 | 502 | 23.1 | 20.6-25.6 |
| White/Non-Hisp | 1572 | 1,855,712 | 1142 | 75.6 | 72.9-78.3 | 430 | 24.4 | 21.7-27.1 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 142 | 80.5 | 73.8-87.2 | 51 | 19.5 | 12.8-26.2 |
| 18-24 | 93 | 320,604 | 78 | 84.7 | 75.7-93.7 | 15 | 15.3 | 06.3-24.3 |
| 25-34 | 165 | 422,793 | 139 | 85.1 | 79.0-91.2 | 26 | 14.9 | 08.8-21.0 |
| 35-44 | 176 | 410,826 | 144 | 86.1 | 80.6-91.6 | 32 | 13.9 | 08.4-19.4 |
| 45-54 | 310 | 435,093 | 227 | 69.1 | 62.4-75.8 | 83 | 30.9 | 24.2-37.6 |
| 55-64 | 451 | 400,957 | 309 | 67.6 | 62.1-73.1 | 142 | 32.4 | 26.9-37.9 |
| 65+ | 670 | 439,864 | 468 | 70.7 | 66.4-75.0 | 202 | 29.3 | 25.0-33.6 |
| Less Than H.S. | 231 | 389,392 | 140 | 61.5 | 52.5-70.5 | 91 | 38.5 | 29.5-47.5 |
| H.S. or G.E.D. | 621 | 806,471 | 405 | 70.7 | 66.0-75.4 | 216 | 29.3 | 24.6-34.0 |
| Some Post-H.S. | 444 | 699,816 | 336 | 83.3 | 79.2-87.4 | 108 | 16.7 | 12.6-20.8 |
| College Graduate | 574 | 526,973 | 490 | 89.4 | 86.5-92.3 | 84 | 10.6 | 07.7-13.5 |
| Less than \$15,000 | 212 | 242,986 | 116 | 60.6 | 51.4-69.8 | 96 | 39.4 | 30.2-48.6 |
| \$15,000- 24,999 | 286 | 363,360 | 196 | 73.6 | 66.9-80.3 | 90 | 26.4 | 19.7-33.1 |
| \$25,000- 34,999 | 192 | 252,026 | 128 | 70.3 | 61.5-79.1 | 64 | 29.7 | 20.9-38.5 |
| \$35,000- 49,999 | 270 | 360,218 | 200 | 77.1 | 70.0-84.2 | 70 | 22.9 | 15.8-30.0 |
| \$50,000- 74,999 | 237 | 306,808 | 187 | 81.6 | 75.3-87.9 | 50 | 18.4 | 12.1-24.7 |
| \$75,000+ | 380 | 518,787 | 335 | 92.0 | 89.1-94.9 | 45 | 8.0 | 05.1-10.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3258 | 2,621,195 | 2144 | 69.7 | 67.5-71.9 | 1114 | 30.3 | 28.1-32.5 |
| White/Non-Hisp | 2682 | 2,002,767 | 1771 | 69.0 | 66.5-71.5 | 911 | 31.0 | 28.5-33.5 |
| Black or Afr. Am./Non-Hisp | 433 | 428,258 | 278 | 73.5 | 67.8-79.2 | 155 | 26.5 | 20.8-32.2 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 39 | 67.2 | 50.0-84.4 | 17 | 32.8 | 15.6-50.0 |
| 18-24 | 113 | 307,609 | 94 | 83.9 | 75.9-91.9 | 19 | 16.1 | 08.1-24.1 |
| 25-34 | 240 | 428,795 | 184 | 77.7 | 71.6-83.8 | 56 | 22.3 | 16.2-28.4 |
| 35-44 | 304 | 416,138 | 223 | 72.5 | 66.4-78.6 | 81 | 27.5 | 21.4-33.6 |
| 45-54 | 510 | 449,292 | 329 | 64.2 | 58.9-69.5 | 181 | 35.8 | 30.5-41.1 |
| 55-64 | 707 | 428,981 | 467 | 65.2 | 60.7-69.7 | 240 | 34.8 | 30.3-39.3 |
| 65+ | 1335 | 563,886 | 810 | 61.7 | 58.4-65.0 | 525 | 38.3 | 35.0-41.6 |
| Less Than H.S. | 419 | 414,341 | 190 | 47.1 | 39.8-54.4 | 229 | 52.9 | 45.6-60.2 |
| H.S. or G.E.D. | 1140 | 872,230 | 663 | 65.2 | 61.3-69.1 | 477 | 34.8 | 30.9-38.7 |
| Some Post-H.S. | 812 | 761,126 | 565 | 75.9 | 72.2-79.6 | 247 | 24.1 | 20.4-27.8 |
| College Graduate | 858 | 554,087 | 707 | 85.3 | 82.2-88.4 | 151 | 14.7 | 11.6-17.8 |
| Less than \$15,000 | 470 | 349,992 | 236 | 54.6 | 47.9-61.3 | 234 | 45.4 | 38.7-52.1 |
| \$15,000- 24,999 | 584 | 462,934 | 344 | 59.6 | 53.9-65.3 | 240 | 40.4 | 34.7-46.1 |
| \$25,000- 34,999 | 338 | 253,767 | 222 | 70.9 | 63.8-78.0 | 116 | 29.1 | 22.0-36.2 |
| \$35,000- 49,999 | 339 | 282,689 | 252 | 77.7 | 72.2-83.2 | 87 | 22.3 | 16.8-27.8 |
| \$50,000- 74,999 | 298 | 268,643 | 230 | 78.3 | 71.0-85.6 | 68 | 21.7 | 14.4-29.0 |
| \$75,000+ | 455 | 426,976 | 398 | 89.1 | 85.6-92.6 | 57 | 10.9 | 07.4-14.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1) | |
| 1 | MALES AND FEMALES | 34 |
| 2 | MALES ONLY | 35 |
| 3 | FEMALES ONLY | 36 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Short Sleep Duration (<7 hrs) | | | Optimal Sleep (7-9 hrs) | | | Long Sleep Duration (>9 hrs) | | |
|----------------------------|-------------------|-----------|-------------------------------|------|------------|-------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5026 | 4,987,728 | 1701 | 36.7 | 34.7-38.7 | 3082 | 59.1 | 57.1-61.1 | 243 | 4.2 | 03.4-05.0 |
| Male | 1853 | 2,411,984 | 609 | 36.3 | 33.2-39.4 | 1154 | 60.0 | 56.9-63.1 | 90 | 3.7 | 02.5-04.9 |
| Female | 3173 | 2,575,744 | 1092 | 37.0 | 34.5-39.5 | 1928 | 58.3 | 55.8-60.8 | 153 | 4.7 | 03.7-05.7 |
| White/Non-Hisp | 4171 | 3,806,511 | 1365 | 35.6 | 33.4-37.8 | 2607 | 60.7 | 58.5-62.9 | 199 | 3.7 | 02.9-04.5 |
| Black or Afr. Am./Non-Hisp | 603 | 777,074 | 249 | 41.8 | 35.9-47.7 | 323 | 52.5 | 46.6-58.4 | 31 | 5.7 | 03.2-08.2 |
| Oth. Race/Non-Hisp. | 94 | 122,582 | 33 | 39.0 | 25.7-52.3 | 55 | 57.8 | 44.5-71.1 | 6 | 3.2 | 00.3-06.1 |
| Hispanic | 61 | 147,753 | 14 | 26.1 | 11.8-40.4 | 43 | 60.3 | 44.4-76.2 | 4 | 13.6 | 00.5-26.7 |
| 18-24 | 203 | 618,484 | 72 | 36.9 | 29.1-44.7 | 119 | 57.7 | 49.7-65.7 | 12 | 5.4 | 01.9-08.9 |
| 25-34 | 404 | 850,716 | 166 | 41.8 | 36.1-47.5 | 225 | 54.6 | 48.9-60.3 | 13 | 3.6 | 01.4-05.8 |
| 35-44 | 478 | 824,426 | 197 | 40.1 | 34.4-45.8 | 267 | 56.1 | 50.4-61.8 | 14 | 3.8 | 01.4-06.2 |
| 45-54 | 812 | 877,996 | 331 | 41.8 | 37.5-46.1 | 459 | 55.8 | 51.3-60.3 | 22 | 2.4 | 01.0-03.8 |
| 55-64 | 1143 | 820,985 | 427 | 36.5 | 33.0-40.0 | 669 | 59.4 | 55.7-63.1 | 47 | 4.1 | 02.7-05.5 |
| 65+ | 1926 | 963,798 | 489 | 24.5 | 22.0-27.0 | 1303 | 69.2 | 66.5-71.9 | 134 | 6.3 | 04.9-07.7 |
| Less Than H.S. | 610 | 769,617 | 224 | 39.1 | 33.2-45.0 | 330 | 52.0 | 45.9-58.1 | 56 | 8.9 | 05.8-12.0 |
| H.S. or G.E.D. | 1718 | 1,658,191 | 605 | 35.4 | 32.1-38.7 | 1026 | 59.9 | 56.4-63.4 | 87 | 4.7 | 03.1-06.3 |
| Some Post-H.S. | 1243 | 1,450,634 | 481 | 41.9 | 38.0-45.8 | 708 | 55.5 | 51.6-59.4 | 54 | 2.6 | 01.6-03.6 |
| College Graduate | 1416 | 1,073,457 | 379 | 29.7 | 26.4-33.0 | 993 | 68.1 | 64.8-71.4 | 44 | 2.2 | 01.4-03.0 |
| Less than \$15,000 | 655 | 575,028 | 298 | 45.3 | 39.6-51.0 | 305 | 45.9 | 40.2-51.6 | 52 | 8.8 | 04.9-12.7 |
| \$15,000- 24,999 | 852 | 814,962 | 313 | 40.0 | 35.1-44.9 | 505 | 55.9 | 50.8-61.0 | 34 | 4.1 | 02.3-05.9 |
| \$25,000- 34,999 | 522 | 502,516 | 164 | 34.9 | 28.6-41.2 | 327 | 60.1 | 53.8-66.4 | 31 | 5.0 | 02.6-07.4 |
| \$35,000- 49,999 | 606 | 640,984 | 192 | 31.7 | 26.4-37.0 | 385 | 64.9 | 59.4-70.4 | 29 | 3.3 | 01.9-04.7 |
| \$50,000- 74,999 | 532 | 574,093 | 167 | 36.4 | 30.5-42.3 | 342 | 59.6 | 53.5-65.7 | 23 | 4.0 | 01.6-06.4 |
| \$75,000+ | 833 | 944,412 | 237 | 32.6 | 27.9-37.3 | 583 | 66.2 | 61.5-70.9 | 13 | 1.2 | 00.4-02.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Short Sleep Duration (<7 hrs) | | | Optimal Sleep (7-9 hrs) | | | Long Sleep Duration (>9 hrs) | | |
|----------------------------|-------------------|-----------|-------------------------------|------|------------|-------------------------|------|------------|------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1853 | 2,411,984 | 609 | 36.3 | 33.2-39.4 | 1154 | 60.0 | 56.9-63.1 | 90 | 3.7 | 02.5-04.9 |
| White/Non-Hisp | 1554 | 1,841,689 | 505 | 36.2 | 32.9-39.5 | 975 | 60.4 | 56.9-63.9 | 74 | 3.4 | 02.2-04.6 |
| Black or Afr. Am./Non-Hisp | 184 | 352,412 | 70 | 38.2 | 29.0-47.4 | 105 | 58.6 | 49.2-68.0 | 9 | 3.3 | 00.8-05.8 |
| 18-24 | 91 | 313,127 | 30 | 36.6 | 25.2-48.0 | 56 | 58.2 | 46.6-69.8 | 5 | 5.2 | 00.0-10.5 |
| 25-34 | 164 | 421,921 | 70 | 42.0 | 33.4-50.6 | 92 | 56.0 | 47.2-64.8 | 2 | 2.0 | 00.0-05.1 |
| 35-44 | 176 | 410,826 | 81 | 42.0 | 33.0-51.0 | 93 | 55.8 | 46.8-64.8 | 2 | 2.3 | 00.0-05.4 |
| 45-54 | 306 | 432,734 | 124 | 43.1 | 36.2-50.0 | 175 | 54.9 | 48.0-61.8 | 7 | 2.0 | 00.0-04.0 |
| 55-64 | 447 | 398,258 | 162 | 35.3 | 29.8-40.8 | 262 | 59.7 | 54.0-65.4 | 23 | 5.0 | 02.6-07.4 |
| 65+ | 653 | 426,128 | 140 | 19.5 | 15.8-23.2 | 463 | 74.2 | 70.1-78.3 | 50 | 6.3 | 03.9-08.7 |
| Less Than H.S. | 221 | 379,028 | 79 | 38.3 | 28.9-47.7 | 125 | 54.1 | 44.5-63.7 | 17 | 7.7 | 03.0-12.4 |
| H.S. or G.E.D. | 609 | 794,994 | 213 | 34.4 | 29.1-39.7 | 369 | 61.7 | 56.4-67.0 | 27 | 3.9 | 01.5-06.3 |
| Some Post-H.S. | 441 | 695,780 | 166 | 42.0 | 35.7-48.3 | 246 | 54.9 | 48.6-61.2 | 29 | 3.0 | 01.2-04.8 |
| College Graduate | 571 | 525,707 | 150 | 30.8 | 25.7-35.9 | 405 | 67.8 | 62.7-72.9 | 16 | 1.4 | 00.6-02.2 |
| Less than \$15,000 | 204 | 237,356 | 90 | 38.9 | 29.7-48.1 | 101 | 54.0 | 44.2-63.8 | 13 | 7.1 | 00.6-13.6 |
| \$15,000- 24,999 | 280 | 358,784 | 109 | 39.5 | 31.3-47.7 | 158 | 56.4 | 48.0-64.8 | 13 | 4.1 | 01.4-06.8 |
| \$25,000- 34,999 | 191 | 251,443 | 67 | 39.4 | 29.4-49.4 | 114 | 56.8 | 46.8-66.8 | 10 | 3.8 | 00.9-06.7 |
| \$35,000- 49,999 | 269 | 360,188 | 80 | 31.0 | 23.0-39.0 | 174 | 66.6 | 58.6-74.6 | 15 | 2.3 | 00.9-03.7 |
| \$50,000- 74,999 | 237 | 306,808 | 71 | 36.4 | 28.0-44.8 | 151 | 57.5 | 48.9-66.1 | 15 | 6.1 | 02.0-10.2 |
| \$75,000+ | 378 | 517,436 | 111 | 35.3 | 28.2-42.4 | 262 | 64.3 | 57.2-71.4 | 5 | 0.4 | 00.0-01.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Short Sleep Duration (<7 hrs) | | | Optimal Sleep (7-9 hrs) | | | Long Sleep Duration (>9 hrs) | | |
|----------------------------|-------------------|-----------|-------------------------------|------|------------|-------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3173 | 2,575,744 | 1092 | 37.0 | 34.5-39.5 | 1928 | 58.3 | 55.8-60.8 | 153 | 4.7 | 03.7-05.7 |
| White/Non-Hisp | 2617 | 1,964,822 | 860 | 35.0 | 32.3-37.7 | 1632 | 61.0 | 58.3-63.7 | 125 | 4.0 | 03.0-05.0 |
| Black or Afr. Am./Non-Hisp | 419 | 424,662 | 179 | 44.7 | 37.4-52.0 | 218 | 47.5 | 40.4-54.6 | 22 | 7.8 | 03.7-11.9 |
| Oth. Race/Non-Hisp. | 54 | 69,790 | 20 | 43.6 | 25.6-61.6 | 31 | 53.7 | 35.9-71.5 | 3 | 2.8 | 00.0-06.5 |
| 18-24 | 112 | 305,357 | 42 | 37.2 | 26.4-48.0 | 63 | 57.2 | 46.2-68.2 | 7 | 5.6 | 00.9-10.3 |
| 25-34 | 240 | 428,795 | 96 | 41.6 | 34.3-48.9 | 133 | 53.3 | 46.0-60.6 | 11 | 5.1 | 02.0-08.2 |
| 35-44 | 302 | 413,600 | 116 | 38.3 | 31.6-45.0 | 174 | 56.5 | 49.6-63.4 | 12 | 5.3 | 02.0-08.6 |
| 45-54 | 506 | 445,262 | 207 | 40.5 | 35.0-46.0 | 284 | 56.7 | 51.2-62.2 | 15 | 2.8 | 01.0-04.6 |
| 55-64 | 696 | 422,727 | 265 | 37.7 | 33.0-42.4 | 407 | 59.0 | 54.3-63.7 | 24 | 3.2 | 01.6-04.8 |
| 65+ | 1273 | 537,670 | 349 | 28.6 | 25.3-31.9 | 840 | 65.2 | 61.7-68.7 | 84 | 6.3 | 04.7-07.9 |
| Less Than H.S. | 389 | 390,589 | 145 | 40.0 | 32.7-47.3 | 205 | 49.9 | 42.5-57.3 | 39 | 10.1 | 05.8-14.4 |
| H.S. or G.E.D. | 1109 | 863,197 | 392 | 36.3 | 32.0-40.6 | 657 | 58.3 | 53.8-62.8 | 60 | 5.4 | 03.4-07.4 |
| Some Post-H.S. | 802 | 754,854 | 315 | 41.8 | 37.1-46.5 | 462 | 56.0 | 51.3-60.7 | 25 | 2.2 | 01.0-03.4 |
| College Graduate | 845 | 547,750 | 229 | 28.6 | 24.3-32.9 | 588 | 68.4 | 64.1-72.7 | 28 | 2.9 | 01.5-04.3 |
| Less than \$15,000 | 451 | 337,672 | 208 | 49.9 | 43.0-56.8 | 204 | 40.2 | 33.5-46.9 | 39 | 9.9 | 05.2-14.6 |
| \$15,000- 24,999 | 572 | 456,178 | 204 | 40.4 | 34.3-46.5 | 347 | 55.5 | 49.4-61.6 | 21 | 4.1 | 01.7-06.5 |
| \$25,000- 34,999 | 331 | 251,073 | 97 | 30.4 | 23.0-37.8 | 213 | 63.4 | 55.8-71.0 | 21 | 6.2 | 02.5-09.9 |
| \$35,000- 49,999 | 337 | 280,796 | 112 | 32.6 | 25.9-39.3 | 211 | 62.8 | 55.9-69.7 | 14 | 4.6 | 01.9-07.3 |
| \$50,000- 74,999 | 295 | 267,285 | 96 | 36.4 | 28.2-44.6 | 191 | 62.0 | 53.8-70.2 | 8 | 1.7 | 00.1-03.3 |
| \$75,000+ | 455 | 426,976 | 126 | 29.4 | 23.7-35.1 | 321 | 68.5 | 62.6-74.4 | 8 | 2.0 | 00.2-03.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4) | |
| 1 MALES AND FEMALES | 39 |
| 2 MALES ONLY | 40 |
| 3 FEMALES ONLY | 41 |
| (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4) | |
| 4 MALES AND FEMALES | 42 |
| 5 MALES ONLY | 43 |
| 6 FEMALES ONLY | 44 |
| (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3) | |
| 7 MALES AND FEMALES | 45 |
| 8 MALES ONLY | 46 |
| 9 FEMALES ONLY | 47 |
| (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3) | |
| 10 MALES AND FEMALES | 48 |
| 11 MALES ONLY | 49 |
| 12 FEMALES ONLY | 50 |
| DO YOU STILL HAVE ASTHMA? (ASTHNOW) | |
| 13 MALES AND FEMALES | 51 |
| 14 MALES ONLY | 52 |
| 15 FEMALES ONLY | 53 |
| (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR) | |
| 16 MALES AND FEMALES | 54 |
| 17 MALES ONLY | 55 |
| 18 FEMALES ONLY | 56 |
| (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR) | |
| 19 MALES AND FEMALES | 57 |
| 20 MALES ONLY | 58 |
| 21 FEMALES ONLY | 59 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1) | |
| 22 MALES AND FEMALES | 60 |
| 23 MALES ONLY | 61 |
| 24 FEMALES ONLY | 62 |
| (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3) | |
| 25 MALES AND FEMALES | 63 |
| 26 MALES ONLY | 64 |
| 27 FEMALES ONLY | 65 |
| (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2) | |
| 28 MALES AND FEMALES | 66 |
| 29 MALES ONLY | 67 |
| 30 FEMALES ONLY | 68 |
| (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY) | |
| 31 MALES AND FEMALES | 69 |
| 32 MALES ONLY | 70 |
| 33 FEMALES ONLY | 71 |
| (EVER TOLD) YOU HAVE DIABETES (DIABETE3) | |
| 34 MALES AND FEMALES | 72 |
| 35 MALES ONLY | 73 |
| 36 FEMALES ONLY | 74 |
| HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2) | |
| 37 MALES AND FEMALES | 75 |
| 38 MALES ONLY | 76 |
| 39 FEMALES ONLY | 77 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5121 | 5,045,307 | 424 | 5.7 | 04.9-06.5 | 4697 | 94.3 | 93.5-95.1 |
| Male | 1876 | 2,435,581 | 225 | 7.1 | 05.9-08.3 | 1651 | 92.9 | 91.7-94.1 |
| Female | 3245 | 2,609,726 | 199 | 4.4 | 03.6-05.2 | 3046 | 95.6 | 94.8-96.4 |
| White/Non-Hisp | 4238 | 3,839,109 | 361 | 5.9 | 05.1-06.7 | 3877 | 94.1 | 93.3-94.9 |
| Black or Afr. Am./Non-Hisp | 626 | 796,551 | 40 | 5.3 | 02.9-07.7 | 586 | 94.7 | 92.3-97.1 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 13 | 8.4 | 02.9-13.9 | 84 | 91.6 | 86.1-97.1 |
| Hispanic | 61 | 147,753 | 2 | 1.8 | 00.0-04.3 | 59 | 98.2 | 95.7-0100 |
| 18-24 | 206 | 628,213 | | | | 206 | 100.0 | 0100-0100 |
| 25-34 | 403 | 847,919 | 2 | 0.4 | 00.0-01.0 | 401 | 99.6 | 99.0-0100 |
| 35-44 | 479 | 824,229 | 8 | 1.9 | 00.3-03.5 | 471 | 98.1 | 96.5-99.7 |
| 45-54 | 818 | 882,624 | 55 | 6.6 | 04.4-08.8 | 763 | 93.4 | 91.2-95.6 |
| 55-64 | 1155 | 827,298 | 78 | 7.1 | 05.1-09.1 | 1077 | 92.9 | 90.9-94.9 |
| 65+ | 1994 | 999,171 | 279 | 15.1 | 12.9-17.3 | 1715 | 84.9 | 82.7-87.1 |
| Less Than H.S. | 644 | 795,233 | 94 | 10.7 | 08.0-13.4 | 550 | 89.3 | 86.6-92.0 |
| H.S. or G.E.D. | 1754 | 1,676,800 | 135 | 4.9 | 03.9-05.9 | 1619 | 95.1 | 94.1-96.1 |
| Some Post-H.S. | 1255 | 1,458,268 | 97 | 5.1 | 03.7-06.5 | 1158 | 94.9 | 93.5-96.3 |
| College Graduate | 1427 | 1,078,751 | 95 | 4.1 | 03.1-05.1 | 1332 | 95.9 | 94.9-96.9 |
| Less than \$15,000 | 678 | 592,377 | 90 | 9.2 | 06.7-11.7 | 588 | 90.8 | 88.3-93.3 |
| \$15,000- 24,999 | 868 | 820,361 | 94 | 8.3 | 05.9-10.7 | 774 | 91.7 | 89.3-94.1 |
| \$25,000- 34,999 | 527 | 501,222 | 44 | 6.1 | 03.7-08.5 | 483 | 93.9 | 91.5-96.3 |
| \$35,000- 49,999 | 608 | 642,296 | 43 | 4.4 | 02.8-06.0 | 565 | 95.6 | 94.0-97.2 |
| \$50,000- 74,999 | 534 | 575,148 | 39 | 4.9 | 02.9-06.9 | 495 | 95.1 | 93.1-97.1 |
| \$75,000+ | 834 | 944,612 | 24 | 2.4 | 01.2-03.6 | 810 | 97.6 | 96.4-98.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1876 | 2,435,581 | 225 | 7.1 | 05.9-08.3 | 1651 | 92.9 | 91.7-94.1 |
| White/Non-Hisp | 1567 | 1,852,166 | 199 | 7.8 | 06.4-09.2 | 1368 | 92.2 | 90.8-93.6 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 14 | 5.2 | 01.5-08.9 | 179 | 94.8 | 91.1-98.5 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 |
| 25-34 | 165 | 422,793 | | | | 165 | 100.0 | 0100-0100 |
| 35-44 | 176 | 410,826 | 4 | 1.9 | 00.0-04.1 | 172 | 98.1 | 95.9-0100 |
| 45-54 | 309 | 434,483 | 26 | 6.6 | 03.7-09.5 | 283 | 93.4 | 90.5-96.3 |
| 55-64 | 449 | 398,453 | 44 | 9.2 | 05.9-12.5 | 405 | 90.8 | 87.5-94.1 |
| 65+ | 668 | 439,433 | 150 | 22.8 | 18.7-26.9 | 518 | 77.2 | 73.1-81.3 |
| Less Than H.S. | 230 | 388,177 | 46 | 12.7 | 08.0-17.4 | 184 | 87.3 | 82.6-92.0 |
| H.S. or G.E.D. | 620 | 805,183 | 69 | 6.5 | 04.5-08.5 | 551 | 93.5 | 91.5-95.5 |
| Some Post-H.S. | 444 | 699,816 | 50 | 5.7 | 03.5-07.9 | 394 | 94.3 | 92.1-96.5 |
| College Graduate | 571 | 525,931 | 60 | 6.2 | 04.2-08.2 | 511 | 93.8 | 91.8-95.8 |
| Less than \$15,000 | 212 | 242,986 | 36 | 10.7 | 06.4-15.0 | 176 | 89.3 | 85.0-93.6 |
| \$15,000- 24,999 | 286 | 363,360 | 42 | 8.3 | 05.0-11.6 | 244 | 91.7 | 88.4-95.0 |
| \$25,000- 34,999 | 192 | 252,026 | 25 | 8.5 | 04.2-12.8 | 167 | 91.5 | 87.2-95.8 |
| \$35,000- 49,999 | 269 | 359,607 | 32 | 6.4 | 03.7-09.1 | 237 | 93.6 | 90.9-96.3 |
| \$50,000- 74,999 | 236 | 306,505 | 28 | 6.5 | 03.6-09.4 | 208 | 93.5 | 90.6-96.4 |
| \$75,000+ | 380 | 518,787 | 23 | 4.3 | 02.1-06.5 | 357 | 95.7 | 93.5-97.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3245 | 2,609,726 | 199 | 4.4 | 03.6-05.2 | 3046 | 95.6 | 94.8-96.4 |
| White/Non-Hisp | 2671 | 1,986,943 | 162 | 4.1 | 03.1-05.1 | 2509 | 95.9 | 94.9-96.9 |
| Black or Afr. Am./Non-Hisp | 433 | 432,881 | 26 | 5.4 | 02.5-08.3 | 407 | 94.6 | 91.7-97.5 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 6 | 6.4 | 00.0-12.9 | 50 | 93.6 | 87.1-0100 |
| 18-24 | 113 | 307,609 | | | | 113 | 100.0 | 0100-0100 |
| 25-34 | 238 | 425,126 | 2 | 0.7 | 00.0-01.9 | 236 | 99.3 | 98.1-0100 |
| 35-44 | 303 | 413,403 | 4 | 2.0 | 00.0-04.4 | 299 | 98.0 | 95.6-0100 |
| 45-54 | 509 | 448,141 | 29 | 6.7 | 03.8-09.6 | 480 | 93.3 | 90.4-96.2 |
| 55-64 | 706 | 428,845 | 34 | 5.1 | 02.9-07.3 | 672 | 94.9 | 92.7-97.1 |
| 65+ | 1326 | 559,738 | 129 | 9.0 | 07.0-11.0 | 1197 | 91.0 | 89.0-93.0 |
| Less Than H.S. | 414 | 407,056 | 48 | 8.8 | 05.5-12.1 | 366 | 91.2 | 87.9-94.5 |
| H.S. or G.E.D. | 1134 | 871,617 | 66 | 3.3 | 02.3-04.3 | 1068 | 96.7 | 95.7-97.7 |
| Some Post-H.S. | 811 | 758,452 | 47 | 4.6 | 02.8-06.4 | 764 | 95.4 | 93.6-97.2 |
| College Graduate | 856 | 552,819 | 35 | 2.1 | 01.3-02.9 | 821 | 97.9 | 97.1-98.7 |
| Less than \$15,000 | 466 | 349,391 | 54 | 8.2 | 05.1-11.3 | 412 | 91.8 | 88.7-94.9 |
| \$15,000- 24,999 | 582 | 457,002 | 52 | 8.2 | 05.1-11.3 | 530 | 91.8 | 88.7-94.9 |
| \$25,000- 34,999 | 335 | 249,196 | 19 | 3.8 | 01.6-06.0 | 316 | 96.2 | 94.0-98.4 |
| \$35,000- 49,999 | 339 | 282,689 | 11 | 1.8 | 00.4-03.2 | 328 | 98.2 | 96.8-99.6 |
| \$50,000- 74,999 | 298 | 268,643 | 11 | 3.1 | 00.4-05.8 | 287 | 96.9 | 94.2-99.6 |
| \$75,000+ | 454 | 425,825 | 1 | 0.1 | 00.0-00.3 | 453 | 99.9 | 99.7-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5085 | 5,031,402 | 437 | 5.6 | 04.8-06.4 | 4648 | 94.4 | 93.6-95.2 |
| Male | 1860 | 2,424,414 | 200 | 6.4 | 05.2-07.6 | 1660 | 93.6 | 92.4-94.8 |
| Female | 3225 | 2,606,988 | 237 | 4.8 | 04.0-05.6 | 2988 | 95.2 | 94.4-96.0 |
| White/Non-Hisp | 4207 | 3,829,613 | 384 | 5.9 | 05.1-06.7 | 3823 | 94.1 | 93.3-94.9 |
| Black or Afr. Am./Non-Hisp | 622 | 792,696 | 35 | 3.6 | 02.0-05.2 | 587 | 96.4 | 94.8-98.0 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 8 | 8.1 | 01.4-14.8 | 89 | 91.9 | 85.2-98.6 |
| Hispanic | 61 | 147,753 | 3 | 6.0 | 00.0-14.2 | 58 | 94.0 | 85.8-0100 |
| 18-24 | 206 | 628,213 | | | | 206 | 100.0 | 0100-0100 |
| 25-34 | 404 | 850,347 | 2 | 1.0 | 00.0-02.6 | 402 | 99.0 | 97.4-0100 |
| 35-44 | 481 | 831,703 | 9 | 1.3 | 00.3-02.3 | 472 | 98.7 | 97.7-99.7 |
| 45-54 | 811 | 875,032 | 44 | 5.3 | 03.3-07.3 | 767 | 94.7 | 92.7-96.7 |
| 55-64 | 1148 | 822,825 | 108 | 9.4 | 07.2-11.6 | 1040 | 90.6 | 88.4-92.8 |
| 65+ | 1970 | 987,543 | 273 | 13.8 | 11.8-15.8 | 1697 | 86.2 | 84.2-88.2 |
| Less Than H.S. | 632 | 785,554 | 70 | 8.1 | 05.4-10.8 | 562 | 91.9 | 89.2-94.6 |
| H.S. or G.E.D. | 1740 | 1,674,209 | 155 | 5.5 | 04.3-06.7 | 1585 | 94.5 | 93.3-95.7 |
| Some Post-H.S. | 1250 | 1,458,381 | 117 | 5.5 | 04.3-06.7 | 1133 | 94.5 | 93.3-95.7 |
| College Graduate | 1423 | 1,077,116 | 91 | 3.8 | 02.8-04.8 | 1332 | 96.2 | 95.2-97.2 |
| Less than \$15,000 | 668 | 585,258 | 90 | 9.9 | 06.6-13.2 | 578 | 90.1 | 86.8-93.4 |
| \$15,000- 24,999 | 859 | 820,978 | 101 | 7.8 | 05.8-09.8 | 758 | 92.2 | 90.2-94.2 |
| \$25,000- 34,999 | 524 | 501,178 | 52 | 5.7 | 03.7-07.7 | 472 | 94.3 | 92.3-96.3 |
| \$35,000- 49,999 | 605 | 638,912 | 45 | 5.3 | 03.3-07.3 | 560 | 94.7 | 92.7-96.7 |
| \$50,000- 74,999 | 532 | 573,653 | 40 | 4.8 | 02.8-06.8 | 492 | 95.2 | 93.2-97.2 |
| \$75,000+ | 831 | 943,523 | 36 | 2.7 | 01.5-03.9 | 795 | 97.3 | 96.1-98.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1860 | 2,424,414 | 200 | 6.4 | 05.2-07.6 | 1660 | 93.6 | 92.4-94.8 |
| White/Non-Hisp | 1554 | 1,843,787 | 181 | 6.8 | 05.6-08.0 | 1373 | 93.2 | 92.0-94.4 |
| Black or Afr. Am./Non-Hisp | 191 | 361,169 | 11 | 3.9 | 01.0-06.8 | 180 | 96.1 | 93.2-99.0 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 |
| 25-34 | 165 | 422,793 | 1 | 1.5 | 00.0-04.2 | 164 | 98.5 | 95.8-0100 |
| 35-44 | 176 | 410,826 | 2 | 0.9 | 00.0-02.3 | 174 | 99.1 | 97.7-0100 |
| 45-54 | 306 | 430,255 | 21 | 5.3 | 02.6-08.0 | 285 | 94.7 | 92.0-97.4 |
| 55-64 | 445 | 396,589 | 58 | 12.0 | 08.5-15.5 | 387 | 88.0 | 84.5-91.5 |
| 65+ | 659 | 434,358 | 118 | 17.3 | 13.8-20.8 | 541 | 82.7 | 79.2-86.2 |
| Less Than H.S. | 225 | 381,808 | 24 | 7.8 | 03.3-12.3 | 201 | 92.2 | 87.7-96.7 |
| H.S. or G.E.D. | 613 | 802,796 | 68 | 6.8 | 04.8-08.8 | 545 | 93.2 | 91.2-95.2 |
| Some Post-H.S. | 441 | 698,140 | 50 | 5.8 | 03.8-07.8 | 391 | 94.2 | 92.2-96.2 |
| College Graduate | 570 | 525,195 | 58 | 5.7 | 03.9-07.5 | 512 | 94.3 | 92.5-96.1 |
| Less than \$15,000 | 206 | 239,032 | 26 | 10.9 | 04.6-17.2 | 180 | 89.1 | 82.8-95.4 |
| \$15,000- 24,999 | 283 | 361,103 | 40 | 8.0 | 04.7-11.3 | 243 | 92.0 | 88.7-95.3 |
| \$25,000- 34,999 | 190 | 250,039 | 27 | 7.9 | 04.4-11.4 | 163 | 92.1 | 88.6-95.6 |
| \$35,000- 49,999 | 267 | 357,723 | 26 | 6.2 | 03.3-09.1 | 241 | 93.8 | 90.9-96.7 |
| \$50,000- 74,999 | 235 | 305,226 | 28 | 6.7 | 03.6-09.8 | 207 | 93.3 | 90.2-96.4 |
| \$75,000+ | 378 | 518,103 | 28 | 3.9 | 02.1-05.7 | 350 | 96.1 | 94.3-97.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3225 | 2,606,988 | 237 | 4.8 | 04.0-05.6 | 2988 | 95.2 | 94.4-96.0 |
| White/Non-Hisp | 2653 | 1,985,826 | 203 | 5.1 | 04.1-06.1 | 2450 | 94.9 | 93.9-95.9 |
| Black or Afr. Am./Non-Hisp | 431 | 431,527 | 24 | 3.3 | 01.5-05.1 | 407 | 96.7 | 94.9-98.5 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 4 | 5.9 | 00.0-12.4 | 52 | 94.1 | 87.6-0100 |
| 18-24 | 113 | 307,609 | | | | 113 | 100.0 | 0100-0100 |
| 25-34 | 239 | 427,554 | 1 | 0.5 | 00.0-01.5 | 238 | 99.5 | 98.5-0100 |
| 35-44 | 305 | 420,877 | 7 | 1.6 | 00.2-03.0 | 298 | 98.4 | 97.0-99.8 |
| 45-54 | 505 | 444,777 | 23 | 5.2 | 02.7-07.7 | 482 | 94.8 | 92.3-97.3 |
| 55-64 | 703 | 426,237 | 50 | 7.1 | 04.6-09.6 | 653 | 92.9 | 90.4-95.4 |
| 65+ | 1311 | 553,185 | 155 | 11.1 | 08.9-13.3 | 1156 | 88.9 | 86.7-91.1 |
| Less Than H.S. | 407 | 403,746 | 46 | 8.3 | 05.0-11.6 | 361 | 91.7 | 88.4-95.0 |
| H.S. or G.E.D. | 1127 | 871,413 | 87 | 4.3 | 03.1-05.5 | 1040 | 95.7 | 94.5-96.9 |
| Some Post-H.S. | 809 | 760,241 | 67 | 5.2 | 03.6-06.8 | 742 | 94.8 | 93.2-96.4 |
| College Graduate | 853 | 551,921 | 33 | 2.1 | 01.3-02.9 | 820 | 97.9 | 97.1-98.7 |
| Less than \$15,000 | 462 | 346,226 | 64 | 9.3 | 06.0-12.6 | 398 | 90.7 | 87.4-94.0 |
| \$15,000- 24,999 | 576 | 459,875 | 61 | 7.7 | 05.2-10.2 | 515 | 92.3 | 89.8-94.8 |
| \$25,000- 34,999 | 334 | 251,139 | 25 | 3.5 | 01.7-05.3 | 309 | 96.5 | 94.7-98.3 |
| \$35,000- 49,999 | 338 | 281,189 | 19 | 4.3 | 02.1-06.5 | 319 | 95.7 | 93.5-97.9 |
| \$50,000- 74,999 | 297 | 268,427 | 12 | 2.7 | 00.5-04.9 | 285 | 97.3 | 95.1-99.5 |
| \$75,000+ | 453 | 425,420 | 8 | 1.2 | 00.2-02.2 | 445 | 98.8 | 97.8-99.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5122 | 5,049,485 | 342 | 4.2 | 03.6-04.8 | 4780 | 95.8 | 95.2-96.4 |
| Male | 1875 | 2,433,357 | 123 | 4.2 | 03.2-05.2 | 1752 | 95.8 | 94.8-96.8 |
| Female | 3247 | 2,616,129 | 219 | 4.2 | 03.4-05.0 | 3028 | 95.8 | 95.0-96.6 |
| White/Non-Hisp | 4243 | 3,850,687 | 280 | 4.1 | 03.5-04.7 | 3963 | 95.9 | 95.3-96.5 |
| Black or Afr. Am./Non-Hisp | 624 | 793,001 | 44 | 4.3 | 02.5-06.1 | 580 | 95.7 | 93.9-97.5 |
| Oth. Race/Non-Hisp. | 95 | 123,980 | 12 | 9.2 | 03.3-15.1 | 83 | 90.8 | 84.9-96.7 |
| Hispanic | 61 | 147,753 | 2 | 3.4 | 00.0-08.5 | 59 | 96.6 | 91.5-0100 |
| 18-24 | 206 | 628,213 | 2 | 0.7 | 00.0-01.9 | 204 | 99.3 | 98.1-0100 |
| 25-34 | 405 | 851,588 | 3 | 0.6 | 00.0-01.4 | 402 | 99.4 | 98.6-0100 |
| 35-44 | 481 | 831,703 | 8 | 0.9 | 00.1-01.7 | 473 | 99.1 | 98.3-99.9 |
| 45-54 | 815 | 876,091 | 43 | 4.7 | 02.9-06.5 | 772 | 95.3 | 93.5-97.1 |
| 55-64 | 1154 | 826,997 | 88 | 7.4 | 05.4-09.4 | 1066 | 92.6 | 90.6-94.6 |
| 65+ | 1996 | 999,335 | 193 | 8.9 | 07.3-10.5 | 1803 | 91.1 | 89.5-92.7 |
| Less Than H.S. | 645 | 795,553 | 81 | 8.4 | 05.9-10.9 | 564 | 91.6 | 89.1-94.1 |
| H.S. or G.E.D. | 1752 | 1,677,610 | 123 | 4.4 | 03.4-05.4 | 1629 | 95.6 | 94.6-96.6 |
| Some Post-H.S. | 1255 | 1,460,736 | 77 | 3.1 | 02.1-04.1 | 1178 | 96.9 | 95.9-97.9 |
| College Graduate | 1430 | 1,079,626 | 56 | 2.1 | 01.5-02.7 | 1374 | 97.9 | 97.3-98.5 |
| Less than \$15,000 | 676 | 584,491 | 95 | 9.8 | 07.1-12.5 | 581 | 90.2 | 87.5-92.9 |
| \$15,000- 24,999 | 867 | 825,178 | 88 | 6.3 | 04.3-08.3 | 779 | 93.7 | 91.7-95.7 |
| \$25,000- 34,999 | 529 | 505,192 | 30 | 4.1 | 02.3-05.9 | 499 | 95.9 | 94.1-97.7 |
| \$35,000- 49,999 | 608 | 641,451 | 24 | 1.9 | 00.9-02.9 | 584 | 98.1 | 97.1-99.1 |
| \$50,000- 74,999 | 535 | 575,451 | 18 | 1.7 | 00.9-02.5 | 517 | 98.3 | 97.5-99.1 |
| \$75,000+ | 834 | 944,612 | 14 | 1.5 | 00.5-02.5 | 820 | 98.5 | 97.5-99.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1875 | 2,433,357 | 123 | 4.2 | 03.2-05.2 | 1752 | 95.8 | 94.8-96.8 |
| White/Non-Hisp | 1568 | 1,852,510 | 105 | 4.5 | 03.3-05.7 | 1463 | 95.5 | 94.3-96.7 |
| Black or Afr. Am./Non-Hisp | 191 | 361,100 | 10 | 3.7 | 01.0-06.4 | 181 | 96.3 | 93.6-99.0 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 |
| 25-34 | 165 | 422,793 | 1 | 0.5 | 00.0-01.5 | 164 | 99.5 | 98.5-0100 |
| 35-44 | 176 | 410,826 | 2 | 0.9 | 00.0-02.3 | 174 | 99.1 | 97.7-0100 |
| 45-54 | 309 | 432,674 | 14 | 4.7 | 02.0-07.4 | 295 | 95.3 | 92.6-98.0 |
| 55-64 | 450 | 399,741 | 36 | 8.6 | 05.3-11.9 | 414 | 91.4 | 88.1-94.7 |
| 65+ | 666 | 437,728 | 70 | 9.5 | 06.8-12.2 | 596 | 90.5 | 87.8-93.2 |
| Less Than H.S. | 228 | 385,453 | 39 | 10.6 | 06.3-14.9 | 189 | 89.4 | 85.1-93.7 |
| H.S. or G.E.D. | 618 | 804,639 | 33 | 3.8 | 02.2-05.4 | 585 | 96.2 | 94.6-97.8 |
| Some Post-H.S. | 444 | 699,816 | 26 | 2.7 | 01.3-04.1 | 418 | 97.3 | 95.9-98.7 |
| College Graduate | 574 | 526,973 | 24 | 1.9 | 00.9-02.9 | 550 | 98.1 | 97.1-99.1 |
| Less than \$15,000 | 209 | 240,037 | 28 | 10.6 | 05.7-15.5 | 181 | 89.4 | 84.5-94.3 |
| \$15,000- 24,999 | 285 | 363,210 | 31 | 6.4 | 03.3-09.5 | 254 | 93.6 | 90.5-96.7 |
| \$25,000- 34,999 | 192 | 252,026 | 12 | 3.8 | 01.3-06.3 | 180 | 96.2 | 93.7-98.7 |
| \$35,000- 49,999 | 269 | 358,762 | 11 | 1.7 | 00.3-03.1 | 258 | 98.3 | 96.9-99.7 |
| \$50,000- 74,999 | 237 | 306,808 | 10 | 1.9 | 00.5-03.3 | 227 | 98.1 | 96.7-99.5 |
| \$75,000+ | 380 | 518,787 | 9 | 2.3 | 00.3-04.3 | 371 | 97.7 | 95.7-99.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3247 | 2,616,129 | 219 | 4.2 | 03.4-05.0 | 3028 | 95.8 | 95.0-96.6 |
| White/Non-Hisp | 2675 | 1,998,177 | 175 | 3.8 | 03.0-04.6 | 2500 | 96.2 | 95.4-97.0 |
| Black or Afr. Am./Non-Hisp | 433 | 431,901 | 34 | 4.8 | 02.6-07.0 | 399 | 95.2 | 93.0-97.4 |
| Oth. Race/Non-Hisp. | 54 | 69,325 | 7 | 11.4 | 02.2-20.6 | 47 | 88.6 | 79.4-97.8 |
| 18-24 | 113 | 307,609 | 2 | 1.4 | 00.0-03.8 | 111 | 98.6 | 96.2-0100 |
| 25-34 | 240 | 428,795 | 2 | 0.6 | 00.0-01.6 | 238 | 99.4 | 98.4-0100 |
| 35-44 | 305 | 420,877 | 6 | 0.9 | 00.1-01.7 | 299 | 99.1 | 98.3-99.9 |
| 45-54 | 506 | 443,416 | 29 | 4.7 | 02.7-06.7 | 477 | 95.3 | 93.3-97.3 |
| 55-64 | 704 | 427,256 | 52 | 6.3 | 04.1-08.5 | 652 | 93.7 | 91.5-95.9 |
| 65+ | 1330 | 561,607 | 123 | 8.5 | 06.5-10.5 | 1207 | 91.5 | 89.5-93.5 |
| Less Than H.S. | 417 | 410,100 | 42 | 6.2 | 03.7-08.7 | 375 | 93.8 | 91.3-96.3 |
| H.S. or G.E.D. | 1134 | 872,971 | 90 | 5.0 | 03.6-06.4 | 1044 | 95.0 | 93.6-96.4 |
| Some Post-H.S. | 811 | 760,920 | 51 | 3.4 | 02.2-04.6 | 760 | 96.6 | 95.4-97.8 |
| College Graduate | 856 | 552,653 | 32 | 2.2 | 01.2-03.2 | 824 | 97.8 | 96.8-98.8 |
| Less than \$15,000 | 467 | 344,454 | 67 | 9.3 | 06.2-12.4 | 400 | 90.7 | 87.6-93.8 |
| \$15,000- 24,999 | 582 | 461,968 | 57 | 6.2 | 03.8-08.6 | 525 | 93.8 | 91.4-96.2 |
| \$25,000- 34,999 | 337 | 253,166 | 18 | 4.4 | 01.9-06.9 | 319 | 95.6 | 93.1-98.1 |
| \$35,000- 49,999 | 339 | 282,689 | 13 | 2.2 | 00.8-03.6 | 326 | 97.8 | 96.4-99.2 |
| \$50,000- 74,999 | 298 | 268,643 | 8 | 1.5 | 00.3-02.7 | 290 | 98.5 | 97.3-99.7 |
| \$75,000+ | 454 | 425,825 | 5 | 0.6 | 00.0-01.2 | 449 | 99.4 | 98.8-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5119 | 5,044,457 | 702 | 14.4 | 13.0-15.8 | 4417 | 85.6 | 84.2-87.0 |
| Male | 1873 | 2,426,315 | 199 | 11.9 | 09.7-14.1 | 1674 | 88.1 | 85.9-90.3 |
| Female | 3246 | 2,618,142 | 503 | 16.7 | 14.7-18.7 | 2743 | 83.3 | 81.3-85.3 |
| White/Non-Hisp | 4239 | 3,844,010 | 574 | 14.1 | 12.5-15.7 | 3665 | 85.9 | 84.3-87.5 |
| Black or Afr. Am./Non-Hisp | 624 | 792,009 | 80 | 12.7 | 08.8-16.6 | 544 | 87.3 | 83.4-91.2 |
| Oth. Race/Non-Hisp. | 96 | 126,960 | 13 | 17.6 | 07.2-28.0 | 83 | 82.4 | 72.0-92.8 |
| Hispanic | 61 | 147,753 | 10 | 12.6 | 04.2-21.0 | 51 | 87.4 | 79.0-95.8 |
| 18-24 | 205 | 624,002 | 50 | 23.6 | 16.9-30.3 | 155 | 76.4 | 69.7-83.1 |
| 25-34 | 405 | 851,588 | 47 | 11.8 | 08.1-15.5 | 358 | 88.2 | 84.5-91.9 |
| 35-44 | 480 | 830,643 | 72 | 14.3 | 10.2-18.4 | 408 | 85.7 | 81.6-89.8 |
| 45-54 | 814 | 877,063 | 117 | 12.7 | 10.0-15.4 | 697 | 87.3 | 84.6-90.0 |
| 55-64 | 1155 | 826,833 | 167 | 14.5 | 12.0-17.0 | 988 | 85.5 | 83.0-88.0 |
| 65+ | 1996 | 998,932 | 241 | 12.0 | 10.2-13.8 | 1755 | 88.0 | 86.2-89.8 |
| Less Than H.S. | 647 | 801,576 | 136 | 20.1 | 15.6-24.6 | 511 | 79.9 | 75.4-84.4 |
| H.S. or G.E.D. | 1753 | 1,671,803 | 251 | 15.6 | 13.1-18.1 | 1502 | 84.4 | 81.9-86.9 |
| Some Post-H.S. | 1253 | 1,458,209 | 163 | 12.9 | 10.2-15.6 | 1090 | 87.1 | 84.4-89.8 |
| College Graduate | 1426 | 1,076,909 | 146 | 9.8 | 07.8-11.8 | 1280 | 90.2 | 88.2-92.2 |
| Less than \$15,000 | 679 | 592,210 | 156 | 24.2 | 19.5-28.9 | 523 | 75.8 | 71.1-80.5 |
| \$15,000- 24,999 | 869 | 824,694 | 130 | 14.6 | 11.3-17.9 | 739 | 85.4 | 82.1-88.7 |
| \$25,000- 34,999 | 525 | 501,249 | 66 | 15.3 | 10.4-20.2 | 459 | 84.7 | 79.8-89.6 |
| \$35,000- 49,999 | 606 | 641,571 | 64 | 10.8 | 07.5-14.1 | 542 | 89.2 | 85.9-92.5 |
| \$50,000- 74,999 | 535 | 575,451 | 67 | 12.8 | 08.9-16.7 | 468 | 87.2 | 83.3-91.1 |
| \$75,000+ | 832 | 942,459 | 61 | 9.0 | 05.5-12.5 | 771 | 91.0 | 87.5-94.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1873 | 2,426,315 | 199 | 11.9 | 09.7-14.1 | 1674 | 88.1 | 85.9-90.3 |
| White/Non-Hisp | 1565 | 1,847,111 | 162 | 11.6 | 09.2-14.0 | 1403 | 88.4 | 86.0-90.8 |
| Black or Afr. Am./Non-Hisp | 192 | 359,458 | 18 | 11.3 | 04.6-18.0 | 174 | 88.7 | 82.0-95.4 |
| 18-24 | 92 | 316,393 | 21 | 24.3 | 14.5-34.1 | 71 | 75.7 | 65.9-85.5 |
| 25-34 | 165 | 422,793 | 14 | 9.3 | 03.8-14.8 | 151 | 90.7 | 85.2-96.2 |
| 35-44 | 176 | 410,826 | 19 | 11.0 | 04.7-17.3 | 157 | 89.0 | 82.7-95.3 |
| 45-54 | 308 | 431,667 | 32 | 9.2 | 05.3-13.1 | 276 | 90.8 | 86.9-94.7 |
| 55-64 | 449 | 398,141 | 50 | 11.4 | 07.9-14.9 | 399 | 88.6 | 85.1-92.1 |
| 65+ | 667 | 437,505 | 61 | 9.4 | 06.7-12.1 | 606 | 90.6 | 87.9-93.3 |
| Less Than H.S. | 229 | 387,872 | 43 | 16.9 | 10.2-23.6 | 186 | 83.1 | 76.4-89.8 |
| H.S. or G.E.D. | 617 | 797,871 | 70 | 14.2 | 10.1-18.3 | 547 | 85.8 | 81.7-89.9 |
| Some Post-H.S. | 443 | 698,216 | 43 | 10.2 | 05.9-14.5 | 400 | 89.8 | 85.5-94.1 |
| College Graduate | 573 | 525,880 | 41 | 6.6 | 04.2-09.0 | 532 | 93.4 | 91.0-95.8 |
| Less than \$15,000 | 211 | 242,682 | 36 | 17.7 | 10.6-24.8 | 175 | 82.3 | 75.2-89.4 |
| \$15,000- 24,999 | 285 | 361,760 | 36 | 10.9 | 06.2-15.6 | 249 | 89.1 | 84.4-93.8 |
| \$25,000- 34,999 | 191 | 250,570 | 25 | 15.4 | 08.0-22.8 | 166 | 84.6 | 77.2-92.0 |
| \$35,000- 49,999 | 270 | 360,218 | 26 | 11.2 | 06.1-16.3 | 244 | 88.8 | 83.7-93.9 |
| \$50,000- 74,999 | 237 | 306,808 | 20 | 8.2 | 03.5-12.9 | 217 | 91.8 | 87.1-96.5 |
| \$75,000+ | 379 | 517,694 | 17 | 8.2 | 02.7-13.7 | 362 | 91.8 | 86.3-97.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3246 | 2,618,142 | 503 | 16.7 | 14.7-18.7 | 2743 | 83.3 | 81.3-85.3 |
| White/Non-Hisp | 2674 | 1,996,899 | 412 | 16.4 | 14.4-18.4 | 2262 | 83.6 | 81.6-85.6 |
| Black or Afr. Am./Non-Hisp | 432 | 432,552 | 62 | 13.8 | 08.9-18.7 | 370 | 86.2 | 81.3-91.1 |
| Oth. Race/Non-Hisp. | 55 | 72,306 | 6 | 14.6 | 01.9-27.3 | 49 | 85.4 | 72.7-98.1 |
| 18-24 | 113 | 307,609 | 29 | 23.0 | 14.2-31.8 | 84 | 77.0 | 68.2-85.8 |
| 25-34 | 240 | 428,795 | 33 | 14.3 | 09.0-19.6 | 207 | 85.7 | 80.4-91.0 |
| 35-44 | 304 | 419,817 | 53 | 17.6 | 12.3-22.9 | 251 | 82.4 | 77.1-87.7 |
| 45-54 | 506 | 445,395 | 85 | 16.1 | 12.2-20.0 | 421 | 83.9 | 80.0-87.8 |
| 55-64 | 706 | 428,692 | 117 | 17.3 | 13.8-20.8 | 589 | 82.7 | 79.2-86.2 |
| 65+ | 1329 | 561,428 | 180 | 14.0 | 11.6-16.4 | 1149 | 86.0 | 83.6-88.4 |
| Less Than H.S. | 418 | 413,703 | 93 | 23.1 | 17.0-29.2 | 325 | 76.9 | 70.8-83.0 |
| H.S. or G.E.D. | 1136 | 873,932 | 181 | 16.9 | 13.8-20.0 | 955 | 83.1 | 80.0-86.2 |
| Some Post-H.S. | 810 | 759,993 | 120 | 15.3 | 11.8-18.8 | 690 | 84.7 | 81.2-88.2 |
| College Graduate | 853 | 551,029 | 105 | 12.8 | 09.7-15.9 | 748 | 87.2 | 84.1-90.3 |
| Less than \$15,000 | 468 | 349,528 | 120 | 28.7 | 22.4-35.0 | 348 | 71.3 | 65.0-77.6 |
| \$15,000- 24,999 | 584 | 462,934 | 94 | 17.5 | 12.8-22.2 | 490 | 82.5 | 77.8-87.2 |
| \$25,000- 34,999 | 334 | 250,678 | 41 | 15.1 | 08.8-21.4 | 293 | 84.9 | 78.6-91.2 |
| \$35,000- 49,999 | 336 | 281,353 | 38 | 10.3 | 06.2-14.4 | 298 | 89.7 | 85.6-93.8 |
| \$50,000- 74,999 | 298 | 268,643 | 47 | 18.1 | 11.8-24.4 | 251 | 81.9 | 75.6-88.2 |
| \$75,000+ | 453 | 424,765 | 44 | 10.0 | 05.9-14.1 | 409 | 90.0 | 85.9-94.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 681 | 701,739 | 482 | 63.9 | 58.4-69.4 | 199 | 36.1 | 30.6-41.6 |
| Male | 192 | 274,125 | 123 | 52.0 | 41.8-62.2 | 69 | 48.0 | 37.8-58.2 |
| Female | 489 | 427,614 | 359 | 71.5 | 65.8-77.2 | 130 | 28.5 | 22.8-34.2 |
| White/Non-Hisp | 557 | 522,477 | 397 | 64.6 | 58.3-70.9 | 160 | 35.4 | 29.1-41.7 |
| Black or Afr. Am./Non-Hisp | 78 | 99,021 | 53 | 60.3 | 43.2-77.4 | 25 | 39.7 | 22.6-56.8 |
| 35-44 | 68 | 111,895 | 43 | 51.4 | 35.1-67.7 | 25 | 48.6 | 32.3-64.9 |
| 45-54 | 112 | 106,911 | 78 | 64.1 | 52.5-75.7 | 34 | 35.9 | 24.3-47.5 |
| 55-64 | 163 | 116,955 | 116 | 71.3 | 63.1-79.5 | 47 | 28.7 | 20.5-36.9 |
| 65+ | 238 | 119,349 | 183 | 79.1 | 73.0-85.2 | 55 | 20.9 | 14.8-27.0 |
| Less Than H.S. | 132 | 155,962 | 105 | 77.3 | 65.1-89.5 | 27 | 22.7 | 10.5-34.9 |
| H.S. or G.E.D. | 242 | 250,087 | 173 | 59.8 | 50.4-69.2 | 69 | 40.2 | 30.8-49.6 |
| Some Post-H.S. | 161 | 186,097 | 111 | 61.9 | 50.1-73.7 | 50 | 38.1 | 26.3-49.9 |
| College Graduate | 142 | 103,037 | 89 | 54.7 | 43.7-65.7 | 53 | 45.3 | 34.3-56.3 |
| Less than \$15,000 | 149 | 135,556 | 115 | 73.0 | 62.2-83.8 | 34 | 27.0 | 16.2-37.8 |
| \$15,000- 24,999 | 127 | 118,410 | 101 | 73.9 | 61.6-86.2 | 26 | 26.1 | 13.8-38.4 |
| \$25,000- 34,999 | 66 | 76,475 | 47 | 72.8 | 58.3-87.3 | 19 | 27.2 | 12.7-41.7 |
| \$35,000- 49,999 | 61 | 65,953 | 42 | 60.3 | 43.6-77.0 | 19 | 39.7 | 23.0-56.4 |
| \$50,000- 74,999 | 65 | 72,118 | 39 | 51.2 | 35.1-67.3 | 26 | 48.8 | 32.7-64.9 |
| \$75,000+ | 61 | 84,631 | 32 | 42.2 | 23.0-61.4 | 29 | 57.8 | 38.6-77.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 192 | 274,125 | 123 | 52.0 | 42.0-62.0 | 69 | 48.0 | 38.0-58.0 |
| White/Non-Hisp | 157 | 202,096 | 102 | 53.8 | 42.8-64.8 | 55 | 46.2 | 35.2-57.2 |
| 65+ | 61 | 40,914 | 47 | 82.8 | 73.4-92.2 | 14 | 17.2 | 07.8-26.6 |
| H.S. or G.E.D. | 67 | 105,923 | 42 | 47.7 | 31.6-63.8 | 25 | 52.3 | 36.2-68.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 489 | 427,614 | 359 | 71.5 | 65.8-77.2 | 130 | 28.5 | 22.8-34.2 |
| White/Non-Hisp | 400 | 320,381 | 295 | 71.5 | 65.2-77.8 | 105 | 28.5 | 22.2-34.8 |
| Black or Afr. Am./Non-Hisp | 61 | 58,745 | 44 | 73.0 | 58.1-87.9 | 17 | 27.0 | 12.1-41.9 |
| 35-44 | 50 | 71,213 | 35 | 65.1 | 48.6-81.6 | 15 | 34.9 | 18.4-51.4 |
| 45-54 | 81 | 69,527 | 57 | 68.2 | 55.3-81.1 | 24 | 31.8 | 18.9-44.7 |
| 55-64 | 116 | 74,121 | 84 | 71.0 | 60.6-81.4 | 32 | 29.0 | 18.6-39.4 |
| 65+ | 177 | 78,435 | 136 | 77.2 | 69.8-84.6 | 41 | 22.8 | 15.4-30.2 |
| Less Than H.S. | 91 | 93,114 | 74 | 81.4 | 69.4-93.4 | 17 | 18.6 | 06.6-30.6 |
| H.S. or G.E.D. | 175 | 144,164 | 131 | 68.7 | 58.3-79.1 | 44 | 31.3 | 20.9-41.7 |
| Some Post-H.S. | 119 | 116,362 | 88 | 75.3 | 65.5-85.1 | 31 | 24.7 | 14.9-34.5 |
| College Graduate | 101 | 68,125 | 63 | 55.0 | 41.5-68.5 | 38 | 45.0 | 31.5-58.5 |
| Less than \$15,000 | 116 | 98,573 | 93 | 76.1 | 63.8-88.4 | 23 | 23.9 | 11.6-36.2 |
| \$15,000- 24,999 | 92 | 79,425 | 74 | 80.3 | 67.8-92.8 | 18 | 19.7 | 07.2-32.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5124 | 5,045,295 | 573 | 6.8 | 06.0-07.6 | 4551 | 93.2 | 92.4-94.0 |
| Male | 1875 | 2,424,737 | 233 | 6.9 | 05.7-08.1 | 1642 | 93.1 | 91.9-94.3 |
| Female | 3249 | 2,620,558 | 340 | 6.7 | 05.7-07.7 | 2909 | 93.3 | 92.3-94.3 |
| White/Non-Hisp | 4239 | 3,839,027 | 546 | 8.4 | 07.4-09.4 | 3693 | 91.6 | 90.6-92.6 |
| Black or Afr. Am./Non-Hisp | 627 | 796,667 | 5 | 0.2 | 00.0-00.4 | 622 | 99.8 | 99.6-0100 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 8 | 4.6 | 01.1-08.1 | 89 | 95.4 | 91.9-98.9 |
| Hispanic | 61 | 147,753 | 1 | 0.5 | 00.0-01.5 | 60 | 99.5 | 98.5-0100 |
| 18-24 | 206 | 628,213 | 1 | 0.4 | 00.0-01.2 | 205 | 99.6 | 98.8-0100 |
| 25-34 | 405 | 851,588 | 5 | 1.3 | 00.1-02.5 | 400 | 98.7 | 97.5-99.9 |
| 35-44 | 480 | 821,203 | 13 | 2.0 | 00.8-03.2 | 467 | 98.0 | 96.8-99.2 |
| 45-54 | 816 | 881,274 | 39 | 3.6 | 02.2-05.0 | 777 | 96.4 | 95.0-97.8 |
| 55-64 | 1153 | 826,634 | 114 | 9.8 | 07.6-12.0 | 1039 | 90.2 | 88.0-92.4 |
| 65+ | 1999 | 1,000,826 | 397 | 19.8 | 17.6-22.0 | 1602 | 80.2 | 78.0-82.4 |
| Less Than H.S. | 646 | 800,583 | 74 | 7.2 | 05.0-09.4 | 572 | 92.8 | 90.6-95.0 |
| H.S. or G.E.D. | 1757 | 1,680,890 | 205 | 7.4 | 06.0-08.8 | 1552 | 92.6 | 91.2-94.0 |
| Some Post-H.S. | 1253 | 1,449,880 | 124 | 5.4 | 04.2-06.6 | 1129 | 94.6 | 93.4-95.8 |
| College Graduate | 1428 | 1,077,981 | 168 | 7.6 | 06.0-09.2 | 1260 | 92.4 | 90.8-94.0 |
| Less than \$15,000 | 677 | 591,150 | 74 | 6.1 | 04.1-08.1 | 603 | 93.9 | 91.9-95.9 |
| \$15,000- 24,999 | 868 | 815,415 | 79 | 5.3 | 03.7-06.9 | 789 | 94.7 | 93.1-96.3 |
| \$25,000- 34,999 | 529 | 505,478 | 70 | 8.2 | 05.7-10.7 | 459 | 91.8 | 89.3-94.3 |
| \$35,000- 49,999 | 607 | 640,939 | 69 | 6.9 | 04.9-08.9 | 538 | 93.1 | 91.1-95.1 |
| \$50,000- 74,999 | 535 | 575,451 | 50 | 5.4 | 03.6-07.2 | 485 | 94.6 | 92.8-96.4 |
| \$75,000+ | 832 | 943,551 | 85 | 5.9 | 04.3-07.5 | 747 | 94.1 | 92.5-95.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1875 | 2,424,737 | 233 | 6.9 | 05.7-08.1 | 1642 | 93.1 | 91.9-94.3 |
| White/Non-Hisp | 1567 | 1,841,636 | 221 | 8.5 | 07.1-09.9 | 1346 | 91.5 | 90.1-92.9 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | | | | 193 | 100.0 | 0100-0100 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 |
| 25-34 | 165 | 422,793 | 2 | 1.3 | 00.0-03.1 | 163 | 98.7 | 96.9-0100 |
| 35-44 | 175 | 400,326 | 2 | 0.7 | 00.0-01.7 | 173 | 99.3 | 98.3-0100 |
| 45-54 | 310 | 435,093 | 14 | 3.2 | 01.2-05.2 | 296 | 96.8 | 94.8-98.8 |
| 55-64 | 447 | 397,933 | 46 | 9.2 | 05.9-12.5 | 401 | 90.8 | 87.5-94.1 |
| 65+ | 669 | 438,997 | 168 | 24.8 | 20.7-28.9 | 501 | 75.2 | 71.1-79.3 |
| Less Than H.S. | 229 | 387,863 | 33 | 8.8 | 05.1-12.5 | 196 | 91.2 | 87.5-94.9 |
| H.S. or G.E.D. | 620 | 805,369 | 70 | 6.0 | 04.2-07.8 | 550 | 94.0 | 92.2-95.8 |
| Some Post-H.S. | 443 | 689,316 | 51 | 5.5 | 03.7-07.3 | 392 | 94.5 | 92.7-96.3 |
| College Graduate | 572 | 525,715 | 79 | 9.0 | 06.5-11.5 | 493 | 91.0 | 88.5-93.5 |
| Less than \$15,000 | 212 | 242,986 | 27 | 6.5 | 03.2-09.8 | 185 | 93.5 | 90.2-96.8 |
| \$15,000- 24,999 | 285 | 352,859 | 30 | 6.2 | 03.3-09.1 | 255 | 93.8 | 90.9-96.7 |
| \$25,000- 34,999 | 191 | 251,712 | 26 | 7.3 | 03.8-10.8 | 165 | 92.7 | 89.2-96.2 |
| \$35,000- 49,999 | 268 | 358,250 | 33 | 6.6 | 03.7-09.5 | 235 | 93.4 | 90.5-96.3 |
| \$50,000- 74,999 | 237 | 306,808 | 30 | 7.1 | 04.2-10.0 | 207 | 92.9 | 90.0-95.8 |
| \$75,000+ | 379 | 518,395 | 44 | 6.3 | 03.9-08.7 | 335 | 93.7 | 91.3-96.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3249 | 2,620,558 | 340 | 6.7 | 05.7-07.7 | 2909 | 93.3 | 92.3-94.3 |
| White/Non-Hisp | 2672 | 1,997,391 | 325 | 8.4 | 07.2-09.6 | 2347 | 91.6 | 90.4-92.8 |
| Black or Afr. Am./Non-Hisp | 434 | 432,997 | 5 | 0.4 | 00.0-00.8 | 429 | 99.6 | 99.2-0100 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 5 | 4.6 | 00.1-09.1 | 51 | 95.4 | 90.9-99.9 |
| 18-24 | 113 | 307,609 | 1 | 0.8 | 00.0-02.4 | 112 | 99.2 | 97.6-0100 |
| 25-34 | 240 | 428,795 | 3 | 1.3 | 00.0-02.9 | 237 | 98.7 | 97.1-0100 |
| 35-44 | 305 | 420,877 | 11 | 3.4 | 01.2-05.6 | 294 | 96.6 | 94.4-98.8 |
| 45-54 | 506 | 446,180 | 25 | 4.0 | 02.2-05.8 | 481 | 96.0 | 94.2-97.8 |
| 55-64 | 706 | 428,701 | 68 | 10.3 | 07.4-13.2 | 638 | 89.7 | 86.8-92.6 |
| 65+ | 1330 | 561,828 | 229 | 15.9 | 13.5-18.3 | 1101 | 84.1 | 81.7-86.5 |
| Less Than H.S. | 417 | 412,721 | 41 | 5.6 | 03.4-07.8 | 376 | 94.4 | 92.2-96.6 |
| H.S. or G.E.D. | 1137 | 875,521 | 135 | 8.7 | 06.7-10.7 | 1002 | 91.3 | 89.3-93.3 |
| Some Post-H.S. | 810 | 760,564 | 73 | 5.3 | 03.7-06.9 | 737 | 94.7 | 93.1-96.3 |
| College Graduate | 856 | 552,266 | 89 | 6.2 | 04.6-07.8 | 767 | 93.8 | 92.2-95.4 |
| Less than \$15,000 | 465 | 348,164 | 47 | 5.9 | 03.5-08.3 | 418 | 94.1 | 91.7-96.5 |
| \$15,000- 24,999 | 583 | 462,555 | 49 | 4.7 | 02.9-06.5 | 534 | 95.3 | 93.5-97.1 |
| \$25,000- 34,999 | 338 | 253,767 | 44 | 9.2 | 05.5-12.9 | 294 | 90.8 | 87.1-94.5 |
| \$35,000- 49,999 | 339 | 282,689 | 36 | 7.2 | 04.3-10.1 | 303 | 92.8 | 89.9-95.7 |
| \$50,000- 74,999 | 298 | 268,643 | 20 | 3.4 | 01.6-05.2 | 278 | 96.6 | 94.8-98.4 |
| \$75,000+ | 453 | 425,156 | 41 | 5.5 | 03.5-07.5 | 412 | 94.5 | 92.5-96.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5122 | 5,047,736 | 561 | 7.4 | 06.4-08.4 | 4561 | 92.6 | 91.6-93.6 |
| Male | 1875 | 2,434,161 | 166 | 5.4 | 04.2-06.6 | 1709 | 94.6 | 93.4-95.8 |
| Female | 3247 | 2,613,575 | 395 | 9.2 | 07.8-10.6 | 2852 | 90.8 | 89.4-92.2 |
| White/Non-Hisp | 4238 | 3,844,165 | 486 | 8.3 | 07.1-09.5 | 3752 | 91.7 | 90.5-92.9 |
| Black or Afr. Am./Non-Hisp | 625 | 793,655 | 50 | 3.7 | 02.1-05.3 | 575 | 96.3 | 94.7-97.9 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 12 | 8.8 | 02.9-14.7 | 85 | 91.2 | 85.3-97.1 |
| Hispanic | 61 | 147,753 | | | | 61 | 100.0 | 0100-0100 |
| 18-24 | 206 | 628,213 | 1 | 1.4 | 00.0-04.1 | 205 | 98.6 | 95.9-0100 |
| 25-34 | 403 | 848,831 | 15 | 3.2 | 01.2-05.2 | 388 | 96.8 | 94.8-98.8 |
| 35-44 | 479 | 827,228 | 14 | 3.8 | 01.4-06.2 | 465 | 96.2 | 93.8-98.6 |
| 45-54 | 817 | 881,614 | 60 | 6.1 | 04.3-07.9 | 757 | 93.9 | 92.1-95.7 |
| 55-64 | 1151 | 824,739 | 119 | 10.8 | 08.3-13.3 | 1032 | 89.2 | 86.7-91.7 |
| 65+ | 2001 | 1,001,553 | 350 | 16.1 | 14.1-18.1 | 1651 | 83.9 | 81.9-85.9 |
| Less Than H.S. | 644 | 797,317 | 90 | 11.1 | 07.6-14.6 | 554 | 88.9 | 85.4-92.4 |
| H.S. or G.E.D. | 1757 | 1,678,011 | 208 | 6.9 | 05.5-08.3 | 1549 | 93.1 | 91.7-94.5 |
| Some Post-H.S. | 1253 | 1,458,009 | 127 | 7.0 | 05.4-08.6 | 1126 | 93.0 | 91.4-94.6 |
| College Graduate | 1428 | 1,078,439 | 133 | 6.0 | 04.6-07.4 | 1295 | 94.0 | 92.6-95.4 |
| Less than \$15,000 | 681 | 592,035 | 87 | 8.5 | 05.8-11.2 | 594 | 91.5 | 88.8-94.2 |
| \$15,000- 24,999 | 867 | 821,482 | 102 | 6.5 | 04.5-08.5 | 765 | 93.5 | 91.5-95.5 |
| \$25,000- 34,999 | 527 | 502,346 | 56 | 6.9 | 04.2-09.6 | 471 | 93.1 | 90.4-95.8 |
| \$35,000- 49,999 | 605 | 639,919 | 67 | 6.7 | 04.7-08.7 | 538 | 93.3 | 91.3-95.3 |
| \$50,000- 74,999 | 535 | 575,451 | 59 | 7.9 | 05.4-10.4 | 476 | 92.1 | 89.6-94.6 |
| \$75,000+ | 832 | 943,407 | 65 | 6.4 | 04.4-08.4 | 767 | 93.6 | 91.6-95.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1875 | 2,434,161 | 166 | 5.4 | 04.2-06.6 | 1709 | 94.6 | 93.4-95.8 |
| White/Non-Hisp | 1567 | 1,851,848 | 142 | 5.9 | 04.5-07.3 | 1425 | 94.1 | 92.7-95.5 |
| Black or Afr. Am./Non-Hisp | 192 | 362,567 | 15 | 3.3 | 00.8-05.8 | 177 | 96.7 | 94.2-99.2 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 |
| 25-34 | 165 | 422,793 | 5 | 2.7 | 00.0-05.4 | 160 | 97.3 | 94.6-0100 |
| 35-44 | 176 | 410,826 | 1 | 0.7 | 00.0-02.1 | 175 | 99.3 | 97.9-0100 |
| 45-54 | 310 | 435,093 | 12 | 3.1 | 00.9-05.3 | 298 | 96.9 | 94.7-99.1 |
| 55-64 | 447 | 397,867 | 36 | 9.1 | 05.4-12.8 | 411 | 90.9 | 87.2-94.6 |
| 65+ | 668 | 437,987 | 111 | 15.5 | 12.2-18.8 | 557 | 84.5 | 81.2-87.8 |
| Less Than H.S. | 228 | 386,506 | 21 | 5.8 | 02.5-09.1 | 207 | 94.2 | 90.9-97.5 |
| H.S. or G.E.D. | 619 | 804,594 | 54 | 4.4 | 02.8-06.0 | 565 | 95.6 | 94.0-97.2 |
| Some Post-H.S. | 443 | 699,614 | 39 | 5.8 | 03.4-08.2 | 404 | 94.2 | 91.8-96.6 |
| College Graduate | 574 | 526,973 | 52 | 6.6 | 04.4-08.8 | 522 | 93.4 | 91.2-95.6 |
| Less than \$15,000 | 212 | 242,986 | 18 | 3.8 | 01.6-06.0 | 194 | 96.2 | 94.0-98.4 |
| \$15,000- 24,999 | 285 | 362,258 | 24 | 5.1 | 02.0-08.2 | 261 | 94.9 | 91.8-98.0 |
| \$25,000- 34,999 | 190 | 251,254 | 17 | 3.9 | 01.5-06.3 | 173 | 96.1 | 93.7-98.5 |
| \$35,000- 49,999 | 268 | 358,341 | 24 | 4.8 | 02.3-07.3 | 244 | 95.2 | 92.7-97.7 |
| \$50,000- 74,999 | 237 | 306,808 | 23 | 5.8 | 02.9-08.7 | 214 | 94.2 | 91.3-97.1 |
| \$75,000+ | 380 | 518,787 | 33 | 7.1 | 04.2-10.0 | 347 | 92.9 | 90.0-95.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3247 | 2,613,575 | 395 | 9.2 | 07.8-10.6 | 2852 | 90.8 | 89.4-92.2 |
| White/Non-Hisp | 2671 | 1,992,317 | 344 | 10.4 | 08.6-12.2 | 2327 | 89.6 | 87.8-91.4 |
| Black or Afr. Am./Non-Hisp | 433 | 431,088 | 35 | 4.1 | 02.3-05.9 | 398 | 95.9 | 94.1-97.7 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 10 | 13.4 | 03.8-23.0 | 46 | 86.6 | 77.0-96.2 |
| 18-24 | 113 | 307,609 | 1 | 3.0 | 00.0-08.7 | 112 | 97.0 | 91.3-0100 |
| 25-34 | 238 | 426,038 | 10 | 3.7 | 01.0-06.4 | 228 | 96.3 | 93.6-99.0 |
| 35-44 | 303 | 416,402 | 13 | 6.8 | 02.5-11.1 | 290 | 93.2 | 88.9-97.5 |
| 45-54 | 507 | 446,520 | 48 | 9.1 | 06.4-11.8 | 459 | 90.9 | 88.2-93.6 |
| 55-64 | 704 | 426,871 | 83 | 12.3 | 08.8-15.8 | 621 | 87.7 | 84.2-91.2 |
| 65+ | 1333 | 563,566 | 239 | 16.5 | 14.0-19.0 | 1094 | 83.5 | 81.0-86.0 |
| Less Than H.S. | 416 | 410,811 | 69 | 16.0 | 10.1-21.9 | 347 | 84.0 | 78.1-89.9 |
| H.S. or G.E.D. | 1138 | 873,417 | 154 | 9.3 | 07.1-11.5 | 984 | 90.7 | 88.5-92.9 |
| Some Post-H.S. | 810 | 758,396 | 88 | 8.2 | 06.0-10.4 | 722 | 91.8 | 89.6-94.0 |
| College Graduate | 854 | 551,466 | 81 | 5.5 | 03.9-07.1 | 773 | 94.5 | 92.9-96.1 |
| Less than \$15,000 | 469 | 349,049 | 69 | 11.8 | 07.5-16.1 | 400 | 88.2 | 83.9-92.5 |
| \$15,000- 24,999 | 582 | 459,224 | 78 | 7.6 | 05.2-10.0 | 504 | 92.4 | 90.0-94.8 |
| \$25,000- 34,999 | 337 | 251,092 | 39 | 10.0 | 05.3-14.7 | 298 | 90.0 | 85.3-94.7 |
| \$35,000- 49,999 | 337 | 281,577 | 43 | 9.0 | 05.7-12.3 | 294 | 91.0 | 87.7-94.3 |
| \$50,000- 74,999 | 298 | 268,643 | 36 | 10.2 | 05.9-14.5 | 262 | 89.8 | 85.5-94.1 |
| \$75,000+ | 452 | 424,620 | 32 | 5.6 | 03.1-08.1 | 420 | 94.4 | 91.9-96.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5114 | 5,047,537 | 662 | 10.7 | 09.5-11.9 | 4452 | 89.3 | 88.1-90.5 |
| Male | 1864 | 2,425,917 | 210 | 8.8 | 07.2-10.4 | 1654 | 91.2 | 89.6-92.8 |
| Female | 3250 | 2,621,619 | 452 | 12.4 | 10.8-14.0 | 2798 | 87.6 | 86.0-89.2 |
| White/Non-Hisp | 4231 | 3,844,612 | 587 | 12.1 | 10.7-13.5 | 3644 | 87.9 | 86.5-89.3 |
| Black or Afr. Am./Non-Hisp | 624 | 793,008 | 42 | 5.1 | 02.7-07.5 | 582 | 94.9 | 92.5-97.3 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 15 | 13.0 | 04.8-21.2 | 82 | 87.0 | 78.8-95.2 |
| Hispanic | 61 | 147,753 | 5 | 6.1 | 00.0-12.4 | 56 | 93.9 | 87.6-0100 |
| 18-24 | 206 | 628,213 | 9 | 5.2 | 01.3-09.1 | 197 | 94.8 | 90.9-98.7 |
| 25-34 | 404 | 850,146 | 21 | 4.9 | 02.5-07.3 | 383 | 95.1 | 92.7-97.5 |
| 35-44 | 481 | 831,703 | 35 | 5.6 | 03.4-07.8 | 446 | 94.4 | 92.2-96.6 |
| 45-54 | 817 | 879,846 | 106 | 14.0 | 10.9-17.1 | 711 | 86.0 | 82.9-89.1 |
| 55-64 | 1153 | 826,863 | 161 | 15.5 | 12.8-18.2 | 992 | 84.5 | 81.8-87.2 |
| 65+ | 1988 | 995,208 | 325 | 16.6 | 14.4-18.8 | 1663 | 83.4 | 81.2-85.6 |
| Less Than H.S. | 642 | 795,519 | 171 | 24.3 | 19.6-29.0 | 471 | 75.7 | 71.0-80.4 |
| H.S. or G.E.D. | 1755 | 1,679,784 | 249 | 10.6 | 08.8-12.4 | 1506 | 89.4 | 87.6-91.2 |
| Some Post-H.S. | 1249 | 1,457,198 | 158 | 8.5 | 06.7-10.3 | 1091 | 91.5 | 89.7-93.3 |
| College Graduate | 1428 | 1,079,077 | 76 | 3.3 | 02.3-04.3 | 1352 | 96.7 | 95.7-97.7 |
| Less than \$15,000 | 674 | 587,217 | 178 | 23.3 | 18.8-27.8 | 496 | 76.7 | 72.2-81.2 |
| \$15,000- 24,999 | 869 | 825,374 | 147 | 14.0 | 11.1-16.9 | 722 | 86.0 | 83.1-88.9 |
| \$25,000- 34,999 | 527 | 504,540 | 61 | 10.5 | 06.8-14.2 | 466 | 89.5 | 85.8-93.2 |
| \$35,000- 49,999 | 608 | 642,758 | 69 | 9.9 | 06.2-13.6 | 539 | 90.1 | 86.4-93.8 |
| \$50,000- 74,999 | 533 | 574,776 | 39 | 5.9 | 03.5-08.3 | 494 | 94.1 | 91.7-96.5 |
| \$75,000+ | 832 | 943,386 | 24 | 2.7 | 01.3-04.1 | 808 | 97.3 | 95.9-98.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1864 | 2,425,917 | 210 | 8.8 | 07.2-10.4 | 1654 | 91.2 | 89.6-92.8 |
| White/Non-Hisp | 1558 | 1,846,160 | 193 | 10.6 | 08.6-12.6 | 1365 | 89.4 | 87.4-91.4 |
| Black or Afr. Am./Non-Hisp | 190 | 360,011 | 6 | 2.7 | 00.0-05.6 | 184 | 97.3 | 94.4-0100 |
| 18-24 | 93 | 320,604 | 1 | 3.1 | 00.0-09.2 | 92 | 96.9 | 90.8-0100 |
| 25-34 | 164 | 421,351 | 5 | 2.9 | 00.2-05.6 | 159 | 97.1 | 94.4-99.8 |
| 35-44 | 176 | 410,826 | 9 | 3.2 | 00.7-05.7 | 167 | 96.8 | 94.3-99.3 |
| 45-54 | 308 | 431,705 | 34 | 11.6 | 07.3-15.9 | 274 | 88.4 | 84.1-92.7 |
| 55-64 | 446 | 397,882 | 54 | 14.0 | 09.9-18.1 | 392 | 86.0 | 81.9-90.1 |
| 65+ | 661 | 434,560 | 105 | 16.8 | 13.1-20.5 | 556 | 83.2 | 79.5-86.9 |
| Less Than H.S. | 224 | 381,715 | 50 | 20.7 | 13.4-28.0 | 174 | 79.3 | 72.0-86.6 |
| H.S. or G.E.D. | 617 | 803,426 | 71 | 8.5 | 06.1-10.9 | 546 | 91.5 | 89.1-93.9 |
| Some Post-H.S. | 441 | 698,161 | 55 | 6.1 | 03.9-08.3 | 386 | 93.9 | 91.7-96.1 |
| College Graduate | 571 | 526,141 | 32 | 4.4 | 02.4-06.4 | 539 | 95.6 | 93.6-97.6 |
| Less than \$15,000 | 207 | 238,236 | 38 | 16.5 | 09.6-23.4 | 169 | 83.5 | 76.6-90.4 |
| \$15,000- 24,999 | 285 | 362,440 | 51 | 13.3 | 08.8-17.8 | 234 | 86.7 | 82.2-91.2 |
| \$25,000- 34,999 | 190 | 250,947 | 20 | 8.4 | 03.9-12.9 | 170 | 91.6 | 87.1-96.1 |
| \$35,000- 49,999 | 269 | 360,069 | 35 | 10.3 | 04.4-16.2 | 234 | 89.7 | 83.8-95.6 |
| \$50,000- 74,999 | 236 | 306,287 | 19 | 5.9 | 02.6-09.2 | 217 | 94.1 | 90.8-97.4 |
| \$75,000+ | 378 | 517,561 | 12 | 2.8 | 00.8-04.8 | 366 | 97.2 | 95.2-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3250 | 2,621,619 | 452 | 12.4 | 10.8-14.0 | 2798 | 87.6 | 86.0-89.2 |
| White/Non-Hisp | 2673 | 1,998,452 | 394 | 13.6 | 11.8-15.4 | 2279 | 86.4 | 84.6-88.2 |
| Black or Afr. Am./Non-Hisp | 434 | 432,997 | 36 | 7.2 | 03.9-10.5 | 398 | 92.8 | 89.5-96.1 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 10 | 15.3 | 03.7-26.9 | 46 | 84.7 | 73.1-96.3 |
| 18-24 | 113 | 307,609 | 8 | 7.4 | 02.3-12.5 | 105 | 92.6 | 87.5-97.7 |
| 25-34 | 240 | 428,795 | 16 | 6.9 | 03.0-10.8 | 224 | 93.1 | 89.2-97.0 |
| 35-44 | 305 | 420,877 | 26 | 7.9 | 04.6-11.2 | 279 | 92.1 | 88.8-95.4 |
| 45-54 | 509 | 448,141 | 72 | 16.4 | 11.9-20.9 | 437 | 83.6 | 79.1-88.1 |
| 55-64 | 707 | 428,981 | 107 | 16.9 | 13.2-20.6 | 600 | 83.1 | 79.4-86.8 |
| 65+ | 1327 | 560,648 | 220 | 16.4 | 13.9-18.9 | 1107 | 83.6 | 81.1-86.1 |
| Less Than H.S. | 418 | 413,804 | 121 | 27.6 | 21.5-33.7 | 297 | 72.4 | 66.3-78.5 |
| H.S. or G.E.D. | 1138 | 876,357 | 178 | 12.6 | 10.2-15.0 | 960 | 87.4 | 85.0-89.8 |
| Some Post-H.S. | 808 | 759,037 | 103 | 10.7 | 08.0-13.4 | 705 | 89.3 | 86.6-92.0 |
| College Graduate | 857 | 552,935 | 44 | 2.3 | 01.3-03.3 | 813 | 97.7 | 96.7-98.7 |
| Less than \$15,000 | 467 | 348,981 | 140 | 27.9 | 22.0-33.8 | 327 | 72.1 | 66.2-78.0 |
| \$15,000- 24,999 | 584 | 462,934 | 96 | 14.6 | 10.9-18.3 | 488 | 85.4 | 81.7-89.1 |
| \$25,000- 34,999 | 337 | 253,593 | 41 | 12.5 | 06.6-18.4 | 296 | 87.5 | 81.6-93.4 |
| \$35,000- 49,999 | 339 | 282,689 | 34 | 9.4 | 05.5-13.3 | 305 | 90.6 | 86.7-94.5 |
| \$50,000- 74,999 | 297 | 268,490 | 20 | 5.9 | 02.6-09.2 | 277 | 94.1 | 90.8-97.4 |
| \$75,000+ | 454 | 425,825 | 12 | 2.7 | 00.9-04.5 | 442 | 97.3 | 95.5-99.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5117 | 5,036,513 | 2204 | 32.6 | 30.8-34.4 | 2913 | 67.4 | 65.6-69.2 |
| Male | 1872 | 2,428,182 | 707 | 29.1 | 26.6-31.6 | 1165 | 70.9 | 68.4-73.4 |
| Female | 3245 | 2,608,331 | 1497 | 35.9 | 33.7-38.1 | 1748 | 64.1 | 61.9-66.3 |
| White/Non-Hisp | 4236 | 3,837,502 | 1865 | 34.8 | 32.8-36.8 | 2371 | 65.2 | 63.2-67.2 |
| Black or Afr. Am./Non-Hisp | 625 | 793,164 | 242 | 25.8 | 21.3-30.3 | 383 | 74.2 | 69.7-78.7 |
| Oth. Race/Non-Hisp. | 96 | 126,906 | 46 | 36.5 | 24.7-48.3 | 50 | 63.5 | 51.7-75.3 |
| Hispanic | 60 | 145,318 | 11 | 15.1 | 05.3-24.9 | 49 | 84.9 | 75.1-94.7 |
| 18-24 | 206 | 628,213 | 9 | 6.2 | 01.7-10.7 | 197 | 93.8 | 89.3-98.3 |
| 25-34 | 404 | 850,176 | 57 | 13.1 | 09.4-16.8 | 347 | 86.9 | 83.2-90.6 |
| 35-44 | 478 | 827,075 | 101 | 20.3 | 16.0-24.6 | 377 | 79.7 | 75.4-84.0 |
| 45-54 | 814 | 871,713 | 295 | 36.4 | 32.1-40.7 | 519 | 63.6 | 59.3-67.9 |
| 55-64 | 1151 | 824,837 | 576 | 50.1 | 46.4-53.8 | 575 | 49.9 | 46.2-53.6 |
| 65+ | 1999 | 998,941 | 1141 | 58.0 | 55.3-60.7 | 858 | 42.0 | 39.3-44.7 |
| Less Than H.S. | 643 | 791,091 | 394 | 50.1 | 44.2-56.0 | 249 | 49.9 | 44.0-55.8 |
| H.S. or G.E.D. | 1756 | 1,677,823 | 808 | 32.7 | 29.8-35.6 | 948 | 67.3 | 64.4-70.2 |
| Some Post-H.S. | 1251 | 1,455,476 | 541 | 31.2 | 27.9-34.5 | 710 | 68.8 | 65.5-72.1 |
| College Graduate | 1427 | 1,076,162 | 445 | 21.6 | 19.1-24.1 | 982 | 78.4 | 75.9-80.9 |
| Less than \$15,000 | 677 | 586,871 | 401 | 47.4 | 41.9-52.9 | 276 | 52.6 | 47.1-58.1 |
| \$15,000- 24,999 | 869 | 824,991 | 439 | 38.8 | 34.1-43.5 | 430 | 61.2 | 56.5-65.9 |
| \$25,000- 34,999 | 527 | 498,520 | 238 | 33.4 | 27.9-38.9 | 289 | 66.6 | 61.1-72.1 |
| \$35,000- 49,999 | 605 | 638,498 | 243 | 30.5 | 25.6-35.4 | 362 | 69.5 | 64.6-74.4 |
| \$50,000- 74,999 | 534 | 575,039 | 203 | 30.7 | 25.4-36.0 | 331 | 69.3 | 64.0-74.6 |
| \$75,000+ | 834 | 944,612 | 232 | 21.7 | 18.2-25.2 | 602 | 78.3 | 74.8-81.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1872 | 2,428,182 | 707 | 29.1 | 26.6-31.6 | 1165 | 70.9 | 68.4-73.4 |
| White/Non-Hisp | 1565 | 1,847,545 | 604 | 31.2 | 28.3-34.1 | 961 | 68.8 | 65.9-71.7 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 63 | 22.2 | 15.1-29.3 | 130 | 77.8 | 70.7-84.9 |
| 18-24 | 93 | 320,604 | 4 | 5.8 | 00.0-12.5 | 89 | 94.2 | 87.5-0100 |
| 25-34 | 165 | 422,793 | 25 | 13.4 | 07.7-19.1 | 140 | 86.6 | 80.9-92.3 |
| 35-44 | 176 | 410,826 | 30 | 15.8 | 09.9-21.7 | 146 | 84.2 | 78.3-90.1 |
| 45-54 | 309 | 432,659 | 104 | 34.1 | 27.6-40.6 | 205 | 65.9 | 59.4-72.4 |
| 55-64 | 446 | 396,433 | 211 | 47.9 | 42.2-53.6 | 235 | 52.1 | 46.4-57.8 |
| 65+ | 667 | 435,878 | 328 | 51.8 | 47.1-56.5 | 339 | 48.2 | 43.5-52.9 |
| Less Than H.S. | 227 | 384,902 | 123 | 44.8 | 35.6-54.0 | 104 | 55.2 | 46.0-64.4 |
| H.S. or G.E.D. | 620 | 805,656 | 252 | 28.2 | 23.9-32.5 | 368 | 71.8 | 67.5-76.1 |
| Some Post-H.S. | 443 | 697,511 | 166 | 28.0 | 22.9-33.1 | 277 | 72.0 | 66.9-77.1 |
| College Graduate | 571 | 523,639 | 162 | 20.4 | 16.5-24.3 | 409 | 79.6 | 75.7-83.5 |
| Less than \$15,000 | 210 | 241,030 | 114 | 44.5 | 35.1-53.9 | 96 | 55.5 | 46.1-64.9 |
| \$15,000- 24,999 | 286 | 363,360 | 135 | 36.5 | 28.9-44.1 | 151 | 63.5 | 55.9-71.1 |
| \$25,000- 34,999 | 192 | 252,026 | 72 | 27.8 | 19.8-35.8 | 120 | 72.2 | 64.2-80.2 |
| \$35,000- 49,999 | 267 | 356,102 | 103 | 28.0 | 20.7-35.3 | 164 | 72.0 | 64.7-79.3 |
| \$50,000- 74,999 | 237 | 306,808 | 87 | 31.0 | 23.6-38.4 | 150 | 69.0 | 61.6-76.4 |
| \$75,000+ | 380 | 518,787 | 97 | 20.2 | 15.3-25.1 | 283 | 79.8 | 74.9-84.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3245 | 2,608,331 | 1497 | 35.9 | 33.7-38.1 | 1748 | 64.1 | 61.9-66.3 |
| White/Non-Hisp | 2671 | 1,989,957 | 1261 | 38.2 | 35.7-40.7 | 1410 | 61.8 | 59.3-64.3 |
| Black or Afr. Am./Non-Hisp | 432 | 429,495 | 179 | 28.9 | 23.2-34.6 | 253 | 71.1 | 65.4-76.8 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 27 | 34.9 | 19.6-50.2 | 29 | 65.1 | 49.8-80.4 |
| 18-24 | 113 | 307,609 | 5 | 6.6 | 00.3-12.9 | 108 | 93.4 | 87.1-99.7 |
| 25-34 | 239 | 427,383 | 32 | 12.7 | 07.8-17.6 | 207 | 87.3 | 82.4-92.2 |
| 35-44 | 302 | 416,249 | 71 | 24.7 | 18.6-30.8 | 231 | 75.3 | 69.2-81.4 |
| 45-54 | 505 | 439,054 | 191 | 38.7 | 33.4-44.0 | 314 | 61.3 | 56.0-66.6 |
| 55-64 | 705 | 428,404 | 365 | 52.1 | 47.4-56.8 | 340 | 47.9 | 43.2-52.6 |
| 65+ | 1332 | 563,064 | 813 | 62.8 | 59.5-66.1 | 519 | 37.2 | 33.9-40.5 |
| Less Than H.S. | 416 | 406,189 | 271 | 55.1 | 47.8-62.4 | 145 | 44.9 | 37.6-52.2 |
| H.S. or G.E.D. | 1136 | 872,168 | 556 | 36.9 | 33.0-40.8 | 580 | 63.1 | 59.2-67.0 |
| Some Post-H.S. | 808 | 757,965 | 375 | 34.1 | 30.0-38.2 | 433 | 65.9 | 61.8-70.0 |
| College Graduate | 856 | 552,524 | 283 | 22.6 | 19.3-25.9 | 573 | 77.4 | 74.1-80.7 |
| Less than \$15,000 | 467 | 345,841 | 287 | 49.5 | 42.6-56.4 | 180 | 50.5 | 43.6-57.4 |
| \$15,000- 24,999 | 583 | 461,631 | 304 | 40.7 | 35.0-46.4 | 279 | 59.3 | 53.6-65.0 |
| \$25,000- 34,999 | 335 | 246,494 | 166 | 39.2 | 32.1-46.3 | 169 | 60.8 | 53.7-67.9 |
| \$35,000- 49,999 | 338 | 282,396 | 140 | 33.6 | 27.3-39.9 | 198 | 66.4 | 60.1-72.7 |
| \$50,000- 74,999 | 297 | 268,231 | 116 | 30.4 | 22.8-38.0 | 181 | 69.6 | 62.0-77.2 |
| \$75,000+ | 454 | 425,825 | 135 | 23.4 | 18.5-28.3 | 319 | 76.6 | 71.7-81.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5115 | 5,040,374 | 1142 | 21.4 | 19.8-23.0 | 3973 | 78.6 | 77.0-80.2 |
| Male | 1870 | 2,423,879 | 304 | 16.0 | 13.6-18.4 | 1566 | 84.0 | 81.6-86.4 |
| Female | 3245 | 2,616,496 | 838 | 26.3 | 24.1-28.5 | 2407 | 73.7 | 71.5-75.9 |
| White/Non-Hisp | 4234 | 3,840,530 | 973 | 22.4 | 20.6-24.2 | 3261 | 77.6 | 75.8-79.4 |
| Black or Afr. Am./Non-Hisp | 625 | 793,784 | 105 | 15.2 | 11.1-19.3 | 520 | 84.8 | 80.7-88.9 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 31 | 31.5 | 19.7-43.3 | 66 | 68.5 | 56.7-80.3 |
| Hispanic | 60 | 145,775 | 10 | 17.7 | 04.4-31.0 | 50 | 82.3 | 69.0-95.6 |
| 18-24 | 205 | 626,236 | 32 | 13.6 | 08.3-18.9 | 173 | 86.4 | 81.1-91.7 |
| 25-34 | 404 | 848,899 | 99 | 22.4 | 17.9-26.9 | 305 | 77.6 | 73.1-82.1 |
| 35-44 | 481 | 831,703 | 108 | 22.3 | 17.2-27.4 | 373 | 77.7 | 72.6-82.8 |
| 45-54 | 814 | 875,249 | 213 | 25.0 | 21.3-28.7 | 601 | 75.0 | 71.3-78.7 |
| 55-64 | 1150 | 823,395 | 331 | 27.5 | 24.2-30.8 | 819 | 72.5 | 69.2-75.8 |
| 65+ | 1997 | 1,001,040 | 353 | 16.7 | 14.5-18.9 | 1644 | 83.3 | 81.1-85.5 |
| Less Than H.S. | 644 | 797,011 | 226 | 36.2 | 30.5-41.9 | 418 | 63.8 | 58.1-69.5 |
| H.S. or G.E.D. | 1754 | 1,673,582 | 387 | 20.2 | 17.7-22.7 | 1367 | 79.8 | 77.3-82.3 |
| Some Post-H.S. | 1253 | 1,458,849 | 291 | 20.7 | 17.6-23.8 | 962 | 79.3 | 76.2-82.4 |
| College Graduate | 1425 | 1,076,677 | 230 | 12.7 | 10.5-14.9 | 1195 | 87.3 | 85.1-89.5 |
| Less than \$15,000 | 677 | 587,937 | 278 | 40.8 | 35.3-46.3 | 399 | 59.2 | 53.7-64.7 |
| \$15,000- 24,999 | 867 | 821,847 | 229 | 28.6 | 23.9-33.3 | 638 | 71.4 | 66.7-76.1 |
| \$25,000- 34,999 | 528 | 505,497 | 102 | 17.1 | 12.8-21.4 | 426 | 82.9 | 78.6-87.2 |
| \$35,000- 49,999 | 607 | 641,755 | 112 | 16.7 | 13.0-20.4 | 495 | 83.3 | 79.6-87.0 |
| \$50,000- 74,999 | 534 | 574,930 | 97 | 17.4 | 12.9-21.9 | 437 | 82.6 | 78.1-87.1 |
| \$75,000+ | 832 | 941,608 | 110 | 11.5 | 08.4-14.6 | 722 | 88.5 | 85.4-91.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1870 | 2,423,879 | 304 | 16.0 | 13.6-18.4 | 1566 | 84.0 | 81.6-86.4 |
| White/Non-Hisp | 1563 | 1,844,144 | 250 | 15.5 | 13.0-18.0 | 1313 | 84.5 | 82.0-87.0 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 27 | 14.0 | 07.1-20.9 | 166 | 86.0 | 79.1-92.9 |
| 18-24 | 92 | 318,627 | 9 | 8.8 | 02.7-14.9 | 83 | 91.2 | 85.1-97.3 |
| 25-34 | 165 | 422,793 | 29 | 15.3 | 09.4-21.2 | 136 | 84.7 | 78.8-90.6 |
| 35-44 | 176 | 410,826 | 24 | 16.0 | 08.0-24.0 | 152 | 84.0 | 76.0-92.0 |
| 45-54 | 307 | 427,797 | 62 | 20.7 | 15.0-26.4 | 245 | 79.3 | 73.6-85.0 |
| 55-64 | 447 | 396,421 | 99 | 22.0 | 16.9-27.1 | 348 | 78.0 | 72.9-83.1 |
| 65+ | 667 | 438,425 | 80 | 12.2 | 09.1-15.3 | 587 | 87.8 | 84.7-90.9 |
| Less Than H.S. | 227 | 383,196 | 60 | 24.2 | 16.6-31.8 | 167 | 75.8 | 68.2-83.4 |
| H.S. or G.E.D. | 618 | 801,301 | 96 | 14.8 | 11.1-18.5 | 522 | 85.2 | 81.5-88.9 |
| Some Post-H.S. | 444 | 699,816 | 79 | 17.2 | 12.1-22.3 | 365 | 82.8 | 77.7-87.9 |
| College Graduate | 571 | 524,795 | 67 | 10.1 | 07.0-13.2 | 504 | 89.9 | 86.8-93.0 |
| Less than \$15,000 | 210 | 238,471 | 70 | 32.7 | 23.9-41.5 | 140 | 67.3 | 58.5-76.1 |
| \$15,000- 24,999 | 285 | 361,776 | 69 | 25.8 | 17.6-34.0 | 216 | 74.2 | 66.0-82.4 |
| \$25,000- 34,999 | 191 | 251,883 | 26 | 11.2 | 05.5-16.9 | 165 | 88.8 | 83.1-94.5 |
| \$35,000- 49,999 | 269 | 359,443 | 36 | 10.7 | 06.4-15.0 | 233 | 89.3 | 85.0-93.6 |
| \$50,000- 74,999 | 236 | 306,287 | 36 | 17.1 | 10.2-24.0 | 200 | 82.9 | 76.0-89.8 |
| \$75,000+ | 379 | 516,305 | 35 | 8.8 | 04.5-13.1 | 344 | 91.2 | 86.9-95.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3245 | 2,616,496 | 838 | 26.3 | 24.1-28.5 | 2407 | 73.7 | 71.5-75.9 |
| White/Non-Hisp | 2671 | 1,996,385 | 723 | 28.7 | 26.2-31.2 | 1948 | 71.3 | 68.8-73.8 |
| Black or Afr. Am./Non-Hisp | 432 | 430,115 | 78 | 16.2 | 11.3-21.1 | 354 | 83.8 | 78.9-88.7 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 16 | 24.2 | 11.1-37.3 | 40 | 75.8 | 62.7-88.9 |
| 18-24 | 113 | 307,609 | 23 | 18.6 | 10.0-27.2 | 90 | 81.4 | 72.8-90.0 |
| 25-34 | 239 | 426,106 | 70 | 29.4 | 22.7-36.1 | 169 | 70.6 | 63.9-77.3 |
| 35-44 | 305 | 420,877 | 84 | 28.5 | 22.2-34.8 | 221 | 71.5 | 65.2-77.8 |
| 45-54 | 507 | 447,452 | 151 | 29.0 | 24.1-33.9 | 356 | 71.0 | 66.1-75.9 |
| 55-64 | 703 | 426,974 | 232 | 32.6 | 28.1-37.1 | 471 | 67.4 | 62.9-71.9 |
| 65+ | 1330 | 562,614 | 273 | 20.3 | 17.4-23.2 | 1057 | 79.7 | 76.8-82.6 |
| Less Than H.S. | 417 | 413,815 | 166 | 47.3 | 40.0-54.6 | 251 | 52.7 | 45.4-60.0 |
| H.S. or G.E.D. | 1136 | 872,281 | 291 | 25.1 | 21.4-28.8 | 845 | 74.9 | 71.2-78.6 |
| Some Post-H.S. | 809 | 759,032 | 212 | 24.0 | 20.1-27.9 | 597 | 76.0 | 72.1-79.9 |
| College Graduate | 854 | 551,882 | 163 | 15.2 | 12.3-18.1 | 691 | 84.8 | 81.9-87.7 |
| Less than \$15,000 | 467 | 349,466 | 208 | 46.3 | 39.6-53.0 | 259 | 53.7 | 47.0-60.4 |
| \$15,000- 24,999 | 582 | 460,071 | 160 | 30.8 | 25.3-36.3 | 422 | 69.2 | 63.7-74.7 |
| \$25,000- 34,999 | 337 | 253,613 | 76 | 23.0 | 16.7-29.3 | 261 | 77.0 | 70.7-83.3 |
| \$35,000- 49,999 | 338 | 282,311 | 76 | 24.3 | 18.4-30.2 | 262 | 75.7 | 69.8-81.6 |
| \$50,000- 74,999 | 298 | 268,643 | 61 | 17.8 | 11.9-23.7 | 237 | 82.2 | 76.3-88.1 |
| \$75,000+ | 453 | 425,303 | 75 | 14.7 | 10.2-19.2 | 378 | 85.3 | 80.8-89.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5122 | 5,051,554 | 222 | 3.1 | 02.5-03.7 | 4900 | 96.9 | 96.3-97.5 |
| Male | 1873 | 2,431,699 | 64 | 2.6 | 01.8-03.4 | 1809 | 97.4 | 96.6-98.2 |
| Female | 3249 | 2,619,855 | 158 | 3.7 | 02.9-04.5 | 3091 | 96.3 | 95.5-97.1 |
| White/Non-Hisp | 4237 | 3,845,319 | 185 | 3.2 | 02.6-03.8 | 4052 | 96.8 | 96.2-97.4 |
| Black or Afr. Am./Non-Hisp | 626 | 796,318 | 27 | 2.7 | 01.1-04.3 | 599 | 97.3 | 95.7-98.9 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 5 | 4.3 | 00.0-08.8 | 92 | 95.7 | 91.2-0100 |
| Hispanic | 61 | 147,753 | 2 | 4.0 | 00.0-10.1 | 59 | 96.0 | 89.9-0100 |
| 18-24 | 206 | 628,213 | 4 | 2.1 | 00.0-04.3 | 202 | 97.9 | 95.7-0100 |
| 25-34 | 405 | 851,588 | 4 | 0.9 | 00.1-01.7 | 401 | 99.1 | 98.3-99.9 |
| 35-44 | 481 | 831,703 | 12 | 2.0 | 00.6-03.4 | 469 | 98.0 | 96.6-99.4 |
| 45-54 | 816 | 879,760 | 26 | 2.8 | 01.4-04.2 | 790 | 97.2 | 95.8-98.6 |
| 55-64 | 1154 | 827,526 | 50 | 4.0 | 02.6-05.4 | 1104 | 96.0 | 94.6-97.4 |
| 65+ | 1995 | 997,205 | 124 | 6.2 | 04.8-07.6 | 1871 | 93.8 | 92.4-95.2 |
| Less Than H.S. | 646 | 798,576 | 48 | 5.3 | 03.1-07.5 | 598 | 94.7 | 92.5-96.9 |
| H.S. or G.E.D. | 1758 | 1,680,963 | 74 | 2.8 | 01.8-03.8 | 1684 | 97.2 | 96.2-98.2 |
| Some Post-H.S. | 1250 | 1,457,385 | 57 | 3.0 | 02.0-04.0 | 1193 | 97.0 | 96.0-98.0 |
| College Graduate | 1428 | 1,078,669 | 42 | 2.2 | 01.4-03.0 | 1386 | 97.8 | 97.0-98.6 |
| Less than \$15,000 | 678 | 589,140 | 56 | 5.3 | 03.1-07.5 | 622 | 94.7 | 92.5-96.9 |
| \$15,000- 24,999 | 870 | 826,294 | 50 | 4.2 | 02.6-05.8 | 820 | 95.8 | 94.2-97.4 |
| \$25,000- 34,999 | 530 | 505,793 | 22 | 3.2 | 01.0-05.4 | 508 | 96.8 | 94.6-99.0 |
| \$35,000- 49,999 | 603 | 638,040 | 24 | 2.9 | 01.3-04.5 | 579 | 97.1 | 95.5-98.7 |
| \$50,000- 74,999 | 535 | 575,451 | 16 | 1.9 | 00.7-03.1 | 519 | 98.1 | 96.9-99.3 |
| \$75,000+ | 832 | 943,786 | 19 | 1.8 | 00.8-02.8 | 813 | 98.2 | 97.2-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1873 | 2,431,699 | 64 | 2.6 | 01.8-03.4 | 1809 | 97.4 | 96.6-98.2 |
| White/Non-Hisp | 1564 | 1,848,283 | 56 | 2.8 | 01.8-03.8 | 1508 | 97.2 | 96.2-98.2 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 5 | 2.0 | 00.0-04.7 | 188 | 98.0 | 95.3-0100 |
| 18-24 | 93 | 320,604 | 2 | 1.6 | 00.0-03.8 | 91 | 98.4 | 96.2-0100 |
| 25-34 | 165 | 422,793 | 1 | 0.5 | 00.0-01.5 | 164 | 99.5 | 98.5-0100 |
| 35-44 | 176 | 410,826 | 2 | 0.9 | 00.0-02.3 | 174 | 99.1 | 97.7-0100 |
| 45-54 | 309 | 432,645 | 7 | 2.3 | 00.0-04.7 | 302 | 97.7 | 95.3-0100 |
| 55-64 | 449 | 399,708 | 15 | 3.5 | 01.3-05.7 | 434 | 96.5 | 94.3-98.7 |
| 65+ | 665 | 436,133 | 36 | 6.1 | 03.7-08.5 | 629 | 93.9 | 91.5-96.3 |
| Less Than H.S. | 229 | 385,728 | 10 | 2.9 | 00.5-05.3 | 219 | 97.1 | 94.7-99.5 |
| H.S. or G.E.D. | 619 | 804,789 | 25 | 3.0 | 01.2-04.8 | 594 | 97.0 | 95.2-98.8 |
| Some Post-H.S. | 442 | 698,869 | 15 | 2.5 | 01.1-03.9 | 427 | 97.5 | 96.1-98.9 |
| College Graduate | 572 | 525,837 | 14 | 1.8 | 00.8-02.8 | 558 | 98.2 | 97.2-99.2 |
| Less than \$15,000 | 210 | 240,312 | 10 | 3.4 | 00.9-05.9 | 200 | 96.6 | 94.1-99.1 |
| \$15,000- 24,999 | 286 | 363,360 | 10 | 2.1 | 00.5-03.7 | 276 | 97.9 | 96.3-99.5 |
| \$25,000- 34,999 | 192 | 252,026 | 9 | 4.3 | 00.2-08.4 | 183 | 95.7 | 91.6-99.8 |
| \$35,000- 49,999 | 267 | 357,134 | 12 | 2.9 | 00.7-05.1 | 255 | 97.1 | 94.9-99.3 |
| \$50,000- 74,999 | 237 | 306,808 | 7 | 2.1 | 00.3-03.9 | 230 | 97.9 | 96.1-99.7 |
| \$75,000+ | 380 | 518,787 | 8 | 1.8 | 00.2-03.4 | 372 | 98.2 | 96.6-99.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3249 | 2,619,855 | 158 | 3.7 | 02.9-04.5 | 3091 | 96.3 | 95.5-97.1 |
| White/Non-Hisp | 2673 | 1,997,036 | 129 | 3.6 | 02.6-04.6 | 2544 | 96.4 | 95.4-97.4 |
| Black or Afr. Am./Non-Hisp | 433 | 432,649 | 22 | 3.3 | 01.3-05.3 | 411 | 96.7 | 94.7-98.7 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 3 | 4.5 | 00.0-10.6 | 53 | 95.5 | 89.4-0100 |
| 18-24 | 113 | 307,609 | 2 | 2.7 | 00.0-06.4 | 111 | 97.3 | 93.6-0100 |
| 25-34 | 240 | 428,795 | 3 | 1.2 | 00.0-02.6 | 237 | 98.8 | 97.4-0100 |
| 35-44 | 305 | 420,877 | 10 | 3.0 | 00.5-05.5 | 295 | 97.0 | 94.5-99.5 |
| 45-54 | 507 | 447,115 | 19 | 3.2 | 01.4-05.0 | 488 | 96.8 | 95.0-98.6 |
| 55-64 | 705 | 427,818 | 35 | 4.4 | 02.6-06.2 | 670 | 95.6 | 93.8-97.4 |
| 65+ | 1330 | 561,073 | 88 | 6.4 | 04.6-08.2 | 1242 | 93.6 | 91.8-95.4 |
| Less Than H.S. | 417 | 412,848 | 38 | 7.6 | 04.1-11.1 | 379 | 92.4 | 88.9-95.9 |
| H.S. or G.E.D. | 1139 | 876,174 | 49 | 2.6 | 01.6-03.6 | 1090 | 97.4 | 96.4-98.4 |
| Some Post-H.S. | 808 | 758,515 | 42 | 3.5 | 01.9-05.1 | 766 | 96.5 | 94.9-98.1 |
| College Graduate | 856 | 552,832 | 28 | 2.6 | 01.4-03.8 | 828 | 97.4 | 96.2-98.6 |
| Less than \$15,000 | 468 | 348,828 | 46 | 6.6 | 03.5-09.7 | 422 | 93.4 | 90.3-96.5 |
| \$15,000- 24,999 | 584 | 462,934 | 40 | 5.9 | 03.4-08.4 | 544 | 94.1 | 91.6-96.6 |
| \$25,000- 34,999 | 338 | 253,767 | 13 | 2.1 | 00.3-03.9 | 325 | 97.9 | 96.1-99.7 |
| \$35,000- 49,999 | 336 | 280,906 | 12 | 2.8 | 01.0-04.6 | 324 | 97.2 | 95.4-99.0 |
| \$50,000- 74,999 | 298 | 268,643 | 9 | 1.6 | 00.2-03.0 | 289 | 98.4 | 97.0-99.8 |
| \$75,000+ | 452 | 424,999 | 11 | 1.9 | 00.7-03.1 | 441 | 98.1 | 96.9-99.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5133 | 5,057,517 | 881 | 13.0 | 11.8-14.2 | 30 | 0.6 | 00.4-00.8 | 4117 | 84.7 | 83.5-85.9 | 105 | 1.7 | 01.3-02.1 |
| Male | 1880 | 2,437,911 | 333 | 13.2 | 11.4-15.0 | | | | 1513 | 85.3 | 83.3-87.3 | 34 | 1.5 | 00.7-02.3 |
| Female | 3253 | 2,619,605 | 548 | 12.8 | 11.4-14.2 | 30 | 1.1 | 00.7-01.5 | 2604 | 84.2 | 82.6-85.8 | 71 | 2.0 | 01.4-02.6 |
| White/Non-Hisp | 4248 | 3,853,217 | 697 | 12.8 | 11.6-14.0 | 28 | 0.7 | 00.3-01.1 | 3433 | 84.7 | 83.3-86.1 | 90 | 1.7 | 01.3-02.1 |
| Black or Afr. Am./Non-Hisp | 626 | 794,384 | 146 | 16.1 | 12.2-20.0 | 2 | 0.1 | 00.0-00.3 | 468 | 82.2 | 78.1-86.3 | 10 | 1.6 | 00.2-03.0 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 20 | 15.3 | 07.3-23.3 | | | | 74 | 81.6 | 72.8-90.4 | 3 | 3.1 | 00.0-07.0 |
| Hispanic | 61 | 147,753 | 3 | 2.3 | 00.0-05.2 | | | | 57 | 94.7 | 88.2-0100 | 1 | 3.0 | 00.0-08.9 |
| 18-24 | 206 | 628,213 | 1 | 0.3 | 00.0-00.9 | | | | 204 | 99.0 | 97.4-0100 | 1 | 0.7 | 00.0-02.1 |
| 25-34 | 405 | 851,588 | 14 | 3.8 | 01.6-06.0 | 2 | 0.5 | 00.0-01.1 | 387 | 95.2 | 92.8-97.6 | 2 | 0.5 | 00.0-01.3 |
| 35-44 | 481 | 831,703 | 35 | 7.4 | 04.5-10.3 | 11 | 1.3 | 00.5-02.1 | 426 | 89.8 | 86.5-93.1 | 9 | 1.6 | 00.4-02.8 |
| 45-54 | 817 | 880,008 | 110 | 14.3 | 11.2-17.4 | 10 | 1.1 | 00.3-01.9 | 683 | 83.1 | 79.8-86.4 | 14 | 1.6 | 00.4-02.8 |
| 55-64 | 1157 | 828,722 | 245 | 22.0 | 18.9-25.1 | 3 | 0.3 | 00.0-00.7 | 884 | 74.9 | 71.6-78.2 | 25 | 2.8 | 01.4-04.2 |
| 65+ | 2002 | 1,001,724 | 470 | 24.9 | 22.4-27.4 | 4 | 0.2 | 00.0-00.4 | 1475 | 72.1 | 69.6-74.6 | 53 | 2.8 | 01.8-03.8 |
| Less Than H.S. | 646 | 798,563 | 156 | 20.4 | 16.3-24.5 | 4 | 0.6 | 00.0-01.2 | 467 | 75.7 | 71.2-80.2 | 19 | 3.3 | 01.3-05.3 |
| H.S. or G.E.D. | 1760 | 1,682,142 | 321 | 12.5 | 10.7-14.3 | 6 | 0.3 | 00.1-00.5 | 1394 | 85.3 | 83.3-87.3 | 39 | 1.9 | 01.1-02.7 |
| Some Post-H.S. | 1256 | 1,460,942 | 230 | 13.1 | 10.7-15.5 | 8 | 0.6 | 00.2-01.0 | 992 | 85.1 | 82.6-87.6 | 26 | 1.3 | 00.7-01.9 |
| College Graduate | 1431 | 1,079,909 | 171 | 8.5 | 06.9-10.1 | 12 | 1.0 | 00.4-01.6 | 1227 | 89.5 | 87.7-91.3 | 21 | 1.1 | 00.5-01.7 |
| Less than \$15,000 | 681 | 592,035 | 163 | 17.9 | 14.4-21.4 | | | | 485 | 77.5 | 73.4-81.6 | 33 | 4.6 | 02.2-07.0 |
| \$15,000- 24,999 | 869 | 824,011 | 182 | 15.1 | 12.0-18.2 | 6 | 0.8 | 00.0-01.6 | 661 | 82.4 | 79.1-85.7 | 20 | 1.7 | 00.7-02.7 |
| \$25,000- 34,999 | 529 | 505,128 | 88 | 13.8 | 10.1-17.5 | 2 | 0.4 | 00.0-01.0 | 428 | 84.3 | 80.4-88.2 | 11 | 1.5 | 00.3-02.7 |
| \$35,000- 49,999 | 609 | 642,907 | 107 | 12.6 | 09.7-15.5 | 7 | 1.0 | 00.2-01.8 | 482 | 84.7 | 81.4-88.0 | 13 | 1.7 | 00.3-03.1 |
| \$50,000- 74,999 | 535 | 575,451 | 88 | 11.8 | 08.7-14.9 | 4 | 0.7 | 00.0-01.7 | 436 | 85.8 | 82.3-89.3 | 7 | 1.7 | 00.1-03.3 |
| \$75,000+ | 834 | 944,612 | 75 | 8.3 | 05.8-10.8 | 7 | 0.7 | 00.1-01.3 | 741 | 90.1 | 87.4-92.8 | 11 | 0.9 | 00.3-01.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1880 | 2,437,911 | 333 | 13.2 | 11.4-15.0 | 1513 | 85.3 | 83.3-87.3 | 34 | 1.5 | 00.7-02.3 |
| White/Non-Hisp | 1571 | 1,854,496 | 276 | 13.7 | 11.7-15.7 | 1265 | 84.9 | 82.7-87.1 | 30 | 1.5 | 00.7-02.3 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 40 | 14.0 | 07.7-20.3 | 151 | 83.9 | 77.2-90.6 | 2 | 2.1 | 00.0-05.0 |
| 18-24 | 93 | 320,604 | | | | 93 | 100.0 | 0100-0100 | | | |
| 25-34 | 165 | 422,793 | 6 | 4.5 | 00.8-08.2 | 158 | 94.7 | 90.6-98.8 | 1 | 0.9 | 00.0-02.7 |
| 35-44 | 176 | 410,826 | 9 | 5.6 | 01.1-10.1 | 167 | 94.4 | 89.9-98.9 | | | |
| 45-54 | 310 | 435,093 | 47 | 16.3 | 11.2-21.4 | 259 | 82.1 | 76.8-87.4 | 4 | 1.6 | 00.0-03.6 |
| 55-64 | 450 | 399,741 | 94 | 21.7 | 17.0-26.4 | 346 | 74.9 | 69.8-80.0 | 10 | 3.4 | 00.9-05.9 |
| 65+ | 670 | 439,864 | 174 | 27.3 | 23.0-31.6 | 478 | 70.0 | 65.5-74.5 | 18 | 2.7 | 01.1-04.3 |
| Less Than H.S. | 230 | 388,177 | 57 | 20.5 | 14.0-27.0 | 167 | 77.3 | 70.4-84.2 | 6 | 2.2 | 00.0-04.6 |
| H.S. or G.E.D. | 621 | 806,471 | 116 | 13.4 | 10.5-16.3 | 491 | 84.7 | 81.4-88.0 | 14 | 1.9 | 00.5-03.3 |
| Some Post-H.S. | 444 | 699,816 | 90 | 13.2 | 09.5-16.9 | 343 | 85.3 | 81.4-89.2 | 11 | 1.6 | 00.4-02.8 |
| College Graduate | 574 | 526,973 | 70 | 8.0 | 05.6-10.4 | 501 | 91.7 | 89.3-94.1 | 3 | 0.4 | 00.0-01.0 |
| Less than \$15,000 | 212 | 242,986 | 47 | 18.1 | 11.8-24.4 | 153 | 77.6 | 70.5-84.7 | 12 | 4.3 | 00.8-07.8 |
| \$15,000- 24,999 | 286 | 363,360 | 49 | 10.5 | 06.6-14.4 | 229 | 87.2 | 82.7-91.7 | 8 | 2.2 | 00.2-04.2 |
| \$25,000- 34,999 | 192 | 252,026 | 42 | 17.2 | 10.7-23.7 | 147 | 81.7 | 75.0-88.4 | 3 | 1.1 | 00.0-02.9 |
| \$35,000- 49,999 | 270 | 360,218 | 52 | 12.4 | 08.3-16.5 | 213 | 85.9 | 81.4-90.4 | 5 | 1.7 | 00.0-03.9 |
| \$50,000- 74,999 | 237 | 306,808 | 48 | 14.3 | 09.2-19.4 | 187 | 83.8 | 78.1-89.5 | 2 | 1.9 | 00.0-04.6 |
| \$75,000+ | 380 | 518,787 | 43 | 10.3 | 06.2-14.4 | 334 | 89.2 | 85.1-93.3 | 3 | 0.5 | 00.0-01.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3253 | 2,619,605 | 548 | 12.8 | 11.4-14.2 | 30 | 1.1 | 00.7-01.5 | 2604 | 84.2 | 82.6-85.8 | 71 | 2.0 | 01.4-02.6 |
| White/Non-Hisp | 2677 | 1,998,721 | 421 | 12.1 | 10.5-13.7 | 28 | 1.4 | 00.8-02.0 | 2168 | 84.6 | 82.8-86.4 | 60 | 2.0 | 01.4-02.6 |
| Black or Afr. Am./Non-Hisp | 433 | 430,715 | 106 | 17.9 | 13.0-22.8 | 2 | 0.3 | 00.0-00.7 | 317 | 80.7 | 75.8-85.6 | 8 | 1.1 | 00.1-02.1 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 10 | 11.1 | 02.7-19.5 | | | | 44 | 85.8 | 76.0-95.6 | 2 | 3.1 | 00.0-08.4 |
| 18-24 | 113 | 307,609 | 1 | 0.5 | 00.0-01.5 | | | | 111 | 98.0 | 95.1-0100 | 1 | 1.5 | 00.0-04.2 |
| 25-34 | 240 | 428,795 | 8 | 3.2 | 00.8-05.6 | 2 | 0.9 | 00.0-02.3 | 229 | 95.7 | 93.0-98.4 | 1 | 0.2 | 00.0-00.6 |
| 35-44 | 305 | 420,877 | 26 | 9.1 | 05.0-13.2 | 11 | 2.5 | 00.9-04.1 | 259 | 85.2 | 80.3-90.1 | 9 | 3.2 | 00.8-05.6 |
| 45-54 | 507 | 444,915 | 63 | 12.3 | 08.6-16.0 | 10 | 2.1 | 00.5-03.7 | 424 | 84.0 | 80.1-87.9 | 10 | 1.6 | 00.4-02.8 |
| 55-64 | 707 | 428,981 | 151 | 22.3 | 18.2-26.4 | 3 | 0.6 | 00.0-01.4 | 538 | 74.9 | 70.8-79.0 | 15 | 2.2 | 01.0-03.4 |
| 65+ | 1332 | 561,860 | 296 | 23.0 | 20.1-25.9 | 4 | 0.3 | 00.0-00.7 | 997 | 73.8 | 70.7-76.9 | 35 | 2.9 | 01.7-04.1 |
| Less Than H.S. | 416 | 410,386 | 99 | 20.4 | 15.3-25.5 | 4 | 1.2 | 00.0-02.4 | 300 | 74.1 | 68.2-80.0 | 13 | 4.3 | 01.0-07.6 |
| H.S. or G.E.D. | 1139 | 875,672 | 205 | 11.7 | 09.5-13.9 | 6 | 0.6 | 00.0-01.2 | 903 | 85.9 | 83.5-88.3 | 25 | 1.9 | 01.1-02.7 |
| Some Post-H.S. | 812 | 761,126 | 140 | 13.0 | 10.1-15.9 | 8 | 1.1 | 00.1-02.1 | 649 | 85.0 | 81.9-88.1 | 15 | 1.0 | 00.4-01.6 |
| College Graduate | 857 | 552,935 | 101 | 8.9 | 06.5-11.3 | 12 | 1.9 | 00.7-03.1 | 726 | 87.4 | 84.7-90.1 | 18 | 1.8 | 00.8-02.8 |
| Less than \$15,000 | 469 | 349,049 | 116 | 17.8 | 13.5-22.1 | | | | 332 | 77.4 | 72.3-82.5 | 21 | 4.9 | 02.0-07.8 |
| \$15,000- 24,999 | 583 | 460,651 | 133 | 18.8 | 14.5-23.1 | 6 | 1.4 | 00.2-02.6 | 432 | 78.6 | 74.1-83.1 | 12 | 1.3 | 00.5-02.1 |
| \$25,000- 34,999 | 337 | 253,102 | 46 | 10.4 | 06.5-14.3 | 2 | 0.8 | 00.0-02.0 | 281 | 86.9 | 82.4-91.4 | 8 | 1.9 | 00.3-03.5 |
| \$35,000- 49,999 | 339 | 282,689 | 55 | 12.9 | 08.8-17.0 | 7 | 2.3 | 00.3-04.3 | 269 | 83.1 | 78.4-87.8 | 8 | 1.8 | 00.4-03.2 |
| \$50,000- 74,999 | 298 | 268,643 | 40 | 9.0 | 05.5-12.5 | 4 | 1.5 | 00.0-03.5 | 249 | 87.9 | 83.8-92.0 | 5 | 1.5 | 00.1-02.9 |
| \$75,000+ | 454 | 425,825 | 32 | 6.0 | 03.3-08.7 | 7 | 1.6 | 00.4-02.8 | 407 | 91.1 | 88.0-94.2 | 8 | 1.4 | 00.2-02.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|----------------------------|-------------------|----------|------|-----|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 801 | 608,920 | 19 | 3.7 | 01.7-05.7 | 52 | 11.4 | 07.5-15.3 | 172 | 27.7 | 23.2-32.2 | 338 | 38.7 | 34.2-43.2 | 220 | 18.5 | 15.4-21.6 |
| Male | 312 | 308,489 | 5 | 1.6 | 00.0-03.2 | 19 | 11.0 | 05.3-16.7 | 68 | 29.5 | 22.2-36.8 | 145 | 41.6 | 34.5-48.7 | 75 | 16.2 | 11.7-20.7 |
| Female | 489 | 300,431 | 14 | 5.9 | 02.4-09.4 | 33 | 11.8 | 06.7-16.9 | 104 | 25.8 | 20.3-31.3 | 193 | 35.8 | 30.1-41.5 | 145 | 20.8 | 16.7-24.9 |
| White/Non-Hisp | 634 | 459,396 | 15 | 3.9 | 01.5-06.3 | 34 | 9.1 | 05.2-13.0 | 120 | 23.8 | 19.1-28.5 | 276 | 42.3 | 37.2-47.4 | 189 | 21.0 | 17.3-24.7 |
| Black or Afr. Am./Non-Hisp | 134 | 118,923 | 3 | 3.9 | 00.0-08.8 | 12 | 17.1 | 05.5-28.7 | 46 | 44.3 | 31.4-57.2 | 49 | 23.9 | 14.5-33.3 | 24 | 10.9 | 05.2-16.6 |
| 45-54 | 102 | 117,520 | 6 | 6.4 | 00.5-12.3 | 11 | 9.9 | 03.0-16.8 | 55 | 53.0 | 41.0-65.0 | 30 | 30.7 | 19.1-42.3 | | | |
| 55-64 | 232 | 170,944 | 3 | 1.2 | 00.0-03.0 | 10 | 5.0 | 00.9-09.1 | 54 | 25.3 | 18.2-32.4 | 153 | 64.8 | 57.0-72.6 | 12 | 3.7 | 01.2-06.2 |
| 65+ | 416 | 225,261 | 2 | 0.5 | 00.0-01.3 | 12 | 3.3 | 01.1-05.5 | 41 | 10.1 | 06.2-14.0 | 153 | 39.0 | 32.7-45.3 | 208 | 47.2 | 40.9-53.5 |
| Less Than H.S. | 139 | 140,110 | 4 | 1.9 | 00.0-04.3 | 9 | 10.1 | 02.3-17.9 | 34 | 29.8 | 19.2-40.4 | 51 | 39.5 | 28.7-50.3 | 41 | 18.7 | 11.4-26.0 |
| H.S. or G.E.D. | 297 | 198,950 | 5 | 3.4 | 00.1-06.7 | 15 | 9.4 | 04.3-14.5 | 64 | 24.6 | 18.1-31.1 | 124 | 43.6 | 36.2-51.0 | 89 | 19.0 | 13.9-24.1 |
| Some Post-H.S. | 208 | 185,144 | 4 | 4.4 | 00.0-08.9 | 18 | 16.9 | 07.9-25.9 | 46 | 29.6 | 20.0-39.2 | 89 | 31.7 | 24.1-39.3 | 51 | 17.4 | 11.5-23.3 |
| College Graduate | 156 | 84,599 | 6 | 5.9 | 00.4-11.4 | 10 | 6.4 | 01.1-11.7 | 28 | 27.3 | 16.9-37.7 | 73 | 41.1 | 31.3-50.9 | 39 | 19.3 | 12.0-26.6 |
| Less than \$15,000 | 142 | 96,024 | 4 | 3.2 | 00.0-06.9 | 17 | 21.6 | 11.4-31.8 | 36 | 31.0 | 20.8-41.2 | 50 | 30.4 | 20.2-40.6 | 35 | 13.9 | 08.2-19.6 |
| \$15,000- 24,999 | 166 | 114,435 | 6 | 5.7 | 00.0-11.4 | 10 | 15.0 | 04.2-25.8 | 34 | 19.5 | 11.5-27.5 | 62 | 37.5 | 27.3-47.7 | 54 | 22.3 | 14.7-29.9 |
| \$25,000- 34,999 | 83 | 65,023 | 1 | 2.8 | 00.0-08.3 | 2 | 2.3 | 00.0-06.0 | 16 | 29.6 | 14.3-44.9 | 35 | 39.6 | 25.7-53.5 | 29 | 25.6 | 13.8-37.4 |
| \$35,000- 49,999 | 99 | 78,650 | 3 | 4.6 | 00.0-09.9 | 7 | 7.8 | 00.7-14.9 | 22 | 28.4 | 17.0-39.8 | 44 | 42.5 | 30.5-54.5 | 23 | 16.7 | 08.7-24.7 |
| \$50,000- 74,999 | 85 | 67,028 | 1 | 2.2 | 00.0-06.3 | 1 | 0.4 | 00.0-01.2 | 21 | 38.8 | 23.9-53.7 | 40 | 37.0 | 24.5-49.5 | 22 | 21.6 | 11.2-32.0 |
| \$75,000+ | 73 | 77,448 | 2 | 5.5 | 00.0-13.7 | 3 | 3.4 | 00.0-07.9 | 18 | 40.0 | 22.8-57.2 | 38 | 44.2 | 28.3-60.1 | 12 | 6.9 | 02.0-11.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|--------------------|-------------------|----------|------|-----|------------|----|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|--|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 312 | 308,489 | 5 | 1.6 | 00.0-03.2 | 19 | 11.0 | 05.1-16.9 | 68 | 29.5 | 22.6-36.4 | 145 | 41.6 | 34.9-48.3 | 75 | 16.2 | 11.7-20.7 | | | |
| White/Non-Hisp | 256 | 240,632 | 5 | 2.1 | 00.1-04.1 | 16 | 11.7 | 05.0-18.4 | 47 | 23.5 | 17.0-30.0 | 120 | 44.2 | 36.8-51.6 | 68 | 18.6 | 13.3-23.9 | | | |
| 55-64 | 89 | 81,932 | 1 | 1.8 | 00.0-05.3 | 2 | 1.8 | 00.0-04.7 | 21 | 28.2 | 16.8-39.6 | 60 | 64.8 | 53.0-76.6 | 5 | 3.4 | 00.0-07.1 | | | |
| 65+ | 161 | 114,549 | | | | 6 | 4.0 | 00.5-07.5 | 15 | 9.3 | 03.4-15.2 | 70 | 45.4 | 35.8-55.0 | 70 | 41.3 | 31.7-50.9 | | | |
| Less Than H.S. | 52 | 74,896 | 3 | 3.0 | 00.0-06.9 | 2 | 9.4 | 00.0-22.1 | 10 | 26.3 | 12.0-40.6 | 24 | 45.5 | 29.8-61.2 | 13 | 15.8 | 05.8-25.8 | | | |
| H.S. or G.E.D. | 112 | 104,493 | 1 | 1.4 | 00.0-04.1 | 8 | 11.8 | 03.6-20.0 | 25 | 26.0 | 16.2-35.8 | 51 | 46.1 | 35.3-56.9 | 27 | 14.7 | 07.8-21.6 | | | |
| Some Post-H.S. | 84 | 89,568 | 1 | 1.5 | 00.0-04.4 | 6 | 15.8 | 02.7-28.9 | 21 | 36.7 | 20.8-52.6 | 40 | 30.7 | 19.3-42.1 | 16 | 15.4 | 06.6-24.2 | | | |
| College Graduate | 64 | 39,531 | | | | 3 | 1.4 | 00.0-03.2 | 12 | 28.9 | 13.0-44.8 | 30 | 46.9 | 31.4-62.4 | 19 | 22.9 | 11.3-34.5 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|----------------------------|-------------------|----------|------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 489 | 300,431 | 14 | 5.9 | 02.4-09.4 | 33 | 11.8 | 06.7-16.9 | 104 | 25.8 | 20.3-31.3 | 193 | 35.8 | 30.3-41.3 | 145 | 20.8 | 16.7-24.9 |
| White/Non-Hisp | 378 | 218,765 | 10 | 5.9 | 01.8-10.0 | 18 | 6.2 | 02.7-09.7 | 73 | 24.1 | 18.2-30.0 | 156 | 40.1 | 33.4-46.8 | 121 | 23.7 | 18.8-28.6 |
| Black or Afr. Am./Non-Hisp | 94 | 68,110 | 3 | 6.7 | 00.0-14.9 | 10 | 22.0 | 06.3-37.7 | 29 | 33.5 | 20.0-47.0 | 32 | 23.8 | 13.8-33.8 | 20 | 13.9 | 05.9-21.9 |
| 45-54 | 57 | 48,465 | 3 | 11.0 | 00.0-23.3 | 6 | 8.0 | 00.9-15.1 | 31 | 51.8 | 35.9-67.7 | 17 | 29.2 | 14.9-43.5 | | | |
| 55-64 | 143 | 89,012 | 2 | 0.7 | 00.0-01.7 | 8 | 8.0 | 00.7-15.3 | 33 | 22.7 | 14.1-31.3 | 93 | 64.7 | 54.5-74.9 | 7 | 4.0 | 00.5-07.5 |
| 65+ | 255 | 110,712 | 2 | 0.9 | 00.0-02.5 | 6 | 2.6 | 00.2-05.0 | 26 | 10.9 | 05.8-16.0 | 83 | 32.3 | 24.7-39.9 | 138 | 53.3 | 45.3-61.3 |
| Less Than H.S. | 87 | 65,214 | 1 | 0.7 | 00.0-02.1 | 7 | 10.8 | 02.4-19.2 | 24 | 33.7 | 21.0-46.4 | 27 | 32.7 | 18.8-46.6 | 28 | 22.0 | 12.2-31.8 |
| H.S. or G.E.D. | 185 | 94,457 | 4 | 5.6 | 00.0-11.7 | 7 | 6.6 | 01.3-11.9 | 39 | 23.1 | 15.1-31.1 | 73 | 40.8 | 31.6-50.0 | 62 | 23.8 | 16.9-30.7 |
| Some Post-H.S. | 124 | 95,576 | 3 | 7.2 | 00.0-15.2 | 12 | 17.9 | 05.6-30.2 | 25 | 22.9 | 12.7-33.1 | 49 | 32.8 | 22.6-43.0 | 35 | 19.2 | 11.4-27.0 |
| College Graduate | 92 | 45,067 | 6 | 11.1 | 01.3-20.9 | 7 | 10.8 | 01.4-20.2 | 16 | 25.8 | 10.9-40.7 | 43 | 36.1 | 23.6-48.6 | 20 | 16.1 | 07.1-25.1 |
| Less than \$15,000 | 99 | 53,861 | 3 | 2.9 | 00.0-06.8 | 11 | 17.0 | 06.2-27.8 | 26 | 37.1 | 23.8-50.4 | 38 | 31.1 | 19.7-42.5 | 21 | 11.9 | 06.0-17.8 |
| \$15,000- 24,999 | 120 | 77,206 | 5 | 8.3 | 00.1-16.5 | 6 | 15.1 | 01.2-29.0 | 25 | 20.6 | 10.8-30.4 | 41 | 32.0 | 20.4-43.6 | 43 | 24.0 | 15.0-33.0 |
| \$35,000- 49,999 | 50 | 35,555 | 3 | 10.1 | 00.0-21.3 | 5 | 12.9 | 00.0-25.8 | 13 | 30.4 | 13.9-46.9 | 19 | 33.8 | 18.3-49.3 | 10 | 12.7 | 03.7-21.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3) | |
| 1 | MALES AND FEMALES | 75 |
| 2 | MALES ONLY | 76 |
| 3 | FEMALES ONLY | 77 |
| | HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3) | |
| 4 | MALES AND FEMALES | 78 |
| 5 | MALES ONLY | 79 |
| 6 | FEMALES ONLY | 80 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5065 | 5,005,662 | 2993 | 58.3 | 56.3-60.3 | 590 | 12.5 | 11.1-13.9 | 500 | 10.6 | 09.2-12.0 | 962 | 18.0 | 16.4-19.6 | 20 | 0.5 | 00.1-00.9 |
| Male | 1856 | 2,413,115 | 1070 | 57.3 | 54.2-60.4 | 224 | 13.1 | 10.7-15.5 | 189 | 10.8 | 08.6-13.0 | 363 | 18.2 | 15.8-20.6 | 10 | 0.6 | 00.2-01.0 |
| Female | 3209 | 2,592,547 | 1923 | 59.2 | 56.7-61.7 | 366 | 12.0 | 10.4-13.6 | 311 | 10.5 | 08.9-12.1 | 599 | 17.8 | 15.8-19.8 | 10 | 0.5 | 00.1-00.9 |
| White/Non-Hisp | 4200 | 3,818,681 | 2520 | 58.8 | 56.6-61.0 | 479 | 12.0 | 10.4-13.6 | 385 | 10.1 | 08.7-11.5 | 802 | 18.6 | 16.8-20.4 | 14 | 0.4 | 00.2-00.6 |
| Black or Afr. Am./Non-Hisp | 615 | 786,164 | 329 | 57.1 | 51.4-62.8 | 85 | 14.0 | 10.1-17.9 | 82 | 12.6 | 08.5-16.7 | 114 | 15.2 | 11.3-19.1 | 5 | 1.1 | 00.0-02.3 |
| Oth. Race/Non-Hisp. | 95 | 125,108 | 56 | 61.5 | 49.0-74.0 | 6 | 6.1 | 00.0-12.6 | 11 | 9.2 | 02.7-15.7 | 22 | 23.2 | 12.0-34.4 | | | |
| Hispanic | 59 | 144,233 | 29 | 46.9 | 31.4-62.4 | 8 | 16.4 | 03.7-29.1 | 10 | 15.4 | 04.8-26.0 | 11 | 19.4 | 08.0-30.8 | 1 | 1.9 | 00.0-05.6 |
| 18-24 | 200 | 616,296 | 124 | 61.0 | 53.2-68.8 | 29 | 16.4 | 10.3-22.5 | 27 | 13.1 | 07.8-18.4 | 18 | 8.6 | 03.9-13.3 | 2 | 0.9 | 00.0-02.1 |
| 25-34 | 403 | 846,650 | 229 | 55.2 | 49.5-60.9 | 48 | 11.7 | 08.2-15.2 | 46 | 13.2 | 08.7-17.7 | 78 | 19.5 | 15.0-24.0 | 2 | 0.3 | 00.0-00.9 |
| 35-44 | 477 | 827,007 | 295 | 60.1 | 54.4-65.8 | 63 | 14.0 | 09.7-18.3 | 50 | 10.3 | 06.8-13.8 | 67 | 14.8 | 10.7-18.9 | 2 | 0.8 | 00.0-02.0 |
| 45-54 | 817 | 880,450 | 467 | 57.5 | 53.2-61.8 | 106 | 12.8 | 09.9-15.7 | 80 | 10.2 | 07.5-12.9 | 161 | 19.2 | 15.7-22.7 | 3 | 0.3 | 00.0-00.7 |
| 55-64 | 1140 | 815,382 | 672 | 57.9 | 54.2-61.6 | 131 | 11.3 | 08.9-13.7 | 115 | 9.7 | 07.5-11.9 | 220 | 20.9 | 17.8-24.0 | 2 | 0.2 | 00.0-00.6 |
| 65+ | 1967 | 986,771 | 1161 | 58.6 | 55.7-61.5 | 205 | 10.1 | 08.3-11.9 | 178 | 8.6 | 07.0-10.2 | 414 | 22.0 | 19.5-24.5 | 9 | 0.8 | 00.2-01.4 |
| Less Than H.S. | 634 | 787,938 | 168 | 28.7 | 23.2-34.2 | 77 | 14.3 | 10.0-18.6 | 96 | 16.3 | 11.2-21.4 | 288 | 40.1 | 34.4-45.8 | 5 | 0.6 | 00.0-01.4 |
| H.S. or G.E.D. | 1732 | 1,659,186 | 922 | 56.8 | 53.3-60.3 | 220 | 12.3 | 09.9-14.7 | 182 | 10.4 | 08.4-12.4 | 398 | 19.7 | 17.2-22.2 | 10 | 0.8 | 00.2-01.4 |
| Some Post-H.S. | 1235 | 1,445,143 | 772 | 61.9 | 58.0-65.8 | 144 | 13.3 | 10.4-16.2 | 137 | 10.4 | 07.9-12.9 | 178 | 13.9 | 11.4-16.4 | 4 | 0.5 | 00.0-01.1 |
| College Graduate | 1426 | 1,077,889 | 1109 | 77.7 | 74.8-80.6 | 145 | 10.3 | 08.1-12.5 | 83 | 7.3 | 05.3-09.3 | 89 | 4.7 | 03.3-06.1 | | | |
| Less than \$15,000 | 665 | 584,545 | 197 | 32.4 | 26.7-38.1 | 81 | 10.5 | 07.2-13.8 | 108 | 16.1 | 11.8-20.4 | 271 | 39.5 | 34.0-45.0 | 8 | 1.5 | 00.1-02.9 |
| \$15,000- 24,999 | 860 | 817,303 | 379 | 39.2 | 34.3-44.1 | 118 | 15.4 | 11.3-19.5 | 120 | 17.4 | 13.1-21.7 | 236 | 26.6 | 22.5-30.7 | 7 | 1.5 | 00.1-02.9 |
| \$25,000- 34,999 | 524 | 497,481 | 293 | 52.7 | 46.4-59.0 | 70 | 13.0 | 09.3-16.7 | 54 | 10.8 | 07.1-14.5 | 106 | 23.3 | 17.8-28.8 | 1 | 0.2 | 00.0-00.6 |
| \$35,000- 49,999 | 603 | 634,951 | 403 | 65.5 | 60.0-71.0 | 68 | 12.2 | 08.3-16.1 | 57 | 8.4 | 05.9-10.9 | 74 | 13.8 | 09.3-18.3 | 1 | 0.1 | 00.0-00.3 |
| \$50,000- 74,999 | 533 | 573,452 | 408 | 74.1 | 69.0-79.2 | 56 | 10.5 | 06.8-14.2 | 36 | 9.2 | 05.7-12.7 | 33 | 6.2 | 03.8-08.6 | | | |
| \$75,000+ | 835 | 945,763 | 707 | 81.0 | 76.9-85.1 | 69 | 9.3 | 06.6-12.0 | 29 | 5.6 | 02.5-08.7 | 29 | 3.9 | 01.9-05.9 | 1 | 0.2 | 00.0-00.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1856 | 2,413,115 | 1070 | 57.3 | 54.2-60.4 | 224 | 13.1 | 10.7-15.5 | 189 | 10.8 | 08.6-13.0 | 363 | 18.2 | 15.8-20.6 | 10 | 0.6 | 00.2-01.0 |
| White/Non-Hisp | 1555 | 1,837,218 | 908 | 58.4 | 54.9-61.9 | 185 | 11.9 | 09.5-14.3 | 149 | 10.3 | 07.9-12.7 | 305 | 18.9 | 16.2-21.6 | 8 | 0.6 | 00.2-01.0 |
| Black or Afr. Am./Non-Hisp | 188 | 360,893 | 98 | 55.0 | 45.4-64.6 | 26 | 14.4 | 07.7-21.1 | 27 | 14.3 | 06.5-22.1 | 36 | 16.0 | 09.7-22.3 | 1 | 0.3 | 00.0-00.9 |
| 18-24 | 90 | 312,235 | 58 | 63.4 | 51.8-75.0 | 12 | 18.2 | 08.4-28.0 | 11 | 8.9 | 03.4-14.4 | 7 | 7.8 | 00.5-15.1 | 2 | 1.8 | 00.0-04.3 |
| 25-34 | 165 | 422,793 | 92 | 53.3 | 44.5-62.1 | 22 | 12.1 | 06.6-17.6 | 25 | 17.9 | 10.1-25.7 | 26 | 16.7 | 10.2-23.2 | | | |
| 35-44 | 176 | 410,826 | 101 | 57.7 | 48.7-66.7 | 30 | 17.4 | 10.0-24.8 | 16 | 9.5 | 03.6-15.4 | 28 | 14.8 | 08.7-20.9 | 1 | 0.6 | 00.0-01.8 |
| 45-54 | 310 | 435,093 | 170 | 56.9 | 50.0-63.8 | 43 | 12.3 | 07.8-16.8 | 31 | 10.0 | 05.7-14.3 | 65 | 20.4 | 15.1-25.7 | 1 | 0.4 | 00.0-01.2 |
| 55-64 | 442 | 391,637 | 240 | 54.6 | 48.7-60.5 | 53 | 10.9 | 07.2-14.6 | 50 | 10.4 | 06.9-13.9 | 97 | 23.6 | 18.7-28.5 | 2 | 0.4 | 00.0-01.0 |
| 65+ | 657 | 431,540 | 397 | 59.4 | 54.7-64.1 | 62 | 9.0 | 06.5-11.5 | 55 | 7.7 | 05.2-10.2 | 139 | 23.2 | 18.9-27.5 | 4 | 0.7 | 00.0-01.5 |
| Less Than H.S. | 227 | 384,298 | 61 | 30.3 | 21.3-39.3 | 27 | 12.6 | 06.1-19.1 | 30 | 16.9 | 08.7-25.1 | 105 | 39.0 | 30.2-47.8 | 4 | 1.2 | 00.0-02.8 |
| H.S. or G.E.D. | 613 | 796,487 | 317 | 56.5 | 51.0-62.0 | 76 | 12.7 | 08.8-16.6 | 67 | 9.9 | 06.8-13.0 | 149 | 20.2 | 16.1-24.3 | 4 | 0.8 | 00.0-01.8 |
| Some Post-H.S. | 435 | 690,964 | 254 | 59.8 | 53.5-66.1 | 54 | 15.3 | 10.2-20.4 | 53 | 10.3 | 06.4-14.2 | 73 | 14.6 | 10.5-18.7 | 1 | 0.1 | 00.0-00.3 |
| College Graduate | 570 | 524,890 | 434 | 76.0 | 71.3-80.7 | 65 | 10.9 | 07.8-14.0 | 37 | 8.3 | 05.0-11.6 | 34 | 4.8 | 02.6-07.0 | | | |
| Less than \$15,000 | 209 | 240,870 | 54 | 31.6 | 21.8-41.4 | 27 | 7.8 | 03.5-12.1 | 33 | 16.1 | 08.7-23.5 | 92 | 42.6 | 33.2-52.0 | 3 | 1.8 | 00.0-04.3 |
| \$15,000- 24,999 | 284 | 362,257 | 115 | 39.1 | 30.9-47.3 | 35 | 16.0 | 08.7-23.3 | 44 | 17.4 | 09.8-25.0 | 86 | 25.9 | 19.4-32.4 | 4 | 1.6 | 00.0-03.6 |
| \$25,000- 34,999 | 188 | 244,878 | 98 | 55.2 | 45.4-65.0 | 25 | 10.4 | 05.1-15.7 | 18 | 11.1 | 05.0-17.2 | 46 | 22.8 | 14.8-30.8 | 1 | 0.5 | 00.0-01.5 |
| \$35,000- 49,999 | 265 | 353,332 | 163 | 62.3 | 53.9-70.7 | 37 | 13.4 | 07.3-19.5 | 23 | 6.4 | 03.3-09.5 | 42 | 17.9 | 10.6-25.2 | | | |
| \$50,000- 74,999 | 235 | 304,809 | 168 | 67.3 | 59.3-75.3 | 23 | 10.9 | 05.0-16.8 | 22 | 12.8 | 06.7-18.9 | 22 | 9.0 | 04.9-13.1 | | | |
| \$75,000+ | 380 | 518,787 | 300 | 74.3 | 67.6-81.0 | 40 | 11.5 | 07.2-15.8 | 19 | 8.5 | 03.0-14.0 | 20 | 5.5 | 02.0-09.0 | 1 | 0.3 | 00.0-00.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3209 | 2,592,547 | 1923 | 59.2 | 56.7-61.7 | 366 | 12.0 | 10.4-13.6 | 311 | 10.5 | 08.9-12.1 | 599 | 17.8 | 15.8-19.8 | 10 | 0.5 | 00.1-00.9 |
| White/Non-Hisp | 2645 | 1,981,462 | 1612 | 59.2 | 56.5-61.9 | 294 | 12.1 | 10.3-13.9 | 236 | 10.0 | 08.2-11.8 | 497 | 18.4 | 16.2-20.6 | 6 | 0.3 | 00.1-00.5 |
| Black or Afr. Am./Non-Hisp | 427 | 425,271 | 231 | 58.9 | 52.0-65.8 | 59 | 13.7 | 09.0-18.4 | 55 | 11.1 | 07.2-15.0 | 78 | 14.5 | 09.6-19.4 | 4 | 1.7 | 00.0-03.9 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 37 | 69.5 | 53.6-85.4 | 2 | 2.0 | 00.0-04.9 | 6 | 8.8 | 00.0-18.0 | 11 | 19.7 | 05.6-33.8 | | | |
| 18-24 | 110 | 304,061 | 66 | 58.6 | 47.6-69.6 | 17 | 14.5 | 07.2-21.8 | 16 | 17.4 | 08.6-26.2 | 11 | 9.5 | 03.4-15.6 | | | |
| 25-34 | 238 | 423,857 | 137 | 57.1 | 49.8-64.4 | 26 | 11.3 | 06.8-15.8 | 21 | 8.6 | 04.7-12.5 | 52 | 22.3 | 16.2-28.4 | 2 | 0.7 | 00.0-01.7 |
| 35-44 | 301 | 416,181 | 194 | 62.5 | 55.6-69.4 | 33 | 10.7 | 06.6-14.8 | 34 | 11.1 | 07.0-15.2 | 39 | 14.8 | 09.3-20.3 | 1 | 1.0 | 00.0-03.0 |
| 45-54 | 507 | 445,357 | 297 | 58.2 | 52.7-63.7 | 63 | 13.2 | 09.3-17.1 | 49 | 10.3 | 07.0-13.6 | 96 | 18.0 | 13.7-22.3 | 2 | 0.3 | 00.0-00.9 |
| 55-64 | 698 | 423,745 | 432 | 61.0 | 56.3-65.7 | 78 | 11.7 | 08.8-14.6 | 65 | 8.9 | 06.4-11.4 | 123 | 18.4 | 14.5-22.3 | | | |
| 65+ | 1310 | 555,231 | 764 | 57.9 | 54.4-61.4 | 143 | 11.0 | 08.8-13.2 | 123 | 9.3 | 07.1-11.5 | 275 | 21.0 | 18.1-23.9 | 5 | 0.8 | 00.0-01.8 |
| Less Than H.S. | 407 | 403,640 | 107 | 27.2 | 20.7-33.7 | 50 | 15.9 | 10.2-21.6 | 66 | 15.8 | 10.1-21.5 | 183 | 41.1 | 33.8-48.4 | 1 | 0.0 | 00.0-00.0 |
| H.S. or G.E.D. | 1119 | 862,698 | 605 | 57.0 | 52.7-61.3 | 144 | 12.0 | 09.3-14.7 | 115 | 10.9 | 08.2-13.6 | 249 | 19.3 | 16.0-22.6 | 6 | 0.7 | 00.0-01.5 |
| Some Post-H.S. | 800 | 754,178 | 518 | 63.8 | 59.3-68.3 | 90 | 11.5 | 08.6-14.4 | 84 | 10.4 | 07.5-13.3 | 105 | 13.3 | 10.2-16.4 | 3 | 0.9 | 00.0-02.1 |
| College Graduate | 856 | 552,999 | 675 | 79.3 | 75.6-83.0 | 80 | 9.8 | 07.1-12.5 | 46 | 6.4 | 04.2-08.6 | 55 | 4.5 | 02.7-06.3 | | | |
| Less than \$15,000 | 456 | 343,675 | 143 | 33.0 | 26.3-39.7 | 54 | 12.4 | 07.7-17.1 | 75 | 16.1 | 11.0-21.2 | 179 | 37.2 | 30.5-43.9 | 5 | 1.2 | 00.0-02.6 |
| \$15,000- 24,999 | 576 | 455,045 | 264 | 39.2 | 33.5-44.9 | 83 | 14.9 | 10.4-19.4 | 76 | 17.3 | 12.6-22.0 | 150 | 27.2 | 21.9-32.5 | 3 | 1.4 | 00.0-03.4 |
| \$25,000- 34,999 | 336 | 252,603 | 195 | 50.3 | 42.7-57.9 | 45 | 15.5 | 10.2-20.8 | 36 | 10.5 | 06.2-14.8 | 60 | 23.7 | 16.3-31.1 | | | |
| \$35,000- 49,999 | 338 | 281,619 | 240 | 69.6 | 63.3-75.9 | 31 | 10.6 | 06.5-14.7 | 34 | 10.9 | 06.6-15.2 | 32 | 8.6 | 05.1-12.1 | 1 | 0.3 | 00.0-00.9 |
| \$50,000- 74,999 | 298 | 268,643 | 240 | 81.9 | 76.4-87.4 | 33 | 10.1 | 05.8-14.4 | 14 | 5.1 | 02.0-08.2 | 11 | 2.9 | 00.7-05.1 | | | |
| \$75,000+ | 455 | 426,976 | 407 | 89.2 | 85.5-92.9 | 29 | 6.8 | 03.7-09.9 | 10 | 2.1 | 00.7-03.5 | 9 | 1.9 | 00.5-03.3 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 to 5 teeth removed | | | 6 or more but not all | | | All | | | None | | |
|----------------------------|-------------------|-----------|----------------------|------|------------|-----------------------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4979 | 4,943,668 | 1466 | 27.7 | 25.9-29.5 | 882 | 13.6 | 12.4-14.8 | 669 | 8.9 | 07.9-09.9 | 1962 | 49.8 | 47.8-51.8 |
| Male | 1824 | 2,381,434 | 550 | 28.1 | 25.2-31.0 | 314 | 13.1 | 11.1-15.1 | 226 | 8.0 | 06.6-09.4 | 734 | 50.8 | 47.7-53.9 |
| Female | 3155 | 2,562,233 | 916 | 27.4 | 25.2-29.6 | 568 | 14.1 | 12.5-15.7 | 443 | 9.7 | 08.3-11.1 | 1228 | 48.8 | 46.3-51.3 |
| White/Non-Hisp | 4109 | 3,756,206 | 1191 | 27.1 | 25.1-29.1 | 713 | 14.1 | 12.7-15.5 | 581 | 10.2 | 09.0-11.4 | 1624 | 48.6 | 46.4-50.8 |
| Black or Afr. Am./Non-Hisp | 616 | 779,124 | 212 | 33.0 | 27.7-38.3 | 136 | 14.5 | 10.8-18.2 | 62 | 4.9 | 03.1-06.7 | 206 | 47.5 | 41.6-53.4 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 20 | 20.1 | 09.1-31.1 | 15 | 11.6 | 04.2-19.0 | 15 | 10.2 | 03.7-16.7 | 47 | 58.1 | 45.6-70.6 |
| Hispanic | 61 | 147,753 | 19 | 24.9 | 12.9-36.9 | 2 | 1.8 | 00.0-04.3 | 1 | 1.0 | 00.0-03.0 | 39 | 72.4 | 60.1-84.7 |
| 18-24 | 204 | 618,002 | 26 | 12.6 | 07.3-17.9 | 1 | 0.8 | 00.0-02.4 | 1 | 0.3 | 00.0-00.9 | 176 | 86.3 | 80.8-91.8 |
| 25-34 | 403 | 848,370 | 99 | 24.6 | 19.7-29.5 | 21 | 5.3 | 02.8-07.8 | 6 | 0.9 | 00.1-01.7 | 277 | 69.1 | 63.8-74.4 |
| 35-44 | 473 | 810,101 | 148 | 31.6 | 26.1-37.1 | 46 | 9.2 | 06.1-12.3 | 12 | 3.3 | 01.1-05.5 | 267 | 55.9 | 50.2-61.6 |
| 45-54 | 807 | 870,994 | 239 | 31.1 | 27.0-35.2 | 125 | 16.2 | 12.9-19.5 | 58 | 8.1 | 05.6-10.6 | 385 | 44.6 | 40.3-48.9 |
| 55-64 | 1117 | 801,050 | 396 | 35.5 | 32.0-39.0 | 216 | 19.7 | 16.6-22.8 | 150 | 14.2 | 11.5-16.9 | 355 | 30.6 | 27.3-33.9 |
| 65+ | 1917 | 961,696 | 540 | 27.0 | 24.5-29.5 | 468 | 25.7 | 23.2-28.2 | 437 | 22.4 | 19.9-24.9 | 472 | 24.9 | 22.4-27.4 |
| Less Than H.S. | 626 | 777,593 | 129 | 23.5 | 18.6-28.4 | 166 | 23.6 | 19.1-28.1 | 232 | 25.1 | 20.6-29.6 | 99 | 27.8 | 21.5-34.1 |
| H.S. or G.E.D. | 1700 | 1,629,481 | 550 | 32.1 | 28.8-35.4 | 374 | 15.4 | 13.2-17.6 | 266 | 9.1 | 07.5-10.7 | 510 | 43.4 | 39.7-47.1 |
| Some Post-H.S. | 1217 | 1,439,008 | 386 | 28.6 | 25.1-32.1 | 208 | 12.1 | 09.9-14.3 | 109 | 5.0 | 03.8-06.2 | 514 | 54.3 | 50.4-58.2 |
| College Graduate | 1398 | 1,061,825 | 390 | 23.1 | 20.4-25.8 | 129 | 5.8 | 04.4-07.2 | 58 | 2.2 | 01.2-03.2 | 821 | 68.9 | 65.8-72.0 |
| Less than \$15,000 | 657 | 573,947 | 150 | 27.5 | 22.4-32.6 | 191 | 24.1 | 19.6-28.6 | 175 | 15.5 | 12.2-18.8 | 141 | 32.9 | 27.0-38.8 |
| \$15,000- 24,999 | 850 | 809,109 | 260 | 28.6 | 23.9-33.3 | 203 | 18.6 | 15.3-21.9 | 166 | 15.3 | 12.2-18.4 | 221 | 37.5 | 32.4-42.6 |
| \$25,000- 34,999 | 514 | 499,200 | 157 | 24.3 | 19.4-29.2 | 94 | 15.9 | 11.6-20.2 | 81 | 12.8 | 08.9-16.7 | 182 | 46.9 | 40.4-53.4 |
| \$35,000- 49,999 | 594 | 630,805 | 204 | 30.4 | 25.5-35.3 | 97 | 12.4 | 09.5-15.3 | 54 | 6.9 | 04.5-09.3 | 239 | 50.3 | 44.6-56.0 |
| \$50,000- 74,999 | 523 | 564,607 | 178 | 30.0 | 24.7-35.3 | 56 | 8.8 | 05.7-11.9 | 22 | 3.8 | 01.8-05.8 | 267 | 57.4 | 51.5-63.3 |
| \$75,000+ | 821 | 932,523 | 226 | 23.9 | 20.0-27.8 | 61 | 5.7 | 03.7-07.7 | 13 | 0.9 | 00.1-01.7 | 521 | 69.5 | 65.2-73.8 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 to 5 teeth removed | | | 6 or more but not all | | | All | | | None | | |
|----------------------------|-------------------|-----------|----------------------|------|------------|-----------------------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1824 | 2,381,434 | 550 | 28.1 | 25.2-31.0 | 314 | 13.1 | 11.1-15.1 | 226 | 8.0 | 06.6-09.4 | 734 | 50.8 | 47.7-53.9 |
| White/Non-Hisp | 1520 | 1,802,414 | 450 | 27.3 | 24.2-30.4 | 257 | 13.6 | 11.4-15.8 | 206 | 9.6 | 08.0-11.2 | 607 | 49.5 | 46.0-53.0 |
| Black or Afr. Am./Non-Hisp | 191 | 360,525 | 71 | 34.2 | 25.4-43.0 | 42 | 13.6 | 07.9-19.3 | 10 | 2.3 | 00.5-04.1 | 68 | 49.9 | 40.3-59.5 |
| 18-24 | 93 | 320,604 | 12 | 13.9 | 05.7-22.1 | 1 | 1.5 | 00.0-04.2 | 1 | 0.7 | 00.0-02.1 | 79 | 84.0 | 75.4-92.6 |
| 25-34 | 164 | 421,921 | 40 | 22.6 | 15.5-29.7 | 12 | 6.3 | 02.2-10.4 | 2 | 0.7 | 00.0-01.7 | 110 | 70.4 | 62.6-78.2 |
| 35-44 | 171 | 398,016 | 60 | 36.5 | 27.5-45.5 | 10 | 4.5 | 01.4-07.6 | 3 | 1.8 | 00.0-04.2 | 98 | 57.2 | 48.0-66.4 |
| 45-54 | 306 | 427,885 | 92 | 29.8 | 23.5-36.1 | 50 | 17.6 | 12.1-23.1 | 20 | 5.7 | 03.0-08.4 | 144 | 46.8 | 39.9-53.7 |
| 55-64 | 434 | 384,824 | 162 | 35.8 | 30.1-41.5 | 81 | 20.1 | 15.2-25.0 | 67 | 16.0 | 11.7-20.3 | 124 | 28.0 | 22.9-33.1 |
| 65+ | 642 | 419,589 | 177 | 26.5 | 22.2-30.8 | 160 | 26.5 | 22.0-31.0 | 133 | 21.9 | 17.8-26.0 | 172 | 25.0 | 20.9-29.1 |
| Less Than H.S. | 222 | 380,427 | 50 | 22.0 | 14.6-29.4 | 56 | 23.5 | 16.4-30.6 | 77 | 20.7 | 14.6-26.8 | 39 | 33.8 | 23.2-44.4 |
| H.S. or G.E.D. | 601 | 776,488 | 198 | 34.0 | 28.7-39.3 | 130 | 13.9 | 10.8-17.0 | 86 | 8.5 | 06.3-10.7 | 187 | 43.6 | 37.9-49.3 |
| Some Post-H.S. | 431 | 690,316 | 131 | 27.8 | 22.1-33.5 | 72 | 11.4 | 07.9-14.9 | 45 | 4.9 | 03.1-06.7 | 183 | 55.9 | 49.6-62.2 |
| College Graduate | 559 | 517,730 | 166 | 23.6 | 19.5-27.7 | 55 | 6.9 | 04.5-09.3 | 18 | 2.2 | 00.6-03.8 | 320 | 67.2 | 62.5-71.9 |
| Less than \$15,000 | 206 | 231,457 | 57 | 30.3 | 21.3-39.3 | 54 | 20.9 | 13.8-28.0 | 51 | 15.9 | 10.0-21.8 | 44 | 32.9 | 22.7-43.1 |
| \$15,000- 24,999 | 280 | 354,577 | 80 | 31.7 | 23.5-39.9 | 75 | 18.3 | 13.0-23.6 | 51 | 11.8 | 07.9-15.7 | 74 | 38.3 | 29.3-47.3 |
| \$25,000- 34,999 | 186 | 249,068 | 50 | 22.2 | 14.8-29.6 | 37 | 17.5 | 10.4-24.6 | 33 | 12.0 | 07.1-16.9 | 66 | 48.3 | 38.1-58.5 |
| \$35,000- 49,999 | 264 | 355,072 | 87 | 28.3 | 21.0-35.6 | 48 | 12.3 | 08.0-16.6 | 33 | 8.6 | 04.9-12.3 | 96 | 50.7 | 42.3-59.1 |
| \$50,000- 74,999 | 231 | 298,775 | 75 | 29.8 | 22.0-37.6 | 26 | 8.9 | 04.2-13.6 | 15 | 4.9 | 02.0-07.8 | 115 | 56.5 | 48.1-64.9 |
| \$75,000+ | 372 | 509,009 | 113 | 23.7 | 18.2-29.2 | 30 | 6.9 | 03.6-10.2 | 8 | 1.3 | 00.0-02.7 | 221 | 68.0 | 61.7-74.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 to 5 teeth removed | | | 6 or more but not all | | | All | | | None | | |
|----------------------------|-------------------|-----------|----------------------|------|------------|-----------------------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3155 | 2,562,233 | 916 | 27.4 | 25.2-29.6 | 568 | 14.1 | 12.5-15.7 | 443 | 9.7 | 08.3-11.1 | 1228 | 48.8 | 46.3-51.3 |
| White/Non-Hisp | 2589 | 1,953,792 | 741 | 26.9 | 24.5-29.3 | 456 | 14.6 | 12.8-16.4 | 375 | 10.7 | 09.1-12.3 | 1017 | 47.9 | 45.2-50.6 |
| Black or Afr. Am./Non-Hisp | 425 | 418,599 | 141 | 32.0 | 25.5-38.5 | 94 | 15.2 | 10.5-19.9 | 52 | 7.2 | 04.3-10.1 | 138 | 45.5 | 38.2-52.8 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 12 | 28.5 | 11.4-45.6 | 7 | 6.4 | 01.3-11.5 | 8 | 9.3 | 00.5-18.1 | 29 | 55.8 | 38.6-73.0 |
| 18-24 | 111 | 297,398 | 14 | 11.3 | 05.0-17.6 | | | | | | | 97 | 88.7 | 82.4-95.0 |
| 25-34 | 239 | 426,449 | 59 | 26.6 | 19.9-33.3 | 9 | 4.4 | 01.1-07.7 | 4 | 1.2 | 00.0-02.6 | 167 | 67.8 | 60.7-74.9 |
| 35-44 | 302 | 412,085 | 88 | 26.8 | 20.7-32.9 | 36 | 13.7 | 08.6-18.8 | 9 | 4.8 | 01.1-08.5 | 169 | 54.6 | 47.7-61.5 |
| 45-54 | 501 | 443,109 | 147 | 32.4 | 27.1-37.7 | 75 | 14.9 | 11.0-18.8 | 38 | 10.4 | 06.3-14.5 | 241 | 42.4 | 37.1-47.7 |
| 55-64 | 683 | 416,225 | 234 | 35.2 | 30.7-39.7 | 135 | 19.3 | 15.6-23.0 | 83 | 12.5 | 09.0-16.0 | 231 | 33.0 | 28.7-37.3 |
| 65+ | 1275 | 542,107 | 363 | 27.3 | 24.2-30.4 | 308 | 25.1 | 22.0-28.2 | 304 | 22.8 | 19.9-25.7 | 300 | 24.8 | 21.7-27.9 |
| Less Than H.S. | 404 | 397,166 | 79 | 24.9 | 18.4-31.4 | 110 | 23.6 | 17.9-29.3 | 155 | 29.3 | 23.2-35.4 | 60 | 22.1 | 15.6-28.6 |
| H.S. or G.E.D. | 1099 | 852,993 | 352 | 30.3 | 26.4-34.2 | 244 | 16.8 | 14.1-19.5 | 180 | 9.6 | 07.6-11.6 | 323 | 43.2 | 38.5-47.9 |
| Some Post-H.S. | 786 | 748,692 | 255 | 29.3 | 25.0-33.6 | 136 | 12.7 | 10.0-15.4 | 64 | 5.1 | 03.3-06.9 | 331 | 52.9 | 48.2-57.6 |
| College Graduate | 839 | 544,095 | 224 | 22.7 | 19.2-26.2 | 74 | 4.7 | 03.3-06.1 | 40 | 2.2 | 01.2-03.2 | 501 | 70.4 | 66.5-74.3 |
| Less than \$15,000 | 451 | 342,490 | 93 | 25.6 | 19.5-31.7 | 137 | 26.2 | 20.3-32.1 | 124 | 15.2 | 11.5-18.9 | 97 | 33.0 | 25.9-40.1 |
| \$15,000- 24,999 | 570 | 454,532 | 180 | 26.3 | 21.2-31.4 | 128 | 18.9 | 14.6-23.2 | 115 | 18.1 | 13.6-22.6 | 147 | 36.8 | 30.7-42.9 |
| \$25,000- 34,999 | 328 | 250,132 | 107 | 26.5 | 20.2-32.8 | 57 | 14.4 | 09.1-19.7 | 48 | 13.6 | 07.7-19.5 | 116 | 45.6 | 38.0-53.2 |
| \$35,000- 49,999 | 330 | 275,733 | 117 | 33.2 | 26.5-39.9 | 49 | 12.4 | 08.5-16.3 | 21 | 4.7 | 02.3-07.1 | 143 | 49.8 | 42.5-57.1 |
| \$50,000- 74,999 | 292 | 265,832 | 103 | 30.2 | 22.9-37.5 | 30 | 8.7 | 04.4-13.0 | 7 | 2.7 | 00.3-05.1 | 152 | 58.4 | 50.4-66.4 |
| \$75,000+ | 449 | 423,514 | 113 | 24.2 | 18.9-29.5 | 31 | 4.3 | 02.5-06.1 | 5 | 0.4 | 00.0-00.8 | 300 | 71.2 | 65.5-76.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| WHAT IS YOUR AGE? (AGE) | |
| 1 MALES AND FEMALES | 85 |
| 2 MALES ONLY | 86 |
| 3 FEMALES ONLY | 87 |
| ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3) | |
| 4 MALES AND FEMALES | 88 |
| 5 MALES ONLY | 89 |
| 6 FEMALES ONLY | 90 |
| WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1) | |
| 7 MALES AND FEMALES | 91 |
| 8 MALES ONLY | 92 |
| 9 FEMALES ONLY | 93 |
| WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3) | |
| 10 MALES AND FEMALES | 94 |
| 11 MALES ONLY | 95 |
| 12 FEMALES ONLY | 96 |
| HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3) | |
| 13 MALES AND FEMALES | 97 |
| 14 MALES ONLY | 98 |
| 15 FEMALES ONLY | 99 |
| ARE YOU: (MARITAL STATUS) (MARITAL) | |
| 16 MALES AND FEMALES | 100 |
| 17 MALES ONLY | 101 |
| 18 FEMALES ONLY | 102 |
| HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN) | |
| 19 MALES AND FEMALES | 103 |
| 20 MALES ONLY | 104 |
| 21 FEMALES ONLY | 105 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA) | |
| 22 MALES AND FEMALES | 106 |
| 23 MALES ONLY | 107 |
| 24 FEMALES ONLY | 108 |
| ARE YOU CURRENTLY...? (EMPLOY1) | |
| 25 MALES AND FEMALES | 109 |
| 26 MALES ONLY | 110 |
| 27 FEMALES ONLY | 111 |
| IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2) | |
| 28 MALES AND FEMALES | 112 |
| 29 MALES ONLY | 113 |
| 30 FEMALES ONLY | 114 |
| ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2) | |
| 31 MALES AND FEMALES | 115 |
| 32 MALES ONLY | 116 |
| 33 FEMALES ONLY | 117 |
| ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3) | |
| 34 MALES AND FEMALES | 118 |
| 35 MALES ONLY | 119 |
| 36 FEMALES ONLY | 120 |
| WHAT COUNTY DO YOU LIVE IN? (CTYCODE1) | |
| 37 MALES AND FEMALES | 121 |
| 38 MALES ONLY | 122 |
| 39 FEMALES ONLY | 123 |
| WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE) | |
| 40 MALES AND FEMALES | 124 |
| 41 MALES ONLY | 125 |
| 42 FEMALES ONLY | 126 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2) | |
| 43 | MALES AND FEMALES | 127 |
| 44 | MALES ONLY | 128 |
| 45 | FEMALES ONLY | 129 |
| | HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2) | |
| 46 | MALES AND FEMALES | 130 |
| | DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1) | |
| 47 | FEMALES ONLY | 131 |
| | THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4) | |
| 52 | MALES AND FEMALES | 136 |
| 53 | MALES ONLY | 137 |
| 54 | FEMALES ONLY | 138 |
| | HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET) | |
| 55 | MALES AND FEMALES | 139 |
| 56 | MALES ONLY | 140 |
| 57 | FEMALES ONLY | 141 |
| | DO YOU OWN OR RENT YOUR HOME? (RENTHOM1) | |
| 58 | MALES AND FEMALES | 142 |
| 59 | MALES ONLY | 143 |
| 60 | FEMALES ONLY | 144 |
| | INDICATE SEX OF RESPONDENT. (SEX) | |
| 61 | MALES AND FEMALES | 145 |
| 62 | MALES ONLY | 146 |
| 63 | FEMALES ONLY | 147 |
| | TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT) | |
| 64 | MALES AND FEMALES | 148 |
| 65 | MALES ONLY | 149 |
| 66 | FEMALES ONLY | 150 |
| | ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2) | |
| 67 | MALES AND FEMALES | 151 |
| 68 | MALES ONLY | 152 |
| 69 | FEMALES ONLY | 153 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP) | |
| 70 | MALES AND FEMALES | 154 |
| 71 | MALES ONLY | 155 |
| 72 | FEMALES ONLY | 156 |
| | ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND) | |
| 73 | MALES AND FEMALES | 157 |
| 74 | MALES ONLY | 158 |
| 75 | FEMALES ONLY | 159 |
| | BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE) | |
| 76 | MALES AND FEMALES | 160 |
| 77 | MALES ONLY | 161 |
| 78 | FEMALES ONLY | 162 |
| | DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK) | |
| 79 | MALES AND FEMALES | 163 |
| 80 | MALES ONLY | 164 |
| 81 | FEMALES ONLY | 165 |
| | DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES) | |
| 82 | MALES AND FEMALES | 166 |
| 83 | MALES ONLY | 167 |
| 84 | FEMALES ONLY | 168 |
| | BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON) | |
| 85 | MALES AND FEMALES | 169 |
| 86 | MALES ONLY | 170 |
| 87 | FEMALES ONLY | 171 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5075 | 5,029,577 | 206 | 12.5 | 10.7-14.3 | 405 | 16.9 | 15.1-18.7 | 481 | 16.5 | 14.7-18.3 | 820 | 17.6 | 16.2-19.0 | 1158 | 16.5 | 15.3-17.7 | 2005 | 20.0 | 18.8-21.2 |
| Male | 1865 | 2,430,137 | 93 | 13.2 | 10.5-15.9 | 165 | 17.4 | 14.7-20.1 | 176 | 16.9 | 14.2-19.6 | 310 | 17.9 | 15.5-20.3 | 451 | 16.5 | 14.5-18.5 | 670 | 18.1 | 16.3-19.9 |
| Female | 3210 | 2,599,440 | 113 | 11.8 | 09.4-14.2 | 240 | 16.5 | 14.3-18.7 | 305 | 16.2 | 14.2-18.2 | 510 | 17.3 | 15.5-19.1 | 707 | 16.5 | 14.9-18.1 | 1335 | 21.7 | 20.1-23.3 |
| White/Non-Hisp | 4209 | 3,832,233 | 141 | 10.2 | 08.2-12.2 | 314 | 16.2 | 14.4-18.0 | 379 | 15.9 | 14.1-17.7 | 654 | 17.6 | 16.0-19.2 | 964 | 17.6 | 16.2-19.0 | 1757 | 22.5 | 21.1-23.9 |
| Black or Afr. Am./Non-Hisp | 621 | 795,273 | 31 | 15.2 | 10.1-20.3 | 58 | 18.4 | 13.3-23.5 | 74 | 20.2 | 15.3-25.1 | 130 | 20.2 | 15.9-24.5 | 149 | 14.0 | 11.1-16.9 | 179 | 12.0 | 09.5-14.5 |
| Oth. Race/Non-Hisp. | 93 | 124,683 | 5 | 11.4 | 01.6-21.2 | 12 | 26.4 | 13.3-39.5 | 10 | 12.9 | 04.5-21.3 | 13 | 16.8 | 06.8-26.8 | 24 | 15.0 | 07.7-22.3 | 29 | 17.5 | 09.5-25.5 |
| Hispanic | 61 | 147,753 | 18 | 37.9 | 23.0-52.8 | 16 | 28.2 | 14.9-41.5 | 9 | 17.4 | 03.9-30.9 | 10 | 11.4 | 03.4-19.4 | 2 | 1.0 | 00.0-02.4 | 6 | 4.0 | 00.3-07.7 |
| Less Than H.S. | 649 | 801,608 | 16 | 9.9 | 04.8-15.0 | 27 | 12.1 | 07.0-17.2 | 39 | 13.4 | 08.7-18.1 | 94 | 18.1 | 13.8-22.4 | 133 | 18.3 | 14.6-22.0 | 340 | 28.2 | 24.1-32.3 |
| H.S. or G.E.D. | 1749 | 1,677,215 | 86 | 16.3 | 12.8-19.8 | 130 | 16.2 | 13.3-19.1 | 139 | 12.9 | 10.4-15.4 | 283 | 18.6 | 16.1-21.1 | 413 | 16.6 | 14.6-18.6 | 698 | 19.3 | 17.3-21.3 |
| Some Post-H.S. | 1239 | 1,450,068 | 71 | 14.2 | 10.9-17.5 | 121 | 19.1 | 15.8-22.4 | 117 | 17.5 | 14.0-21.0 | 200 | 15.7 | 13.2-18.2 | 267 | 15.6 | 13.2-18.0 | 463 | 17.8 | 15.6-20.0 |
| College Graduate | 1406 | 1,069,484 | 31 | 6.1 | 03.9-08.3 | 123 | 18.0 | 14.9-21.1 | 183 | 23.4 | 20.1-26.7 | 235 | 18.1 | 15.6-20.6 | 343 | 16.5 | 14.5-18.5 | 491 | 17.9 | 15.9-19.9 |
| Less than \$15,000 | 678 | 588,939 | 26 | 12.6 | 07.7-17.5 | 54 | 19.3 | 14.2-24.4 | 55 | 15.5 | 11.0-20.0 | 114 | 18.2 | 14.1-22.3 | 159 | 17.1 | 13.8-20.4 | 270 | 17.2 | 14.3-20.1 |
| \$15,000- 24,999 | 866 | 824,166 | 36 | 11.7 | 07.8-15.6 | 73 | 17.3 | 12.8-21.8 | 73 | 17.0 | 12.5-21.5 | 116 | 15.1 | 12.0-18.2 | 175 | 15.5 | 12.6-18.4 | 393 | 23.5 | 20.4-26.6 |
| \$25,000- 34,999 | 529 | 505,230 | 25 | 14.2 | 08.5-19.9 | 48 | 18.3 | 12.8-23.8 | 36 | 11.2 | 07.1-15.3 | 65 | 16.5 | 11.6-21.4 | 108 | 14.4 | 10.9-17.9 | 247 | 25.5 | 21.2-29.8 |
| \$35,000- 49,999 | 603 | 639,429 | 29 | 16.6 | 10.7-22.5 | 48 | 16.1 | 11.4-20.8 | 63 | 14.4 | 10.5-18.3 | 87 | 13.9 | 10.6-17.2 | 144 | 17.8 | 14.3-21.3 | 232 | 21.2 | 17.7-24.7 |
| \$50,000- 74,999 | 531 | 573,207 | 8 | 5.6 | 01.5-09.7 | 47 | 19.1 | 13.8-24.4 | 66 | 19.2 | 14.1-24.3 | 103 | 21.4 | 16.7-26.1 | 142 | 19.4 | 15.5-23.3 | 165 | 15.2 | 12.3-18.1 |
| \$75,000+ | 832 | 943,447 | 19 | 6.9 | 03.4-10.4 | 72 | 15.8 | 11.9-19.7 | 122 | 24.5 | 19.8-29.2 | 216 | 25.8 | 21.9-29.7 | 234 | 17.4 | 14.7-20.1 | 169 | 9.6 | 07.8-11.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
|----------------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1865 | 2,430,137 | 93 | 13.2 | 10.5-15.9 | 165 | 17.4 | 14.7-20.1 | 176 | 16.9 | 14.2-19.6 | 310 | 17.9 | 15.5-20.3 | 451 | 16.5 | 14.5-18.5 | 670 | 18.1 | 16.3-19.9 |
| White/Non-Hisp | 1560 | 1,847,631 | 59 | 10.3 | 07.6-13.0 | 133 | 17.1 | 14.2-20.0 | 143 | 16.8 | 13.7-19.9 | 258 | 17.9 | 15.4-20.4 | 369 | 17.1 | 14.9-19.3 | 598 | 20.7 | 18.5-22.9 |
| Black or Afr. Am./Non-Hisp | 192 | 363,364 | 19 | 20.1 | 11.7-28.5 | 17 | 17.6 | 08.8-26.4 | 21 | 17.3 | 09.9-24.7 | 39 | 21.7 | 14.3-29.1 | 54 | 14.9 | 09.8-20.0 | 42 | 8.3 | 05.0-11.6 |
| Less Than H.S. | 231 | 389,392 | 7 | 10.8 | 02.8-18.8 | 13 | 14.1 | 05.5-22.7 | 15 | 14.0 | 06.2-21.8 | 30 | 14.4 | 08.5-20.3 | 61 | 21.6 | 15.3-27.9 | 105 | 25.1 | 18.8-31.4 |
| H.S. or G.E.D. | 616 | 803,952 | 38 | 17.0 | 11.9-22.1 | 54 | 17.2 | 12.7-21.7 | 51 | 12.4 | 08.5-16.3 | 119 | 22.1 | 17.8-26.4 | 156 | 15.6 | 12.7-18.5 | 198 | 15.7 | 13.0-18.4 |
| Some Post-H.S. | 441 | 696,162 | 35 | 16.1 | 10.8-21.4 | 46 | 18.7 | 13.4-24.0 | 48 | 20.4 | 14.3-26.5 | 64 | 14.5 | 10.4-18.6 | 98 | 14.8 | 11.3-18.3 | 150 | 15.5 | 12.4-18.6 |
| College Graduate | 566 | 524,156 | 11 | 4.9 | 02.0-07.8 | 50 | 17.9 | 13.2-22.6 | 62 | 21.8 | 16.7-26.9 | 93 | 18.5 | 14.6-22.4 | 135 | 16.6 | 13.5-19.7 | 215 | 20.3 | 17.0-23.6 |
| Less than \$15,000 | 210 | 240,076 | 10 | 13.2 | 04.6-21.8 | 19 | 21.0 | 12.2-29.8 | 13 | 11.6 | 04.5-18.7 | 41 | 21.2 | 13.8-28.6 | 57 | 18.3 | 12.2-24.4 | 70 | 14.6 | 09.9-19.3 |
| \$15,000- 24,999 | 284 | 361,717 | 15 | 11.4 | 05.5-17.3 | 26 | 17.5 | 09.9-25.1 | 32 | 21.4 | 13.0-29.8 | 40 | 13.4 | 08.5-18.3 | 65 | 16.9 | 11.8-22.0 | 106 | 19.5 | 14.6-24.4 |
| \$25,000- 34,999 | 192 | 252,026 | 12 | 18.7 | 09.1-28.3 | 19 | 19.0 | 10.2-27.8 | 10 | 7.0 | 02.3-11.7 | 25 | 18.2 | 10.4-26.0 | 44 | 12.6 | 07.9-17.3 | 82 | 24.6 | 17.7-31.5 |
| \$35,000- 49,999 | 267 | 358,246 | 20 | 21.5 | 12.7-30.3 | 22 | 16.4 | 09.3-23.5 | 21 | 10.8 | 05.9-15.7 | 32 | 12.1 | 07.4-16.8 | 62 | 17.8 | 12.5-23.1 | 110 | 21.5 | 16.4-26.6 |
| \$50,000- 74,999 | 237 | 306,808 | 3 | 4.9 | 00.0-10.4 | 20 | 17.8 | 10.5-25.1 | 28 | 19.3 | 12.0-26.6 | 42 | 22.1 | 14.8-29.4 | 57 | 18.2 | 12.7-23.7 | 87 | 17.8 | 13.1-22.5 |
| \$75,000+ | 380 | 518,787 | 8 | 4.5 | 01.2-07.8 | 32 | 15.5 | 09.8-21.2 | 49 | 26.6 | 19.3-33.9 | 98 | 26.4 | 20.5-32.3 | 108 | 16.8 | 12.9-20.7 | 85 | 10.1 | 07.4-12.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
|----------------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3210 | 2,599,440 | 113 | 11.8 | 09.4-14.2 | 240 | 16.5 | 14.3-18.7 | 305 | 16.2 | 14.2-18.2 | 510 | 17.3 | 15.5-19.1 | 707 | 16.5 | 14.9-18.1 | 1335 | 21.7 | 20.1-23.3 |
| White/Non-Hisp | 2649 | 1,984,602 | 82 | 10.1 | 07.6-12.6 | 181 | 15.3 | 12.9-17.7 | 236 | 15.1 | 12.9-17.3 | 396 | 17.3 | 15.3-19.3 | 595 | 18.0 | 16.2-19.8 | 1159 | 24.2 | 22.4-26.0 |
| Black or Afr. Am./Non-Hisp | 429 | 431,909 | 12 | 11.1 | 04.6-17.6 | 41 | 19.1 | 13.2-25.0 | 53 | 22.7 | 16.2-29.2 | 91 | 19.0 | 14.3-23.7 | 95 | 13.2 | 09.7-16.7 | 137 | 15.0 | 11.5-18.5 |
| Oth. Race/Non-Hisp. | 52 | 70,029 | 5 | 20.3 | 04.0-36.6 | 6 | 24.4 | 06.4-42.4 | 6 | 12.4 | 02.2-22.6 | 9 | 16.7 | 04.4-29.0 | 10 | 13.1 | 02.9-23.3 | 16 | 13.0 | 04.2-21.8 |
| Less Than H.S. | 418 | 412,216 | 9 | 9.0 | 02.9-15.1 | 14 | 10.2 | 04.9-15.5 | 24 | 12.8 | 07.3-18.3 | 64 | 21.5 | 15.4-27.6 | 72 | 15.2 | 10.9-19.5 | 235 | 31.2 | 25.7-36.7 |
| H.S. or G.E.D. | 1133 | 873,263 | 48 | 15.6 | 10.7-20.5 | 76 | 15.4 | 11.9-18.9 | 88 | 13.4 | 10.3-16.5 | 164 | 15.5 | 12.8-18.2 | 257 | 17.6 | 14.9-20.3 | 500 | 22.6 | 19.9-25.3 |
| Some Post-H.S. | 798 | 753,906 | 36 | 12.5 | 08.4-16.6 | 75 | 19.5 | 15.2-23.8 | 69 | 14.8 | 10.9-18.7 | 136 | 16.8 | 13.7-19.9 | 169 | 16.3 | 13.4-19.2 | 313 | 20.1 | 17.2-23.0 |
| College Graduate | 840 | 545,328 | 20 | 7.3 | 04.0-10.6 | 73 | 18.1 | 14.0-22.2 | 121 | 25.0 | 20.7-29.3 | 142 | 17.7 | 14.6-20.8 | 208 | 16.4 | 13.9-18.9 | 276 | 15.5 | 13.1-17.9 |
| Less than \$15,000 | 468 | 348,863 | 16 | 12.2 | 06.3-18.1 | 35 | 18.0 | 12.1-23.9 | 42 | 18.2 | 12.3-24.1 | 73 | 16.2 | 11.7-20.7 | 102 | 16.3 | 12.2-20.4 | 200 | 19.1 | 15.4-22.8 |
| \$15,000- 24,999 | 582 | 462,449 | 21 | 11.9 | 06.8-17.0 | 47 | 17.1 | 12.0-22.2 | 41 | 13.6 | 08.9-18.3 | 76 | 16.5 | 12.4-20.6 | 110 | 14.3 | 11.0-17.6 | 287 | 26.6 | 22.5-30.7 |
| \$25,000- 34,999 | 337 | 253,204 | 13 | 9.8 | 04.3-15.3 | 29 | 17.6 | 11.1-24.1 | 26 | 15.3 | 09.0-21.6 | 40 | 14.8 | 08.9-20.7 | 64 | 16.1 | 11.2-21.0 | 165 | 26.4 | 21.1-31.7 |
| \$35,000- 49,999 | 336 | 281,183 | 9 | 10.2 | 03.3-17.1 | 26 | 15.7 | 09.8-21.6 | 42 | 19.1 | 13.2-25.0 | 55 | 16.2 | 11.5-20.9 | 82 | 17.9 | 13.4-22.4 | 122 | 20.8 | 16.3-25.3 |
| \$50,000- 74,999 | 294 | 266,399 | 5 | 6.4 | 00.0-12.9 | 27 | 20.7 | 12.9-28.5 | 38 | 19.1 | 12.2-26.0 | 61 | 20.7 | 14.6-26.8 | 85 | 20.9 | 15.4-26.4 | 78 | 12.3 | 08.8-15.8 |
| \$75,000+ | 452 | 424,660 | 11 | 9.8 | 03.1-16.5 | 40 | 16.0 | 10.9-21.1 | 73 | 22.0 | 16.7-27.3 | 118 | 25.1 | 20.0-30.2 | 126 | 18.2 | 14.5-21.9 | 84 | 8.9 | 06.5-11.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Another Hispanic, Latino-a or Spanish origin | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|-----|------------|--------------|-----|------------|--|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5117 | 5,049,200 | 42 | 2.0 | 01.2-02.8 | 9 | 0.4 | 00.0-00.8 | 10 | 0.5 | 00.1-00.9 | 5056 | 97.1 | 96.3-97.9 |
| Male | 1872 | 2,431,482 | 20 | 2.5 | 01.3-03.7 | 5 | 0.5 | 00.0-01.1 | 5 | 0.7 | 00.0-01.5 | 1842 | 96.3 | 94.7-97.9 |
| Female | 3245 | 2,617,719 | 22 | 1.6 | 00.8-02.4 | 4 | 0.3 | 00.0-00.7 | 5 | 0.3 | 00.0-00.7 | 3214 | 97.8 | 96.8-98.8 |
| 18-24 | 206 | 628,213 | 14 | 6.9 | 03.0-10.8 | 3 | 1.7 | 00.0-03.7 | 1 | 0.3 | 00.0-00.9 | 188 | 91.1 | 86.8-95.4 |
| 25-34 | 403 | 849,393 | 11 | 4.0 | 01.5-06.5 | 2 | 0.3 | 00.0-00.9 | 3 | 0.6 | 00.0-01.4 | 387 | 95.1 | 92.6-97.6 |
| 35-44 | 480 | 830,643 | 5 | 1.1 | 00.0-02.3 | 1 | 0.3 | 00.0-00.9 | 3 | 1.7 | 00.0-04.1 | 471 | 96.9 | 94.2-99.6 |
| 45-54 | 816 | 880,972 | 7 | 1.3 | 00.1-02.5 | 3 | 0.6 | 00.0-01.2 | | | | 806 | 98.1 | 96.7-99.5 |
| 55-64 | 1156 | 829,008 | | | | | | | 2 | 0.2 | 00.0-00.4 | 1154 | 99.8 | 99.6-100 |
| 65+ | 1995 | 997,000 | 5 | 0.5 | 00.0-01.1 | | | | 1 | 0.1 | 00.0-00.3 | 1989 | 99.4 | 98.8-100 |
| Less Than H.S. | 649 | 802,360 | 5 | 2.3 | 00.1-04.5 | | | | 2 | 1.3 | 00.0-03.7 | 642 | 96.4 | 93.3-99.5 |
| H.S. or G.E.D. | 1755 | 1,680,666 | 16 | 2.6 | 01.0-04.2 | 1 | 0.2 | 00.0-00.6 | 3 | 0.3 | 00.0-00.7 | 1735 | 96.9 | 95.3-98.5 |
| Some Post-H.S. | 1247 | 1,452,426 | 12 | 2.0 | 00.8-03.2 | 5 | 0.8 | 00.0-01.6 | 2 | 0.2 | 00.0-00.6 | 1228 | 96.9 | 95.3-98.5 |
| College Graduate | 1428 | 1,078,948 | 8 | 0.8 | 00.2-01.4 | 3 | 0.5 | 00.0-01.1 | 2 | 0.3 | 00.0-00.7 | 1415 | 98.4 | 97.4-99.4 |
| Less than \$15,000 | 680 | 592,622 | 7 | 3.6 | 00.7-06.5 | | | | 3 | 0.6 | 00.0-01.4 | 670 | 95.8 | 92.9-98.7 |
| \$15,000- 24,999 | 867 | 823,024 | 12 | 3.1 | 01.1-05.1 | 4 | 1.1 | 00.0-02.3 | 2 | 1.4 | 00.0-03.8 | 849 | 94.4 | 91.3-97.5 |
| \$25,000- 34,999 | 530 | 505,793 | 5 | 2.7 | 00.3-05.1 | 1 | 0.9 | 00.0-02.7 | 2 | 0.6 | 00.0-01.6 | 522 | 95.9 | 92.8-99.0 |
| \$35,000- 49,999 | 609 | 642,907 | 1 | 0.3 | 00.0-00.9 | 1 | 0.4 | 00.0-01.2 | 2 | 0.8 | 00.0-02.0 | 605 | 98.6 | 97.0-100 |
| \$50,000- 74,999 | 535 | 575,451 | 4 | 1.2 | 00.0-02.6 | 1 | 0.4 | 00.0-01.2 | | | | 530 | 98.3 | 96.7-99.9 |
| \$75,000+ | 832 | 943,957 | 4 | 0.5 | 00.0-01.3 | 1 | 0.1 | 00.0-00.3 | | | | 827 | 99.3 | 98.5-100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Another Hispanic, Latino-a or Spanish origin | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|-----|------------|--------------|-----|------------|--|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1872 | 2,431,482 | 20 | 2.5 | 01.3-03.7 | 5 | 0.5 | 00.0-01.1 | 5 | 0.7 | 00.0-01.5 | 1842 | 96.3 | 94.7-97.9 |
| 18-24 | 93 | 320,604 | 8 | 7.9 | 01.8-14.0 | 2 | 2.2 | 00.0-05.3 | 1 | 0.7 | 00.0-02.1 | 82 | 89.2 | 82.3-96.1 |
| 25-34 | 164 | 422,319 | 6 | 5.1 | 01.0-09.2 | | | | 2 | 1.1 | 00.0-02.7 | 156 | 93.8 | 89.3-98.3 |
| 35-44 | 176 | 410,826 | 2 | 1.4 | 00.0-03.6 | 1 | 0.6 | 00.0-01.8 | 1 | 2.3 | 00.0-06.6 | 172 | 95.8 | 90.9-0100 |
| 45-54 | 309 | 434,057 | 2 | 1.2 | 00.0-03.0 | 2 | 0.8 | 00.0-02.0 | | | | 305 | 97.9 | 95.7-0100 |
| 55-64 | 450 | 400,201 | | | | | | | | | | 450 | 100.0 | 0100-0100 |
| 65+ | 666 | 434,907 | 2 | 0.7 | 00.0-01.7 | | | | 1 | 0.2 | 00.0-00.6 | 663 | 99.1 | 98.1-0100 |
| Less Than H.S. | 230 | 388,019 | 2 | 2.1 | 00.0-05.2 | | | | 2 | 2.6 | 00.0-07.3 | 226 | 95.3 | 89.8-0100 |
| H.S. or G.E.D. | 619 | 805,465 | 7 | 3.5 | 00.8-06.2 | | | | | | | 612 | 96.5 | 93.8-99.2 |
| Some Post-H.S. | 440 | 695,196 | 6 | 2.4 | 00.4-04.4 | 3 | 1.3 | 00.0-02.9 | 1 | 0.3 | 00.0-00.9 | 430 | 96.0 | 93.5-98.5 |
| College Graduate | 572 | 526,327 | 4 | 1.1 | 00.0-02.3 | 2 | 0.7 | 00.0-01.7 | 1 | 0.4 | 00.0-01.2 | 565 | 97.7 | 95.9-99.5 |
| Less than \$15,000 | 212 | 242,986 | 3 | 5.4 | 00.0-11.5 | | | | 2 | 1.2 | 00.0-03.0 | 207 | 93.4 | 87.1-99.7 |
| \$15,000- 24,999 | 285 | 361,986 | 5 | 3.9 | 00.2-07.6 | 2 | 1.4 | 00.0-03.4 | 2 | 3.2 | 00.0-08.3 | 276 | 91.5 | 85.2-97.8 |
| \$25,000- 34,999 | 192 | 252,026 | 3 | 3.4 | 00.0-07.5 | 1 | 1.7 | 00.0-05.0 | 1 | 0.9 | 00.0-02.7 | 187 | 93.9 | 88.4-99.4 |
| \$35,000- 49,999 | 270 | 360,218 | 1 | 0.6 | 00.0-01.8 | 1 | 0.7 | 00.0-02.1 | | | | 268 | 98.8 | 97.0-0100 |
| \$50,000- 74,999 | 237 | 306,808 | 2 | 1.7 | 00.0-04.1 | | | | | | | 235 | 98.3 | 95.9-0100 |
| \$75,000+ | 380 | 518,787 | 2 | 0.8 | 00.0-02.0 | 1 | 0.2 | 00.0-00.6 | | | | 377 | 99.0 | 97.6-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Another Hispanic, Latino-a or Spanish origin | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|-----|------------|--------------|-----|------------|--|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3245 | 2,617,719 | 22 | 1.6 | 00.8-02.4 | 4 | 0.3 | 00.0-00.7 | 5 | 0.3 | 00.0-00.7 | 3214 | 97.8 | 96.8-98.8 |
| 18-24 | 113 | 307,609 | 6 | 5.8 | 01.1-10.5 | 1 | 1.2 | 00.0-03.6 | | | | 106 | 93.0 | 87.7-98.3 |
| 25-34 | 239 | 427,073 | 5 | 2.8 | 00.3-05.3 | 2 | 0.7 | 00.0-01.9 | 1 | 0.2 | 00.0-00.6 | 231 | 96.4 | 93.7-99.1 |
| 35-44 | 304 | 419,817 | 3 | 0.8 | 00.0-01.8 | | | | 2 | 1.2 | 00.0-03.0 | 299 | 98.0 | 96.0-100 |
| 45-54 | 507 | 446,914 | 5 | 1.4 | 00.0-03.0 | 1 | 0.3 | 00.0-00.9 | | | | 501 | 98.2 | 96.6-99.8 |
| 55-64 | 706 | 428,807 | | | | | | | 2 | 0.3 | 00.0-00.9 | 704 | 99.7 | 99.1-100 |
| 65+ | 1329 | 562,094 | 3 | 0.4 | 00.0-01.0 | | | | | | | 1326 | 99.6 | 99.0-100 |
| Less Than H.S. | 419 | 414,341 | 3 | 2.5 | 00.0-05.4 | | | | | | | 416 | 97.5 | 94.6-100 |
| H.S. or G.E.D. | 1136 | 875,200 | 9 | 1.9 | 00.5-03.3 | 1 | 0.4 | 00.0-01.2 | 3 | 0.6 | 00.0-01.4 | 1123 | 97.1 | 95.3-98.9 |
| Some Post-H.S. | 807 | 757,230 | 6 | 1.6 | 00.2-03.0 | 2 | 0.4 | 00.0-01.0 | 1 | 0.2 | 00.0-00.6 | 798 | 97.8 | 96.2-99.4 |
| College Graduate | 856 | 552,622 | 4 | 0.5 | 00.0-01.1 | 1 | 0.3 | 00.0-00.9 | 1 | 0.1 | 00.0-00.3 | 850 | 99.1 | 98.3-99.9 |
| Less than \$15,000 | 468 | 349,636 | 4 | 2.3 | 00.0-04.7 | | | | 1 | 0.2 | 00.0-00.6 | 463 | 97.5 | 95.1-99.9 |
| \$15,000- 24,999 | 582 | 461,038 | 7 | 2.5 | 00.1-04.9 | 2 | 0.9 | 00.0-02.5 | | | | 573 | 96.6 | 93.9-99.3 |
| \$25,000- 34,999 | 338 | 253,767 | 2 | 1.9 | 00.0-04.4 | | | | 1 | 0.2 | 00.0-00.6 | 335 | 97.9 | 95.4-100 |
| \$35,000- 49,999 | 339 | 282,689 | | | | | | | 2 | 1.7 | 00.0-04.2 | 337 | 98.3 | 95.8-100 |
| \$50,000- 74,999 | 298 | 268,643 | 2 | 0.7 | 00.0-01.7 | 1 | 0.9 | 00.0-02.7 | | | | 295 | 98.4 | 96.4-100 |
| \$75,000+ | 452 | 425,170 | 2 | 0.3 | 00.0-00.7 | | | | | | | 450 | 99.7 | 99.3-100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White Only | | | Black Afr. Amer. Only | | | Amer. Indian Alaskan Native Only | | | Asian Only | | | Multiracial Other | | |
|--------------------|-------------------|-----------|------------|------|------------|-----------------------|-----|------------|----------------------------------|-----|------------|------------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5092 | 5,020,237 | 4998 | 96.6 | 95.8-97.4 | 46 | 1.6 | 01.0-02.2 | 4 | 0.2 | 00.0-00.4 | 1 | 0.1 | 00.0-00.3 | 43 | 1.4 | 00.8-02.0 |
| Male | 1860 | 2,411,184 | 1818 | 96.5 | 95.1-97.9 | 23 | 2.1 | 00.9-03.3 | 2 | 0.2 | 00.0-00.4 | | | | 17 | 1.3 | 00.5-02.1 |
| Female | 3232 | 2,609,053 | 3180 | 96.8 | 95.6-98.0 | 23 | 1.2 | 00.6-01.8 | 2 | 0.3 | 00.0-00.7 | 1 | 0.2 | 00.0-00.6 | 26 | 1.5 | 00.7-02.3 |
| 18-24 | 204 | 620,193 | 183 | 87.9 | 82.6-93.2 | 9 | 5.4 | 01.7-09.1 | 1 | 0.6 | 00.0-01.8 | 1 | 1.0 | 00.0-03.0 | 10 | 5.1 | 02.0-08.2 |
| 25-34 | 405 | 851,588 | 395 | 97.4 | 95.6-99.2 | 2 | 0.6 | 00.0-01.4 | 1 | 0.3 | 00.0-00.9 | | | | 7 | 1.7 | 00.3-03.1 |
| 35-44 | 474 | 819,040 | 467 | 97.9 | 96.1-99.7 | 4 | 1.1 | 00.0-02.3 | 1 | 0.4 | 00.0-01.2 | | | | 2 | 0.5 | 00.0-01.3 |
| 45-54 | 814 | 876,885 | 802 | 98.2 | 96.8-99.6 | 8 | 1.0 | 00.2-01.8 | | | | | | | 4 | 0.9 | 00.0-01.9 |
| 55-64 | 1153 | 826,048 | 1134 | 97.2 | 95.4-99.0 | 12 | 2.4 | 00.8-04.0 | 1 | 0.1 | 00.0-00.3 | | | | 6 | 0.4 | 00.0-00.8 |
| 65+ | 1986 | 995,910 | 1961 | 98.3 | 97.5-99.1 | 11 | 0.6 | 00.2-01.0 | | | | | | | 14 | 1.0 | 00.4-01.6 |
| Less Than H.S. | 643 | 798,146 | 633 | 97.0 | 94.5-99.5 | 5 | 2.0 | 00.0-04.4 | | | | | | | 5 | 1.0 | 00.0-02.2 |
| H.S. or G.E.D. | 1750 | 1,674,056 | 1725 | 96.6 | 95.0-98.2 | 14 | 1.9 | 00.7-03.1 | | | | | | | 11 | 1.4 | 00.4-02.4 |
| Some Post-H.S. | 1243 | 1,446,178 | 1209 | 95.5 | 93.7-97.3 | 14 | 1.4 | 00.4-02.4 | 3 | 0.6 | 00.0-01.4 | 1 | 0.4 | 00.0-01.2 | 16 | 2.1 | 00.9-03.3 |
| College Graduate | 1421 | 1,070,652 | 1397 | 97.9 | 96.7-99.1 | 13 | 1.3 | 00.3-02.3 | 1 | 0.3 | 00.0-00.9 | | | | 10 | 0.6 | 00.2-01.0 |
| Less than \$15,000 | 677 | 589,825 | 660 | 96.3 | 93.9-98.7 | 7 | 1.7 | 00.0-03.5 | 1 | 0.1 | 00.0-00.3 | | | | 9 | 1.9 | 00.3-03.5 |
| \$15,000- 24,999 | 863 | 818,623 | 840 | 95.1 | 92.7-97.5 | 10 | 1.5 | 00.3-02.7 | 1 | 0.5 | 00.0-01.5 | | | | 12 | 2.9 | 00.9-04.9 |
| \$25,000- 34,999 | 527 | 503,419 | 521 | 97.6 | 95.2-0100 | 4 | 1.1 | 00.0-02.7 | | | | | | | 2 | 1.3 | 00.0-03.1 |
| \$35,000- 49,999 | 606 | 634,140 | 594 | 96.2 | 93.7-98.7 | 6 | 2.3 | 00.3-04.3 | 1 | 0.4 | 00.0-01.2 | | | | 5 | 1.1 | 00.0-02.5 |
| \$50,000- 74,999 | 533 | 574,453 | 517 | 95.4 | 92.7-98.1 | 8 | 2.4 | 00.4-04.4 | 1 | 0.6 | 00.0-01.8 | | | | 7 | 1.6 | 00.2-03.0 |
| \$75,000+ | 830 | 940,322 | 822 | 98.4 | 96.8-0100 | 5 | 0.7 | 00.0-01.5 | | | | 1 | 0.7 | 00.0-02.1 | 2 | 0.2 | 00.0-00.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | White Only | | Black Afr. Amer. Only | | | Amer. Indian Alaskan Native Only | | | Multiracial Other | | |
|--------------------|-------------------|-----------|------|------------|------------|-----------------------|-----|------------|----------------------------------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1860 | 2,411,184 | 1818 | 96.5 | 95.1-97.9 | 23 | 2.1 | 00.9-03.3 | 2 | 0.2 | 00.0-00.4 | 17 | 1.3 | 00.5-02.1 |
| 18-24 | 91 | 312,584 | 83 | 90.1 | 82.8-97.4 | 4 | 6.5 | 00.0-13.0 | | | | 4 | 3.4 | 00.1-06.7 |
| 25-34 | 165 | 422,793 | 162 | 97.8 | 95.3-0100 | | | | | | | 3 | 2.2 | 00.0-04.7 |
| 35-44 | 173 | 402,410 | 170 | 97.6 | 94.9-0100 | 2 | 1.5 | 00.0-03.7 | 1 | 0.9 | 00.0-02.7 | | | |
| 45-54 | 307 | 430,576 | 303 | 98.1 | 95.9-0100 | 3 | 1.0 | 00.0-02.4 | | | | 1 | 0.9 | 00.0-02.7 |
| 55-64 | 447 | 397,241 | 436 | 95.5 | 92.2-98.8 | 8 | 4.1 | 00.8-07.4 | 1 | 0.1 | 00.0-00.3 | 2 | 0.3 | 00.0-00.7 |
| 65+ | 664 | 437,194 | 651 | 97.8 | 96.4-99.2 | 6 | 0.9 | 00.0-01.9 | | | | 7 | 1.3 | 00.1-02.5 |
| Less Than H.S. | 227 | 385,293 | 221 | 96.2 | 91.5-0100 | 3 | 3.3 | 00.0-08.0 | | | | 3 | 0.4 | 00.0-01.0 |
| H.S. or G.E.D. | 616 | 800,375 | 605 | 96.3 | 93.9-98.7 | 7 | 2.4 | 00.4-04.4 | | | | 4 | 1.2 | 00.0-02.6 |
| Some Post-H.S. | 439 | 690,853 | 421 | 95.1 | 92.4-97.8 | 9 | 2.1 | 00.3-03.9 | 2 | 0.6 | 00.0-01.6 | 7 | 2.3 | 00.3-04.3 |
| College Graduate | 568 | 519,893 | 562 | 98.9 | 97.9-99.9 | 4 | 0.8 | 00.0-01.8 | | | | 2 | 0.2 | 00.0-00.6 |
| Less than \$15,000 | 209 | 240,122 | 201 | 96.4 | 92.9-99.9 | 2 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | 5 | 3.1 | 00.0-06.6 |
| \$15,000- 24,999 | 284 | 358,655 | 277 | 96.4 | 93.3-99.5 | 3 | 0.9 | 00.0-02.3 | | | | 4 | 2.6 | 00.0-05.3 |
| \$25,000- 34,999 | 190 | 249,970 | 187 | 96.9 | 92.8-0100 | 2 | 1.6 | 00.0-04.3 | | | | 1 | 1.6 | 00.0-04.5 |
| \$35,000- 49,999 | 267 | 351,451 | 261 | 95.8 | 92.1-99.5 | 4 | 3.6 | 00.1-07.1 | | | | 2 | 0.6 | 00.0-01.8 |
| \$50,000- 74,999 | 236 | 306,424 | 226 | 93.7 | 89.2-98.2 | 5 | 3.0 | 00.0-06.1 | 1 | 1.2 | 00.0-03.6 | 4 | 2.1 | 00.0-04.6 |
| \$75,000+ | 379 | 516,083 | 377 | 99.3 | 98.3-0100 | 2 | 0.7 | 00.0-01.7 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White Only | | | Black Afr. Amer. Only | | | Amer. Indian Alaskan Native Only | | | Asian Only | | | Multiracial Other | | |
|--------------------|-------------------|-----------|------------|------|------------|-----------------------|-----|------------|----------------------------------|-----|------------|------------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3232 | 2,609,053 | 3180 | 96.8 | 95.6-98.0 | 23 | 1.2 | 00.6-01.8 | 2 | 0.3 | 00.0-00.7 | 1 | 0.2 | 00.0-00.6 | 26 | 1.5 | 00.7-02.3 |
| 18-24 | 113 | 307,609 | 100 | 85.7 | 78.1-93.3 | 5 | 4.3 | 00.6-08.0 | 1 | 1.3 | 00.0-03.7 | 1 | 2.0 | 00.0-05.9 | 6 | 6.8 | 01.3-12.3 |
| 25-34 | 240 | 428,795 | 233 | 97.0 | 94.5-99.5 | 2 | 1.2 | 00.0-03.0 | 1 | 0.7 | 00.0-02.1 | | | | 4 | 1.1 | 00.0-02.5 |
| 35-44 | 301 | 416,630 | 297 | 98.2 | 96.2-0100 | 2 | 0.8 | 00.0-02.0 | | | | | | | 2 | 1.1 | 00.0-02.9 |
| 45-54 | 507 | 446,309 | 499 | 98.3 | 96.9-99.7 | 5 | 0.9 | 00.0-02.1 | | | | | | | 3 | 0.8 | 00.0-01.8 |
| 55-64 | 706 | 428,807 | 698 | 98.7 | 97.7-99.7 | 4 | 0.8 | 00.0-01.6 | | | | | | | 4 | 0.5 | 00.0-01.1 |
| 65+ | 1322 | 558,716 | 1310 | 98.8 | 98.0-99.6 | 5 | 0.4 | 00.0-00.8 | | | | | | | 7 | 0.8 | 00.0-01.6 |
| Less Than H.S. | 416 | 412,853 | 412 | 97.8 | 95.4-0100 | 2 | 0.7 | 00.0-01.7 | | | | | | | 2 | 1.5 | 00.0-03.7 |
| H.S. or G.E.D. | 1134 | 873,681 | 1120 | 96.9 | 94.9-98.9 | 7 | 1.5 | 00.3-02.7 | | | | | | | 7 | 1.6 | 00.0-03.2 |
| Some Post-H.S. | 804 | 755,325 | 788 | 95.8 | 93.3-98.3 | 5 | 0.8 | 00.0-01.8 | 1 | 0.5 | 00.0-01.5 | 1 | 0.8 | 00.0-02.4 | 9 | 2.0 | 00.4-03.6 |
| College Graduate | 853 | 550,759 | 835 | 96.9 | 94.9-98.9 | 9 | 1.7 | 00.1-03.3 | 1 | 0.5 | 00.0-01.5 | | | | 8 | 0.9 | 00.3-01.5 |
| Less than \$15,000 | 468 | 349,703 | 459 | 96.2 | 93.1-99.3 | 5 | 2.7 | 00.0-05.6 | | | | | | | 4 | 1.1 | 00.0-02.5 |
| \$15,000- 24,999 | 579 | 459,968 | 563 | 94.1 | 90.6-97.6 | 7 | 2.0 | 00.2-03.8 | 1 | 0.8 | 00.0-02.4 | | | | 8 | 3.1 | 00.4-05.8 |
| \$25,000- 34,999 | 337 | 253,449 | 334 | 98.3 | 96.1-0100 | 2 | 0.7 | 00.0-01.7 | | | | | | | 1 | 1.0 | 00.0-03.0 |
| \$35,000- 49,999 | 339 | 282,689 | 333 | 96.6 | 93.3-99.9 | 2 | 0.6 | 00.0-01.8 | 1 | 1.0 | 00.0-03.0 | | | | 3 | 1.8 | 00.0-04.3 |
| \$50,000- 74,999 | 297 | 268,029 | 291 | 97.3 | 94.9-99.7 | 3 | 1.7 | 00.0-03.9 | | | | | | | 3 | 0.9 | 00.0-02.1 |
| \$75,000+ | 451 | 424,239 | 445 | 97.3 | 94.2-0100 | 3 | 0.8 | 00.0-02.0 | | | | 1 | 1.5 | 00.0-04.2 | 2 | 0.5 | 00.0-01.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5129 | 5,050,115 | 685 | 13.2 | 11.8-14.6 | 4444 | 86.8 | 85.4-88.2 |
| Male | 1875 | 2,430,805 | 636 | 25.0 | 22.5-27.5 | 1239 | 75.0 | 72.5-77.5 |
| Female | 3254 | 2,619,310 | 49 | 2.2 | 01.4-03.0 | 3205 | 97.8 | 97.0-98.6 |
| 18-24 | 205 | 626,794 | 14 | 8.2 | 03.7-12.7 | 191 | 91.8 | 87.3-96.3 |
| 25-34 | 402 | 843,890 | 28 | 8.4 | 05.1-11.7 | 374 | 91.6 | 88.3-94.9 |
| 35-44 | 479 | 829,827 | 35 | 8.9 | 05.6-12.2 | 444 | 91.1 | 87.8-94.4 |
| 45-54 | 818 | 883,088 | 72 | 12.0 | 08.9-15.1 | 746 | 88.0 | 84.9-91.1 |
| 55-64 | 1157 | 828,234 | 139 | 12.9 | 10.4-15.4 | 1018 | 87.1 | 84.6-89.6 |
| 65+ | 2002 | 1,002,428 | 391 | 25.1 | 22.6-27.6 | 1611 | 74.9 | 72.4-77.4 |
| Less Than H.S. | 650 | 803,733 | 42 | 6.1 | 03.9-08.3 | 608 | 93.9 | 91.7-96.1 |
| H.S. or G.E.D. | 1761 | 1,681,081 | 222 | 14.0 | 11.6-16.4 | 1539 | 86.0 | 83.6-88.4 |
| Some Post-H.S. | 1256 | 1,460,942 | 206 | 15.7 | 13.0-18.4 | 1050 | 84.3 | 81.6-87.0 |
| College Graduate | 1432 | 1,081,060 | 214 | 13.8 | 11.4-16.2 | 1218 | 86.2 | 83.8-88.6 |
| Less than \$15,000 | 680 | 588,917 | 54 | 7.0 | 04.5-09.5 | 626 | 93.0 | 90.5-95.5 |
| \$15,000- 24,999 | 870 | 826,294 | 92 | 8.1 | 05.9-10.3 | 778 | 91.9 | 89.7-94.1 |
| \$25,000- 34,999 | 530 | 505,793 | 84 | 16.1 | 11.6-20.6 | 446 | 83.9 | 79.4-88.4 |
| \$35,000- 49,999 | 609 | 642,907 | 122 | 20.2 | 15.7-24.7 | 487 | 79.8 | 75.3-84.3 |
| \$50,000- 74,999 | 535 | 575,451 | 96 | 17.8 | 13.1-22.5 | 439 | 82.2 | 77.5-86.9 |
| \$75,000+ | 835 | 945,763 | 125 | 13.8 | 10.5-17.1 | 710 | 86.2 | 82.9-89.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1875 | 2,430,805 | 636 | 25.0 | 22.5-27.5 | 1239 | 75.0 | 72.5-77.5 |
| 18-24 | 92 | 319,185 | 12 | 12.8 | 05.4-20.2 | 80 | 87.2 | 79.8-94.6 |
| 25-34 | 164 | 419,599 | 21 | 13.4 | 07.5-19.3 | 143 | 86.6 | 80.7-92.5 |
| 35-44 | 176 | 410,826 | 27 | 15.2 | 08.9-21.5 | 149 | 84.8 | 78.5-91.1 |
| 45-54 | 308 | 433,797 | 64 | 22.7 | 16.8-28.6 | 244 | 77.3 | 71.4-83.2 |
| 55-64 | 450 | 399,253 | 127 | 24.9 | 20.0-29.8 | 323 | 75.1 | 70.2-80.0 |
| 65+ | 669 | 439,156 | 379 | 56.1 | 51.4-60.8 | 290 | 43.9 | 39.2-48.6 |
| Less Than H.S. | 231 | 389,392 | 41 | 11.8 | 07.3-16.3 | 190 | 88.2 | 83.7-92.7 |
| H.S. or G.E.D. | 621 | 806,471 | 207 | 26.3 | 21.8-30.8 | 414 | 73.7 | 69.2-78.2 |
| Some Post-H.S. | 444 | 699,816 | 190 | 30.4 | 24.9-35.9 | 254 | 69.6 | 64.1-75.1 |
| College Graduate | 574 | 526,973 | 197 | 25.5 | 21.2-29.8 | 377 | 74.5 | 70.2-78.8 |
| Less than \$15,000 | 211 | 241,282 | 51 | 15.2 | 09.3-21.1 | 160 | 84.8 | 78.9-90.7 |
| \$15,000- 24,999 | 286 | 363,360 | 86 | 17.5 | 12.6-22.4 | 200 | 82.5 | 77.6-87.4 |
| \$25,000- 34,999 | 192 | 252,026 | 78 | 30.2 | 21.8-38.6 | 114 | 69.8 | 61.4-78.2 |
| \$35,000- 49,999 | 270 | 360,218 | 112 | 31.6 | 24.5-38.7 | 158 | 68.4 | 61.3-75.5 |
| \$50,000- 74,999 | 237 | 306,808 | 87 | 30.1 | 22.5-37.7 | 150 | 69.9 | 62.3-77.5 |
| \$75,000+ | 380 | 518,787 | 119 | 24.0 | 18.3-29.7 | 261 | 76.0 | 70.3-81.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3254 | 2,619,310 | 49 | 2.2 | 01.4-03.0 | 3205 | 97.8 | 97.0-98.6 |
| 18-24 | 113 | 307,609 | 2 | 3.4 | 00.0-08.3 | 111 | 96.6 | 91.7-0100 |
| 25-34 | 238 | 424,291 | 7 | 3.4 | 00.7-06.1 | 231 | 96.6 | 93.9-99.3 |
| 35-44 | 303 | 419,001 | 8 | 2.8 | 00.6-05.0 | 295 | 97.2 | 95.0-99.4 |
| 45-54 | 510 | 449,292 | 8 | 1.8 | 00.2-03.4 | 502 | 98.2 | 96.6-99.8 |
| 55-64 | 707 | 428,981 | 12 | 1.7 | 00.5-02.9 | 695 | 98.3 | 97.1-99.5 |
| 65+ | 1333 | 563,272 | 12 | 0.9 | 00.3-01.5 | 1321 | 99.1 | 98.5-99.7 |
| Less Than H.S. | 419 | 414,341 | 1 | 0.7 | 00.0-02.1 | 418 | 99.3 | 97.9-0100 |
| H.S. or G.E.D. | 1140 | 874,611 | 15 | 2.6 | 00.6-04.6 | 1125 | 97.4 | 95.4-99.4 |
| Some Post-H.S. | 812 | 761,126 | 16 | 2.2 | 00.8-03.6 | 796 | 97.8 | 96.4-99.2 |
| College Graduate | 858 | 554,087 | 17 | 2.6 | 01.0-04.2 | 841 | 97.4 | 95.8-99.0 |
| Less than \$15,000 | 469 | 347,634 | 3 | 1.2 | 00.0-03.0 | 466 | 98.8 | 97.0-0100 |
| \$15,000- 24,999 | 584 | 462,934 | 6 | 0.8 | 00.0-01.6 | 578 | 99.2 | 98.4-0100 |
| \$25,000- 34,999 | 338 | 253,767 | 6 | 2.2 | 00.0-04.4 | 332 | 97.8 | 95.6-0100 |
| \$35,000- 49,999 | 339 | 282,689 | 10 | 5.6 | 00.5-10.7 | 329 | 94.4 | 89.3-99.5 |
| \$50,000- 74,999 | 298 | 268,643 | 9 | 3.8 | 00.3-07.3 | 289 | 96.2 | 92.7-99.7 |
| \$75,000+ | 455 | 426,976 | 6 | 1.4 | 00.0-02.8 | 449 | 98.6 | 97.2-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5104 | 5,037,105 | 2566 | 52.5 | 50.5-54.5 | 814 | 11.9 | 10.7-13.1 | 915 | 8.0 | 07.2-08.8 | 127 | 3.0 | 02.2-03.8 | 630 | 22.9 | 20.9-24.9 | 52 | 1.7 | 01.1-02.3 |
| Male | 1872 | 2,429,803 | 1066 | 54.2 | 51.1-57.3 | 294 | 10.9 | 09.1-12.7 | 160 | 3.9 | 03.1-04.7 | 40 | 2.8 | 01.6-04.0 | 289 | 26.5 | 23.2-29.8 | 23 | 1.7 | 00.9-02.5 |
| Female | 3232 | 2,607,301 | 1500 | 51.0 | 48.5-53.5 | 520 | 12.8 | 11.2-14.4 | 755 | 11.9 | 10.7-13.1 | 87 | 3.2 | 02.2-04.2 | 341 | 19.5 | 17.1-21.9 | 29 | 1.7 | 00.7-02.7 |
| White/Non-Hisp | 4224 | 3,839,418 | 2248 | 57.6 | 55.4-59.8 | 665 | 12.2 | 10.8-13.6 | 789 | 8.8 | 08.0-09.6 | 85 | 2.6 | 01.8-03.4 | 395 | 17.1 | 14.9-19.3 | 42 | 1.7 | 00.9-02.5 |
| Black or Afr. Am./Non-Hisp | 626 | 792,021 | 204 | 32.5 | 27.2-37.8 | 113 | 11.6 | 08.5-14.7 | 91 | 6.4 | 04.4-08.4 | 35 | 4.5 | 02.3-06.7 | 177 | 43.8 | 37.9-49.7 | 6 | 1.3 | 00.0-02.7 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 48 | 47.5 | 34.8-60.2 | 16 | 12.9 | 04.3-21.5 | 14 | 6.0 | 01.7-10.3 | 4 | 9.9 | 00.7-19.1 | 14 | 22.7 | 10.5-34.9 | 1 | 1.0 | 00.0-03.0 |
| Hispanic | 61 | 147,753 | 21 | 35.5 | 20.6-50.4 | 6 | 6.0 | 00.7-11.3 | 4 | 2.0 | 00.0-04.4 | 2 | 0.5 | 00.0-01.3 | 25 | 48.7 | 33.4-64.0 | 3 | 7.3 | 00.0-15.7 |
| 18-24 | 205 | 626,794 | 37 | 15.3 | 10.0-20.6 | 2 | 0.5 | 00.0-01.3 | | | | 2 | 0.2 | 00.0-00.6 | 155 | 79.2 | 72.9-85.5 | 9 | 4.7 | 01.2-08.2 |
| 25-34 | 403 | 844,797 | 203 | 47.2 | 41.5-52.9 | 32 | 7.4 | 04.5-10.3 | 1 | 0.2 | 00.0-00.6 | 17 | 3.7 | 01.5-05.9 | 139 | 39.2 | 33.3-45.1 | 11 | 2.2 | 00.6-03.8 |
| 35-44 | 479 | 829,827 | 275 | 60.0 | 54.3-65.7 | 87 | 13.4 | 10.1-16.7 | 4 | 0.5 | 00.0-01.1 | 28 | 6.6 | 03.3-09.9 | 74 | 17.2 | 12.7-21.7 | 11 | 2.4 | 00.8-04.0 |
| 45-54 | 815 | 882,120 | 474 | 61.3 | 57.0-65.6 | 168 | 19.3 | 15.8-22.8 | 30 | 2.7 | 01.3-04.1 | 38 | 4.4 | 02.6-06.2 | 98 | 11.5 | 08.6-14.4 | 7 | 0.9 | 00.1-01.7 |
| 55-64 | 1154 | 826,192 | 662 | 65.0 | 61.5-68.5 | 253 | 17.5 | 14.8-20.2 | 121 | 8.5 | 06.5-10.5 | 28 | 1.8 | 01.0-02.6 | 80 | 6.0 | 04.2-07.8 | 10 | 1.2 | 00.4-02.0 |
| 65+ | 1992 | 999,974 | 890 | 56.3 | 53.6-59.0 | 261 | 10.2 | 08.4-12.0 | 748 | 29.7 | 27.2-32.2 | 14 | 1.0 | 00.4-01.6 | 75 | 2.7 | 01.9-03.5 | 4 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 649 | 802,415 | 204 | 36.9 | 31.4-42.4 | 123 | 16.7 | 12.8-20.6 | 219 | 16.2 | 13.1-19.3 | 27 | 4.8 | 02.4-07.2 | 71 | 23.2 | 17.1-29.3 | 5 | 2.0 | 00.0-04.4 |
| H.S. or G.E.D. | 1756 | 1,681,608 | 808 | 47.8 | 44.3-51.3 | 294 | 11.8 | 09.8-13.8 | 343 | 7.9 | 06.7-09.1 | 61 | 3.6 | 02.4-04.8 | 227 | 27.2 | 23.5-30.9 | 23 | 1.6 | 00.6-02.6 |
| Some Post-H.S. | 1251 | 1,455,772 | 636 | 54.2 | 50.3-58.1 | 209 | 11.8 | 09.6-14.0 | 200 | 6.4 | 05.2-07.6 | 25 | 2.7 | 00.9-04.5 | 167 | 23.0 | 19.3-26.7 | 14 | 1.9 | 00.7-03.1 |
| College Graduate | 1427 | 1,079,007 | 907 | 69.4 | 66.1-72.7 | 186 | 8.5 | 06.9-10.1 | 147 | 4.3 | 03.3-05.3 | 14 | 1.1 | 00.3-01.9 | 163 | 15.4 | 12.5-18.3 | 10 | 1.3 | 00.3-02.3 |
| Less than \$15,000 | 679 | 589,942 | 115 | 21.9 | 17.2-26.6 | 197 | 22.1 | 18.0-26.2 | 175 | 11.2 | 09.0-13.4 | 49 | 7.2 | 04.5-09.9 | 136 | 36.1 | 30.2-42.0 | 7 | 1.5 | 00.1-02.9 |
| \$15,000- 24,999 | 870 | 826,294 | 309 | 36.7 | 32.0-41.4 | 170 | 15.9 | 12.8-19.0 | 228 | 12.1 | 09.7-14.5 | 37 | 7.5 | 04.0-11.0 | 113 | 25.4 | 20.5-30.3 | 13 | 2.5 | 00.9-04.1 |
| \$25,000- 34,999 | 529 | 505,491 | 240 | 45.8 | 39.7-51.9 | 94 | 13.8 | 09.9-17.7 | 112 | 10.6 | 07.9-13.3 | 7 | 2.0 | 00.2-03.8 | 68 | 25.3 | 19.0-31.6 | 8 | 2.6 | 00.2-05.0 |
| \$35,000- 49,999 | 608 | 641,996 | 352 | 59.8 | 54.1-65.5 | 93 | 11.5 | 08.4-14.6 | 82 | 6.2 | 04.4-08.0 | 4 | 0.9 | 00.0-01.9 | 71 | 20.3 | 14.6-26.0 | 6 | 1.5 | 00.0-03.1 |
| \$50,000- 74,999 | 533 | 574,793 | 367 | 69.5 | 63.6-75.4 | 63 | 9.2 | 05.9-12.5 | 40 | 3.0 | 01.8-04.2 | 6 | 1.4 | 00.0-02.8 | 51 | 15.1 | 09.8-20.4 | 6 | 1.8 | 00.0-03.6 |
| \$75,000+ | 835 | 945,763 | 686 | 79.7 | 75.0-84.4 | 59 | 5.4 | 03.2-07.6 | 27 | 1.3 | 00.7-01.9 | 4 | 0.5 | 00.0-01.1 | 53 | 12.1 | 07.8-16.4 | 6 | 1.0 | 00.0-02.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|------|------------|---------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1872 | 2,429,803 | 1066 | 54.2 | 51.1-57.3 | 294 | 10.9 | 09.1-12.7 | 160 | 3.9 | 03.1-04.7 | 40 | 2.8 | 01.6-04.0 | 289 | 26.5 | 23.4-29.6 | 23 | 1.7 | 00.9-02.5 |
| White/Non-Hisp | 1563 | 1,846,388 | 930 | 58.5 | 55.0-62.0 | 245 | 11.7 | 09.7-13.7 | 141 | 4.4 | 03.4-05.4 | 29 | 2.4 | 01.0-03.8 | 200 | 21.5 | 18.2-24.8 | 18 | 1.5 | 00.7-02.3 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | 83 | 40.6 | 31.6-49.6 | 31 | 8.7 | 04.2-13.2 | 10 | 2.5 | 00.5-04.5 | 8 | 3.4 | 00.3-06.5 | 58 | 43.1 | 33.3-52.9 | 3 | 1.7 | 00.0-04.1 |
| 18-24 | 92 | 319,185 | 10 | 10.8 | 03.5-18.1 | | | | | | | | | | 78 | 85.9 | 78.1-93.7 | 4 | 3.2 | 00.0-06.7 |
| 25-34 | 165 | 422,793 | 71 | 38.6 | 30.2-47.0 | 14 | 7.1 | 03.0-11.2 | | | | 3 | 2.2 | 00.0-04.7 | 72 | 49.5 | 40.7-58.3 | 5 | 2.6 | 00.1-05.1 |
| 35-44 | 176 | 410,826 | 119 | 67.5 | 58.7-76.3 | 20 | 6.5 | 03.2-09.8 | | | | 6 | 6.2 | 00.5-11.9 | 27 | 17.4 | 10.1-24.7 | 4 | 2.4 | 00.0-04.9 |
| 45-54 | 308 | 433,797 | 181 | 60.6 | 53.7-67.5 | 64 | 19.6 | 13.9-25.3 | 10 | 2.3 | 00.5-04.1 | 13 | 4.8 | 01.7-07.9 | 38 | 11.6 | 07.3-15.9 | 2 | 1.1 | 00.0-02.7 |
| 55-64 | 449 | 397,702 | 279 | 68.7 | 63.4-74.0 | 94 | 17.9 | 13.4-22.4 | 20 | 3.9 | 01.7-06.1 | 12 | 1.6 | 00.6-02.6 | 38 | 6.6 | 03.9-09.3 | 6 | 1.4 | 00.0-02.8 |
| 65+ | 668 | 438,413 | 400 | 69.2 | 64.9-73.5 | 95 | 11.1 | 08.2-14.0 | 129 | 15.5 | 12.2-18.8 | 6 | 1.4 | 00.0-02.8 | 36 | 2.6 | 01.6-03.6 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 230 | 388,074 | 86 | 36.5 | 27.9-45.1 | 51 | 18.5 | 12.2-24.8 | 46 | 9.5 | 06.0-13.0 | 8 | 3.3 | 00.6-06.0 | 37 | 31.1 | 20.7-41.5 | 2 | 1.0 | 00.0-02.8 |
| H.S. or G.E.D. | 621 | 806,471 | 306 | 47.5 | 42.2-52.8 | 122 | 11.9 | 08.8-15.0 | 57 | 3.4 | 02.2-04.6 | 18 | 3.5 | 01.5-05.5 | 106 | 31.4 | 25.7-37.1 | 12 | 2.3 | 00.7-03.9 |
| Some Post-H.S. | 442 | 696,889 | 262 | 57.1 | 50.6-63.6 | 63 | 8.2 | 05.3-11.1 | 28 | 2.8 | 01.4-04.2 | 9 | 3.4 | 00.1-06.7 | 75 | 26.6 | 20.7-32.5 | 5 | 1.9 | 00.0-03.9 |
| College Graduate | 573 | 526,063 | 410 | 74.3 | 69.6-79.0 | 56 | 7.2 | 04.7-09.7 | 29 | 2.1 | 01.1-03.1 | 5 | 0.6 | 00.0-01.2 | 69 | 14.7 | 10.6-18.8 | 4 | 1.1 | 00.0-02.3 |
| Less than \$15,000 | 210 | 240,059 | 53 | 28.2 | 19.4-37.0 | 58 | 18.5 | 12.0-25.0 | 28 | 6.7 | 03.8-09.6 | 11 | 3.5 | 01.1-05.9 | 56 | 40.6 | 30.6-50.6 | 4 | 2.5 | 00.0-05.4 |
| \$15,000- 24,999 | 286 | 363,360 | 114 | 36.8 | 29.0-44.6 | 66 | 15.5 | 10.6-20.4 | 31 | 5.3 | 02.6-08.0 | 15 | 10.3 | 03.4-17.2 | 52 | 28.3 | 19.9-36.7 | 8 | 3.8 | 00.5-07.1 |
| \$25,000- 34,999 | 192 | 252,026 | 100 | 47.0 | 37.2-56.8 | 36 | 12.3 | 06.4-18.2 | 21 | 5.6 | 02.7-08.5 | 2 | 1.9 | 00.0-04.8 | 31 | 30.9 | 20.3-41.5 | 2 | 2.2 | 00.0-05.7 |
| \$35,000- 49,999 | 269 | 359,307 | 170 | 60.9 | 52.3-69.5 | 36 | 9.4 | 05.3-13.5 | 25 | 3.8 | 02.0-05.6 | 1 | 0.3 | 00.0-00.9 | 36 | 24.4 | 15.6-33.2 | 1 | 1.2 | 00.0-03.6 |
| \$50,000- 74,999 | 237 | 306,808 | 169 | 66.2 | 57.8-74.6 | 28 | 11.5 | 05.8-17.2 | 10 | 1.9 | 00.3-03.5 | 3 | 1.6 | 00.0-03.8 | 26 | 18.4 | 10.8-26.0 | 1 | 0.4 | 00.0-01.2 |
| \$75,000+ | 380 | 518,787 | 308 | 78.4 | 71.9-84.9 | 29 | 6.0 | 02.7-09.3 | 10 | 0.8 | 00.2-01.4 | 1 | 0.5 | 00.0-01.5 | 28 | 12.7 | 06.8-18.6 | 4 | 1.4 | 00.0-03.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3232 | 2,607,301 | 1500 | 51.0 | 48.5-53.5 | 520 | 12.8 | 11.2-14.4 | 755 | 11.9 | 10.7-13.1 | 87 | 3.2 | 02.2-04.2 | 341 | 19.5 | 17.1-21.9 | 29 | 1.7 | 00.7-02.7 |
| White/Non-Hisp | 2661 | 1,993,030 | 1318 | 56.8 | 54.1-59.5 | 420 | 12.7 | 10.9-14.5 | 648 | 12.8 | 11.4-14.2 | 56 | 2.8 | 01.8-03.8 | 195 | 12.9 | 10.5-15.3 | 24 | 1.9 | 00.7-03.1 |
| Black or Afr. Am./Non-Hisp | 433 | 428,352 | 121 | 25.6 | 19.9-31.3 | 82 | 14.1 | 09.8-18.4 | 81 | 9.7 | 06.6-12.8 | 27 | 5.4 | 02.5-08.3 | 119 | 44.4 | 37.1-51.7 | 3 | 0.9 | 00.0-02.3 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 29 | 50.7 | 33.3-68.1 | 6 | 10.7 | 00.0-23.4 | 10 | 8.1 | 01.0-15.2 | 1 | 3.4 | 00.0-10.1 | 9 | 25.3 | 08.6-42.0 | 1 | 1.8 | 00.0-05.3 |
| 18-24 | 113 | 307,609 | 27 | 20.0 | 12.0-28.0 | 2 | 1.0 | 00.0-02.8 | | | | 2 | 0.5 | 00.0-01.3 | 77 | 72.3 | 62.7-81.9 | 5 | 6.2 | 00.0-12.7 |
| 25-34 | 238 | 422,004 | 132 | 55.9 | 48.6-63.2 | 18 | 7.6 | 03.5-11.7 | | | | 14 | 5.3 | 02.0-08.6 | 67 | 28.9 | 22.2-35.6 | 6 | 1.8 | 00.2-03.4 |
| 35-44 | 303 | 419,001 | 156 | 52.8 | 45.9-59.7 | 67 | 20.1 | 14.6-25.6 | 4 | 0.9 | 00.0-01.9 | 22 | 7.0 | 03.3-10.7 | 47 | 16.9 | 11.6-22.2 | 7 | 2.4 | 00.4-04.4 |
| 45-54 | 507 | 448,323 | 293 | 62.0 | 56.7-67.3 | 104 | 19.0 | 14.9-23.1 | 20 | 3.0 | 01.2-04.8 | 25 | 3.9 | 01.9-05.9 | 60 | 11.4 | 07.7-15.1 | 5 | 0.7 | 00.1-01.3 |
| 55-64 | 705 | 428,490 | 383 | 61.6 | 57.1-66.1 | 159 | 17.1 | 14.0-20.2 | 101 | 12.9 | 09.8-16.0 | 16 | 2.1 | 00.7-03.5 | 42 | 5.4 | 03.2-07.6 | 4 | 1.0 | 00.0-02.2 |
| 65+ | 1324 | 561,561 | 490 | 46.2 | 42.7-49.7 | 166 | 9.5 | 07.5-11.5 | 619 | 40.8 | 37.5-44.1 | 8 | 0.6 | 00.0-01.2 | 39 | 2.7 | 01.5-03.9 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 419 | 414,341 | 118 | 37.3 | 30.2-44.4 | 72 | 15.1 | 10.4-19.8 | 173 | 22.5 | 17.8-27.2 | 19 | 6.3 | 02.6-10.0 | 34 | 15.8 | 09.7-21.9 | 3 | 3.1 | 00.0-07.4 |
| H.S. or G.E.D. | 1135 | 875,137 | 502 | 48.1 | 43.8-52.4 | 172 | 11.8 | 09.3-14.3 | 286 | 12.2 | 10.2-14.2 | 43 | 3.7 | 02.3-05.1 | 121 | 23.3 | 18.4-28.2 | 11 | 1.0 | 00.2-01.8 |
| Some Post-H.S. | 809 | 758,884 | 374 | 51.5 | 46.8-56.2 | 146 | 15.1 | 12.0-18.2 | 172 | 9.7 | 07.7-11.7 | 16 | 2.1 | 00.5-03.7 | 92 | 19.7 | 15.4-24.0 | 9 | 1.9 | 00.5-03.3 |
| College Graduate | 854 | 552,944 | 497 | 64.7 | 60.4-69.0 | 130 | 9.6 | 07.4-11.8 | 118 | 6.3 | 04.7-07.9 | 9 | 1.6 | 00.2-03.0 | 94 | 16.2 | 12.3-20.1 | 6 | 1.5 | 00.0-03.1 |
| Less than \$15,000 | 469 | 349,884 | 62 | 17.5 | 12.4-22.6 | 139 | 24.5 | 19.2-29.8 | 147 | 14.2 | 11.1-17.3 | 38 | 9.7 | 05.4-14.0 | 80 | 33.1 | 26.0-40.2 | 3 | 0.9 | 00.0-02.1 |
| \$15,000- 24,999 | 584 | 462,934 | 195 | 36.6 | 31.1-42.1 | 104 | 16.1 | 11.8-20.4 | 197 | 17.5 | 14.2-20.8 | 22 | 5.3 | 02.2-08.4 | 61 | 23.1 | 17.2-29.0 | 5 | 1.4 | 00.0-02.8 |
| \$25,000- 34,999 | 337 | 253,465 | 140 | 44.6 | 37.0-52.2 | 58 | 15.2 | 09.7-20.7 | 91 | 15.6 | 11.1-20.1 | 5 | 2.0 | 00.0-04.2 | 37 | 19.7 | 13.2-26.2 | 6 | 2.9 | 00.0-05.8 |
| \$35,000- 49,999 | 339 | 282,689 | 182 | 58.3 | 51.2-65.4 | 57 | 14.1 | 09.6-18.6 | 57 | 9.2 | 06.3-12.1 | 3 | 1.6 | 00.0-03.8 | 35 | 15.1 | 08.8-21.4 | 5 | 1.7 | 00.0-03.5 |
| \$50,000- 74,999 | 296 | 267,984 | 198 | 73.2 | 65.6-80.8 | 35 | 6.5 | 03.8-09.2 | 30 | 4.2 | 02.2-06.2 | 3 | 1.1 | 00.0-02.5 | 25 | 11.4 | 04.3-18.5 | 5 | 3.5 | 00.0-07.0 |
| \$75,000+ | 455 | 426,976 | 378 | 81.2 | 74.7-87.7 | 30 | 4.7 | 02.0-07.4 | 17 | 1.9 | 00.7-03.1 | 3 | 0.4 | 00.0-01.0 | 25 | 11.3 | 05.0-17.6 | 2 | 0.5 | 00.0-01.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5110 | 5,036,383 | 543 | 16.2 | 14.6-17.8 | 394 | 12.2 | 10.8-13.6 | 153 | 5.2 | 04.2-06.2 | 50 | 2.1 | 01.3-02.9 | 25 | 0.8 | 00.4-01.2 | 3945 | 63.5 | 61.5-65.5 |
| Male | 1873 | 2,432,320 | 183 | 14.9 | 12.4-17.4 | 143 | 11.4 | 09.2-13.6 | 51 | 4.6 | 03.0-06.2 | 19 | 1.8 | 00.8-02.8 | 11 | 0.6 | 00.2-01.0 | 1466 | 66.7 | 63.6-69.8 |
| Female | 3237 | 2,604,062 | 360 | 17.4 | 15.2-19.6 | 251 | 13.0 | 11.0-15.0 | 102 | 5.8 | 04.2-07.4 | 31 | 2.4 | 01.2-03.6 | 14 | 0.9 | 00.3-01.5 | 2479 | 60.4 | 57.9-62.9 |
| White/Non-Hisp | 4229 | 3,838,471 | 414 | 15.5 | 13.7-17.3 | 318 | 12.3 | 10.7-13.9 | 110 | 4.5 | 03.3-05.7 | 37 | 1.8 | 01.2-02.4 | 20 | 0.7 | 00.3-01.1 | 3330 | 65.3 | 63.1-67.5 |
| Black or Afr. Am./Non-Hisp | 625 | 791,403 | 93 | 17.4 | 13.1-21.7 | 49 | 11.3 | 07.6-15.0 | 31 | 7.6 | 04.5-10.7 | 9 | 3.7 | 00.6-06.8 | 2 | 0.7 | 00.0-01.7 | 441 | 59.4 | 53.7-65.1 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 14 | 18.4 | 07.8-29.0 | 11 | 15.0 | 05.0-25.0 | 2 | 1.3 | 00.0-03.1 | 1 | 0.8 | 00.0-02.4 | 2 | 4.5 | 00.0-10.6 | 67 | 59.9 | 47.0-72.8 |
| Hispanic | 60 | 145,436 | 10 | 21.9 | 07.8-36.0 | 9 | 16.8 | 04.5-29.1 | 8 | 16.2 | 04.4-28.0 | 1 | 2.6 | 00.0-07.5 | | | | 32 | 42.6 | 27.9-57.3 |
| 18-24 | 205 | 626,794 | 49 | 24.1 | 17.2-31.0 | 21 | 10.2 | 05.3-15.1 | 10 | 6.9 | 02.0-11.8 | 2 | 2.1 | 00.0-05.0 | | | | 123 | 56.8 | 48.8-64.8 |
| 25-34 | 400 | 840,547 | 82 | 22.2 | 17.3-27.1 | 102 | 23.5 | 18.8-28.2 | 53 | 12.3 | 08.6-16.0 | 13 | 4.3 | 01.8-06.8 | 11 | 2.8 | 01.0-04.6 | 139 | 34.9 | 29.2-40.6 |
| 35-44 | 477 | 827,015 | 121 | 23.4 | 18.7-28.1 | 128 | 25.2 | 20.3-30.1 | 48 | 9.4 | 06.3-12.5 | 23 | 5.4 | 02.7-08.1 | 8 | 1.3 | 00.3-02.3 | 149 | 35.3 | 29.6-41.0 |
| 45-54 | 814 | 880,747 | 153 | 20.4 | 16.7-24.1 | 95 | 12.5 | 09.6-15.4 | 28 | 3.1 | 01.7-04.5 | 7 | 0.6 | 00.0-01.4 | 3 | 0.3 | 00.0-00.7 | 528 | 63.1 | 58.8-67.4 |
| 55-64 | 1156 | 828,376 | 85 | 8.4 | 06.2-10.6 | 21 | 2.3 | 01.1-03.5 | 9 | 0.9 | 00.3-01.5 | 3 | 0.5 | 00.0-01.3 | 2 | 0.2 | 00.0-00.6 | 1036 | 87.7 | 85.2-90.2 |
| 65+ | 1997 | 1,000,688 | 51 | 3.4 | 02.2-04.6 | 21 | 1.5 | 00.7-02.3 | 4 | 0.4 | 00.0-00.8 | 2 | 0.2 | 00.0-00.4 | 1 | 0.1 | 00.0-00.3 | 1918 | 94.4 | 92.8-96.0 |
| Less Than H.S. | 649 | 803,081 | 58 | 17.1 | 11.6-22.6 | 26 | 6.8 | 03.7-09.9 | 22 | 5.8 | 02.9-08.7 | 8 | 2.0 | 00.2-03.8 | 3 | 0.5 | 00.0-01.1 | 532 | 67.8 | 61.7-73.9 |
| H.S. or G.E.D. | 1760 | 1,680,819 | 157 | 13.1 | 10.7-15.5 | 132 | 13.2 | 10.5-15.9 | 49 | 5.9 | 03.7-08.1 | 15 | 2.3 | 00.7-03.9 | 14 | 1.4 | 00.6-02.2 | 1393 | 64.1 | 60.6-67.6 |
| Some Post-H.S. | 1254 | 1,456,921 | 156 | 18.1 | 15.0-21.2 | 106 | 12.2 | 09.3-15.1 | 32 | 3.9 | 02.3-05.5 | 13 | 2.5 | 00.9-04.1 | 4 | 0.5 | 00.0-01.1 | 943 | 62.7 | 58.8-66.6 |
| College Graduate | 1429 | 1,078,654 | 170 | 17.9 | 15.0-20.8 | 130 | 14.9 | 12.2-17.6 | 50 | 5.5 | 03.7-07.3 | 14 | 1.4 | 00.6-02.2 | 4 | 0.3 | 00.0-00.7 | 1061 | 59.9 | 56.4-63.4 |
| Less than \$15,000 | 682 | 592,979 | 58 | 15.7 | 11.0-20.4 | 43 | 8.2 | 05.3-11.1 | 17 | 4.4 | 01.7-07.1 | 6 | 1.6 | 00.0-03.2 | 2 | 0.3 | 00.0-00.9 | 556 | 69.7 | 64.2-75.2 |
| \$15,000- 24,999 | 869 | 825,041 | 78 | 15.7 | 11.6-19.8 | 65 | 11.7 | 08.0-15.4 | 28 | 5.7 | 03.2-08.2 | 11 | 2.6 | 00.8-04.4 | 9 | 1.6 | 00.4-02.8 | 678 | 62.5 | 57.4-67.6 |
| \$25,000- 34,999 | 530 | 505,793 | 51 | 12.4 | 08.3-16.5 | 27 | 7.0 | 04.1-09.9 | 14 | 3.5 | 01.3-05.7 | 4 | 1.1 | 00.0-02.3 | 2 | 0.6 | 00.0-01.6 | 432 | 75.3 | 70.0-80.6 |
| \$35,000- 49,999 | 609 | 642,907 | 73 | 18.0 | 12.9-23.1 | 41 | 11.2 | 07.5-14.9 | 22 | 6.2 | 03.1-09.3 | 7 | 3.3 | 00.6-06.0 | 5 | 1.2 | 00.0-02.4 | 461 | 60.0 | 54.1-65.9 |
| \$50,000- 74,999 | 534 | 573,135 | 64 | 13.8 | 09.7-17.9 | 52 | 13.7 | 09.2-18.2 | 10 | 2.4 | 00.6-04.2 | 10 | 4.0 | 00.9-07.1 | 4 | 1.4 | 00.0-03.0 | 394 | 64.7 | 58.8-70.6 |
| \$75,000+ | 833 | 943,714 | 131 | 22.0 | 17.7-26.3 | 113 | 18.9 | 15.0-22.8 | 37 | 6.6 | 03.5-09.7 | 6 | 0.5 | 00.1-00.9 | 1 | 0.1 | 00.0-00.3 | 545 | 51.9 | 47.0-56.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
|----------------------------|-------------------|-----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1873 | 2,432,320 | 183 | 14.9 | 12.4-17.4 | 143 | 11.4 | 09.2-13.6 | 51 | 4.6 | 03.0-06.2 | 19 | 1.8 | 00.8-02.8 | 11 | 0.6 | 00.2-01.0 | 1466 | 66.7 | 63.6-69.8 |
| White/Non-Hisp | 1565 | 1,849,523 | 143 | 14.1 | 11.4-16.8 | 122 | 12.2 | 09.7-14.7 | 38 | 3.8 | 02.2-05.4 | 15 | 1.6 | 00.6-02.6 | 10 | 0.7 | 00.3-01.1 | 1237 | 67.6 | 64.1-71.1 |
| Black or Afr. Am./Non-Hisp | 192 | 363,051 | 24 | 14.6 | 08.3-20.9 | 12 | 8.3 | 03.2-13.4 | 8 | 6.3 | 01.6-11.0 | 1 | 1.8 | 00.0-05.3 | | | | 147 | 69.1 | 60.3-77.9 |
| 18-24 | 92 | 319,185 | 20 | 22.6 | 12.4-32.8 | 7 | 7.8 | 01.3-14.3 | 5 | 5.8 | 00.3-11.3 | | | | | | | 60 | 63.7 | 52.3-75.1 |
| 25-34 | 163 | 420,859 | 27 | 18.1 | 11.0-25.2 | 31 | 18.6 | 12.1-25.1 | 11 | 7.6 | 02.7-12.5 | 6 | 4.3 | 00.4-08.2 | 3 | 1.7 | 00.0-03.7 | 85 | 49.7 | 40.7-58.7 |
| 35-44 | 176 | 410,826 | 37 | 19.9 | 12.8-27.0 | 38 | 21.4 | 13.6-29.2 | 18 | 10.5 | 05.4-15.6 | 8 | 4.7 | 01.2-08.2 | 5 | 1.6 | 00.0-03.2 | 70 | 41.9 | 32.7-51.1 |
| 45-54 | 307 | 433,091 | 51 | 18.7 | 13.0-24.4 | 46 | 15.2 | 10.1-20.3 | 11 | 3.1 | 00.9-05.3 | 1 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | 197 | 62.6 | 55.7-69.5 |
| 55-64 | 451 | 400,957 | 33 | 8.8 | 05.3-12.3 | 10 | 2.8 | 00.8-04.8 | 3 | 0.6 | 00.0-01.6 | 2 | 0.8 | 00.0-02.2 | 2 | 0.4 | 00.0-01.0 | 401 | 86.6 | 82.5-90.7 |
| 65+ | 668 | 438,413 | 15 | 3.8 | 01.6-06.0 | 8 | 1.5 | 00.3-02.7 | 2 | 0.5 | 00.0-01.3 | 2 | 0.4 | 00.0-01.0 | | | | 641 | 93.9 | 91.4-96.4 |
| Less Than H.S. | 231 | 389,392 | 18 | 17.2 | 07.8-26.6 | 12 | 7.1 | 02.4-11.8 | 8 | 5.3 | 01.0-09.6 | 3 | 1.1 | 00.0-02.5 | 1 | 0.3 | 00.0-00.9 | 189 | 69.0 | 59.2-78.8 |
| H.S. or G.E.D. | 621 | 806,471 | 48 | 11.3 | 08.0-14.6 | 48 | 12.1 | 08.0-16.2 | 18 | 5.4 | 02.5-08.3 | 5 | 1.7 | 00.0-03.7 | 9 | 1.7 | 00.3-03.1 | 493 | 68.0 | 62.5-73.5 |
| Some Post-H.S. | 444 | 699,816 | 53 | 16.2 | 11.5-20.9 | 33 | 11.2 | 06.5-15.9 | 8 | 3.3 | 00.8-05.8 | 6 | 2.7 | 00.5-04.9 | | | | 344 | 66.6 | 60.3-72.9 |
| College Graduate | 572 | 525,039 | 63 | 17.1 | 12.6-21.6 | 50 | 14.0 | 09.9-18.1 | 17 | 4.7 | 02.2-07.2 | 5 | 1.3 | 00.0-02.7 | 1 | 0.2 | 00.0-00.6 | 436 | 62.8 | 57.3-68.3 |
| Less than \$15,000 | 212 | 242,986 | 12 | 9.3 | 02.2-16.4 | 8 | 4.7 | 00.8-08.6 | 3 | 2.9 | 00.0-07.8 | 2 | 1.9 | 00.0-04.6 | 1 | 0.1 | 00.0-00.3 | 186 | 81.0 | 72.2-89.8 |
| \$15,000- 24,999 | 286 | 363,360 | 22 | 13.3 | 06.6-20.0 | 22 | 12.8 | 05.9-19.7 | 4 | 2.9 | 00.0-06.0 | 4 | 1.8 | 00.0-04.0 | 4 | 1.2 | 00.0-02.4 | 230 | 68.0 | 59.4-76.6 |
| \$25,000- 34,999 | 192 | 252,026 | 17 | 12.5 | 06.0-19.0 | 9 | 4.4 | 01.1-07.7 | 7 | 3.8 | 00.7-06.9 | 2 | 1.5 | 00.0-03.9 | 1 | 0.3 | 00.0-00.9 | 156 | 77.5 | 69.7-85.3 |
| \$35,000- 49,999 | 270 | 360,218 | 26 | 17.3 | 10.0-24.6 | 12 | 6.7 | 02.2-11.2 | 12 | 7.8 | 02.9-12.7 | 4 | 4.6 | 00.0-09.3 | 3 | 1.5 | 00.0-03.3 | 213 | 62.1 | 53.5-70.7 |
| \$50,000- 74,999 | 237 | 306,808 | 26 | 14.0 | 07.9-20.1 | 18 | 8.8 | 04.1-13.5 | 3 | 2.1 | 00.0-04.6 | 4 | 3.0 | 00.0-06.3 | 1 | 1.1 | 00.0-03.3 | 185 | 71.1 | 63.3-78.9 |
| \$75,000+ | 379 | 517,471 | 59 | 21.6 | 15.5-27.7 | 53 | 20.1 | 14.0-26.2 | 12 | 5.0 | 01.7-08.3 | 3 | 0.5 | 00.0-01.1 | | | | 252 | 52.9 | 45.8-60.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
|----------------------------|-------------------|-----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3237 | 2,604,062 | 360 | 17.4 | 15.2-19.6 | 251 | 13.0 | 11.0-15.0 | 102 | 5.8 | 04.2-07.4 | 31 | 2.4 | 01.2-03.6 | 14 | 0.9 | 00.3-01.5 | 2479 | 60.4 | 57.9-62.9 |
| White/Non-Hisp | 2664 | 1,988,948 | 271 | 16.7 | 14.5-18.9 | 196 | 12.3 | 10.3-14.3 | 72 | 5.2 | 03.4-07.0 | 22 | 2.0 | 01.0-03.0 | 10 | 0.7 | 00.1-01.3 | 2093 | 63.1 | 60.2-66.0 |
| Black or Afr. Am./Non-Hisp | 433 | 428,352 | 69 | 19.7 | 13.6-25.8 | 37 | 13.8 | 08.7-18.9 | 23 | 8.8 | 04.7-12.9 | 8 | 5.2 | 00.3-10.1 | 2 | 1.2 | 00.0-03.0 | 294 | 51.3 | 44.2-58.4 |
| Oth. Race/Non-Hisp. | 56 | 72,595 | 8 | 21.8 | 05.7-37.9 | 7 | 18.4 | 03.9-32.9 | 2 | 2.3 | 00.0-05.6 | | | | 1 | 3.4 | 00.0-10.1 | 38 | 54.1 | 36.5-71.7 |
| 18-24 | 113 | 307,609 | 29 | 25.5 | 16.3-34.7 | 14 | 12.6 | 05.2-20.0 | 5 | 7.9 | 00.0-16.1 | 2 | 4.3 | 00.0-10.4 | | | | 63 | 49.6 | 38.4-60.8 |
| 25-34 | 237 | 419,688 | 55 | 26.4 | 19.7-33.1 | 71 | 28.4 | 21.9-34.9 | 42 | 17.0 | 11.5-22.5 | 7 | 4.3 | 01.0-07.6 | 8 | 3.9 | 01.2-06.6 | 54 | 20.0 | 14.3-25.7 |
| 35-44 | 301 | 416,189 | 84 | 26.8 | 20.7-32.9 | 90 | 29.0 | 22.9-35.1 | 30 | 8.3 | 04.8-11.8 | 15 | 6.1 | 02.2-10.0 | 3 | 1.0 | 00.0-02.2 | 79 | 28.8 | 22.3-35.3 |
| 45-54 | 507 | 447,656 | 102 | 22.0 | 17.3-26.7 | 49 | 9.8 | 06.7-12.9 | 17 | 3.1 | 01.5-04.7 | 6 | 1.0 | 00.0-02.4 | 2 | 0.4 | 00.0-01.0 | 331 | 63.6 | 58.3-68.9 |
| 55-64 | 705 | 427,420 | 52 | 8.1 | 05.4-10.8 | 11 | 1.8 | 00.6-03.0 | 6 | 1.1 | 00.1-02.1 | 1 | 0.3 | 00.0-00.9 | | | | 635 | 88.8 | 85.7-91.9 |
| 65+ | 1329 | 562,276 | 36 | 3.1 | 01.7-04.5 | 13 | 1.5 | 00.5-02.5 | 2 | 0.4 | 00.0-01.0 | | | | 1 | 0.2 | 00.0-00.6 | 1277 | 94.8 | 93.0-96.6 |
| Less Than H.S. | 418 | 413,689 | 40 | 17.1 | 11.0-23.2 | 14 | 6.5 | 02.4-10.6 | 14 | 6.3 | 02.4-10.2 | 5 | 2.9 | 00.0-05.8 | 2 | 0.7 | 00.0-01.7 | 343 | 66.5 | 59.2-73.8 |
| H.S. or G.E.D. | 1139 | 874,348 | 109 | 14.8 | 11.5-18.1 | 84 | 14.3 | 10.8-17.8 | 31 | 6.4 | 03.1-09.7 | 10 | 2.9 | 00.5-05.3 | 5 | 1.1 | 00.1-02.1 | 900 | 60.5 | 55.8-65.2 |
| Some Post-H.S. | 810 | 757,104 | 103 | 19.8 | 15.7-23.9 | 73 | 13.2 | 09.7-16.7 | 24 | 4.5 | 02.3-06.7 | 7 | 2.3 | 00.1-04.5 | 4 | 1.0 | 00.0-02.2 | 599 | 59.1 | 54.2-64.0 |
| College Graduate | 857 | 553,614 | 107 | 18.7 | 14.8-22.6 | 80 | 15.8 | 12.1-19.5 | 33 | 6.3 | 03.9-08.7 | 9 | 1.4 | 00.2-02.6 | 3 | 0.5 | 00.0-01.1 | 625 | 57.3 | 52.6-62.0 |
| Less than \$15,000 | 470 | 349,992 | 46 | 20.2 | 14.1-26.3 | 35 | 10.7 | 06.6-14.8 | 14 | 5.5 | 02.4-08.6 | 4 | 1.4 | 00.0-03.2 | 1 | 0.4 | 00.0-01.2 | 370 | 61.8 | 54.9-68.7 |
| \$15,000- 24,999 | 583 | 461,682 | 56 | 17.7 | 12.4-23.0 | 43 | 10.9 | 07.0-14.8 | 24 | 8.0 | 04.3-11.7 | 7 | 3.2 | 00.5-05.9 | 5 | 2.0 | 00.0-04.0 | 448 | 58.3 | 52.2-64.4 |
| \$25,000- 34,999 | 338 | 253,767 | 34 | 12.4 | 07.5-17.3 | 18 | 9.6 | 04.9-14.3 | 7 | 3.3 | 00.4-06.2 | 2 | 0.6 | 00.0-01.6 | 1 | 1.0 | 00.0-03.0 | 276 | 73.1 | 66.2-80.0 |
| \$35,000- 49,999 | 339 | 282,689 | 47 | 19.0 | 12.5-25.5 | 29 | 17.0 | 10.7-23.3 | 10 | 4.2 | 01.5-06.9 | 3 | 1.7 | 00.0-03.9 | 2 | 0.8 | 00.0-02.0 | 248 | 57.2 | 49.8-64.6 |
| \$50,000- 74,999 | 297 | 266,327 | 38 | 13.6 | 08.3-18.9 | 34 | 19.3 | 11.5-27.1 | 7 | 2.8 | 00.3-05.3 | 6 | 5.1 | 00.0-10.4 | 3 | 1.9 | 00.0-04.4 | 209 | 57.3 | 48.7-65.9 |
| \$75,000+ | 454 | 426,242 | 72 | 22.6 | 16.7-28.5 | 60 | 17.4 | 12.7-22.1 | 25 | 8.7 | 03.0-14.4 | 3 | 0.5 | 00.0-01.3 | 1 | 0.2 | 00.0-00.6 | 293 | 50.6 | 44.1-57.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5100 | 5,029,175 | 7 | 0.1 | 00.1-00.1 | 232 | 4.7 | 03.9-05.5 | 411 | 11.2 | 09.6-12.8 | 1762 | 33.5 | 31.5-35.5 | 1256 | 29.0 | 27.0-31.0 | 1432 | 21.5 | 20.1-22.9 |
| Male | 1870 | 2,422,653 | 3 | 0.1 | 00.0-00.3 | 88 | 4.7 | 03.5-05.9 | 140 | 11.3 | 08.8-13.8 | 621 | 33.3 | 30.4-36.2 | 444 | 28.9 | 26.0-31.8 | 574 | 21.8 | 19.6-24.0 |
| Female | 3230 | 2,606,522 | 4 | 0.1 | 00.0-00.3 | 144 | 4.6 | 03.6-05.6 | 271 | 11.1 | 09.3-12.9 | 1141 | 33.6 | 31.2-36.0 | 812 | 29.2 | 26.8-31.6 | 858 | 21.3 | 19.5-23.1 |
| White/Non-Hisp | 4225 | 3,838,174 | 7 | 0.1 | 00.0-00.3 | 190 | 4.9 | 03.9-05.9 | 336 | 11.3 | 09.5-13.1 | 1459 | 33.5 | 31.3-35.7 | 1028 | 28.2 | 26.2-30.2 | 1205 | 22.0 | 20.4-23.6 |
| Black or Afr. Am./Non-Hisp | 625 | 791,862 | | | | 25 | 3.0 | 01.4-04.6 | 56 | 9.9 | 05.8-14.0 | 232 | 36.1 | 30.4-41.8 | 152 | 30.5 | 25.0-36.0 | 160 | 20.5 | 16.4-24.6 |
| Oth. Race/Non-Hisp. | 96 | 126,505 | | | | 9 | 11.7 | 03.3-20.1 | 8 | 8.6 | 01.5-15.7 | 23 | 20.4 | 09.8-31.0 | 25 | 31.7 | 19.0-44.4 | 31 | 27.7 | 17.1-38.3 |
| Hispanic | 59 | 142,769 | | | | 2 | 3.4 | 00.0-08.9 | 5 | 16.6 | 01.7-31.5 | 20 | 37.0 | 21.9-52.1 | 19 | 31.2 | 17.7-44.7 | 13 | 11.8 | 04.5-19.1 |
| 18-24 | 204 | 624,054 | | | | | | | 16 | 12.7 | 06.2-19.2 | 86 | 43.8 | 35.8-51.8 | 71 | 33.0 | 25.7-40.3 | 31 | 10.4 | 06.5-14.3 |
| 25-34 | 401 | 839,360 | | | | 7 | 3.0 | 00.6-05.4 | 20 | 8.6 | 04.3-12.9 | 130 | 32.4 | 27.1-37.7 | 121 | 33.1 | 27.6-38.6 | 123 | 23.0 | 18.7-27.3 |
| 35-44 | 478 | 828,383 | 2 | 0.3 | 00.0-00.7 | 7 | 2.3 | 00.3-04.3 | 30 | 10.3 | 06.0-14.6 | 139 | 26.2 | 21.5-30.9 | 117 | 30.7 | 25.0-36.4 | 183 | 30.2 | 25.5-34.9 |
| 45-54 | 812 | 878,663 | 1 | 0.0 | 00.0-00.0 | 27 | 4.7 | 02.7-06.7 | 66 | 11.8 | 08.5-15.1 | 283 | 35.6 | 31.3-39.9 | 200 | 25.9 | 22.0-29.8 | 235 | 22.0 | 18.9-25.1 |
| 55-64 | 1156 | 827,924 | | | | 49 | 5.9 | 03.9-07.9 | 84 | 11.8 | 08.9-14.7 | 413 | 33.7 | 30.4-37.0 | 267 | 27.3 | 24.0-30.6 | 343 | 21.4 | 18.9-23.9 |
| 65+ | 1992 | 999,992 | 4 | 0.3 | 00.0-00.7 | 141 | 9.9 | 07.9-11.9 | 195 | 12.5 | 10.3-14.7 | 698 | 32.4 | 29.9-34.9 | 463 | 25.9 | 23.4-28.4 | 491 | 19.1 | 17.1-21.1 |
| Less than \$15,000 | 681 | 591,274 | 1 | 0.2 | 00.0-00.6 | 85 | 11.3 | 08.2-14.4 | 131 | 23.6 | 18.3-28.9 | 296 | 37.4 | 32.1-42.7 | 119 | 22.8 | 17.9-27.7 | 49 | 4.7 | 02.7-06.7 |
| \$15,000- 24,999 | 865 | 820,744 | 1 | 0.0 | 00.0-00.0 | 49 | 6.7 | 04.3-09.1 | 96 | 16.2 | 11.7-20.7 | 396 | 41.6 | 36.7-46.5 | 234 | 28.6 | 23.9-33.3 | 89 | 6.9 | 04.9-08.9 |
| \$25,000- 34,999 | 530 | 505,793 | | | | 17 | 5.7 | 01.8-09.6 | 34 | 8.2 | 04.7-11.7 | 232 | 39.6 | 33.5-45.7 | 148 | 32.7 | 26.8-38.6 | 99 | 13.8 | 10.3-17.3 |
| \$35,000- 49,999 | 609 | 642,907 | 3 | 0.3 | 00.0-00.7 | 9 | 2.5 | 00.7-04.3 | 22 | 6.6 | 02.9-10.3 | 196 | 33.9 | 28.6-39.2 | 184 | 33.0 | 27.5-38.5 | 195 | 23.6 | 19.5-27.7 |
| \$50,000- 74,999 | 535 | 575,451 | | | | 2 | 0.6 | 00.0-01.6 | 10 | 3.9 | 01.0-06.8 | 120 | 27.6 | 22.1-33.1 | 163 | 36.9 | 31.0-42.8 | 240 | 31.1 | 26.2-36.0 |
| \$75,000+ | 834 | 945,029 | | | | 1 | 0.1 | 00.0-00.3 | 8 | 3.7 | 00.8-06.6 | 117 | 17.6 | 13.5-21.7 | 168 | 27.8 | 23.1-32.5 | 540 | 50.8 | 45.9-55.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1870 | 2,422,653 | 3 | 0.1 | 00.0-00.3 | 88 | 4.7 | 03.5-05.9 | 140 | 11.3 | 08.8-13.8 | 621 | 33.3 | 30.4-36.2 | 444 | 28.9 | 26.0-31.8 | 574 | 21.8 | 19.6-24.0 |
| White/Non-Hisp | 1564 | 1,845,925 | 3 | 0.1 | 00.0-00.3 | 69 | 5.0 | 03.4-06.6 | 115 | 10.6 | 08.1-13.1 | 519 | 33.5 | 30.2-36.8 | 360 | 27.7 | 24.4-31.0 | 498 | 23.1 | 20.6-25.6 |
| Black or Afr. Am./Non-Hisp | 193 | 363,669 | | | | 9 | 3.4 | 00.9-05.9 | 14 | 10.6 | 03.2-18.0 | 75 | 36.0 | 26.8-45.2 | 47 | 32.3 | 23.3-41.3 | 48 | 17.7 | 11.4-24.0 |
| 18-24 | 91 | 316,445 | | | | | | | 7 | 13.3 | 03.5-23.1 | 38 | 43.2 | 31.6-54.8 | 35 | 35.4 | 24.6-46.2 | 11 | 8.1 | 03.2-13.0 |
| 25-34 | 163 | 417,356 | | | | 2 | 2.7 | 00.0-06.6 | 11 | 10.4 | 03.0-17.8 | 54 | 33.1 | 24.9-41.3 | 46 | 31.3 | 23.1-39.5 | 50 | 22.5 | 16.0-29.0 |
| 35-44 | 176 | 410,826 | | | | 3 | 1.9 | 00.0-04.3 | 12 | 11.3 | 04.0-18.6 | 51 | 24.3 | 16.9-31.7 | 48 | 34.6 | 25.4-43.8 | 62 | 27.8 | 20.5-35.1 |
| 45-54 | 306 | 431,371 | 1 | 0.0 | 00.0-00.0 | 7 | 3.6 | 00.7-06.5 | 22 | 9.4 | 05.1-13.7 | 119 | 41.1 | 34.2-48.0 | 64 | 23.4 | 17.3-29.5 | 93 | 22.4 | 17.5-27.3 |
| 55-64 | 450 | 399,253 | | | | 23 | 7.1 | 04.0-10.2 | 38 | 13.9 | 09.2-18.6 | 156 | 31.4 | 26.3-36.5 | 98 | 25.8 | 20.5-31.1 | 135 | 21.8 | 17.7-25.9 |
| 65+ | 668 | 438,413 | 2 | 0.4 | 00.0-01.0 | 53 | 11.7 | 08.2-15.2 | 50 | 10.2 | 06.9-13.5 | 198 | 28.9 | 24.6-33.2 | 150 | 24.6 | 20.5-28.7 | 215 | 24.3 | 20.8-27.8 |
| Less than \$15,000 | 211 | 241,282 | 1 | 0.5 | 00.0-01.5 | 27 | 9.5 | 05.0-14.0 | 38 | 23.9 | 14.7-33.1 | 88 | 38.7 | 29.5-47.9 | 41 | 24.0 | 15.6-32.4 | 16 | 3.4 | 00.5-06.3 |
| \$15,000- 24,999 | 284 | 358,376 | 1 | 0.0 | 00.0-00.0 | 20 | 8.2 | 04.1-12.3 | 38 | 19.2 | 10.8-27.6 | 133 | 40.4 | 32.4-48.4 | 63 | 24.5 | 16.9-32.1 | 29 | 7.6 | 04.1-11.1 |
| \$25,000- 34,999 | 192 | 252,026 | | | | 14 | 9.2 | 02.3-16.1 | 13 | 6.2 | 02.1-10.3 | 88 | 43.7 | 33.9-53.5 | 44 | 28.2 | 19.0-37.4 | 33 | 12.6 | 07.5-17.7 |
| \$35,000- 49,999 | 270 | 360,218 | 1 | 0.1 | 00.0-00.3 | 8 | 4.1 | 01.0-07.2 | 11 | 7.8 | 01.5-14.1 | 98 | 36.0 | 28.2-43.8 | 73 | 32.0 | 24.0-40.0 | 79 | 19.9 | 14.4-25.4 |
| \$50,000- 74,999 | 237 | 306,808 | | | | 2 | 1.2 | 00.0-03.0 | 5 | 4.4 | 00.0-08.9 | 51 | 27.0 | 19.2-34.8 | 75 | 37.9 | 29.5-46.3 | 104 | 29.6 | 22.7-36.5 |
| \$75,000+ | 380 | 518,787 | | | | 1 | 0.1 | 00.0-00.3 | 7 | 5.6 | 00.9-10.3 | 57 | 17.1 | 11.6-22.6 | 74 | 28.1 | 21.0-35.2 | 241 | 49.1 | 42.0-56.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3230 | 2,606,522 | 4 | 0.1 | 00.0-00.3 | 144 | 4.6 | 03.6-05.6 | 271 | 11.1 | 09.3-12.9 | 1141 | 33.6 | 31.2-36.0 | 812 | 29.2 | 26.8-31.6 | 858 | 21.3 | 19.5-23.1 |
| White/Non-Hisp | 2661 | 1,992,249 | 4 | 0.2 | 00.0-00.4 | 121 | 4.8 | 03.6-06.0 | 221 | 12.0 | 09.8-14.2 | 940 | 33.4 | 30.9-35.9 | 668 | 28.8 | 26.3-31.3 | 707 | 20.9 | 18.9-22.9 |
| Black or Afr. Am./Non-Hisp | 432 | 428,193 | | | | 16 | 2.7 | 00.7-04.7 | 42 | 9.3 | 05.0-13.6 | 157 | 36.1 | 29.2-43.0 | 105 | 29.0 | 22.5-35.5 | 112 | 22.9 | 17.6-28.2 |
| Oth. Race/Non-Hisp. | 55 | 71,851 | | | | 3 | 10.0 | 00.0-20.6 | 4 | 5.9 | 00.0-12.2 | 14 | 21.3 | 06.4-36.2 | 15 | 35.7 | 17.9-53.5 | 19 | 27.2 | 13.3-41.1 |
| 18-24 | 113 | 307,609 | | | | | | | 9 | 12.1 | 03.9-20.3 | 48 | 44.4 | 33.2-55.6 | 36 | 30.6 | 21.0-40.2 | 20 | 12.9 | 06.8-19.0 |
| 25-34 | 238 | 422,004 | | | | 5 | 3.2 | 00.3-06.1 | 9 | 6.8 | 02.3-11.3 | 76 | 31.8 | 25.1-38.5 | 75 | 34.8 | 27.5-42.1 | 73 | 23.4 | 17.7-29.1 |
| 35-44 | 302 | 417,557 | 2 | 0.6 | 00.0-01.4 | 4 | 2.7 | 00.0-05.6 | 18 | 9.3 | 04.6-14.0 | 88 | 28.0 | 21.9-34.1 | 69 | 26.8 | 20.3-33.3 | 121 | 32.6 | 26.7-38.5 |
| 45-54 | 506 | 447,292 | | | | 20 | 5.7 | 02.8-08.6 | 44 | 14.1 | 09.0-19.2 | 164 | 30.2 | 25.3-35.1 | 136 | 28.4 | 23.7-33.1 | 142 | 21.6 | 17.7-25.5 |
| 55-64 | 706 | 428,672 | | | | 26 | 4.8 | 02.4-07.2 | 46 | 9.8 | 06.5-13.1 | 257 | 35.8 | 31.3-40.3 | 169 | 28.6 | 24.3-32.9 | 208 | 20.9 | 17.8-24.0 |
| 65+ | 1324 | 561,580 | 2 | 0.2 | 00.0-00.4 | 88 | 8.5 | 06.1-10.9 | 145 | 14.3 | 11.6-17.0 | 500 | 35.1 | 31.8-38.4 | 313 | 26.9 | 23.8-30.0 | 276 | 15.1 | 13.1-17.1 |
| Less than \$15,000 | 470 | 349,992 | | | | 58 | 12.6 | 08.3-16.9 | 93 | 23.4 | 17.3-29.5 | 208 | 36.5 | 30.2-42.8 | 78 | 22.0 | 15.9-28.1 | 33 | 5.6 | 02.9-08.3 |
| \$15,000- 24,999 | 581 | 462,368 | | | | 29 | 5.5 | 02.8-08.2 | 58 | 13.9 | 09.4-18.4 | 263 | 42.5 | 36.6-48.4 | 171 | 31.8 | 26.1-37.5 | 60 | 6.3 | 04.1-08.5 |
| \$25,000- 34,999 | 338 | 253,767 | | | | 3 | 2.3 | 00.0-06.0 | 21 | 10.2 | 04.3-16.1 | 144 | 35.5 | 28.4-42.6 | 104 | 37.1 | 29.7-44.5 | 66 | 15.0 | 10.3-19.7 |
| \$35,000- 49,999 | 339 | 282,689 | 2 | 0.5 | 00.0-01.3 | 1 | 0.6 | 00.0-01.8 | 11 | 5.2 | 01.7-08.7 | 98 | 31.2 | 24.1-38.3 | 111 | 34.3 | 27.4-41.2 | 116 | 28.3 | 22.2-34.4 |
| \$50,000- 74,999 | 298 | 268,643 | | | | | | | 5 | 3.2 | 00.0-07.1 | 69 | 28.2 | 20.6-35.8 | 88 | 35.7 | 27.7-43.7 | 136 | 32.8 | 25.7-39.9 |
| \$75,000+ | 454 | 426,242 | | | | | | | 1 | 1.4 | 00.0-04.1 | 60 | 18.3 | 12.0-24.6 | 94 | 27.5 | 21.6-33.4 | 299 | 52.8 | 46.1-59.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|------|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5093 | 5,019,544 | 2073 | 53.4 | 51.4-55.4 | 225 | 6.6 | 05.4-07.8 | 302 | 5.5 | 04.7-06.3 | 72 | 4.0 | 03.0-05.0 | 1773 | 19.4 | 18.2-20.6 | 648 | 11.2 | 10.0-12.4 |
| Male | 1865 | 2,415,049 | 899 | 62.5 | 59.6-65.4 | 78 | 4.8 | 03.4-06.2 | 6 | 0.3 | 00.1-00.5 | 28 | 3.8 | 02.2-05.4 | 640 | 18.6 | 16.8-20.4 | 214 | 10.0 | 08.2-11.8 |
| Female | 3228 | 2,604,495 | 1174 | 45.0 | 42.5-47.5 | 147 | 8.2 | 06.4-10.0 | 296 | 10.3 | 08.7-11.9 | 44 | 4.1 | 02.5-05.7 | 1133 | 20.1 | 18.5-21.7 | 434 | 12.3 | 10.7-13.9 |
| White/Non-Hisp | 4222 | 3,835,304 | 1672 | 51.7 | 49.5-53.9 | 170 | 5.9 | 04.7-07.1 | 267 | 6.1 | 05.1-07.1 | 49 | 3.4 | 02.2-04.6 | 1563 | 21.8 | 20.4-23.2 | 501 | 11.1 | 09.9-12.3 |
| Black or Afr. Am./Non-Hisp | 619 | 784,539 | 286 | 60.7 | 55.2-66.2 | 40 | 9.8 | 06.1-13.5 | 16 | 1.4 | 00.6-02.2 | 11 | 4.4 | 01.7-07.1 | 156 | 11.8 | 09.1-14.5 | 110 | 11.8 | 08.7-14.9 |
| Oth. Race/Non-Hisp. | 96 | 127,132 | 41 | 46.4 | 33.5-59.3 | 4 | 8.6 | 00.0-17.4 | 3 | 3.7 | 00.0-08.4 | 3 | 5.2 | 00.0-11.3 | 22 | 16.4 | 08.4-24.4 | 23 | 19.7 | 09.7-29.7 |
| Hispanic | 60 | 140,056 | 38 | 67.3 | 53.8-80.8 | 5 | 5.2 | 00.0-10.5 | 7 | 9.7 | 01.5-17.9 | 6 | 10.6 | 01.6-19.6 | 1 | 1.0 | 00.0-03.0 | 3 | 6.2 | 00.0-13.3 |
| 18-24 | 203 | 618,624 | 113 | 56.0 | 48.0-64.0 | 28 | 14.1 | 08.2-20.0 | 8 | 2.4 | 00.6-04.2 | 49 | 25.5 | 18.4-32.6 | | | | 5 | 2.1 | 00.0-04.3 |
| 25-34 | 402 | 841,736 | 285 | 72.3 | 67.4-77.2 | 46 | 10.8 | 07.5-14.1 | 35 | 8.9 | 05.8-12.0 | 9 | 2.2 | 00.6-03.8 | 1 | 0.3 | 00.0-00.9 | 26 | 5.4 | 03.0-07.8 |
| 35-44 | 476 | 826,248 | 346 | 76.1 | 71.6-80.6 | 33 | 5.7 | 03.3-08.1 | 29 | 4.9 | 02.7-07.1 | 8 | 1.7 | 00.3-03.1 | 6 | 1.1 | 00.1-02.1 | 54 | 10.4 | 07.1-13.7 |
| 45-54 | 810 | 877,335 | 512 | 64.7 | 60.4-69.0 | 57 | 7.6 | 05.1-10.1 | 50 | 5.7 | 03.5-07.9 | 1 | 0.2 | 00.0-00.6 | 14 | 1.5 | 00.7-02.3 | 176 | 20.4 | 16.9-23.9 |
| 55-64 | 1151 | 826,816 | 565 | 48.8 | 45.1-52.5 | 44 | 3.4 | 02.2-04.6 | 55 | 4.2 | 02.8-05.6 | | | | 243 | 22.3 | 19.2-25.4 | 244 | 21.4 | 18.3-24.5 |
| 65+ | 1989 | 996,291 | 220 | 11.2 | 09.4-13.0 | 15 | 0.8 | 00.2-01.4 | 119 | 5.8 | 04.4-07.2 | 5 | 0.6 | 00.0-01.4 | 1492 | 75.7 | 73.2-78.2 | 138 | 6.0 | 04.6-07.4 |
| Less Than H.S. | 647 | 800,537 | 104 | 29.7 | 23.4-36.0 | 29 | 7.8 | 04.1-11.5 | 56 | 8.6 | 05.5-11.7 | 7 | 3.7 | 00.8-06.6 | 261 | 24.1 | 20.2-28.0 | 190 | 26.1 | 21.4-30.8 |
| H.S. or G.E.D. | 1747 | 1,668,212 | 624 | 49.6 | 46.1-53.1 | 97 | 8.7 | 06.3-11.1 | 120 | 5.8 | 04.4-07.2 | 18 | 4.0 | 01.8-06.2 | 621 | 19.3 | 17.3-21.3 | 267 | 12.5 | 10.5-14.5 |
| Some Post-H.S. | 1253 | 1,456,449 | 556 | 59.6 | 55.9-63.3 | 57 | 5.8 | 03.8-07.8 | 65 | 3.9 | 02.7-05.1 | 33 | 5.3 | 03.3-07.3 | 410 | 17.4 | 15.2-19.6 | 132 | 8.0 | 06.2-09.8 |
| College Graduate | 1430 | 1,079,915 | 785 | 68.5 | 65.6-71.4 | 41 | 3.3 | 01.9-04.7 | 58 | 4.7 | 03.3-06.1 | 14 | 2.4 | 01.0-03.8 | 474 | 18.6 | 16.4-20.8 | 58 | 2.6 | 01.8-03.4 |
| Less than \$15,000 | 681 | 592,545 | 92 | 23.6 | 18.1-29.1 | 76 | 16.2 | 11.9-20.5 | 32 | 3.4 | 01.8-05.0 | 11 | 5.0 | 01.9-08.1 | 214 | 16.1 | 13.0-19.2 | 256 | 35.7 | 30.4-41.0 |
| \$15,000- 24,999 | 868 | 825,497 | 269 | 42.6 | 37.5-47.7 | 43 | 8.2 | 05.3-11.1 | 46 | 5.5 | 03.5-07.5 | 10 | 3.3 | 01.1-05.5 | 344 | 21.8 | 18.7-24.9 | 156 | 18.7 | 15.0-22.4 |
| \$25,000- 34,999 | 529 | 502,732 | 212 | 55.8 | 49.7-61.9 | 18 | 5.5 | 02.2-08.8 | 26 | 4.4 | 01.9-06.9 | 7 | 2.1 | 00.3-03.9 | 222 | 25.0 | 20.7-29.3 | 44 | 7.2 | 04.3-10.1 |
| \$35,000- 49,999 | 609 | 642,907 | 321 | 66.8 | 62.1-71.5 | 11 | 2.2 | 00.6-03.8 | 28 | 4.1 | 02.1-06.1 | 6 | 2.0 | 00.0-04.0 | 214 | 21.3 | 17.8-24.8 | 29 | 3.7 | 02.1-05.3 |
| \$50,000- 74,999 | 535 | 575,451 | 310 | 69.5 | 64.4-74.6 | 18 | 5.1 | 01.8-08.4 | 21 | 2.7 | 01.3-04.1 | 6 | 2.5 | 00.1-04.9 | 159 | 16.8 | 13.5-20.1 | 21 | 3.4 | 01.4-05.4 |
| \$75,000+ | 834 | 945,029 | 586 | 77.8 | 73.9-81.7 | 9 | 0.8 | 00.2-01.4 | 53 | 6.2 | 04.0-08.4 | 10 | 3.7 | 00.8-06.6 | 160 | 9.8 | 07.8-11.8 | 16 | 1.8 | 00.6-03.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|-----|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1865 | 2,415,049 | 899 | 62.5 | 59.6-65.4 | 78 | 4.8 | 03.4-06.2 | 6 | 0.3 | 00.1-00.5 | 28 | 3.8 | 02.2-05.4 | 640 | 18.6 | 16.8-20.4 | 214 | 10.0 | 08.2-11.8 |
| White/Non-Hisp | 1561 | 1,845,214 | 737 | 61.3 | 58.2-64.4 | 63 | 4.5 | 03.1-05.9 | 6 | 0.3 | 00.0-00.7 | 19 | 3.0 | 01.4-04.6 | 567 | 20.8 | 18.6-23.0 | 169 | 10.0 | 08.2-11.8 |
| Black or Afr. Am./Non-Hisp | 190 | 358,035 | 105 | 68.3 | 60.1-76.5 | 10 | 7.3 | 02.4-12.2 | | | | 4 | 4.8 | 00.1-09.5 | 44 | 11.1 | 06.6-15.6 | 27 | 8.5 | 04.2-12.8 |
| 18-24 | 91 | 311,489 | 60 | 68.4 | 57.8-79.0 | 11 | 8.4 | 03.1-13.7 | | | | 19 | 22.5 | 12.7-32.3 | | | | 1 | 0.6 | 00.0-01.8 |
| 25-34 | 164 | 419,732 | 138 | 86.8 | 81.3-92.3 | 14 | 6.7 | 02.8-10.6 | | | | 3 | 2.1 | 00.0-04.6 | 1 | 0.7 | 00.0-02.1 | 8 | 3.8 | 00.7-06.9 |
| 35-44 | 174 | 408,691 | 140 | 84.8 | 78.9-90.7 | 9 | 4.4 | 00.9-07.9 | 1 | 0.2 | 00.0-00.6 | 2 | 1.5 | 00.0-03.7 | 5 | 1.6 | 00.0-03.2 | 17 | 7.5 | 03.2-11.8 |
| 45-54 | 306 | 431,371 | 219 | 73.1 | 67.0-79.2 | 22 | 6.2 | 03.1-09.3 | 2 | 0.3 | 00.0-00.7 | | | | 6 | 1.3 | 00.1-02.5 | 57 | 19.1 | 13.8-24.4 |
| 55-64 | 449 | 399,186 | 238 | 52.0 | 46.3-57.7 | 17 | 2.7 | 01.1-04.3 | 2 | 0.8 | 00.0-02.2 | | | | 101 | 23.4 | 18.3-28.5 | 91 | 21.1 | 16.2-26.0 |
| 65+ | 666 | 435,839 | 97 | 13.8 | 10.7-16.9 | 4 | 1.0 | 00.0-02.4 | 1 | 0.1 | 00.0-00.3 | 4 | 1.4 | 00.0-03.0 | 522 | 78.0 | 73.9-82.1 | 38 | 5.7 | 03.3-08.1 |
| Less Than H.S. | 229 | 386,819 | 57 | 43.1 | 33.1-53.1 | 11 | 4.3 | 01.0-07.6 | 1 | 0.7 | 00.0-02.1 | 4 | 5.2 | 00.0-10.5 | 96 | 23.8 | 17.7-29.9 | 60 | 22.8 | 16.1-29.5 |
| H.S. or G.E.D. | 617 | 795,363 | 286 | 60.1 | 55.0-65.2 | 40 | 7.5 | 04.6-10.4 | 2 | 0.2 | 00.0-00.4 | 8 | 3.8 | 01.1-06.5 | 194 | 17.1 | 14.0-20.2 | 87 | 11.3 | 08.4-14.2 |
| Some Post-H.S. | 442 | 697,029 | 225 | 68.4 | 63.1-73.7 | 13 | 3.2 | 01.0-05.4 | | | | 14 | 5.2 | 02.3-08.1 | 144 | 15.8 | 12.5-19.1 | 46 | 7.4 | 04.5-10.3 |
| College Graduate | 573 | 525,956 | 328 | 72.3 | 68.2-76.4 | 13 | 2.9 | 01.1-04.7 | 3 | 0.4 | 00.0-00.8 | 2 | 0.9 | 00.0-02.3 | 206 | 21.2 | 17.7-24.7 | 21 | 2.2 | 01.0-03.4 |
| Less than \$15,000 | 211 | 242,553 | 35 | 29.6 | 19.6-39.6 | 29 | 13.6 | 07.1-20.1 | 1 | 0.2 | 00.0-00.6 | 2 | 3.0 | 00.0-07.1 | 63 | 14.7 | 09.8-19.6 | 81 | 39.0 | 29.8-48.2 |
| \$15,000- 24,999 | 286 | 363,360 | 98 | 48.9 | 40.3-57.5 | 17 | 8.1 | 03.6-12.6 | 1 | 0.3 | 00.0-00.9 | 5 | 4.4 | 00.3-08.5 | 103 | 20.9 | 15.6-26.2 | 62 | 17.4 | 12.1-22.7 |
| \$25,000- 34,999 | 191 | 248,965 | 83 | 62.0 | 53.2-70.8 | 7 | 4.5 | 00.8-08.2 | 1 | 0.3 | 00.0-00.9 | 3 | 1.8 | 00.0-04.2 | 81 | 25.0 | 18.1-31.9 | 16 | 6.5 | 02.0-11.0 |
| \$35,000- 49,999 | 270 | 360,218 | 145 | 70.5 | 64.0-77.0 | 5 | 2.0 | 00.0-04.2 | | | | 3 | 2.3 | 00.0-05.2 | 104 | 22.2 | 16.7-27.7 | 13 | 3.0 | 01.0-05.0 |
| \$50,000- 74,999 | 237 | 306,808 | 135 | 72.8 | 66.1-79.5 | 6 | 2.4 | 00.0-04.8 | | | | 1 | 1.9 | 00.0-05.4 | 84 | 18.4 | 13.5-23.3 | 11 | 4.4 | 00.9-07.9 |
| \$75,000+ | 380 | 518,787 | 290 | 85.2 | 81.3-89.1 | 3 | 0.5 | 00.0-01.3 | 3 | 0.8 | 00.0-02.0 | 4 | 1.9 | 00.0-03.9 | 74 | 9.5 | 06.8-12.2 | 6 | 2.1 | 00.1-04.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|------|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3228 | 2,604,495 | 1174 | 45.0 | 42.5-47.5 | 147 | 8.2 | 06.4-10.0 | 296 | 10.3 | 08.7-11.9 | 44 | 4.1 | 02.5-05.7 | 1133 | 20.1 | 18.5-21.7 | 434 | 12.3 | 10.7-13.9 |
| White/Non-Hisp | 2661 | 1,990,090 | 935 | 42.8 | 40.1-45.5 | 107 | 7.2 | 05.2-09.2 | 261 | 11.4 | 09.6-13.2 | 30 | 3.7 | 01.9-05.5 | 996 | 22.7 | 20.9-24.5 | 332 | 12.1 | 10.3-13.9 |
| Black or Afr. Am./Non-Hisp | 429 | 426,505 | 181 | 54.4 | 47.3-61.5 | 30 | 12.0 | 06.5-17.5 | 16 | 2.6 | 01.0-04.2 | 7 | 4.0 | 00.9-07.1 | 112 | 12.4 | 09.1-15.7 | 83 | 14.6 | 10.1-19.1 |
| Oth. Race/Non-Hisp. | 55 | 72,478 | 23 | 41.9 | 24.7-59.1 | 3 | 13.1 | 00.0-27.8 | 3 | 6.6 | 00.0-14.8 | 3 | 9.1 | 00.0-19.5 | 11 | 14.0 | 03.4-24.6 | 12 | 15.3 | 03.9-26.7 |
| 18-24 | 112 | 307,135 | 53 | 43.3 | 32.5-54.1 | 17 | 19.9 | 09.9-29.9 | 8 | 4.7 | 01.2-08.2 | 30 | 28.5 | 18.1-38.9 | | | | 4 | 3.5 | 00.0-07.6 |
| 25-34 | 238 | 422,004 | 147 | 57.8 | 50.5-65.1 | 32 | 15.0 | 09.5-20.5 | 35 | 17.8 | 11.9-23.7 | 6 | 2.4 | 00.4-04.4 | | | | 18 | 7.0 | 03.5-10.5 |
| 35-44 | 302 | 417,557 | 206 | 67.6 | 61.1-74.1 | 24 | 7.0 | 03.7-10.3 | 28 | 9.6 | 05.5-13.7 | 6 | 1.9 | 00.3-03.5 | 1 | 0.6 | 00.0-01.8 | 37 | 13.2 | 08.3-18.1 |
| 45-54 | 504 | 445,964 | 293 | 56.6 | 51.1-62.1 | 35 | 9.0 | 04.9-13.1 | 48 | 10.8 | 06.9-14.7 | 1 | 0.4 | 00.0-01.2 | 8 | 1.7 | 00.5-02.9 | 119 | 21.6 | 17.1-26.1 |
| 55-64 | 702 | 427,629 | 327 | 45.8 | 41.1-50.5 | 27 | 4.0 | 02.2-05.8 | 53 | 7.3 | 05.1-09.5 | | | | 142 | 21.3 | 17.4-25.2 | 153 | 21.7 | 17.6-25.8 |
| 65+ | 1323 | 560,451 | 123 | 9.1 | 07.1-11.1 | 11 | 0.6 | 00.2-01.0 | 118 | 10.2 | 08.0-12.4 | 1 | 0.0 | 00.0-00.0 | 970 | 73.8 | 70.9-76.7 | 100 | 6.2 | 04.6-07.8 |
| Less Than H.S. | 418 | 413,718 | 47 | 17.0 | 11.5-22.5 | 18 | 11.1 | 04.8-17.4 | 55 | 16.0 | 10.3-21.7 | 3 | 2.3 | 00.0-05.0 | 165 | 24.3 | 19.2-29.4 | 130 | 29.2 | 22.9-35.5 |
| H.S. or G.E.D. | 1130 | 872,849 | 338 | 40.0 | 35.7-44.3 | 57 | 9.8 | 06.3-13.3 | 118 | 11.0 | 08.5-13.5 | 10 | 4.1 | 01.0-07.2 | 427 | 21.3 | 18.6-24.0 | 180 | 13.6 | 10.9-16.3 |
| Some Post-H.S. | 811 | 759,421 | 331 | 51.5 | 46.8-56.2 | 44 | 8.2 | 05.3-11.1 | 65 | 7.5 | 05.3-09.7 | 19 | 5.4 | 02.7-08.1 | 266 | 18.9 | 16.0-21.8 | 86 | 8.6 | 06.2-11.0 |
| College Graduate | 857 | 553,959 | 457 | 64.9 | 60.8-69.0 | 28 | 3.7 | 01.9-05.5 | 55 | 8.7 | 06.0-11.4 | 12 | 3.7 | 01.3-06.1 | 268 | 16.0 | 13.6-18.4 | 37 | 2.9 | 01.7-04.1 |
| Less than \$15,000 | 470 | 349,992 | 57 | 19.5 | 13.4-25.6 | 47 | 18.0 | 12.1-23.9 | 31 | 5.6 | 03.1-08.1 | 9 | 6.4 | 02.1-10.7 | 151 | 17.1 | 13.2-21.0 | 175 | 33.4 | 27.3-39.5 |
| \$15,000- 24,999 | 582 | 462,137 | 171 | 37.7 | 31.8-43.6 | 26 | 8.2 | 04.3-12.1 | 45 | 9.6 | 06.1-13.1 | 5 | 2.5 | 00.1-04.9 | 241 | 22.4 | 18.7-26.1 | 94 | 19.7 | 14.8-24.6 |
| \$25,000- 34,999 | 338 | 253,767 | 129 | 49.8 | 42.2-57.4 | 11 | 6.4 | 00.9-11.9 | 25 | 8.5 | 03.8-13.2 | 4 | 2.4 | 00.0-04.9 | 141 | 25.0 | 19.5-30.5 | 28 | 8.0 | 04.1-11.9 |
| \$35,000- 49,999 | 339 | 282,689 | 176 | 62.2 | 55.5-68.9 | 6 | 2.3 | 00.1-04.5 | 28 | 9.3 | 05.0-13.6 | 3 | 1.5 | 00.0-03.5 | 110 | 20.1 | 15.6-24.6 | 16 | 4.6 | 02.1-07.1 |
| \$50,000- 74,999 | 298 | 268,643 | 175 | 65.7 | 58.1-73.3 | 12 | 8.0 | 01.5-14.5 | 21 | 5.9 | 03.0-08.8 | 5 | 3.1 | 00.0-06.2 | 75 | 14.9 | 10.4-19.4 | 10 | 2.4 | 00.8-04.0 |
| \$75,000+ | 454 | 426,242 | 296 | 68.7 | 62.2-75.2 | 6 | 1.2 | 00.2-02.2 | 50 | 12.8 | 08.3-17.3 | 6 | 5.8 | 00.0-11.7 | 86 | 10.1 | 07.6-12.6 | 10 | 1.4 | 00.4-02.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4061 | 4,089,186 | 289 | 7.1 | 05.9-08.3 | 393 | 7.4 | 06.2-08.6 | 394 | 8.6 | 07.4-09.8 | 476 | 11.6 | 10.0-13.2 | 530 | 12.4 | 11.0-13.8 | 1979 | 52.9 | 50.7-55.1 |
| Male | 1577 | 2,044,185 | 80 | 4.9 | 03.3-06.5 | 132 | 7.0 | 05.2-08.8 | 122 | 6.4 | 04.8-08.0 | 164 | 11.4 | 09.0-13.8 | 192 | 12.3 | 09.9-14.7 | 887 | 58.0 | 54.7-61.3 |
| Female | 2484 | 2,045,001 | 209 | 9.2 | 07.4-11.0 | 261 | 7.9 | 06.5-09.3 | 272 | 10.8 | 09.0-12.6 | 312 | 11.8 | 10.0-13.6 | 338 | 12.4 | 10.6-14.2 | 1092 | 47.8 | 45.1-50.5 |
| White/Non-Hisp | 3362 | 3,113,270 | 200 | 5.4 | 04.4-06.4 | 314 | 7.4 | 06.2-08.6 | 314 | 8.1 | 06.9-09.3 | 380 | 10.2 | 08.8-11.6 | 440 | 12.3 | 10.7-13.9 | 1714 | 56.6 | 54.2-59.0 |
| Black or Afr. Am./Non-Hisp | 505 | 655,865 | 70 | 13.1 | 09.0-17.2 | 54 | 7.1 | 04.2-10.0 | 59 | 9.0 | 05.7-12.3 | 64 | 16.6 | 11.3-21.9 | 72 | 13.4 | 09.5-17.3 | 186 | 40.8 | 34.5-47.1 |
| Oth. Race/Non-Hisp. | 76 | 103,683 | 7 | 9.3 | 01.5-17.1 | 13 | 12.4 | 03.6-21.2 | 10 | 13.8 | 03.6-24.0 | 6 | 6.6 | 00.0-13.7 | 5 | 9.7 | 00.3-19.1 | 35 | 48.2 | 33.9-62.5 |
| Hispanic | 50 | 117,249 | 6 | 13.4 | 01.6-25.2 | 4 | 7.9 | 00.0-16.3 | 3 | 13.4 | 00.0-28.9 | 15 | 26.2 | 12.3-40.1 | 8 | 17.7 | 05.4-30.0 | 14 | 21.4 | 09.4-33.4 |
| 18-24 | 143 | 445,024 | 19 | 11.3 | 06.0-16.6 | 7 | 5.3 | 00.8-09.8 | 13 | 7.7 | 03.2-12.2 | 23 | 13.9 | 08.0-19.8 | 25 | 16.1 | 09.4-22.8 | 56 | 45.6 | 36.0-55.2 |
| 25-34 | 342 | 709,377 | 28 | 8.1 | 04.8-11.4 | 26 | 7.9 | 04.8-11.0 | 30 | 8.0 | 04.9-11.1 | 43 | 12.1 | 07.6-16.6 | 48 | 13.0 | 08.9-17.1 | 167 | 50.9 | 44.6-57.2 |
| 35-44 | 415 | 721,496 | 33 | 7.2 | 04.3-10.1 | 22 | 5.5 | 02.8-08.2 | 36 | 8.6 | 04.9-12.3 | 37 | 10.8 | 06.5-15.1 | 36 | 7.8 | 04.9-10.7 | 251 | 60.1 | 54.0-66.2 |
| 45-54 | 701 | 770,928 | 66 | 8.5 | 06.0-11.0 | 48 | 5.5 | 03.5-07.5 | 48 | 6.0 | 04.0-08.0 | 68 | 10.2 | 07.5-12.9 | 65 | 10.8 | 07.5-14.1 | 406 | 59.1 | 54.4-63.8 |
| 55-64 | 962 | 690,739 | 62 | 5.3 | 03.5-07.1 | 97 | 9.3 | 06.9-11.7 | 86 | 9.1 | 06.7-11.5 | 89 | 9.3 | 06.9-11.7 | 108 | 10.5 | 08.1-12.9 | 520 | 56.4 | 52.5-60.3 |
| 65+ | 1476 | 736,855 | 79 | 3.3 | 02.3-04.3 | 191 | 10.5 | 08.5-12.5 | 180 | 12.3 | 10.1-14.5 | 213 | 14.0 | 11.6-16.4 | 247 | 17.5 | 15.0-20.0 | 566 | 42.5 | 39.2-45.8 |
| Less Than H.S. | 469 | 588,864 | 87 | 16.4 | 11.9-20.9 | 130 | 18.8 | 13.9-23.7 | 84 | 16.3 | 11.4-21.2 | 62 | 15.7 | 10.4-21.0 | 51 | 12.0 | 07.5-16.5 | 55 | 20.8 | 14.3-27.3 |
| H.S. or G.E.D. | 1357 | 1,305,875 | 126 | 8.2 | 06.2-10.2 | 170 | 8.7 | 06.7-10.7 | 178 | 10.7 | 08.5-12.9 | 218 | 15.4 | 12.7-18.1 | 232 | 15.3 | 12.6-18.0 | 433 | 41.6 | 37.7-45.5 |
| Some Post-H.S. | 1016 | 1,222,169 | 53 | 5.7 | 03.5-07.9 | 66 | 5.4 | 03.6-07.2 | 102 | 7.7 | 05.7-09.7 | 132 | 11.5 | 08.6-14.4 | 148 | 13.5 | 10.8-16.2 | 515 | 56.2 | 51.9-60.5 |
| College Graduate | 1212 | 964,290 | 23 | 1.6 | 00.6-02.6 | 26 | 1.2 | 00.6-01.8 | 28 | 2.0 | 01.0-03.0 | 61 | 3.8 | 02.4-05.2 | 99 | 7.3 | 05.5-09.1 | 975 | 84.0 | 81.5-86.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|--|--|--|
| | TOTAL | WEIGHTED | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 1577 | 2,044,185 | 80 | 4.9 | 03.3-06.5 | 132 | 7.0 | 05.2-08.8 | 122 | 6.4 | 04.8-08.0 | 164 | 11.4 | 09.0-13.8 | 192 | 12.3 | 09.9-14.7 | 887 | 58.0 | 54.7-61.3 | | | |
| White/Non-Hisp | 1327 | 1,568,776 | 57 | 3.9 | 02.5-05.3 | 105 | 6.9 | 04.9-08.9 | 101 | 6.5 | 04.9-08.1 | 129 | 9.3 | 07.1-11.5 | 157 | 11.8 | 09.3-14.3 | 778 | 61.7 | 58.2-65.2 | | | |
| Black or Afr. Am./Non-Hisp | 160 | 301,208 | 17 | 9.7 | 04.2-15.2 | 12 | 5.0 | 01.1-08.9 | 11 | 2.6 | 00.4-04.8 | 24 | 20.7 | 11.1-30.3 | 27 | 15.6 | 08.5-22.7 | 69 | 46.4 | 36.0-56.8 | | | |
| 18-24 | 68 | 235,492 | 5 | 6.1 | 00.6-11.6 | 5 | 7.4 | 00.0-15.0 | 1 | 1.2 | 00.0-03.6 | 14 | 16.3 | 07.5-25.1 | 12 | 20.0 | 09.2-30.8 | 31 | 49.1 | 35.8-62.4 | | | |
| 25-34 | 138 | 355,154 | 6 | 4.9 | 00.6-09.2 | 13 | 9.3 | 04.2-14.4 | 12 | 6.5 | 02.6-10.4 | 14 | 11.3 | 04.0-18.6 | 19 | 13.5 | 06.8-20.2 | 74 | 54.5 | 44.9-64.1 | | | |
| 35-44 | 153 | 358,637 | 7 | 4.5 | 00.6-08.4 | 6 | 3.3 | 00.0-06.6 | 14 | 7.6 | 01.9-13.3 | 18 | 14.0 | 06.6-21.4 | 10 | 4.9 | 01.6-08.2 | 98 | 65.7 | 56.3-75.1 | | | |
| 45-54 | 278 | 393,341 | 25 | 8.6 | 04.7-12.5 | 16 | 4.3 | 01.6-07.0 | 18 | 4.9 | 02.4-07.4 | 22 | 7.4 | 03.7-11.1 | 25 | 11.6 | 06.5-16.7 | 172 | 63.1 | 56.0-70.2 | | | |
| 55-64 | 393 | 343,477 | 21 | 3.3 | 01.3-05.3 | 36 | 9.5 | 05.8-13.2 | 32 | 8.4 | 05.3-11.5 | 33 | 9.4 | 05.5-13.3 | 44 | 9.3 | 06.0-12.6 | 227 | 60.1 | 54.2-66.0 | | | |
| 65+ | 540 | 351,558 | 15 | 1.6 | 00.6-02.6 | 55 | 8.3 | 05.6-11.0 | 45 | 8.5 | 05.6-11.4 | 61 | 11.6 | 08.1-15.1 | 82 | 17.6 | 13.3-21.9 | 282 | 52.3 | 47.0-57.6 | | | |
| Less Than H.S. | 187 | 309,413 | 21 | 9.6 | 03.9-15.3 | 45 | 16.8 | 09.7-23.9 | 32 | 13.6 | 06.5-20.7 | 27 | 18.2 | 09.6-26.8 | 27 | 12.6 | 06.1-19.1 | 35 | 29.1 | 18.7-39.5 | | | |
| H.S. or G.E.D. | 515 | 649,289 | 34 | 5.9 | 03.4-08.4 | 54 | 8.5 | 05.4-11.6 | 54 | 7.5 | 05.0-10.0 | 79 | 14.8 | 10.7-18.9 | 88 | 17.0 | 12.5-21.5 | 206 | 46.4 | 40.5-52.3 | | | |
| Some Post-H.S. | 370 | 594,458 | 18 | 4.7 | 01.8-07.6 | 23 | 5.1 | 02.4-07.8 | 24 | 4.7 | 02.5-06.9 | 39 | 10.1 | 05.4-14.8 | 44 | 12.0 | 07.5-16.5 | 222 | 63.5 | 56.8-70.2 | | | |
| College Graduate | 502 | 484,337 | 7 | 1.0 | 00.0-02.4 | 9 | 0.7 | 00.3-01.1 | 11 | 2.0 | 00.6-03.4 | 18 | 3.7 | 01.3-06.1 | 33 | 6.6 | 03.9-09.3 | 424 | 86.1 | 82.2-90.0 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|--|--|--|
| | TOTAL | WEIGHTED | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 2484 | 2,045,001 | 209 | 9.2 | 07.4-11.0 | 261 | 7.9 | 06.5-09.3 | 272 | 10.8 | 09.0-12.6 | 312 | 11.8 | 10.0-13.6 | 338 | 12.4 | 10.6-14.2 | 1092 | 47.8 | 45.1-50.5 | | | |
| White/Non-Hisp | 2035 | 1,544,494 | 143 | 7.0 | 05.4-08.6 | 209 | 7.9 | 06.3-09.5 | 213 | 9.7 | 07.9-11.5 | 251 | 11.0 | 09.2-12.8 | 283 | 12.9 | 10.7-15.1 | 936 | 51.4 | 48.3-54.5 | | | |
| Black or Afr. Am./Non-Hisp | 345 | 354,657 | 53 | 16.0 | 10.3-21.7 | 42 | 8.9 | 05.0-12.8 | 48 | 14.4 | 08.9-19.9 | 40 | 13.1 | 07.8-18.4 | 45 | 11.6 | 07.5-15.7 | 117 | 36.0 | 28.7-43.3 | | | |
| 18-24 | 75 | 209,532 | 14 | 17.3 | 07.9-26.7 | 2 | 3.0 | 00.0-07.3 | 12 | 14.9 | 05.9-23.9 | 9 | 11.3 | 03.7-18.9 | 13 | 11.9 | 04.8-19.0 | 25 | 41.6 | 27.9-55.3 | | | |
| 25-34 | 204 | 354,223 | 22 | 11.2 | 06.1-16.3 | 13 | 6.6 | 02.9-10.3 | 18 | 9.5 | 04.8-14.2 | 29 | 12.9 | 07.6-18.2 | 29 | 12.6 | 07.7-17.5 | 93 | 47.3 | 39.5-55.1 | | | |
| 35-44 | 262 | 362,859 | 26 | 9.9 | 05.6-14.2 | 16 | 7.6 | 03.1-12.1 | 22 | 9.6 | 05.1-14.1 | 19 | 7.7 | 03.4-12.0 | 26 | 10.7 | 06.0-15.4 | 153 | 54.6 | 47.2-62.0 | | | |
| 45-54 | 423 | 377,587 | 41 | 8.3 | 05.2-11.4 | 32 | 6.7 | 03.8-09.6 | 30 | 7.2 | 04.3-10.1 | 46 | 13.0 | 08.9-17.1 | 40 | 9.9 | 05.8-14.0 | 234 | 54.9 | 49.0-60.8 | | | |
| 55-64 | 569 | 347,262 | 41 | 7.3 | 04.6-10.0 | 61 | 9.2 | 06.3-12.1 | 54 | 9.8 | 06.5-13.1 | 56 | 9.2 | 06.3-12.1 | 64 | 11.8 | 08.3-15.3 | 293 | 52.7 | 47.6-57.8 | | | |
| 65+ | 936 | 385,297 | 64 | 4.9 | 03.3-06.5 | 136 | 12.4 | 09.9-14.9 | 135 | 15.7 | 12.6-18.8 | 152 | 16.2 | 13.1-19.3 | 165 | 17.3 | 14.2-20.4 | 284 | 33.5 | 29.6-37.4 | | | |
| Less Than H.S. | 282 | 279,452 | 66 | 23.9 | 16.8-31.0 | 85 | 21.1 | 14.6-27.6 | 52 | 19.2 | 12.5-25.9 | 35 | 12.9 | 07.4-18.4 | 24 | 11.3 | 05.0-17.6 | 20 | 11.6 | 05.1-18.1 | | | |
| H.S. or G.E.D. | 842 | 656,586 | 92 | 10.5 | 07.4-13.6 | 116 | 9.0 | 06.6-11.4 | 124 | 13.9 | 10.4-17.4 | 139 | 16.0 | 12.5-19.5 | 144 | 13.7 | 10.8-16.6 | 227 | 36.9 | 31.6-42.2 | | | |
| Some Post-H.S. | 646 | 627,711 | 35 | 6.6 | 03.7-09.5 | 43 | 5.7 | 03.3-08.1 | 78 | 10.6 | 07.5-13.7 | 93 | 12.8 | 09.1-16.5 | 104 | 15.0 | 11.5-18.5 | 293 | 49.4 | 44.1-54.7 | | | |
| College Graduate | 710 | 479,953 | 16 | 2.3 | 00.7-03.9 | 17 | 1.8 | 00.6-03.0 | 17 | 2.0 | 00.6-03.4 | 43 | 4.0 | 02.4-05.6 | 66 | 8.0 | 05.5-10.5 | 551 | 81.9 | 78.4-85.4 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | | WGHT Reported in Metrics | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4840 | 4,817,517 | 59 | 0.8 | 00.6-01.0 | 1443 | 26.8 | 25.0-28.6 | 2147 | 44.3 | 42.3-46.3 | 884 | 20.5 | 18.7-22.3 | 305 | 7.4 | 06.2-08.6 | 2 | 0.2 | 00.0-00.4 |
| Male | 1827 | 2,368,771 | 3 | 0.0 | 00.0-00.0 | 170 | 10.1 | 08.1-12.1 | 905 | 48.6 | 45.5-51.7 | 554 | 29.9 | 27.0-32.8 | 193 | 11.1 | 09.1-13.1 | 2 | 0.3 | 00.0-00.9 |
| Female | 3013 | 2,448,746 | 56 | 1.5 | 00.9-02.1 | 1273 | 43.0 | 40.5-45.5 | 1242 | 40.1 | 37.6-42.6 | 330 | 11.5 | 09.9-13.1 | 112 | 3.9 | 02.9-04.9 | | | |
| White/Non-Hisp | 4010 | 3,682,687 | 51 | 0.8 | 00.4-01.2 | 1228 | 27.1 | 25.1-29.1 | 1774 | 44.8 | 42.6-47.0 | 723 | 20.5 | 18.5-22.5 | 234 | 6.9 | 05.7-08.1 | | | |
| Black or Afr. Am./Non-Hisp | 591 | 754,361 | 4 | 0.7 | 00.0-01.5 | 134 | 20.0 | 15.3-24.7 | 273 | 46.5 | 40.6-52.4 | 124 | 23.4 | 18.1-28.7 | 56 | 9.4 | 06.1-12.7 | | | |
| Oth. Race/Non-Hisp. | 91 | 122,224 | 3 | 2.5 | 00.0-05.6 | 34 | 42.9 | 29.4-56.4 | 37 | 32.5 | 20.7-44.3 | 13 | 14.9 | 05.7-24.1 | 3 | 5.5 | 00.0-12.2 | 1 | 1.6 | 00.0-04.7 |
| Hispanic | 58 | 135,382 | 1 | 1.6 | 00.0-04.7 | 22 | 35.9 | 21.6-50.2 | 19 | 30.8 | 17.1-44.5 | 7 | 10.5 | 01.5-19.5 | 8 | 16.7 | 02.8-30.6 | 1 | 4.6 | 00.0-13.2 |
| 18-24 | 197 | 595,137 | 2 | 0.7 | 00.0-01.7 | 80 | 42.8 | 34.6-51.0 | 75 | 36.9 | 29.1-44.7 | 32 | 16.3 | 10.4-22.2 | 8 | 3.3 | 00.9-05.7 | | | |
| 25-34 | 384 | 811,105 | 2 | 0.6 | 00.0-01.4 | 123 | 28.0 | 22.9-33.1 | 160 | 45.1 | 39.2-51.0 | 68 | 18.3 | 13.2-23.4 | 29 | 7.1 | 04.2-10.0 | 2 | 1.0 | 00.0-02.6 |
| 35-44 | 455 | 798,965 | 3 | 0.5 | 00.0-01.3 | 114 | 19.9 | 15.8-24.0 | 187 | 43.3 | 37.4-49.2 | 104 | 25.9 | 20.6-31.2 | 47 | 10.3 | 06.6-14.0 | | | |
| 45-54 | 768 | 843,502 | 11 | 1.0 | 00.2-01.8 | 193 | 22.1 | 18.4-25.8 | 320 | 43.2 | 38.7-47.7 | 166 | 23.0 | 19.1-26.9 | 78 | 10.7 | 08.0-13.4 | | | |
| 55-64 | 1079 | 779,998 | 7 | 0.4 | 00.0-00.8 | 246 | 19.0 | 16.3-21.7 | 516 | 48.8 | 45.1-52.5 | 236 | 23.6 | 20.3-26.9 | 74 | 8.2 | 06.0-10.4 | | | |
| 65+ | 1920 | 971,001 | 33 | 1.5 | 00.9-02.1 | 667 | 31.3 | 28.6-34.0 | 875 | 46.6 | 43.7-49.5 | 276 | 16.1 | 13.9-18.3 | 69 | 4.5 | 03.1-05.9 | | | |
| Less Than H.S. | 629 | 782,669 | 18 | 1.6 | 00.6-02.6 | 193 | 27.2 | 21.9-32.5 | 265 | 40.5 | 34.6-46.4 | 106 | 20.2 | 14.9-25.5 | 46 | 9.8 | 06.1-13.5 | 1 | 0.8 | 00.0-02.4 |
| H.S. or G.E.D. | 1665 | 1,600,247 | 21 | 0.7 | 00.3-01.1 | 487 | 26.3 | 23.2-29.4 | 753 | 45.9 | 42.4-49.4 | 292 | 19.5 | 16.8-22.2 | 112 | 7.6 | 05.8-09.4 | | | |
| Some Post-H.S. | 1180 | 1,390,213 | 8 | 0.7 | 00.1-01.3 | 358 | 27.5 | 24.0-31.0 | 519 | 43.4 | 39.3-47.5 | 226 | 21.9 | 18.4-25.4 | 69 | 6.5 | 04.5-08.5 | | | |
| College Graduate | 1353 | 1,033,290 | 12 | 0.5 | 00.1-00.9 | 398 | 26.2 | 23.1-29.3 | 606 | 45.9 | 42.4-49.4 | 259 | 20.7 | 17.8-23.6 | 77 | 6.5 | 04.7-08.3 | 1 | 0.2 | 00.0-00.6 |
| Less than \$15,000 | 655 | 558,951 | 20 | 2.3 | 00.9-03.7 | 194 | 26.5 | 21.4-31.6 | 282 | 42.7 | 36.8-48.6 | 106 | 19.0 | 14.5-23.5 | 52 | 8.4 | 05.7-11.1 | 1 | 1.1 | 00.0-03.3 |
| \$15,000- 24,999 | 844 | 806,827 | 10 | 1.0 | 00.0-02.0 | 277 | 30.6 | 26.1-35.1 | 358 | 39.3 | 34.4-44.2 | 150 | 21.7 | 17.2-26.2 | 49 | 7.5 | 04.4-10.6 | | | |
| \$25,000- 34,999 | 514 | 498,883 | 4 | 1.2 | 00.0-02.6 | 152 | 24.9 | 19.6-30.2 | 222 | 42.4 | 36.3-48.5 | 96 | 21.4 | 15.7-27.1 | 40 | 10.1 | 06.2-14.0 | | | |
| \$35,000- 49,999 | 592 | 631,584 | 3 | 0.2 | 00.0-00.6 | 123 | 20.3 | 15.8-24.8 | 305 | 53.3 | 47.6-59.0 | 119 | 19.2 | 14.9-23.5 | 42 | 7.1 | 04.6-09.6 | | | |
| \$50,000- 74,999 | 508 | 546,369 | 6 | 0.9 | 00.0-01.9 | 116 | 17.8 | 13.7-21.9 | 235 | 52.3 | 46.2-58.4 | 119 | 21.5 | 16.6-26.4 | 32 | 7.5 | 04.4-10.6 | | | |
| \$75,000+ | 813 | 929,374 | 2 | 0.1 | 00.0-00.3 | 234 | 27.7 | 23.2-32.2 | 357 | 41.8 | 37.1-46.5 | 178 | 25.4 | 20.9-29.9 | 42 | 5.1 | 03.1-07.1 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|--|--|--|
| | TOTAL | WEIGHTED | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | | WGHT Reported in Metrics | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 1827 | 2,368,771 | 3 | 0.0 | 00.0-00.0 | 170 | 10.1 | 08.1-12.1 | 905 | 48.6 | 45.5-51.7 | 554 | 29.9 | 27.0-32.8 | 193 | 11.1 | 09.1-13.1 | 2 | 0.3 | 00.0-00.9 | | | |
| White/Non-Hisp | 1529 | 1,813,076 | 2 | 0.0 | 00.0-00.0 | 135 | 9.3 | 07.3-11.3 | 766 | 50.3 | 46.8-53.8 | 466 | 30.0 | 26.9-33.1 | 160 | 10.5 | 08.5-12.5 | | | | | | |
| Black or Afr. Am./Non-Hisp | 189 | 348,390 | | | | 20 | 10.0 | 04.3-15.7 | 85 | 43.5 | 34.1-52.9 | 60 | 33.2 | 24.0-42.4 | 24 | 13.3 | 06.8-19.8 | | | | | | |
| 18-24 | 88 | 298,008 | | | | 19 | 22.8 | 12.8-32.8 | 39 | 45.6 | 33.8-57.4 | 24 | 26.2 | 16.2-36.2 | 6 | 5.3 | 00.8-09.8 | | | | | | |
| 25-34 | 163 | 418,313 | | | | 23 | 13.1 | 07.4-18.8 | 86 | 51.7 | 42.7-60.7 | 35 | 23.8 | 15.4-32.2 | 17 | 9.5 | 04.4-14.6 | 2 | 2.0 | 00.0-04.9 | | | |
| 35-44 | 170 | 397,620 | | | | 8 | 4.6 | 01.1-08.1 | 73 | 44.4 | 35.0-53.8 | 62 | 36.1 | 27.3-44.9 | 27 | 14.9 | 08.0-21.8 | | | | | | |
| 45-54 | 305 | 431,204 | | | | 26 | 8.1 | 04.4-11.8 | 136 | 45.4 | 38.3-52.5 | 98 | 31.9 | 25.4-38.4 | 45 | 14.5 | 09.8-19.2 | | | | | | |
| 55-64 | 436 | 385,746 | 1 | 0.1 | 00.0-00.3 | 27 | 4.6 | 02.4-06.8 | 205 | 49.3 | 43.4-55.2 | 154 | 32.9 | 27.6-38.2 | 49 | 13.0 | 09.1-16.9 | | | | | | |
| 65+ | 656 | 431,553 | 2 | 0.1 | 00.0-00.3 | 65 | 9.9 | 07.0-12.8 | 360 | 54.1 | 49.4-58.8 | 180 | 28.0 | 23.7-32.3 | 49 | 7.9 | 05.2-10.6 | | | | | | |
| Less Than H.S. | 225 | 383,487 | 1 | 0.0 | 00.0-00.0 | 32 | 12.2 | 06.3-18.1 | 105 | 44.8 | 35.4-54.2 | 63 | 27.7 | 18.9-36.5 | 23 | 13.6 | 06.9-20.3 | 1 | 1.6 | 00.0-04.7 | | | |
| H.S. or G.E.D. | 603 | 774,039 | 1 | 0.1 | 00.0-00.3 | 66 | 10.9 | 07.4-14.4 | 307 | 50.3 | 44.8-55.8 | 160 | 27.3 | 22.4-32.2 | 69 | 11.4 | 08.1-14.7 | | | | | | |
| Some Post-H.S. | 436 | 685,666 | | | | 39 | 10.3 | 06.4-14.2 | 202 | 46.7 | 40.2-53.2 | 152 | 33.7 | 27.6-39.8 | 43 | 9.3 | 06.0-12.6 | | | | | | |
| College Graduate | 560 | 517,401 | 1 | 0.0 | 00.0-00.0 | 32 | 6.7 | 03.8-09.6 | 290 | 51.4 | 45.9-56.9 | 179 | 30.7 | 25.8-35.6 | 57 | 10.8 | 07.5-14.1 | 1 | 0.4 | 00.0-01.2 | | | |
| Less than \$15,000 | 206 | 236,363 | 1 | 0.1 | 00.0-00.3 | 41 | 18.1 | 10.7-25.5 | 94 | 43.9 | 34.1-53.7 | 46 | 23.7 | 15.7-31.7 | 23 | 11.6 | 06.3-16.9 | 1 | 2.6 | 00.0-07.7 | | | |
| \$15,000- 24,999 | 284 | 361,086 | | | | 34 | 11.2 | 06.3-16.1 | 138 | 45.2 | 36.8-53.6 | 86 | 32.4 | 24.2-40.6 | 26 | 11.2 | 04.9-17.5 | | | | | | |
| \$25,000- 34,999 | 191 | 251,744 | | | | 15 | 8.3 | 02.8-13.8 | 90 | 43.8 | 34.2-53.4 | 58 | 31.3 | 21.7-40.9 | 28 | 16.7 | 09.4-24.0 | | | | | | |
| \$35,000- 49,999 | 269 | 359,307 | | | | 20 | 9.7 | 04.8-14.6 | 143 | 58.1 | 50.1-66.1 | 80 | 24.1 | 17.6-30.6 | 26 | 8.1 | 04.2-12.0 | | | | | | |
| \$50,000- 74,999 | 234 | 297,807 | 1 | 0.0 | 00.0-00.0 | 15 | 6.1 | 02.4-09.8 | 119 | 55.6 | 47.2-64.0 | 71 | 26.4 | 19.1-33.7 | 28 | 11.9 | 06.6-17.2 | | | | | | |
| \$75,000+ | 379 | 518,615 | | | | 16 | 7.0 | 02.9-11.1 | 193 | 46.5 | 39.4-53.6 | 137 | 38.4 | 31.3-45.5 | 33 | 8.0 | 04.7-11.3 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | |
|----------------------------|-------------------|-----------|------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3013 | 2,448,746 | 56 | 1.5 | 00.9-02.1 | 1273 | 43.0 | 40.3-45.7 | 1242 | 40.1 | 37.6-42.6 | 330 | 11.5 | 09.9-13.1 | 112 | 3.9 | 02.9-04.9 |
| White/Non-Hisp | 2481 | 1,869,611 | 49 | 1.5 | 00.9-02.1 | 1093 | 44.5 | 41.6-47.4 | 1008 | 39.4 | 36.7-42.1 | 257 | 11.3 | 09.5-13.1 | 74 | 3.4 | 02.4-04.4 |
| Black or Afr. Am./Non-Hisp | 402 | 405,971 | 4 | 1.2 | 00.0-02.8 | 114 | 28.6 | 21.7-35.5 | 188 | 49.1 | 41.8-56.4 | 64 | 15.0 | 10.1-19.9 | 32 | 6.1 | 03.4-08.8 |
| Oth. Race/Non-Hisp. | 52 | 68,882 | 2 | 3.6 | 00.0-08.9 | 30 | 66.0 | 50.1-81.9 | 16 | 22.4 | 09.1-35.7 | 3 | 6.1 | 00.0-13.7 | 1 | 2.0 | 00.0-05.9 |
| 18-24 | 109 | 297,129 | 2 | 1.4 | 00.0-03.4 | 61 | 62.9 | 52.3-73.5 | 36 | 28.1 | 18.3-37.9 | 8 | 6.4 | 01.7-11.1 | 2 | 1.2 | 00.0-03.0 |
| 25-34 | 221 | 392,792 | 2 | 1.2 | 00.0-03.0 | 100 | 43.9 | 36.3-51.5 | 74 | 38.1 | 30.5-45.7 | 33 | 12.4 | 07.7-17.1 | 12 | 4.5 | 01.6-07.4 |
| 35-44 | 285 | 401,345 | 3 | 1.1 | 00.0-02.7 | 106 | 35.1 | 28.6-41.6 | 114 | 42.2 | 35.1-49.3 | 42 | 15.9 | 10.4-21.4 | 20 | 5.8 | 02.9-08.7 |
| 45-54 | 463 | 412,298 | 11 | 2.0 | 00.4-03.6 | 167 | 36.7 | 31.0-42.4 | 184 | 40.9 | 35.2-46.6 | 68 | 13.6 | 09.9-17.3 | 33 | 6.8 | 04.1-09.5 |
| 55-64 | 643 | 394,251 | 6 | 0.6 | 00.0-01.4 | 219 | 33.1 | 28.4-37.8 | 311 | 48.2 | 43.3-53.1 | 82 | 14.5 | 10.8-18.2 | 25 | 3.5 | 01.7-05.3 |
| 65+ | 1264 | 539,448 | 31 | 2.6 | 01.4-03.8 | 602 | 48.5 | 45.0-52.0 | 515 | 40.6 | 37.1-44.1 | 96 | 6.6 | 04.8-08.4 | 20 | 1.8 | 00.8-02.8 |
| Less Than H.S. | 404 | 399,182 | 17 | 3.1 | 01.1-05.1 | 161 | 41.5 | 34.1-48.9 | 160 | 36.4 | 29.5-43.3 | 43 | 12.9 | 07.6-18.2 | 23 | 6.1 | 03.4-08.8 |
| H.S. or G.E.D. | 1062 | 826,208 | 20 | 1.3 | 00.5-02.1 | 421 | 40.8 | 36.1-45.5 | 446 | 41.7 | 37.2-46.2 | 132 | 12.2 | 09.7-14.7 | 43 | 4.1 | 02.5-05.7 |
| Some Post-H.S. | 744 | 704,547 | 8 | 1.4 | 00.2-02.6 | 319 | 44.2 | 39.3-49.1 | 317 | 40.3 | 35.4-45.2 | 74 | 10.3 | 07.4-13.2 | 26 | 3.8 | 02.0-05.6 |
| College Graduate | 793 | 515,889 | 11 | 1.1 | 00.3-01.9 | 366 | 45.8 | 41.1-50.5 | 316 | 40.3 | 35.6-45.0 | 80 | 10.6 | 07.7-13.5 | 20 | 2.2 | 01.0-03.4 |
| Less than \$15,000 | 449 | 322,588 | 19 | 3.9 | 01.4-06.4 | 153 | 32.8 | 25.9-39.7 | 188 | 41.8 | 34.7-48.9 | 60 | 15.5 | 10.4-20.6 | 29 | 6.1 | 03.4-08.8 |
| \$15,000- 24,999 | 560 | 445,742 | 10 | 1.9 | 00.3-03.5 | 243 | 46.3 | 40.2-52.4 | 220 | 34.5 | 28.8-40.2 | 64 | 13.0 | 08.9-17.1 | 23 | 4.5 | 02.1-06.9 |
| \$25,000- 34,999 | 323 | 247,139 | 4 | 2.3 | 00.0-04.8 | 137 | 41.9 | 34.1-49.7 | 132 | 41.0 | 33.4-48.6 | 38 | 11.3 | 06.8-15.8 | 12 | 3.4 | 01.0-05.8 |
| \$35,000- 49,999 | 323 | 272,276 | 3 | 0.6 | 00.0-01.4 | 103 | 34.2 | 26.8-41.6 | 162 | 46.9 | 39.6-54.2 | 39 | 12.7 | 07.6-17.8 | 16 | 5.7 | 02.6-08.8 |
| \$50,000- 74,999 | 274 | 248,562 | 5 | 1.9 | 00.0-03.9 | 101 | 31.7 | 24.4-39.0 | 116 | 48.5 | 39.9-57.1 | 48 | 15.7 | 09.6-21.8 | 4 | 2.2 | 00.0-04.6 |
| \$75,000+ | 434 | 410,758 | 2 | 0.2 | 00.0-00.6 | 218 | 53.8 | 47.3-60.3 | 164 | 35.8 | 29.7-41.9 | 41 | 8.9 | 05.8-12.0 | 9 | 1.3 | 00.3-02.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | 6-ft 7-in or taller | | | HGHT Reported in Metrics | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5017 | 4,971,991 | 253 | 4.1 | 03.3-04.9 | 2440 | 40.8 | 38.8-42.8 | 1913 | 43.0 | 41.0-45.0 | 402 | 11.9 | 10.3-13.5 | 7 | 0.1 | 00.1-00.1 | 2 | 0.2 | 00.0-00.4 |
| Male | 1838 | 2,385,831 | 4 | 0.1 | 00.0-00.3 | 153 | 8.3 | 06.5-10.1 | 1283 | 66.8 | 63.7-69.9 | 391 | 24.3 | 21.4-27.2 | 6 | 0.2 | 00.0-00.4 | 1 | 0.3 | 00.0-00.9 |
| Female | 3179 | 2,586,160 | 249 | 7.7 | 06.1-09.3 | 2287 | 70.8 | 68.4-73.2 | 630 | 21.0 | 18.8-23.2 | 11 | 0.3 | 00.1-00.5 | 1 | 0.0 | 00.0-00.0 | 1 | 0.1 | 00.0-00.3 |
| White/Non-Hisp | 4159 | 3,801,951 | 198 | 3.6 | 02.8-04.4 | 2012 | 40.4 | 38.2-42.6 | 1608 | 44.2 | 42.0-46.4 | 337 | 11.7 | 09.9-13.5 | 4 | 0.1 | 00.1-00.1 | | | |
| Black or Afr. Am./Non-Hisp | 613 | 784,711 | 42 | 6.4 | 03.5-09.3 | 315 | 41.4 | 35.9-46.9 | 209 | 39.4 | 33.7-45.1 | 45 | 12.6 | 07.9-17.3 | 2 | 0.2 | 00.0-00.6 | | | |
| Oth. Race/Non-Hisp. | 94 | 125,408 | 8 | 7.9 | 00.3-15.5 | 41 | 45.3 | 32.2-58.4 | 39 | 36.3 | 24.3-48.3 | 5 | 10.2 | 01.0-19.4 | 1 | 0.3 | 00.0-00.9 | | | |
| Hispanic | 58 | 133,419 | 3 | 2.2 | 00.0-05.1 | 28 | 47.5 | 32.0-63.0 | 19 | 30.1 | 16.8-43.4 | 6 | 14.2 | 00.1-28.3 | | | | 2 | 6.0 | 00.0-15.0 |
| 18-24 | 202 | 612,028 | 11 | 6.4 | 02.1-10.7 | 85 | 38.0 | 30.2-45.8 | 78 | 41.7 | 33.7-49.7 | 27 | 13.7 | 08.0-19.4 | 1 | 0.2 | 00.0-00.6 | | | |
| 25-34 | 400 | 840,839 | 13 | 3.0 | 01.0-05.0 | 171 | 37.9 | 32.4-43.4 | 165 | 42.6 | 36.9-48.3 | 49 | 15.5 | 10.6-20.4 | | | | 2 | 1.0 | 00.0-02.6 |
| 35-44 | 471 | 819,135 | 17 | 2.1 | 00.9-03.3 | 222 | 41.0 | 35.5-46.5 | 178 | 40.8 | 35.1-46.5 | 53 | 15.9 | 11.0-20.8 | 1 | 0.1 | 00.0-00.3 | | | |
| 45-54 | 797 | 865,809 | 26 | 2.3 | 01.1-03.5 | 376 | 40.0 | 35.7-44.3 | 330 | 46.3 | 41.8-50.8 | 65 | 11.4 | 08.3-14.5 | | | | | | |
| 55-64 | 1133 | 813,830 | 55 | 5.1 | 03.5-06.7 | 528 | 40.6 | 37.1-44.1 | 447 | 43.1 | 39.4-46.8 | 100 | 10.9 | 08.4-13.4 | 3 | 0.2 | 00.0-00.6 | | | |
| 65+ | 1961 | 989,836 | 127 | 5.8 | 04.4-07.2 | 1031 | 45.3 | 42.4-48.2 | 694 | 43.0 | 40.1-45.9 | 107 | 5.8 | 04.4-07.2 | 2 | 0.1 | 00.0-00.3 | | | |
| Less Than H.S. | 640 | 793,654 | 48 | 6.0 | 03.6-08.4 | 345 | 43.9 | 38.2-49.6 | 204 | 37.1 | 31.4-42.8 | 41 | 12.2 | 06.7-17.7 | 1 | 0.1 | 00.0-00.3 | 1 | 0.8 | 00.0-02.4 |
| H.S. or G.E.D. | 1723 | 1,658,212 | 85 | 4.0 | 02.4-05.6 | 876 | 43.0 | 39.5-46.5 | 638 | 42.4 | 38.9-45.9 | 122 | 10.5 | 08.1-12.9 | 1 | 0.0 | 00.0-00.0 | 1 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 1234 | 1,443,500 | 68 | 4.3 | 02.9-05.7 | 601 | 39.9 | 36.2-43.6 | 472 | 43.2 | 39.3-47.1 | 91 | 12.6 | 09.5-15.7 | 2 | 0.1 | 00.0-00.3 | | | |
| College Graduate | 1406 | 1,066,570 | 51 | 2.6 | 01.6-03.6 | 610 | 36.5 | 33.2-39.8 | 594 | 47.9 | 44.4-51.4 | 148 | 12.8 | 10.4-15.2 | 3 | 0.2 | 00.0-00.4 | | | |
| Less than \$15,000 | 676 | 587,804 | 52 | 6.7 | 04.2-09.2 | 360 | 46.1 | 40.4-51.8 | 219 | 37.6 | 31.9-43.3 | 40 | 8.0 | 04.9-11.1 | 3 | 0.3 | 00.0-00.7 | 2 | 1.4 | 00.0-03.6 |
| \$15,000- 24,999 | 863 | 819,968 | 58 | 5.6 | 03.4-07.8 | 455 | 46.2 | 41.3-51.1 | 288 | 35.1 | 30.4-39.8 | 62 | 13.0 | 08.3-17.7 | | | | | | |
| \$25,000- 34,999 | 527 | 501,284 | 19 | 2.1 | 00.7-03.5 | 261 | 40.0 | 34.1-45.9 | 203 | 44.8 | 38.5-51.1 | 42 | 12.8 | 07.7-17.9 | 2 | 0.3 | 00.0-00.9 | | | |
| \$35,000- 49,999 | 608 | 642,620 | 18 | 1.8 | 00.8-02.8 | 260 | 36.4 | 31.1-41.7 | 269 | 48.5 | 42.8-54.2 | 61 | 13.3 | 08.6-18.0 | | | | | | |
| \$50,000- 74,999 | 530 | 571,150 | 16 | 3.5 | 00.6-06.4 | 234 | 36.0 | 30.5-41.5 | 238 | 49.7 | 43.8-55.6 | 42 | 10.7 | 06.8-14.6 | | | | | | |
| \$75,000+ | 831 | 943,601 | 27 | 2.1 | 01.1-03.1 | 326 | 33.2 | 28.7-37.7 | 391 | 50.7 | 45.8-55.6 | 86 | 13.9 | 10.2-17.6 | 1 | 0.1 | 00.0-00.3 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | 6-ft 7-in or taller | | | HGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|-------------------|-----|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1838 | 2,385,831 | 4 | 0.1 | 00.0-00.3 | 153 | 8.3 | 06.5-10.1 | 1283 | 66.8 | 63.7-69.9 | 391 | 24.3 | 21.4-27.2 | 6 | 0.2 | 00.0-00.4 | 1 | 0.3 | 00.0-00.9 |
| White/Non-Hisp | 1539 | 1,827,304 | 4 | 0.2 | 00.0-00.4 | 112 | 6.7 | 05.1-08.3 | 1089 | 68.9 | 65.6-72.2 | 331 | 24.2 | 21.1-27.3 | 3 | 0.1 | 00.0-00.3 | | | |
| Black or Afr. Am./Non-Hisp | 191 | 360,394 | | | | 27 | 13.2 | 07.1-19.3 | 121 | 59.4 | 49.8-69.0 | 41 | 27.0 | 17.8-36.2 | 2 | 0.5 | 00.0-01.3 | | | |
| 18-24 | 89 | 304,419 | | | | 9 | 9.9 | 03.2-16.6 | 53 | 62.9 | 51.5-74.3 | 26 | 26.8 | 16.2-37.4 | 1 | 0.4 | 00.0-01.2 | | | |
| 25-34 | 164 | 421,067 | 1 | 0.2 | 00.0-00.6 | 9 | 4.6 | 01.5-07.7 | 105 | 63.0 | 54.0-72.0 | 48 | 30.7 | 21.9-39.5 | | | | 1 | 1.5 | 00.0-04.4 |
| 35-44 | 171 | 401,973 | | | | 17 | 11.3 | 05.6-17.0 | 101 | 56.2 | 46.8-65.6 | 52 | 32.2 | 23.2-41.2 | 1 | 0.3 | 00.0-00.9 | | | |
| 45-54 | 304 | 427,308 | 1 | 0.1 | 00.0-00.3 | 24 | 7.3 | 03.8-10.8 | 216 | 69.7 | 63.2-76.2 | 63 | 22.9 | 16.8-29.0 | | | | | | |
| 55-64 | 441 | 389,371 | | | | 39 | 9.7 | 06.2-13.2 | 299 | 67.1 | 61.6-72.6 | 100 | 22.7 | 17.8-27.6 | 3 | 0.5 | 00.0-01.1 | | | |
| 65+ | 658 | 433,895 | 2 | 0.4 | 00.0-01.2 | 54 | 7.7 | 05.2-10.2 | 499 | 79.4 | 75.7-83.1 | 102 | 12.5 | 09.6-15.4 | 1 | 0.0 | 00.0-00.0 | | | |
| Less Than H.S. | 227 | 381,220 | 1 | 0.0 | 00.0-00.0 | 32 | 10.3 | 06.0-14.6 | 154 | 63.2 | 53.4-73.0 | 38 | 24.8 | 14.8-34.8 | 1 | 0.1 | 00.0-00.3 | 1 | 1.6 | 00.0-04.7 |
| H.S. or G.E.D. | 608 | 787,522 | 1 | 0.1 | 00.0-00.3 | 63 | 9.5 | 06.4-12.6 | 426 | 68.8 | 63.7-73.9 | 117 | 21.6 | 16.9-26.3 | 1 | 0.1 | 00.0-00.3 | | | |
| Some Post-H.S. | 438 | 690,990 | 2 | 0.3 | 00.0-00.7 | 36 | 9.6 | 05.9-13.3 | 308 | 63.7 | 57.4-70.0 | 91 | 26.2 | 20.3-32.1 | 1 | 0.2 | 00.0-00.6 | | | |
| College Graduate | 563 | 520,663 | | | | 22 | 3.2 | 01.4-05.0 | 393 | 70.3 | 65.4-75.2 | 145 | 26.0 | 21.3-30.7 | 3 | 0.4 | 00.0-01.0 | | | |
| Less than \$15,000 | 209 | 239,465 | 2 | 0.2 | 00.0-00.6 | 23 | 11.6 | 05.9-17.3 | 142 | 65.5 | 56.3-74.7 | 38 | 19.3 | 11.9-26.7 | 3 | 0.8 | 00.0-01.8 | 1 | 2.6 | 00.0-07.5 |
| \$15,000- 24,999 | 282 | 358,291 | 1 | 0.2 | 00.0-00.6 | 42 | 13.9 | 08.4-19.4 | 178 | 56.0 | 47.2-64.8 | 61 | 29.8 | 20.6-39.0 | | | | | | |
| \$25,000- 34,999 | 191 | 248,130 | | | | 17 | 10.1 | 03.8-16.4 | 131 | 64.0 | 54.0-74.0 | 41 | 25.3 | 15.9-34.7 | 2 | 0.7 | 00.0-01.7 | | | |
| \$35,000- 49,999 | 270 | 360,218 | | | | 19 | 7.6 | 03.1-12.1 | 190 | 68.6 | 60.4-76.8 | 61 | 23.8 | 16.0-31.6 | | | | | | |
| \$50,000- 74,999 | 234 | 303,590 | 1 | 0.5 | 00.0-01.5 | 15 | 7.6 | 02.7-12.5 | 177 | 72.1 | 64.1-80.1 | 41 | 19.8 | 12.7-26.9 | | | | | | |
| \$75,000+ | 379 | 518,615 | | | | 14 | 3.5 | 01.1-05.9 | 278 | 71.0 | 64.5-77.5 | 86 | 25.2 | 18.9-31.5 | 1 | 0.2 | 00.0-00.6 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | 6-ft 7-in or taller | | | HGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|------|------------|------------------------|------|------------|------------------------|-----|------------|---------------------|-----|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3179 | 2,586,160 | 249 | 7.7 | 06.1-09.3 | 2287 | 70.8 | 68.4-73.2 | 630 | 21.0 | 18.8-23.2 | 11 | 0.3 | 00.1-00.5 | 1 | 0.0 | 00.0-00.0 | 1 | 0.1 | 00.0-00.3 |
| White/Non-Hisp | 2620 | 1,974,647 | 194 | 6.8 | 05.4-08.2 | 1900 | 71.6 | 69.1-74.1 | 519 | 21.3 | 18.9-23.7 | 6 | 0.2 | 00.0-00.4 | 1 | 0.0 | 00.0-00.0 | | | |
| Black or Afr. Am./Non-Hisp | 422 | 424,318 | 42 | 11.8 | 06.5-17.1 | 288 | 65.4 | 58.5-72.3 | 88 | 22.4 | 16.5-28.3 | 4 | 0.5 | 00.0-01.1 | | | | | | |
| Oth. Race/Non-Hisp. | 54 | 71,645 | 8 | 13.8 | 00.9-26.7 | 35 | 68.9 | 52.8-85.0 | 10 | 14.4 | 03.8-25.0 | 1 | 2.9 | 00.0-08.4 | | | | | | |
| 18-24 | 113 | 307,609 | 11 | 12.7 | 04.3-21.1 | 76 | 65.8 | 55.2-76.4 | 25 | 20.7 | 12.5-28.9 | 1 | 0.8 | 00.0-02.4 | | | | | | |
| 25-34 | 236 | 419,772 | 12 | 5.9 | 02.2-09.6 | 162 | 71.3 | 64.8-77.8 | 60 | 22.1 | 16.2-28.0 | 1 | 0.3 | 00.0-00.9 | | | | 1 | 0.4 | 00.0-01.2 |
| 35-44 | 300 | 417,162 | 17 | 4.2 | 01.8-06.6 | 205 | 69.7 | 63.4-76.0 | 77 | 25.9 | 19.8-32.0 | 1 | 0.3 | 00.0-00.9 | | | | | | |
| 45-54 | 493 | 438,501 | 25 | 4.5 | 02.3-06.7 | 352 | 71.8 | 66.7-76.9 | 114 | 23.5 | 18.6-28.4 | 2 | 0.2 | 00.0-00.4 | | | | | | |
| 55-64 | 692 | 424,458 | 55 | 9.8 | 06.7-12.9 | 489 | 69.0 | 64.7-73.3 | 148 | 21.1 | 17.4-24.8 | | | | | | | | | |
| 65+ | 1303 | 555,941 | 125 | 10.1 | 07.9-12.3 | 977 | 74.7 | 71.6-77.8 | 195 | 14.6 | 12.2-17.0 | 5 | 0.6 | 00.0-01.4 | 1 | 0.1 | 00.0-00.3 | | | |
| Less Than H.S. | 413 | 412,434 | 47 | 11.5 | 07.2-15.8 | 313 | 74.9 | 68.8-81.0 | 50 | 12.9 | 08.0-17.8 | 3 | 0.7 | 00.0-01.7 | | | | | | |
| H.S. or G.E.D. | 1115 | 870,690 | 84 | 7.5 | 04.6-10.4 | 813 | 73.2 | 69.3-77.1 | 212 | 18.5 | 15.4-21.6 | 5 | 0.5 | 00.0-01.1 | | | | 1 | 0.2 | 00.0-00.6 |
| Some Post-H.S. | 796 | 752,510 | 66 | 8.0 | 05.5-10.5 | 565 | 67.7 | 63.0-72.4 | 164 | 24.3 | 20.0-28.6 | | | | 1 | 0.1 | 00.0-00.3 | | | |
| College Graduate | 843 | 545,907 | 51 | 5.0 | 03.2-06.8 | 588 | 68.2 | 63.9-72.5 | 201 | 26.5 | 22.4-30.6 | 3 | 0.2 | 00.0-00.6 | | | | | | |
| Less than \$15,000 | 467 | 348,339 | 50 | 11.1 | 07.0-15.2 | 337 | 69.8 | 63.5-76.1 | 77 | 18.4 | 12.9-23.9 | 2 | 0.2 | 00.0-00.4 | | | | 1 | 0.5 | 00.0-01.5 |
| \$15,000- 24,999 | 581 | 461,677 | 57 | 9.8 | 06.1-13.5 | 413 | 71.3 | 66.0-76.6 | 110 | 18.9 | 14.6-23.2 | 1 | 0.0 | 00.0-00.0 | | | | | | |
| \$25,000- 34,999 | 336 | 253,154 | 19 | 4.1 | 01.6-06.6 | 244 | 69.3 | 61.9-76.7 | 72 | 26.1 | 18.8-33.4 | 1 | 0.5 | 00.0-01.5 | | | | | | |
| \$35,000- 49,999 | 338 | 282,403 | 18 | 4.1 | 01.9-06.3 | 241 | 73.0 | 66.7-79.3 | 79 | 22.9 | 16.8-29.0 | | | | | | | | | |
| \$50,000- 74,999 | 296 | 267,560 | 15 | 7.0 | 00.9-13.1 | 219 | 68.3 | 59.9-76.7 | 61 | 24.4 | 17.0-31.8 | 1 | 0.4 | 00.0-01.2 | | | | | | |
| \$75,000+ | 452 | 424,985 | 27 | 4.6 | 02.4-06.8 | 312 | 69.4 | 63.5-75.3 | 113 | 26.0 | 20.3-31.7 | | | | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4842 | 4,664,750 | 4674 | 96.0 | 95.0-97.0 | 100 | 2.3 | 01.7-02.9 | 68 | 1.8 | 01.2-02.4 |
| Male | 1752 | 2,224,653 | 1689 | 95.3 | 93.7-96.9 | 32 | 2.3 | 01.1-03.5 | 31 | 2.4 | 01.4-03.4 |
| Female | 3090 | 2,440,098 | 2985 | 96.6 | 95.6-97.6 | 68 | 2.2 | 01.4-03.0 | 37 | 1.2 | 00.6-01.8 |
| White/Non-Hisp | 4016 | 3,574,126 | 3884 | 96.4 | 95.4-97.4 | 79 | 1.9 | 01.3-02.5 | 53 | 1.7 | 01.1-02.3 |
| Black or Afr. Am./Non-Hisp | 601 | 766,573 | 578 | 94.9 | 92.2-97.6 | 16 | 3.3 | 01.1-05.5 | 7 | 1.8 | 00.0-03.6 |
| Oth. Race/Non-Hisp. | 86 | 108,867 | 82 | 92.7 | 85.1-0100 | 2 | 5.0 | 00.0-11.9 | 2 | 2.3 | 00.0-06.0 |
| Hispanic | 50 | 106,727 | 48 | 94.2 | 86.2-0100 | 1 | 3.7 | 00.0-10.8 | 1 | 2.1 | 00.0-06.2 |
| 18-24 | 175 | 534,185 | 168 | 96.9 | 94.4-99.4 | 6 | 2.6 | 00.2-05.0 | 1 | 0.5 | 00.0-01.5 |
| 25-34 | 353 | 734,746 | 338 | 95.3 | 92.8-97.8 | 5 | 1.5 | 00.0-03.1 | 10 | 3.2 | 01.0-05.4 |
| 35-44 | 447 | 764,526 | 428 | 93.4 | 90.1-96.7 | 9 | 2.7 | 00.3-05.1 | 10 | 3.9 | 01.4-06.4 |
| 45-54 | 770 | 835,818 | 752 | 96.4 | 94.4-98.4 | 11 | 2.6 | 00.8-04.4 | 7 | 0.9 | 00.1-01.7 |
| 55-64 | 1102 | 788,478 | 1074 | 98.1 | 97.1-99.1 | 19 | 1.4 | 00.6-02.2 | 9 | 0.5 | 00.1-00.9 |
| 65+ | 1935 | 973,839 | 1868 | 96.5 | 95.3-97.7 | 47 | 2.6 | 01.6-03.6 | 20 | 0.9 | 00.3-01.5 |
| Less Than H.S. | 630 | 765,463 | 607 | 97.5 | 95.9-99.1 | 22 | 2.3 | 00.7-03.9 | 1 | 0.2 | 00.0-00.6 |
| H.S. or G.E.D. | 1683 | 1,590,243 | 1615 | 95.2 | 93.4-97.0 | 49 | 3.6 | 02.0-05.2 | 19 | 1.2 | 00.2-02.2 |
| Some Post-H.S. | 1184 | 1,337,783 | 1154 | 96.0 | 94.2-97.8 | 17 | 1.7 | 00.5-02.9 | 13 | 2.4 | 00.8-04.0 |
| College Graduate | 1328 | 959,507 | 1286 | 96.8 | 95.4-98.2 | 12 | 0.9 | 00.1-01.7 | 30 | 2.3 | 01.1-03.5 |
| Less than \$15,000 | 657 | 555,159 | 637 | 98.1 | 96.9-99.3 | 15 | 1.6 | 00.6-02.6 | 5 | 0.4 | 00.0-00.8 |
| \$15,000- 24,999 | 839 | 779,741 | 809 | 95.3 | 93.1-97.5 | 24 | 3.4 | 01.6-05.2 | 6 | 1.3 | 00.0-02.7 |
| \$25,000- 34,999 | 503 | 458,916 | 492 | 96.8 | 94.1-99.5 | 9 | 3.0 | 00.3-05.7 | 2 | 0.2 | 00.0-00.4 |
| \$35,000- 49,999 | 579 | 597,950 | 564 | 97.1 | 95.3-98.9 | 10 | 2.0 | 00.6-03.4 | 5 | 0.9 | 00.0-01.9 |
| \$50,000- 74,999 | 511 | 535,650 | 501 | 97.0 | 94.5-99.5 | 4 | 0.3 | 00.0-00.7 | 6 | 2.6 | 00.1-05.1 |
| \$75,000+ | 781 | 864,207 | 765 | 97.6 | 95.6-99.6 | 5 | 1.1 | 00.0-02.7 | 11 | 1.3 | 00.3-02.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1752 | 2,224,653 | 1689 | 95.3 | 93.7-96.9 | 32 | 2.3 | 01.1-03.5 | 31 | 2.4 | 01.4-03.4 |
| White/Non-Hisp | 1469 | 1,704,568 | 1419 | 95.7 | 94.1-97.3 | 26 | 2.0 | 00.8-03.2 | 24 | 2.3 | 01.1-03.5 |
| Black or Afr. Am./Non-Hisp | 185 | 351,303 | 176 | 94.6 | 90.5-98.7 | 4 | 2.7 | 00.0-05.8 | 5 | 2.8 | 00.1-05.5 |
| 18-24 | 77 | 266,858 | 74 | 97.4 | 94.5-0100 | 2 | 1.6 | 00.0-04.0 | 1 | 1.0 | 00.0-03.0 |
| 25-34 | 143 | 364,855 | 135 | 95.0 | 91.1-98.9 | 2 | 1.6 | 00.0-04.1 | 6 | 3.5 | 00.4-06.6 |
| 35-44 | 158 | 369,773 | 145 | 89.4 | 83.1-95.7 | 5 | 3.8 | 00.0-07.9 | 8 | 6.8 | 01.9-11.7 |
| 45-54 | 293 | 416,194 | 286 | 95.6 | 92.1-99.1 | 3 | 2.8 | 00.0-05.9 | 4 | 1.6 | 00.0-03.2 |
| 55-64 | 424 | 376,007 | 416 | 98.3 | 96.9-99.7 | 6 | 1.4 | 00.0-02.8 | 2 | 0.2 | 00.0-00.6 |
| 65+ | 644 | 422,723 | 624 | 96.8 | 95.2-98.4 | 14 | 2.4 | 01.0-03.8 | 6 | 0.8 | 00.0-01.6 |
| Less Than H.S. | 220 | 364,352 | 216 | 98.6 | 96.6-0100 | 4 | 1.4 | 00.0-03.4 | | | |
| H.S. or G.E.D. | 587 | 751,734 | 565 | 94.6 | 91.7-97.5 | 17 | 3.9 | 01.4-06.4 | 5 | 1.6 | 00.0-03.2 |
| Some Post-H.S. | 421 | 637,621 | 406 | 94.6 | 91.5-97.7 | 7 | 2.1 | 00.1-04.1 | 8 | 3.3 | 00.8-05.8 |
| College Graduate | 522 | 465,509 | 502 | 96.2 | 94.0-98.4 | 4 | 0.9 | 00.0-02.1 | 16 | 3.0 | 01.0-05.0 |
| Less than \$15,000 | 197 | 213,994 | 191 | 98.0 | 96.0-0100 | 4 | 1.3 | 00.0-02.9 | 2 | 0.7 | 00.0-01.9 |
| \$15,000- 24,999 | 271 | 337,081 | 262 | 95.6 | 92.5-98.7 | 7 | 3.4 | 00.5-06.3 | 2 | 1.0 | 00.0-02.4 |
| \$25,000- 34,999 | 180 | 226,035 | 176 | 95.9 | 90.8-0100 | 4 | 4.1 | 00.0-09.2 | | | |
| \$35,000- 49,999 | 260 | 340,555 | 251 | 96.4 | 93.9-98.9 | 6 | 2.4 | 00.2-04.6 | 3 | 1.3 | 00.0-02.9 |
| \$50,000- 74,999 | 224 | 285,727 | 222 | 97.6 | 94.3-0100 | | | | 2 | 2.4 | 00.0-05.7 |
| \$75,000+ | 354 | 475,779 | 344 | 96.4 | 93.1-99.7 | 3 | 1.7 | 00.0-04.6 | 7 | 1.9 | 00.1-03.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3090 | 2,440,098 | 2985 | 96.6 | 95.6-97.6 | 68 | 2.2 | 01.4-03.0 | 37 | 1.2 | 00.6-01.8 |
| White/Non-Hisp | 2547 | 1,869,558 | 2465 | 97.0 | 96.0-98.0 | 53 | 1.8 | 01.0-02.6 | 29 | 1.2 | 00.6-01.8 |
| Black or Afr. Am./Non-Hisp | 416 | 415,271 | 402 | 95.2 | 91.7-98.7 | 12 | 3.8 | 00.9-06.7 | 2 | 1.1 | 00.0-03.1 |
| Oth. Race/Non-Hisp. | 50 | 64,053 | 48 | 96.0 | 89.5-0100 | 1 | 3.2 | 00.0-09.5 | 1 | 0.8 | 00.0-02.4 |
| 18-24 | 98 | 267,327 | 94 | 96.4 | 92.3-0100 | 4 | 3.6 | 00.0-07.7 | | | |
| 25-34 | 210 | 369,890 | 203 | 95.7 | 92.2-99.2 | 3 | 1.4 | 00.0-03.2 | 4 | 2.9 | 00.0-05.8 |
| 35-44 | 289 | 394,754 | 283 | 97.2 | 94.3-0100 | 4 | 1.6 | 00.0-03.6 | 2 | 1.2 | 00.0-03.4 |
| 45-54 | 477 | 419,624 | 466 | 97.3 | 95.3-99.3 | 8 | 2.4 | 00.4-04.4 | 3 | 0.3 | 00.0-00.7 |
| 55-64 | 678 | 412,471 | 658 | 97.8 | 96.6-99.0 | 13 | 1.4 | 00.4-02.4 | 7 | 0.8 | 00.0-01.6 |
| 65+ | 1291 | 551,115 | 1244 | 96.3 | 94.7-97.9 | 33 | 2.7 | 01.1-04.3 | 14 | 1.0 | 00.2-01.8 |
| Less Than H.S. | 410 | 401,111 | 391 | 96.5 | 94.1-98.9 | 18 | 3.1 | 00.9-05.3 | 1 | 0.4 | 00.0-01.2 |
| H.S. or G.E.D. | 1096 | 838,509 | 1050 | 95.8 | 93.8-97.8 | 32 | 3.3 | 01.5-05.1 | 14 | 0.9 | 00.1-01.7 |
| Some Post-H.S. | 763 | 700,163 | 748 | 97.2 | 95.2-99.2 | 10 | 1.3 | 00.3-02.3 | 5 | 1.5 | 00.0-03.3 |
| College Graduate | 806 | 493,998 | 784 | 97.4 | 95.8-99.0 | 8 | 0.9 | 00.0-01.9 | 14 | 1.7 | 00.5-02.9 |
| Less than \$15,000 | 460 | 341,166 | 446 | 98.1 | 96.5-99.7 | 11 | 1.7 | 00.3-03.1 | 3 | 0.2 | 00.0-00.4 |
| \$15,000- 24,999 | 568 | 442,660 | 547 | 95.0 | 92.1-97.9 | 17 | 3.4 | 01.2-05.6 | 4 | 1.5 | 00.0-03.5 |
| \$25,000- 34,999 | 323 | 232,881 | 316 | 97.7 | 95.5-99.9 | 5 | 2.0 | 00.0-04.2 | 2 | 0.4 | 00.0-01.0 |
| \$35,000- 49,999 | 319 | 257,394 | 313 | 98.0 | 96.0-0100 | 4 | 1.6 | 00.0-03.4 | 2 | 0.4 | 00.0-01.0 |
| \$50,000- 74,999 | 287 | 249,923 | 279 | 96.3 | 92.6-0100 | 4 | 0.7 | 00.0-01.5 | 4 | 3.0 | 00.0-06.7 |
| \$75,000+ | 427 | 388,428 | 421 | 99.0 | 98.0-0100 | 2 | 0.4 | 00.0-01.0 | 4 | 0.6 | 00.0-01.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|------|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5050 | 4,999,699 | 4760 | 93.6 | 92.6-94.6 | 120 | 2.7 | 01.9-03.5 | 170 | 3.7 | 02.9-04.5 |
| Male | 1844 | 2,401,792 | 1735 | 92.9 | 91.1-94.7 | 51 | 3.3 | 02.1-04.5 | 58 | 3.8 | 02.6-05.0 |
| Female | 3206 | 2,597,908 | 3025 | 94.3 | 93.1-95.5 | 69 | 2.2 | 01.4-03.0 | 112 | 3.5 | 02.5-04.5 |
| White/Non-Hisp | 4181 | 3,813,012 | 3967 | 94.8 | 93.8-95.8 | 89 | 2.1 | 01.5-02.7 | 125 | 3.0 | 02.2-03.8 |
| Black or Afr. Am./Non-Hisp | 616 | 785,360 | 571 | 90.8 | 87.3-94.3 | 15 | 3.4 | 00.9-05.9 | 30 | 5.7 | 03.2-08.2 |
| Oth. Race/Non-Hisp. | 94 | 125,408 | 85 | 89.4 | 81.2-97.6 | 4 | 4.9 | 00.0-10.8 | 5 | 5.7 | 00.0-12.0 |
| Hispanic | 60 | 140,056 | 49 | 78.4 | 65.9-90.9 | 7 | 13.3 | 02.7-23.9 | 4 | 8.3 | 00.3-16.3 |
| 18-24 | 204 | 619,098 | 185 | 92.1 | 88.0-96.2 | 9 | 4.5 | 01.2-07.8 | 10 | 3.4 | 01.0-05.8 |
| 25-34 | 402 | 843,632 | 372 | 91.7 | 88.4-95.0 | 16 | 4.5 | 02.0-07.0 | 14 | 3.9 | 01.7-06.1 |
| 35-44 | 473 | 823,777 | 448 | 92.9 | 89.8-96.0 | 6 | 1.7 | 00.1-03.3 | 19 | 5.4 | 02.7-08.1 |
| 45-54 | 799 | 867,686 | 762 | 95.3 | 93.5-97.1 | 12 | 1.5 | 00.5-02.5 | 25 | 3.2 | 01.6-04.8 |
| 55-64 | 1139 | 816,178 | 1089 | 95.3 | 93.7-96.9 | 21 | 2.0 | 01.0-03.0 | 29 | 2.7 | 01.5-03.9 |
| 65+ | 1969 | 992,639 | 1865 | 94.9 | 93.5-96.3 | 55 | 2.7 | 01.7-03.7 | 49 | 2.3 | 01.5-03.1 |
| Less Than H.S. | 642 | 797,641 | 603 | 93.6 | 90.7-96.5 | 28 | 3.9 | 01.7-06.1 | 11 | 2.5 | 00.5-04.5 |
| H.S. or G.E.D. | 1732 | 1,664,637 | 1631 | 93.8 | 92.0-95.6 | 45 | 2.6 | 01.2-04.0 | 56 | 3.5 | 02.1-04.9 |
| Some Post-H.S. | 1237 | 1,445,265 | 1174 | 94.3 | 92.3-96.3 | 24 | 2.2 | 01.0-03.4 | 39 | 3.6 | 02.2-05.0 |
| College Graduate | 1419 | 1,074,374 | 1339 | 93.3 | 91.3-95.3 | 22 | 2.5 | 01.1-03.9 | 58 | 4.2 | 02.6-05.8 |
| Less than \$15,000 | 678 | 588,475 | 640 | 93.5 | 90.4-96.6 | 22 | 3.4 | 01.0-05.8 | 16 | 3.1 | 01.1-05.1 |
| \$15,000- 24,999 | 865 | 822,506 | 823 | 94.6 | 92.4-96.8 | 22 | 2.9 | 01.1-04.7 | 20 | 2.4 | 01.0-03.8 |
| \$25,000- 34,999 | 528 | 505,144 | 515 | 96.0 | 93.6-98.4 | 8 | 2.9 | 00.7-05.1 | 5 | 1.1 | 00.0-02.3 |
| \$35,000- 49,999 | 607 | 640,915 | 590 | 97.6 | 96.2-99.0 | 5 | 1.0 | 00.0-02.2 | 12 | 1.4 | 00.4-02.4 |
| \$50,000- 74,999 | 532 | 572,233 | 512 | 95.6 | 93.1-98.1 | 6 | 1.6 | 00.0-03.2 | 14 | 2.8 | 00.8-04.8 |
| \$75,000+ | 830 | 944,277 | 797 | 95.3 | 93.3-97.3 | 9 | 1.5 | 00.1-02.9 | 24 | 3.3 | 01.7-04.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1844 | 2,401,792 | 1735 | 92.9 | 91.1-94.7 | 51 | 3.3 | 02.1-04.5 | 58 | 3.8 | 02.6-05.0 |
| White/Non-Hisp | 1542 | 1,832,880 | 1460 | 94.1 | 92.5-95.7 | 36 | 2.5 | 01.5-03.5 | 46 | 3.4 | 02.0-04.8 |
| Black or Afr. Am./Non-Hisp | 190 | 358,108 | 175 | 90.4 | 84.3-96.5 | 6 | 3.7 | 00.0-08.2 | 9 | 5.9 | 01.4-10.4 |
| 18-24 | 91 | 311,489 | 83 | 92.4 | 86.3-98.5 | 4 | 4.5 | 00.0-09.8 | 4 | 3.1 | 00.0-06.2 |
| 25-34 | 165 | 422,793 | 146 | 89.1 | 83.6-94.6 | 11 | 6.9 | 02.4-11.4 | 8 | 4.0 | 00.9-07.1 |
| 35-44 | 172 | 406,327 | 157 | 89.9 | 84.4-95.4 | 4 | 2.1 | 00.0-04.3 | 11 | 8.0 | 02.9-13.1 |
| 45-54 | 303 | 428,557 | 291 | 96.0 | 93.6-98.4 | 2 | 0.7 | 00.0-01.7 | 10 | 3.3 | 01.1-05.5 |
| 55-64 | 441 | 390,063 | 422 | 95.4 | 92.9-97.9 | 11 | 2.6 | 00.6-04.6 | 8 | 1.9 | 00.1-03.7 |
| 65+ | 659 | 434,320 | 629 | 94.9 | 92.5-97.3 | 18 | 3.0 | 01.0-05.0 | 12 | 2.1 | 00.7-03.5 |
| Less Than H.S. | 227 | 386,177 | 209 | 91.3 | 86.2-96.4 | 12 | 5.7 | 01.6-09.8 | 6 | 3.1 | 00.0-06.4 |
| H.S. or G.E.D. | 609 | 791,940 | 572 | 93.1 | 90.0-96.2 | 18 | 3.0 | 00.6-05.4 | 19 | 3.8 | 01.6-06.0 |
| Some Post-H.S. | 437 | 690,665 | 415 | 93.8 | 90.7-96.9 | 12 | 2.8 | 00.6-05.0 | 10 | 3.4 | 01.0-05.8 |
| College Graduate | 567 | 523,129 | 538 | 94.1 | 91.4-96.8 | 8 | 2.1 | 00.3-03.9 | 21 | 3.8 | 01.6-06.0 |
| Less than \$15,000 | 209 | 239,315 | 197 | 92.9 | 87.0-98.8 | 8 | 4.1 | 00.0-09.2 | 4 | 3.0 | 00.0-06.3 |
| \$15,000- 24,999 | 282 | 359,718 | 258 | 91.3 | 87.2-95.4 | 15 | 4.8 | 01.9-07.7 | 9 | 3.9 | 00.8-07.0 |
| \$25,000- 34,999 | 192 | 252,026 | 186 | 94.9 | 90.8-99.0 | 6 | 5.1 | 01.0-09.2 | | | |
| \$35,000- 49,999 | 270 | 360,218 | 262 | 97.2 | 94.8-99.6 | 4 | 1.7 | 00.0-03.7 | 4 | 1.2 | 00.0-02.4 |
| \$50,000- 74,999 | 234 | 303,590 | 230 | 97.7 | 95.0-0100 | 2 | 1.2 | 00.0-03.4 | 2 | 1.1 | 00.0-02.7 |
| \$75,000+ | 378 | 518,254 | 360 | 94.7 | 91.6-97.8 | 5 | 1.5 | 00.0-03.5 | 13 | 3.7 | 01.3-06.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3206 | 2,597,908 | 3025 | 94.3 | 93.1-95.5 | 69 | 2.2 | 01.4-03.0 | 112 | 3.5 | 02.5-04.5 |
| White/Non-Hisp | 2639 | 1,980,132 | 2507 | 95.5 | 94.3-96.7 | 53 | 1.8 | 01.0-02.6 | 79 | 2.7 | 01.9-03.5 |
| Black or Afr. Am./Non-Hisp | 426 | 427,251 | 396 | 91.2 | 87.3-95.1 | 9 | 3.2 | 00.5-05.9 | 21 | 5.6 | 02.7-08.5 |
| Oth. Race/Non-Hisp. | 54 | 71,645 | 46 | 86.0 | 74.2-97.8 | 3 | 4.1 | 00.0-09.6 | 5 | 10.0 | 00.0-20.6 |
| 18-24 | 113 | 307,609 | 102 | 91.8 | 86.5-97.1 | 5 | 4.4 | 00.3-08.5 | 6 | 3.8 | 00.5-07.1 |
| 25-34 | 237 | 420,839 | 226 | 94.2 | 90.5-97.9 | 5 | 2.1 | 00.1-04.1 | 6 | 3.7 | 00.6-06.8 |
| 35-44 | 301 | 417,450 | 291 | 95.8 | 92.7-98.9 | 2 | 1.3 | 00.0-03.3 | 8 | 2.9 | 00.4-05.4 |
| 45-54 | 496 | 439,129 | 471 | 94.7 | 92.2-97.2 | 10 | 2.2 | 00.6-03.8 | 15 | 3.1 | 01.1-05.1 |
| 55-64 | 698 | 426,115 | 667 | 95.1 | 93.1-97.1 | 10 | 1.4 | 00.4-02.4 | 21 | 3.4 | 01.6-05.2 |
| 65+ | 1310 | 558,318 | 1236 | 95.0 | 93.4-96.6 | 37 | 2.5 | 01.3-03.7 | 37 | 2.5 | 01.5-03.5 |
| Less Than H.S. | 415 | 411,464 | 394 | 95.8 | 93.1-98.5 | 16 | 2.3 | 00.7-03.9 | 5 | 1.9 | 00.0-04.3 |
| H.S. or G.E.D. | 1123 | 872,697 | 1059 | 94.5 | 92.5-96.5 | 27 | 2.3 | 00.9-03.7 | 37 | 3.3 | 01.7-04.9 |
| Some Post-H.S. | 800 | 754,600 | 759 | 94.7 | 92.5-96.9 | 12 | 1.6 | 00.2-03.0 | 29 | 3.7 | 01.9-05.5 |
| College Graduate | 852 | 551,245 | 801 | 92.5 | 89.8-95.2 | 14 | 2.9 | 00.9-04.9 | 37 | 4.6 | 02.4-06.8 |
| Less than \$15,000 | 469 | 349,160 | 443 | 93.9 | 90.6-97.2 | 14 | 3.0 | 00.8-05.2 | 12 | 3.2 | 00.7-05.7 |
| \$15,000- 24,999 | 583 | 462,788 | 565 | 97.2 | 95.0-99.4 | 7 | 1.5 | 00.0-03.5 | 11 | 1.3 | 00.1-02.5 |
| \$25,000- 34,999 | 336 | 253,118 | 329 | 97.1 | 94.6-99.6 | 2 | 0.7 | 00.0-01.7 | 5 | 2.2 | 00.0-04.6 |
| \$35,000- 49,999 | 337 | 280,697 | 328 | 98.2 | 96.6-99.8 | 1 | 0.1 | 00.0-00.3 | 8 | 1.7 | 00.1-03.3 |
| \$50,000- 74,999 | 298 | 268,643 | 282 | 93.2 | 88.7-97.7 | 4 | 2.0 | 00.0-04.5 | 12 | 4.8 | 01.1-08.5 |
| \$75,000+ | 452 | 426,023 | 437 | 95.9 | 93.4-98.4 | 4 | 1.4 | 00.0-03.0 | 11 | 2.7 | 00.5-04.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3483 | 2,497,407 | 201 | 5.0 | 04.0-06.0 | 3282 | 95.0 | 94.0-96.0 |
| Male | 1159 | 1,066,978 | 79 | 5.1 | 03.3-06.9 | 1080 | 94.9 | 93.1-96.7 |
| Female | 2324 | 1,430,429 | 122 | 4.9 | 03.7-06.1 | 2202 | 95.1 | 93.9-96.3 |
| White/Non-Hisp | 2929 | 1,989,511 | 170 | 4.6 | 03.6-05.6 | 2759 | 95.4 | 94.4-96.4 |
| Black or Afr. Am./Non-Hisp | 415 | 361,771 | 24 | 6.8 | 02.5-11.1 | 391 | 93.2 | 88.9-97.5 |
| Oth. Race/Non-Hisp. | 54 | 49,398 | 2 | 6.2 | 00.0-14.6 | 52 | 93.8 | 85.4-0100 |
| 25-34 | 148 | 244,525 | 5 | 5.6 | 00.0-11.5 | 143 | 94.4 | 88.5-0100 |
| 35-44 | 244 | 344,897 | 17 | 5.9 | 02.8-09.0 | 227 | 94.1 | 91.0-97.2 |
| 45-54 | 508 | 468,674 | 28 | 5.2 | 02.7-07.7 | 480 | 94.8 | 92.3-97.3 |
| 55-64 | 827 | 525,717 | 46 | 4.2 | 02.8-05.6 | 781 | 95.8 | 94.4-97.2 |
| 65+ | 1663 | 751,256 | 100 | 5.5 | 04.1-06.9 | 1563 | 94.5 | 93.1-95.9 |
| Less Than H.S. | 460 | 378,347 | 15 | 1.9 | 00.7-03.1 | 445 | 98.1 | 96.9-99.3 |
| H.S. or G.E.D. | 1202 | 859,912 | 50 | 3.8 | 02.0-05.6 | 1152 | 96.2 | 94.4-98.0 |
| Some Post-H.S. | 788 | 644,300 | 59 | 6.1 | 04.1-08.1 | 729 | 93.9 | 91.9-95.9 |
| College Graduate | 1022 | 611,476 | 77 | 7.2 | 05.0-09.4 | 945 | 92.8 | 90.6-95.0 |
| Less than \$15,000 | 458 | 242,286 | 20 | 4.1 | 01.7-06.5 | 438 | 95.9 | 93.5-98.3 |
| \$15,000- 24,999 | 601 | 394,985 | 30 | 4.6 | 02.4-06.8 | 571 | 95.4 | 93.2-97.6 |
| \$25,000- 34,999 | 356 | 229,234 | 18 | 4.3 | 01.9-06.7 | 338 | 95.7 | 93.3-98.1 |
| \$35,000- 49,999 | 415 | 312,639 | 23 | 6.1 | 01.6-10.6 | 392 | 93.9 | 89.4-98.4 |
| \$50,000- 74,999 | 372 | 328,362 | 22 | 5.0 | 02.1-07.9 | 350 | 95.0 | 92.1-97.9 |
| \$75,000+ | 544 | 497,317 | 50 | 6.8 | 04.3-09.3 | 494 | 93.2 | 90.7-95.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1159 | 1,066,978 | 79 | 5.1 | 03.3-06.9 | 1080 | 94.9 | 93.1-96.7 |
| White/Non-Hisp | 994 | 854,266 | 75 | 5.3 | 03.7-06.9 | 919 | 94.7 | 93.1-96.3 |
| Black or Afr. Am./Non-Hisp | 105 | 130,764 | 2 | 5.2 | 00.0-14.8 | 103 | 94.8 | 85.2-0100 |
| 35-44 | 77 | 155,942 | 7 | 5.9 | 01.2-10.6 | 70 | 94.1 | 89.4-98.8 |
| 45-54 | 186 | 214,176 | 12 | 5.1 | 01.8-08.4 | 174 | 94.9 | 91.6-98.2 |
| 55-64 | 285 | 220,838 | 16 | 3.3 | 01.3-05.3 | 269 | 96.7 | 94.7-98.7 |
| 65+ | 533 | 307,743 | 43 | 6.5 | 04.0-09.0 | 490 | 93.5 | 91.0-96.0 |
| Less Than H.S. | 149 | 155,277 | 4 | 1.1 | 00.0-02.5 | 145 | 98.9 | 97.5-0100 |
| H.S. or G.E.D. | 380 | 366,958 | 17 | 4.0 | 00.3-07.7 | 363 | 96.0 | 92.3-99.7 |
| Some Post-H.S. | 245 | 270,999 | 25 | 6.1 | 03.0-09.2 | 220 | 93.9 | 90.8-97.0 |
| College Graduate | 385 | 273,743 | 33 | 7.7 | 04.4-11.0 | 352 | 92.3 | 89.0-95.6 |
| Less than \$15,000 | 133 | 96,336 | 6 | 1.8 | 00.0-03.8 | 127 | 98.2 | 96.2-0100 |
| \$15,000- 24,999 | 176 | 151,889 | 11 | 4.7 | 01.0-08.4 | 165 | 95.3 | 91.6-99.0 |
| \$25,000- 34,999 | 117 | 95,479 | 6 | 3.7 | 00.6-06.8 | 111 | 96.3 | 93.2-99.4 |
| \$35,000- 49,999 | 174 | 160,324 | 10 | 8.0 | 00.0-16.0 | 164 | 92.0 | 84.0-0100 |
| \$50,000- 74,999 | 150 | 156,451 | 10 | 5.4 | 01.3-09.5 | 140 | 94.6 | 90.5-98.7 |
| \$75,000+ | 225 | 246,304 | 23 | 5.2 | 02.5-07.9 | 202 | 94.8 | 92.1-97.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2324 | 1,430,429 | 122 | 4.9 | 03.7-06.1 | 2202 | 95.1 | 93.9-96.3 |
| White/Non-Hisp | 1935 | 1,135,245 | 95 | 4.0 | 02.8-05.2 | 1840 | 96.0 | 94.8-97.2 |
| Black or Afr. Am./Non-Hisp | 310 | 231,007 | 22 | 7.7 | 03.4-12.0 | 288 | 92.3 | 88.0-96.6 |
| 25-34 | 99 | 147,819 | 4 | 4.7 | 00.0-09.4 | 95 | 95.3 | 90.6-0100 |
| 35-44 | 167 | 188,955 | 10 | 5.9 | 01.6-10.2 | 157 | 94.1 | 89.8-98.4 |
| 45-54 | 322 | 254,499 | 16 | 5.3 | 01.6-09.0 | 306 | 94.7 | 91.0-98.4 |
| 55-64 | 542 | 304,879 | 30 | 4.9 | 02.7-07.1 | 512 | 95.1 | 92.9-97.3 |
| 65+ | 1130 | 443,513 | 57 | 4.8 | 03.2-06.4 | 1073 | 95.2 | 93.6-96.8 |
| Less Than H.S. | 311 | 223,069 | 11 | 2.5 | 00.7-04.3 | 300 | 97.5 | 95.7-99.3 |
| H.S. or G.E.D. | 822 | 492,954 | 33 | 3.7 | 01.9-05.5 | 789 | 96.3 | 94.5-98.1 |
| Some Post-H.S. | 543 | 373,300 | 34 | 6.1 | 03.4-08.8 | 509 | 93.9 | 91.2-96.6 |
| College Graduate | 637 | 337,733 | 44 | 6.9 | 03.8-10.0 | 593 | 93.1 | 90.0-96.2 |
| Less than \$15,000 | 325 | 145,950 | 14 | 5.6 | 01.9-09.3 | 311 | 94.4 | 90.7-98.1 |
| \$15,000- 24,999 | 425 | 243,095 | 19 | 4.6 | 01.9-07.3 | 406 | 95.4 | 92.7-98.1 |
| \$25,000- 34,999 | 239 | 133,755 | 12 | 4.7 | 01.4-08.0 | 227 | 95.3 | 92.0-98.6 |
| \$35,000- 49,999 | 241 | 152,315 | 13 | 4.1 | 01.2-07.0 | 228 | 95.9 | 93.0-98.8 |
| \$50,000- 74,999 | 222 | 171,912 | 12 | 4.7 | 00.8-08.6 | 210 | 95.3 | 91.4-99.2 |
| \$75,000+ | 319 | 251,013 | 27 | 8.3 | 04.2-12.4 | 292 | 91.7 | 87.6-95.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Four Numbers | | | Five Numbers | | | Six or More Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 194 | 118,703 | 120 | 75.5 | 68.6-82.4 | 57 | 19.5 | 13.4-25.6 | 13 | 3.6 | 00.7-06.5 | 2 | 1.3 | 00.0-03.5 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 |
| Male | 75 | 50,256 | 40 | 66.9 | 52.4-81.4 | 26 | 24.7 | 12.4-37.0 | 6 | 5.1 | 00.0-11.2 | 2 | 3.0 | 00.0-08.3 | 1 | 0.3 | 00.0-00.9 | | | |
| Female | 119 | 68,447 | 80 | 81.9 | 74.8-89.0 | 31 | 15.6 | 08.7-22.5 | 7 | 2.4 | 00.0-04.8 | | | | | | | 1 | 0.1 | 00.0-00.3 |
| White/Non-Hisp | 165 | 88,547 | 100 | 70.7 | 62.9-78.5 | 48 | 22.6 | 15.5-29.7 | 13 | 4.8 | 01.1-08.5 | 2 | 1.7 | 00.0-04.6 | 1 | 0.2 | 00.0-00.6 | 1 | 0.1 | 00.0-00.3 |
| 65+ | 97 | 39,555 | 57 | 70.0 | 59.2-80.8 | 31 | 22.5 | 13.5-31.5 | 6 | 3.3 | 00.0-06.6 | 2 | 3.8 | 00.0-10.3 | 1 | 0.4 | 00.0-01.2 | | | |
| Some Post-H.S. | 58 | 37,583 | 31 | 66.0 | 51.7-80.3 | 23 | 28.2 | 15.3-41.1 | 3 | 2.3 | 00.0-06.0 | 1 | 3.5 | 00.0-10.2 | | | | | | |
| College Graduate | 72 | 42,220 | 44 | 74.9 | 62.9-86.9 | 22 | 20.0 | 08.6-31.4 | 4 | 4.5 | 00.0-11.0 | 1 | 0.4 | 00.0-01.4 | | | | 1 | 0.1 | 00.0-00.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Four Numbers | | | Five Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 75 | 50,256 | 40 | 66.9 | 56.1-77.7 | 26 | 24.7 | 14.5-34.9 | 6 | 5.1 | 00.0-11.0 | 2 | 3.0 | 00.0-08.3 | 1 | 0.3 | 00.0-00.9 |
| White/Non-Hisp | 72 | 43,317 | 38 | 61.9 | 49.2-74.6 | 25 | 28.4 | 16.4-40.4 | 6 | 5.9 | 00.0-12.8 | 2 | 3.5 | 00.0-09.6 | 1 | 0.3 | 00.0-00.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Six or More Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 119 | 68,447 | 80 | 81.9 | 75.0-88.8 | 31 | 15.6 | 08.9-22.3 | 7 | 2.4 | 00.0-04.8 | 1 | 0.1 | 00.0-00.3 |
| White/Non-Hisp | 93 | 45,231 | 62 | 79.2 | 71.0-87.4 | 23 | 17.0 | 09.4-24.6 | 7 | 3.7 | 00.2-07.2 | 1 | 0.1 | 00.0-00.3 |
| 65+ | 56 | 21,243 | 37 | 76.6 | 65.8-87.4 | 17 | 22.1 | 11.7-32.5 | 2 | 1.3 | 00.0-03.1 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3473 | 2,497,191 | 2741 | 90.2 | 89.0-91.4 | 732 | 9.8 | 08.6-11.0 |
| Male | 1155 | 1,067,563 | 896 | 89.0 | 86.6-91.4 | 259 | 11.0 | 08.6-13.4 |
| Female | 2318 | 1,429,628 | 1845 | 91.2 | 90.0-92.4 | 473 | 8.8 | 07.6-10.0 |
| White/Non-Hisp | 2926 | 1,992,451 | 2342 | 91.1 | 90.1-92.1 | 584 | 8.9 | 07.9-09.9 |
| Black or Afr. Am./Non-Hisp | 412 | 360,832 | 301 | 89.9 | 86.6-93.2 | 111 | 10.1 | 06.8-13.4 |
| Oth. Race/Non-Hisp. | 53 | 49,282 | 37 | 81.3 | 70.3-92.3 | 16 | 18.7 | 07.7-29.7 |
| 25-34 | 147 | 243,907 | 129 | 93.8 | 90.5-97.1 | 18 | 6.2 | 02.9-09.5 |
| 35-44 | 245 | 348,046 | 208 | 92.0 | 88.5-95.5 | 37 | 8.0 | 04.5-11.5 |
| 45-54 | 509 | 469,244 | 409 | 91.2 | 89.0-93.4 | 100 | 8.8 | 06.6-11.0 |
| 55-64 | 826 | 525,558 | 679 | 91.1 | 89.1-93.1 | 147 | 8.9 | 06.9-10.9 |
| 65+ | 1658 | 750,586 | 1247 | 87.5 | 85.9-89.1 | 411 | 12.5 | 10.9-14.1 |
| Less Than H.S. | 459 | 378,498 | 257 | 77.5 | 72.2-82.8 | 202 | 22.5 | 17.2-27.8 |
| H.S. or G.E.D. | 1202 | 859,790 | 886 | 88.8 | 87.0-90.6 | 316 | 11.2 | 09.4-13.0 |
| Some Post-H.S. | 785 | 643,014 | 657 | 93.4 | 91.4-95.4 | 128 | 6.6 | 04.6-08.6 |
| College Graduate | 1019 | 613,767 | 936 | 96.9 | 96.1-97.7 | 83 | 3.1 | 02.3-03.9 |
| Less than \$15,000 | 458 | 242,286 | 254 | 75.4 | 70.7-80.1 | 204 | 24.6 | 19.9-29.3 |
| \$15,000- 24,999 | 598 | 393,659 | 424 | 86.2 | 83.3-89.1 | 174 | 13.8 | 10.9-16.7 |
| \$25,000- 34,999 | 356 | 229,234 | 273 | 87.9 | 83.8-92.0 | 83 | 12.1 | 08.0-16.2 |
| \$35,000- 49,999 | 414 | 312,477 | 362 | 92.6 | 89.7-95.5 | 52 | 7.4 | 04.5-10.3 |
| \$50,000- 74,999 | 372 | 328,362 | 337 | 96.0 | 93.8-98.2 | 35 | 4.0 | 01.8-06.2 |
| \$75,000+ | 544 | 500,380 | 522 | 98.6 | 97.8-99.4 | 22 | 1.4 | 00.6-02.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1155 | 1,067,563 | 896 | 89.0 | 86.6-91.4 | 259 | 11.0 | 08.6-13.4 |
| White/Non-Hisp | 992 | 856,479 | 782 | 90.8 | 89.0-92.6 | 210 | 9.2 | 07.4-11.0 |
| Black or Afr. Am./Non-Hisp | 104 | 130,146 | 75 | 88.2 | 80.9-95.5 | 29 | 11.8 | 04.5-19.1 |
| 35-44 | 78 | 159,091 | 63 | 89.6 | 82.5-96.7 | 15 | 10.4 | 03.3-17.5 |
| 45-54 | 186 | 214,176 | 141 | 89.6 | 85.9-93.3 | 45 | 10.4 | 06.7-14.1 |
| 55-64 | 285 | 220,838 | 224 | 89.4 | 85.9-92.9 | 61 | 10.6 | 07.1-14.1 |
| 65+ | 530 | 306,807 | 404 | 88.8 | 86.3-91.3 | 126 | 11.2 | 08.7-13.7 |
| Less Than H.S. | 148 | 155,121 | 86 | 72.9 | 62.5-83.3 | 62 | 27.1 | 16.7-37.5 |
| H.S. or G.E.D. | 379 | 366,266 | 270 | 88.1 | 85.0-91.2 | 109 | 11.9 | 08.8-15.0 |
| Some Post-H.S. | 244 | 269,989 | 204 | 92.7 | 88.8-96.6 | 40 | 7.3 | 03.4-11.2 |
| College Graduate | 384 | 276,187 | 336 | 95.7 | 94.1-97.3 | 48 | 4.3 | 02.7-05.9 |
| Less than \$15,000 | 133 | 96,336 | 69 | 74.9 | 66.7-83.1 | 64 | 25.1 | 16.9-33.3 |
| \$15,000- 24,999 | 174 | 150,723 | 117 | 84.9 | 79.4-90.4 | 57 | 15.1 | 09.6-20.6 |
| \$25,000- 34,999 | 117 | 95,479 | 82 | 84.1 | 75.9-92.3 | 35 | 15.9 | 07.7-24.1 |
| \$35,000- 49,999 | 174 | 160,324 | 144 | 90.6 | 85.5-95.7 | 30 | 9.4 | 04.3-14.5 |
| \$50,000- 74,999 | 150 | 156,451 | 131 | 94.4 | 90.3-98.5 | 19 | 5.6 | 01.5-09.7 |
| \$75,000+ | 225 | 249,367 | 209 | 97.8 | 96.2-99.4 | 16 | 2.2 | 00.6-03.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2318 | 1,429,628 | 1845 | 91.2 | 90.0-92.4 | 473 | 8.8 | 07.6-10.0 |
| White/Non-Hisp | 1934 | 1,135,971 | 1560 | 91.4 | 90.2-92.6 | 374 | 8.6 | 07.4-09.8 |
| Black or Afr. Am./Non-Hisp | 308 | 230,686 | 226 | 90.9 | 87.8-94.0 | 82 | 9.1 | 06.0-12.2 |
| 25-34 | 99 | 147,819 | 88 | 95.0 | 91.3-98.7 | 11 | 5.0 | 01.3-08.7 |
| 35-44 | 167 | 188,955 | 145 | 94.1 | 91.2-97.0 | 22 | 5.9 | 03.0-08.8 |
| 45-54 | 323 | 255,069 | 268 | 92.5 | 90.0-95.0 | 55 | 7.5 | 05.0-10.0 |
| 55-64 | 541 | 304,719 | 455 | 92.4 | 90.4-94.4 | 86 | 7.6 | 05.6-09.6 |
| 65+ | 1128 | 443,779 | 843 | 86.5 | 84.5-88.5 | 285 | 13.5 | 11.5-15.5 |
| Less Than H.S. | 311 | 223,377 | 171 | 80.6 | 75.9-85.3 | 140 | 19.4 | 14.7-24.1 |
| H.S. or G.E.D. | 823 | 493,525 | 616 | 89.4 | 87.2-91.6 | 207 | 10.6 | 08.4-12.8 |
| Some Post-H.S. | 541 | 373,024 | 453 | 93.9 | 92.1-95.7 | 88 | 6.1 | 04.3-07.9 |
| College Graduate | 635 | 337,580 | 600 | 97.9 | 97.1-98.7 | 35 | 2.1 | 01.3-02.9 |
| Less than \$15,000 | 325 | 145,950 | 185 | 75.7 | 70.0-81.4 | 140 | 24.3 | 18.6-30.0 |
| \$15,000- 24,999 | 424 | 242,936 | 307 | 87.0 | 83.7-90.3 | 117 | 13.0 | 09.7-16.3 |
| \$25,000- 34,999 | 239 | 133,755 | 191 | 90.5 | 86.8-94.2 | 48 | 9.5 | 05.8-13.2 |
| \$35,000- 49,999 | 240 | 152,153 | 218 | 94.8 | 92.3-97.3 | 22 | 5.2 | 02.7-07.7 |
| \$50,000- 74,999 | 222 | 171,912 | 206 | 97.4 | 95.8-99.0 | 16 | 2.6 | 01.0-04.2 |
| \$75,000+ | 319 | 251,013 | 313 | 99.3 | 98.7-99.9 | 6 | 0.7 | 00.1-01.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4986 | 4,952,585 | 3418 | 78.1 | 76.5-79.7 | 1568 | 21.9 | 20.3-23.5 |
| Male | 1826 | 2,379,670 | 1284 | 77.8 | 75.3-80.3 | 542 | 22.2 | 19.7-24.7 |
| Female | 3160 | 2,572,915 | 2134 | 78.3 | 76.5-80.1 | 1026 | 21.7 | 19.9-23.5 |
| 18-24 | 202 | 615,874 | 190 | 96.1 | 93.2-99.0 | 12 | 3.9 | 01.0-06.8 |
| 25-34 | 394 | 830,303 | 365 | 91.4 | 87.5-95.3 | 29 | 8.6 | 04.7-12.5 |
| 35-44 | 468 | 809,462 | 427 | 89.8 | 85.9-93.7 | 41 | 10.2 | 06.3-14.1 |
| 45-54 | 792 | 862,610 | 617 | 77.3 | 73.6-81.0 | 175 | 22.7 | 19.0-26.4 |
| 55-64 | 1127 | 813,242 | 828 | 73.6 | 70.3-76.9 | 299 | 26.4 | 23.1-29.7 |
| 65+ | 1945 | 987,088 | 948 | 50.4 | 47.5-53.3 | 997 | 49.6 | 46.7-52.5 |
| Less Than H.S. | 637 | 790,448 | 176 | 44.8 | 38.7-50.9 | 461 | 55.2 | 49.1-61.3 |
| H.S. or G.E.D. | 1713 | 1,651,023 | 991 | 73.4 | 70.7-76.1 | 722 | 26.6 | 23.9-29.3 |
| Some Post-H.S. | 1220 | 1,431,109 | 958 | 88.3 | 86.3-90.3 | 262 | 11.7 | 09.7-13.7 |
| College Graduate | 1398 | 1,064,102 | 1282 | 96.1 | 95.1-97.1 | 116 | 3.9 | 02.9-04.9 |
| Less than \$15,000 | 672 | 581,265 | 270 | 57.1 | 51.6-62.6 | 402 | 42.9 | 37.4-48.4 |
| \$15,000- 24,999 | 854 | 815,488 | 464 | 63.8 | 58.9-68.7 | 390 | 36.2 | 31.3-41.1 |
| \$25,000- 34,999 | 525 | 503,514 | 345 | 75.2 | 70.3-80.1 | 180 | 24.8 | 19.9-29.7 |
| \$35,000- 49,999 | 603 | 636,740 | 488 | 85.2 | 81.9-88.5 | 115 | 14.8 | 11.5-18.1 |
| \$50,000- 74,999 | 530 | 567,502 | 471 | 92.3 | 89.6-95.0 | 59 | 7.7 | 05.0-10.4 |
| \$75,000+ | 825 | 943,286 | 797 | 97.4 | 96.0-98.8 | 28 | 2.6 | 01.2-04.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 53: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1826 | 2,379,670 | 1284 | 77.8 | 75.3-80.3 | 542 | 22.2 | 19.7-24.7 |
| 18-24 | 91 | 311,489 | 87 | 96.0 | 91.5-100.0 | 4 | 4.0 | 00.0-08.5 |
| 25-34 | 160 | 414,152 | 149 | 90.3 | 83.4-97.2 | 11 | 9.7 | 02.8-16.6 |
| 35-44 | 169 | 396,655 | 151 | 87.7 | 81.0-94.4 | 18 | 12.3 | 05.6-19.0 |
| 45-54 | 302 | 428,268 | 229 | 75.2 | 69.1-81.3 | 73 | 24.8 | 18.7-30.9 |
| 55-64 | 435 | 387,977 | 301 | 68.6 | 62.9-74.3 | 134 | 31.4 | 25.7-37.1 |
| 65+ | 656 | 432,887 | 359 | 54.5 | 49.6-59.4 | 297 | 45.5 | 40.6-50.4 |
| Less Than H.S. | 225 | 381,717 | 65 | 42.1 | 32.3-51.9 | 160 | 57.9 | 48.1-67.7 |
| H.S. or G.E.D. | 603 | 785,623 | 353 | 73.4 | 69.1-77.7 | 250 | 26.6 | 22.3-30.9 |
| Some Post-H.S. | 433 | 683,436 | 342 | 88.0 | 84.7-91.3 | 91 | 12.0 | 08.7-15.3 |
| College Graduate | 561 | 519,012 | 520 | 96.8 | 95.6-98.0 | 41 | 3.2 | 02.0-04.4 |
| Less than \$15,000 | 206 | 236,547 | 79 | 51.2 | 41.4-61.0 | 127 | 48.8 | 39.0-58.6 |
| \$15,000- 24,999 | 279 | 358,011 | 159 | 62.9 | 54.3-71.5 | 120 | 37.1 | 28.5-45.7 |
| \$25,000- 34,999 | 192 | 252,026 | 116 | 73.7 | 66.1-81.3 | 76 | 26.3 | 18.7-33.9 |
| \$35,000- 49,999 | 268 | 356,306 | 200 | 81.2 | 75.7-86.7 | 68 | 18.8 | 13.3-24.3 |
| \$50,000- 74,999 | 233 | 299,237 | 198 | 89.3 | 84.4-94.2 | 35 | 10.7 | 05.8-15.6 |
| \$75,000+ | 375 | 517,573 | 356 | 96.7 | 94.5-98.9 | 19 | 3.3 | 01.1-05.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 54: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3160 | 2,572,915 | 2134 | 78.3 | 76.5-80.1 | 1026 | 21.7 | 19.9-23.5 |
| 18-24 | 111 | 304,385 | 103 | 96.1 | 92.2-100.0 | 8 | 3.9 | 00.0-07.8 |
| 25-34 | 234 | 416,151 | 216 | 92.4 | 88.7-96.1 | 18 | 7.6 | 03.9-11.3 |
| 35-44 | 299 | 412,807 | 276 | 91.7 | 87.6-95.8 | 23 | 8.3 | 04.2-12.4 |
| 45-54 | 490 | 434,341 | 388 | 79.4 | 74.9-83.9 | 102 | 20.6 | 16.1-25.1 |
| 55-64 | 692 | 425,264 | 527 | 78.2 | 74.3-82.1 | 165 | 21.8 | 17.9-25.7 |
| 65+ | 1289 | 554,202 | 589 | 47.2 | 43.7-50.7 | 700 | 52.8 | 49.3-56.3 |
| Less Than H.S. | 412 | 408,731 | 111 | 47.3 | 39.9-54.7 | 301 | 52.7 | 45.3-60.1 |
| H.S. or G.E.D. | 1110 | 865,400 | 638 | 73.3 | 70.0-76.6 | 472 | 26.7 | 23.4-30.0 |
| Some Post-H.S. | 787 | 747,672 | 616 | 88.6 | 86.2-91.0 | 171 | 11.4 | 09.0-13.8 |
| College Graduate | 837 | 545,090 | 762 | 95.4 | 94.0-96.8 | 75 | 4.6 | 03.2-06.0 |
| Less than \$15,000 | 466 | 344,717 | 191 | 61.1 | 54.8-67.4 | 275 | 38.9 | 32.6-45.2 |
| \$15,000- 24,999 | 575 | 457,476 | 305 | 64.5 | 59.2-69.8 | 270 | 35.5 | 30.2-40.8 |
| \$25,000- 34,999 | 333 | 251,488 | 229 | 76.6 | 70.5-82.7 | 104 | 23.4 | 17.3-29.5 |
| \$35,000- 49,999 | 335 | 280,434 | 288 | 90.2 | 86.9-93.5 | 47 | 9.8 | 06.5-13.1 |
| \$50,000- 74,999 | 297 | 268,265 | 273 | 95.6 | 93.4-97.8 | 24 | 4.4 | 02.2-06.6 |
| \$75,000+ | 450 | 425,713 | 441 | 98.3 | 97.1-99.5 | 9 | 1.7 | 00.5-02.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4929 | 4,897,541 | 3623 | 70.6 | 68.8-72.4 | 981 | 21.7 | 20.1-23.3 | 325 | 7.7 | 06.5-08.9 |
| Male | 1818 | 2,367,527 | 1354 | 70.7 | 67.8-73.6 | 346 | 21.3 | 18.8-23.8 | 118 | 8.0 | 06.2-09.8 |
| Female | 3111 | 2,530,014 | 2269 | 70.6 | 68.2-73.0 | 635 | 22.0 | 19.8-24.2 | 207 | 7.4 | 06.0-08.8 |
| 18-24 | 196 | 599,638 | 48 | 37.2 | 28.6-45.8 | 91 | 38.7 | 31.3-46.1 | 57 | 24.0 | 17.5-30.5 |
| 25-34 | 394 | 830,845 | 165 | 51.2 | 45.3-57.1 | 181 | 39.4 | 33.9-44.9 | 48 | 9.4 | 06.5-12.3 |
| 35-44 | 462 | 800,011 | 280 | 67.9 | 62.8-73.0 | 139 | 24.7 | 20.2-29.2 | 43 | 7.4 | 04.9-09.9 |
| 45-54 | 789 | 858,891 | 560 | 77.1 | 73.8-80.4 | 179 | 18.1 | 15.0-21.2 | 50 | 4.9 | 03.1-06.7 |
| 55-64 | 1110 | 800,985 | 895 | 86.4 | 84.2-88.6 | 172 | 10.7 | 08.7-12.7 | 43 | 2.9 | 01.9-03.9 |
| 65+ | 1932 | 980,973 | 1635 | 90.7 | 89.3-92.1 | 214 | 6.3 | 05.1-07.5 | 83 | 3.0 | 02.2-03.8 |
| Less Than H.S. | 630 | 785,417 | 379 | 63.0 | 57.5-68.5 | 193 | 27.8 | 22.7-32.9 | 58 | 9.3 | 06.2-12.4 |
| H.S. or G.E.D. | 1695 | 1,629,966 | 1193 | 67.6 | 64.3-70.9 | 357 | 22.8 | 19.9-25.7 | 145 | 9.5 | 07.3-11.7 |
| Some Post-H.S. | 1206 | 1,415,392 | 883 | 70.1 | 66.6-73.6 | 241 | 21.9 | 18.8-25.0 | 82 | 8.0 | 05.8-10.2 |
| College Graduate | 1385 | 1,057,100 | 1157 | 81.7 | 79.0-84.4 | 188 | 15.1 | 12.6-17.6 | 40 | 3.2 | 01.8-04.6 |
| Less than \$15,000 | 669 | 581,738 | 308 | 40.9 | 35.2-46.6 | 260 | 40.9 | 35.2-46.6 | 101 | 18.2 | 13.7-22.7 |
| \$15,000- 24,999 | 853 | 810,833 | 562 | 61.7 | 56.8-66.6 | 237 | 32.1 | 27.4-36.8 | 54 | 6.2 | 03.8-08.6 |
| \$25,000- 34,999 | 524 | 500,575 | 396 | 68.8 | 62.9-74.7 | 107 | 26.0 | 20.5-31.5 | 21 | 5.2 | 02.3-08.1 |
| \$35,000- 49,999 | 604 | 640,237 | 477 | 73.6 | 68.5-78.7 | 98 | 18.8 | 14.5-23.1 | 29 | 7.6 | 04.3-10.9 |
| \$50,000- 74,999 | 527 | 565,343 | 452 | 82.6 | 77.9-87.3 | 66 | 15.2 | 10.7-19.7 | 9 | 2.2 | 00.6-03.8 |
| \$75,000+ | 824 | 941,140 | 752 | 89.7 | 87.0-92.4 | 51 | 7.0 | 04.8-09.2 | 21 | 3.3 | 01.5-05.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1818 | 2,367,527 | 1354 | 70.7 | 67.8-73.6 | 346 | 21.3 | 18.8-23.8 | 118 | 8.0 | 06.2-09.8 |
| 18-24 | 89 | 304,562 | 22 | 36.1 | 23.9-48.3 | 42 | 37.4 | 26.8-48.0 | 25 | 26.5 | 16.7-36.3 |
| 25-34 | 161 | 416,840 | 70 | 52.5 | 43.7-61.3 | 69 | 37.6 | 29.4-45.8 | 22 | 9.9 | 05.4-14.4 |
| 35-44 | 167 | 392,644 | 102 | 68.7 | 60.7-76.7 | 54 | 26.1 | 18.7-33.5 | 11 | 5.2 | 01.9-08.5 |
| 45-54 | 301 | 427,045 | 223 | 78.2 | 72.9-83.5 | 59 | 16.7 | 12.0-21.4 | 19 | 5.1 | 02.4-07.8 |
| 55-64 | 434 | 387,568 | 354 | 86.7 | 83.4-90.0 | 61 | 9.8 | 06.9-12.7 | 19 | 3.5 | 01.7-05.3 |
| 65+ | 653 | 430,626 | 571 | 92.5 | 90.3-94.7 | 61 | 5.1 | 03.3-06.9 | 21 | 2.4 | 01.0-03.8 |
| Less Than H.S. | 223 | 382,609 | 141 | 65.9 | 57.3-74.5 | 61 | 25.1 | 17.5-32.7 | 21 | 9.0 | 04.1-13.9 |
| H.S. or G.E.D. | 599 | 775,223 | 431 | 67.9 | 62.8-73.0 | 118 | 21.6 | 17.1-26.1 | 50 | 10.4 | 06.9-13.9 |
| Some Post-H.S. | 433 | 684,431 | 315 | 69.5 | 63.8-75.2 | 81 | 21.6 | 16.5-26.7 | 37 | 8.9 | 05.4-12.4 |
| College Graduate | 560 | 518,576 | 465 | 80.3 | 76.0-84.6 | 85 | 17.3 | 13.4-21.2 | 10 | 2.4 | 00.4-04.4 |
| Less than \$15,000 | 206 | 238,156 | 95 | 40.4 | 30.8-50.0 | 72 | 40.5 | 30.7-50.3 | 39 | 19.1 | 12.0-26.2 |
| \$15,000- 24,999 | 280 | 358,536 | 178 | 60.6 | 52.4-68.8 | 81 | 30.1 | 22.7-37.5 | 21 | 9.3 | 04.4-14.2 |
| \$25,000- 34,999 | 191 | 249,086 | 141 | 70.7 | 61.9-79.5 | 42 | 24.4 | 16.2-32.6 | 8 | 5.0 | 00.5-09.5 |
| \$35,000- 49,999 | 269 | 359,803 | 209 | 73.0 | 65.4-80.6 | 46 | 17.6 | 11.3-23.9 | 14 | 9.4 | 03.9-14.9 |
| \$50,000- 74,999 | 231 | 297,692 | 195 | 78.5 | 71.1-85.9 | 30 | 18.6 | 11.3-25.9 | 6 | 2.8 | 00.1-05.5 |
| \$75,000+ | 375 | 517,573 | 340 | 90.4 | 86.7-94.1 | 28 | 7.5 | 04.4-10.6 | 7 | 2.2 | 00.2-04.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3111 | 2,530,014 | 2269 | 70.6 | 68.2-73.0 | 635 | 22.0 | 19.8-24.2 | 207 | 7.4 | 06.0-08.8 |
| 18-24 | 107 | 295,076 | 26 | 38.4 | 26.2-50.6 | 49 | 40.1 | 29.3-50.9 | 32 | 21.5 | 13.3-29.7 |
| 25-34 | 233 | 414,005 | 95 | 49.9 | 42.5-57.3 | 112 | 41.2 | 34.1-48.3 | 26 | 8.8 | 05.1-12.5 |
| 35-44 | 295 | 407,366 | 178 | 67.1 | 60.8-73.4 | 85 | 23.3 | 17.8-28.8 | 32 | 9.5 | 05.8-13.2 |
| 45-54 | 488 | 431,847 | 337 | 75.9 | 71.6-80.2 | 120 | 19.4 | 15.5-23.3 | 31 | 4.7 | 02.5-06.9 |
| 55-64 | 676 | 413,417 | 541 | 86.2 | 83.5-88.9 | 111 | 11.6 | 09.1-14.1 | 24 | 2.2 | 01.0-03.4 |
| 65+ | 1279 | 550,347 | 1064 | 89.4 | 87.4-91.4 | 153 | 7.2 | 05.6-08.8 | 62 | 3.4 | 02.2-04.6 |
| Less Than H.S. | 407 | 402,808 | 238 | 60.2 | 53.1-67.3 | 132 | 30.3 | 23.6-37.0 | 37 | 9.5 | 05.4-13.6 |
| H.S. or G.E.D. | 1096 | 854,743 | 762 | 67.4 | 63.3-71.5 | 239 | 23.9 | 20.2-27.6 | 95 | 8.7 | 06.3-11.1 |
| Some Post-H.S. | 773 | 730,961 | 568 | 70.7 | 66.2-75.2 | 160 | 22.1 | 18.2-26.0 | 45 | 7.2 | 04.5-09.9 |
| College Graduate | 825 | 538,524 | 692 | 83.0 | 79.5-86.5 | 103 | 13.0 | 09.9-16.1 | 30 | 4.0 | 02.2-05.8 |
| Less than \$15,000 | 463 | 343,581 | 213 | 41.2 | 34.5-47.9 | 188 | 41.2 | 34.5-47.9 | 62 | 17.6 | 11.9-23.3 |
| \$15,000- 24,999 | 573 | 452,297 | 384 | 62.7 | 56.8-68.6 | 156 | 33.6 | 27.9-39.3 | 33 | 3.7 | 02.1-05.3 |
| \$25,000- 34,999 | 333 | 251,488 | 255 | 67.0 | 59.6-74.4 | 65 | 27.6 | 20.5-34.7 | 13 | 5.4 | 01.9-08.9 |
| \$35,000- 49,999 | 335 | 280,434 | 268 | 74.4 | 68.1-80.7 | 52 | 20.4 | 14.7-26.1 | 15 | 5.2 | 02.1-08.3 |
| \$50,000- 74,999 | 296 | 267,651 | 257 | 87.1 | 82.0-92.2 | 36 | 11.4 | 06.5-16.3 | 3 | 1.5 | 00.0-03.3 |
| \$75,000+ | 449 | 423,568 | 412 | 89.0 | 84.9-93.1 | 23 | 6.3 | 03.2-09.4 | 14 | 4.7 | 02.0-07.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Males | | | Females | | |
|----------------------------|-------------------|-----------|-------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5142 | 5,067,014 | 1881 | 48.1 | 46.1-50.1 | 3261 | 51.9 | 49.9-53.9 |
| White/Non-Hisp | 4255 | 3,858,848 | 1572 | 48.1 | 45.9-50.3 | 2683 | 51.9 | 49.7-54.1 |
| Black or Afr. Am./Non-Hisp | 627 | 796,667 | 193 | 45.6 | 39.7-51.5 | 434 | 54.4 | 48.5-60.3 |
| Oth. Race/Non-Hisp. | 97 | 127,249 | 41 | 43.0 | 30.3-55.7 | 56 | 57.0 | 44.3-69.7 |
| Hispanic | 61 | 147,753 | 30 | 61.5 | 47.4-75.6 | 31 | 38.5 | 24.4-52.6 |
| 18-24 | 206 | 628,213 | 93 | 51.0 | 43.0-59.0 | 113 | 49.0 | 41.0-57.0 |
| 25-34 | 405 | 851,588 | 165 | 49.6 | 43.9-55.3 | 240 | 50.4 | 44.7-56.1 |
| 35-44 | 481 | 831,703 | 176 | 49.4 | 43.7-55.1 | 305 | 50.6 | 44.9-56.3 |
| 45-54 | 820 | 884,385 | 310 | 49.2 | 44.7-53.7 | 510 | 50.8 | 46.3-55.3 |
| 55-64 | 1158 | 829,938 | 451 | 48.3 | 44.6-52.0 | 707 | 51.7 | 48.0-55.4 |
| 65+ | 2005 | 1,003,750 | 670 | 43.8 | 40.9-46.7 | 1335 | 56.2 | 53.3-59.1 |
| Less Than H.S. | 650 | 803,733 | 231 | 48.4 | 42.5-54.3 | 419 | 51.6 | 45.7-57.5 |
| H.S. or G.E.D. | 1762 | 1,683,439 | 621 | 47.9 | 44.4-51.4 | 1141 | 52.1 | 48.6-55.6 |
| Some Post-H.S. | 1256 | 1,460,942 | 444 | 47.9 | 44.0-51.8 | 812 | 52.1 | 48.2-56.0 |
| College Graduate | 1432 | 1,081,060 | 574 | 48.7 | 45.2-52.2 | 858 | 51.3 | 47.8-54.8 |
| Less than \$15,000 | 682 | 592,979 | 212 | 41.0 | 35.3-46.7 | 470 | 59.0 | 53.3-64.7 |
| \$15,000- 24,999 | 870 | 826,294 | 286 | 44.0 | 38.9-49.1 | 584 | 56.0 | 50.9-61.1 |
| \$25,000- 34,999 | 530 | 505,793 | 192 | 49.8 | 43.5-56.1 | 338 | 50.2 | 43.9-56.5 |
| \$35,000- 49,999 | 609 | 642,907 | 270 | 56.0 | 50.5-61.5 | 339 | 44.0 | 38.5-49.5 |
| \$50,000- 74,999 | 535 | 575,451 | 237 | 53.3 | 47.4-59.2 | 298 | 46.7 | 40.8-52.6 |
| \$75,000+ | 835 | 945,763 | 380 | 54.9 | 50.2-59.6 | 455 | 45.1 | 40.4-49.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 640 | 1,123,694 | 26 | 5.6 | 03.2-08.0 | 614 | 94.4 | 92.0-96.8 |
| White/Non-Hisp | 487 | 785,524 | 18 | 4.9 | 02.5-07.3 | 469 | 95.1 | 92.7-97.5 |
| Black or Afr. Am./Non-Hisp | 102 | 217,409 | 4 | 4.8 | 00.0-10.3 | 98 | 95.2 | 89.7-0100 |
| 18-24 | 111 | 304,385 | 8 | 7.5 | 02.0-13.0 | 103 | 92.5 | 87.0-98.0 |
| 25-34 | 231 | 409,187 | 17 | 9.1 | 04.4-13.8 | 214 | 90.9 | 86.2-95.6 |
| 35-44 | 298 | 410,123 | 1 | 0.8 | 00.0-02.4 | 297 | 99.2 | 97.6-0100 |
| H.S. or G.E.D. | 209 | 382,260 | 10 | 6.5 | 02.4-10.6 | 199 | 93.5 | 89.4-97.6 |
| Some Post-H.S. | 176 | 344,145 | 10 | 7.6 | 02.5-12.7 | 166 | 92.4 | 87.3-97.5 |
| College Graduate | 209 | 268,307 | 5 | 3.2 | 00.1-06.3 | 204 | 96.8 | 93.7-99.9 |
| Less than \$15,000 | 92 | 166,508 | 3 | 4.5 | 00.0-10.0 | 89 | 95.5 | 90.0-0100 |
| \$15,000- 24,999 | 107 | 191,092 | 3 | 5.6 | 00.0-12.1 | 104 | 94.4 | 87.9-0100 |
| \$25,000- 34,999 | 67 | 106,876 | 3 | 4.2 | 00.0-09.1 | 64 | 95.8 | 90.9-0100 |
| \$35,000- 49,999 | 77 | 126,785 | 6 | 11.3 | 01.7-20.9 | 71 | 88.7 | 79.1-98.3 |
| \$50,000- 74,999 | 70 | 122,995 | 3 | 6.1 | 00.0-13.4 | 67 | 93.9 | 86.6-0100 |
| \$75,000+ | 122 | 200,752 | 3 | 3.0 | 00.0-06.3 | 119 | 97.0 | 93.7-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4909 | 4,886,444 | 1518 | 25.9 | 24.1-27.7 | 3391 | 74.1 | 72.3-75.9 |
| Male | 1800 | 2,355,923 | 519 | 24.2 | 21.5-26.9 | 1281 | 75.8 | 73.1-78.5 |
| Female | 3109 | 2,530,521 | 999 | 27.4 | 25.2-29.6 | 2110 | 72.6 | 70.4-74.8 |
| 18-24 | 201 | 611,886 | 24 | 13.2 | 07.3-19.1 | 177 | 86.8 | 80.9-92.7 |
| 25-34 | 388 | 819,799 | 62 | 15.4 | 11.3-19.5 | 326 | 84.6 | 80.5-88.7 |
| 35-44 | 462 | 801,350 | 88 | 19.8 | 15.3-24.3 | 374 | 80.2 | 75.7-84.7 |
| 45-54 | 780 | 851,448 | 246 | 31.8 | 27.5-36.1 | 534 | 68.2 | 63.9-72.5 |
| 55-64 | 1113 | 802,223 | 424 | 37.8 | 34.1-41.5 | 689 | 62.2 | 58.5-65.9 |
| 65+ | 1910 | 967,841 | 668 | 33.0 | 30.3-35.7 | 1242 | 67.0 | 64.3-69.7 |
| Less Than H.S. | 628 | 782,060 | 279 | 41.3 | 35.4-47.2 | 349 | 58.7 | 52.8-64.6 |
| H.S. or G.E.D. | 1683 | 1,620,054 | 545 | 25.9 | 23.0-28.8 | 1138 | 74.1 | 71.2-77.0 |
| Some Post-H.S. | 1201 | 1,417,413 | 394 | 24.8 | 21.7-27.9 | 807 | 75.2 | 72.1-78.3 |
| College Graduate | 1380 | 1,052,597 | 296 | 16.0 | 13.6-18.4 | 1084 | 84.0 | 81.6-86.4 |
| Less than \$15,000 | 661 | 577,663 | 358 | 49.1 | 43.4-54.8 | 303 | 50.9 | 45.2-56.6 |
| \$15,000- 24,999 | 843 | 799,665 | 305 | 30.7 | 26.4-35.0 | 538 | 69.3 | 65.0-73.6 |
| \$25,000- 34,999 | 518 | 499,611 | 145 | 23.5 | 18.4-28.6 | 373 | 76.5 | 71.4-81.6 |
| \$35,000- 49,999 | 599 | 638,314 | 153 | 20.3 | 15.8-24.8 | 446 | 79.7 | 75.2-84.2 |
| \$50,000- 74,999 | 525 | 567,324 | 137 | 23.4 | 18.5-28.3 | 388 | 76.6 | 71.7-81.5 |
| \$75,000+ | 816 | 932,816 | 134 | 13.9 | 10.8-17.0 | 682 | 86.1 | 83.0-89.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1800 | 2,355,923 | 519 | 24.2 | 21.5-26.9 | 1281 | 75.8 | 73.1-78.5 |
| 18-24 | 90 | 307,501 | 9 | 13.2 | 03.6-22.8 | 81 | 86.8 | 77.2-96.4 |
| 25-34 | 160 | 416,316 | 26 | 14.9 | 08.8-21.0 | 134 | 85.1 | 79.0-91.2 |
| 35-44 | 166 | 394,639 | 30 | 17.3 | 10.4-24.2 | 136 | 82.7 | 75.8-89.6 |
| 45-54 | 296 | 422,072 | 81 | 28.2 | 21.9-34.5 | 215 | 71.8 | 65.5-78.1 |
| 55-64 | 430 | 382,743 | 161 | 38.5 | 32.6-44.4 | 269 | 61.5 | 55.6-67.4 |
| 65+ | 645 | 424,409 | 211 | 31.2 | 26.7-35.7 | 434 | 68.8 | 64.3-73.3 |
| Less Than H.S. | 221 | 377,945 | 93 | 38.2 | 29.2-47.2 | 128 | 61.8 | 52.8-70.8 |
| H.S. or G.E.D. | 595 | 772,208 | 187 | 24.4 | 19.9-28.9 | 408 | 75.6 | 71.1-80.1 |
| Some Post-H.S. | 427 | 681,712 | 127 | 22.4 | 17.3-27.5 | 300 | 77.6 | 72.5-82.7 |
| College Graduate | 553 | 514,176 | 112 | 16.6 | 12.7-20.5 | 441 | 83.4 | 79.5-87.3 |
| Less than \$15,000 | 202 | 235,235 | 103 | 47.0 | 37.2-56.8 | 99 | 53.0 | 43.2-62.8 |
| \$15,000- 24,999 | 276 | 351,671 | 105 | 28.3 | 21.4-35.2 | 171 | 71.7 | 64.8-78.6 |
| \$25,000- 34,999 | 191 | 251,528 | 53 | 20.3 | 13.4-27.2 | 138 | 79.7 | 72.8-86.6 |
| \$35,000- 49,999 | 268 | 359,404 | 65 | 18.6 | 11.9-25.3 | 203 | 81.4 | 74.7-88.1 |
| \$50,000- 74,999 | 231 | 300,500 | 64 | 25.4 | 18.1-32.7 | 167 | 74.6 | 67.3-81.9 |
| \$75,000+ | 371 | 514,172 | 54 | 14.3 | 09.4-19.2 | 317 | 85.7 | 80.8-90.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3109 | 2,530,521 | 999 | 27.4 | 25.2-29.6 | 2110 | 72.6 | 70.4-74.8 |
| 18-24 | 111 | 304,385 | 15 | 13.2 | 06.3-20.1 | 96 | 86.8 | 79.9-93.7 |
| 25-34 | 228 | 403,483 | 36 | 15.9 | 10.6-21.2 | 192 | 84.1 | 78.8-89.4 |
| 35-44 | 296 | 406,711 | 58 | 22.2 | 16.1-28.3 | 238 | 77.8 | 71.7-83.9 |
| 45-54 | 484 | 429,376 | 165 | 35.4 | 29.7-41.1 | 319 | 64.6 | 58.9-70.3 |
| 55-64 | 683 | 419,480 | 263 | 37.1 | 32.4-41.8 | 420 | 62.9 | 58.2-67.6 |
| 65+ | 1265 | 543,432 | 457 | 34.3 | 31.0-37.6 | 808 | 65.7 | 62.4-69.0 |
| Less Than H.S. | 407 | 404,115 | 186 | 44.2 | 36.9-51.5 | 221 | 55.8 | 48.5-63.1 |
| H.S. or G.E.D. | 1088 | 847,846 | 358 | 27.3 | 23.6-31.0 | 730 | 72.7 | 69.0-76.4 |
| Some Post-H.S. | 774 | 735,700 | 267 | 27.0 | 23.1-30.9 | 507 | 73.0 | 69.1-76.9 |
| College Graduate | 827 | 538,421 | 184 | 15.4 | 12.5-18.3 | 643 | 84.6 | 81.7-87.5 |
| Less than \$15,000 | 459 | 342,429 | 255 | 50.5 | 43.6-57.4 | 204 | 49.5 | 42.6-56.4 |
| \$15,000- 24,999 | 567 | 447,994 | 200 | 32.5 | 27.0-38.0 | 367 | 67.5 | 62.0-73.0 |
| \$25,000- 34,999 | 327 | 248,083 | 92 | 26.7 | 19.3-34.1 | 235 | 73.3 | 65.9-80.7 |
| \$35,000- 49,999 | 331 | 278,910 | 88 | 22.3 | 17.0-27.6 | 243 | 77.7 | 72.4-83.0 |
| \$50,000- 74,999 | 294 | 266,824 | 73 | 21.1 | 14.8-27.4 | 221 | 78.9 | 72.6-85.2 |
| \$75,000+ | 445 | 418,643 | 80 | 13.5 | 09.8-17.2 | 365 | 86.5 | 82.8-90.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4920 | 4,890,607 | 796 | 11.5 | 10.3-12.7 | 4124 | 88.5 | 87.3-89.7 |
| Male | 1803 | 2,357,515 | 266 | 11.1 | 09.3-12.9 | 1537 | 88.9 | 87.1-90.7 |
| Female | 3117 | 2,533,092 | 530 | 11.9 | 10.5-13.3 | 2587 | 88.1 | 86.7-89.5 |
| 18-24 | 200 | 609,611 | 6 | 5.2 | 00.7-09.7 | 194 | 94.8 | 90.3-99.3 |
| 25-34 | 389 | 820,273 | 7 | 1.7 | 00.5-02.9 | 382 | 98.3 | 97.1-99.5 |
| 35-44 | 463 | 804,007 | 28 | 5.7 | 03.3-08.1 | 435 | 94.3 | 91.9-96.7 |
| 45-54 | 780 | 849,929 | 108 | 14.0 | 10.9-17.1 | 672 | 86.0 | 82.9-89.1 |
| 55-64 | 1112 | 801,024 | 191 | 16.1 | 13.4-18.8 | 921 | 83.9 | 81.2-86.6 |
| 65+ | 1921 | 973,866 | 448 | 22.3 | 19.8-24.8 | 1473 | 77.7 | 75.2-80.2 |
| Less Than H.S. | 629 | 783,630 | 174 | 21.7 | 17.2-26.2 | 455 | 78.3 | 73.8-82.8 |
| H.S. or G.E.D. | 1686 | 1,620,459 | 289 | 12.0 | 09.8-14.2 | 1397 | 88.0 | 85.8-90.2 |
| Some Post-H.S. | 1206 | 1,419,749 | 186 | 8.8 | 07.0-10.6 | 1020 | 91.2 | 89.4-93.0 |
| College Graduate | 1382 | 1,052,449 | 142 | 6.7 | 05.3-08.1 | 1240 | 93.3 | 91.9-94.7 |
| Less than \$15,000 | 667 | 580,995 | 217 | 22.6 | 18.5-26.7 | 450 | 77.4 | 73.3-81.5 |
| \$15,000- 24,999 | 844 | 800,777 | 168 | 14.5 | 11.6-17.4 | 676 | 85.5 | 82.6-88.4 |
| \$25,000- 34,999 | 520 | 500,040 | 73 | 10.2 | 06.9-13.5 | 447 | 89.8 | 86.5-93.1 |
| \$35,000- 49,999 | 600 | 638,666 | 66 | 9.5 | 05.8-13.2 | 534 | 90.5 | 86.8-94.2 |
| \$50,000- 74,999 | 526 | 566,810 | 59 | 8.1 | 05.4-10.8 | 467 | 91.9 | 89.2-94.6 |
| \$75,000+ | 814 | 931,287 | 39 | 3.0 | 01.8-04.2 | 775 | 97.0 | 95.8-98.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1803 | 2,357,515 | 266 | 11.1 | 09.3-12.9 | 1537 | 88.9 | 87.1-90.7 |
| 18-24 | 89 | 305,227 | 2 | 5.8 | 00.0-13.6 | 87 | 94.2 | 86.4-0100 |
| 25-34 | 161 | 416,790 | 5 | 2.3 | 00.1-04.5 | 156 | 97.7 | 95.5-99.9 |
| 35-44 | 166 | 394,639 | 12 | 5.5 | 01.8-09.2 | 154 | 94.5 | 90.8-98.2 |
| 45-54 | 298 | 423,942 | 44 | 15.3 | 10.4-20.2 | 254 | 84.7 | 79.8-89.6 |
| 55-64 | 430 | 382,434 | 72 | 16.3 | 12.2-20.4 | 358 | 83.7 | 79.6-87.8 |
| 65+ | 646 | 426,241 | 128 | 19.7 | 15.8-23.6 | 518 | 80.3 | 76.4-84.2 |
| Less Than H.S. | 222 | 380,021 | 53 | 20.1 | 13.0-27.2 | 169 | 79.9 | 72.8-87.0 |
| H.S. or G.E.D. | 597 | 774,078 | 92 | 11.7 | 08.4-15.0 | 505 | 88.3 | 85.0-91.6 |
| Some Post-H.S. | 426 | 679,438 | 58 | 7.9 | 05.2-10.6 | 368 | 92.1 | 89.4-94.8 |
| College Graduate | 554 | 514,097 | 63 | 7.9 | 05.5-10.3 | 491 | 92.1 | 89.7-94.5 |
| Less than \$15,000 | 204 | 237,318 | 59 | 23.2 | 15.9-30.5 | 145 | 76.8 | 69.5-84.1 |
| \$15,000- 24,999 | 276 | 351,259 | 56 | 13.7 | 09.0-18.4 | 220 | 86.3 | 81.6-91.0 |
| \$25,000- 34,999 | 191 | 251,528 | 30 | 11.6 | 05.7-17.5 | 161 | 88.4 | 82.5-94.3 |
| \$35,000- 49,999 | 268 | 359,404 | 36 | 11.4 | 05.3-17.5 | 232 | 88.6 | 82.5-94.7 |
| \$50,000- 74,999 | 231 | 299,774 | 25 | 9.1 | 04.8-13.4 | 206 | 90.9 | 86.6-95.2 |
| \$75,000+ | 371 | 514,172 | 20 | 3.3 | 01.5-05.1 | 351 | 96.7 | 94.9-98.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3117 | 2,533,092 | 530 | 11.9 | 10.5-13.3 | 2587 | 88.1 | 86.7-89.5 |
| 18-24 | 111 | 304,385 | 4 | 4.6 | 00.1-09.1 | 107 | 95.4 | 90.9-99.9 |
| 25-34 | 228 | 403,483 | 2 | 1.0 | 00.0-02.4 | 226 | 99.0 | 97.6-0100 |
| 35-44 | 297 | 409,368 | 16 | 5.9 | 02.6-09.2 | 281 | 94.1 | 90.8-97.4 |
| 45-54 | 482 | 425,987 | 64 | 12.7 | 08.8-16.6 | 418 | 87.3 | 83.4-91.2 |
| 55-64 | 682 | 418,591 | 119 | 16.0 | 12.3-19.7 | 563 | 84.0 | 80.3-87.7 |
| 65+ | 1275 | 547,625 | 320 | 24.3 | 21.2-27.4 | 955 | 75.7 | 72.6-78.8 |
| Less Than H.S. | 407 | 403,608 | 121 | 23.3 | 17.6-29.0 | 286 | 76.7 | 71.0-82.4 |
| H.S. or G.E.D. | 1089 | 846,381 | 197 | 12.3 | 09.8-14.8 | 892 | 87.7 | 85.2-90.2 |
| Some Post-H.S. | 780 | 740,311 | 128 | 9.6 | 07.4-11.8 | 652 | 90.4 | 88.2-92.6 |
| College Graduate | 828 | 538,352 | 79 | 5.6 | 04.0-07.2 | 749 | 94.4 | 92.8-96.0 |
| Less than \$15,000 | 463 | 343,677 | 158 | 22.2 | 17.3-27.1 | 305 | 77.8 | 72.9-82.7 |
| \$15,000- 24,999 | 568 | 449,518 | 112 | 15.1 | 11.4-18.8 | 456 | 84.9 | 81.2-88.6 |
| \$25,000- 34,999 | 329 | 248,513 | 43 | 8.7 | 05.4-12.0 | 286 | 91.3 | 88.0-94.6 |
| \$35,000- 49,999 | 332 | 279,262 | 30 | 7.1 | 04.2-10.0 | 302 | 92.9 | 90.0-95.8 |
| \$50,000- 74,999 | 295 | 267,036 | 34 | 7.0 | 04.1-09.9 | 261 | 93.0 | 90.1-95.9 |
| \$75,000+ | 443 | 417,115 | 19 | 2.8 | 01.0-04.6 | 424 | 97.2 | 95.4-99.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4908 | 4,883,947 | 441 | 7.7 | 06.5-08.9 | 4467 | 92.3 | 91.1-93.5 |
| Male | 1798 | 2,354,310 | 148 | 7.1 | 05.5-08.7 | 1650 | 92.9 | 91.3-94.5 |
| Female | 3110 | 2,529,638 | 293 | 8.2 | 06.6-09.8 | 2817 | 91.8 | 90.2-93.4 |
| 18-24 | 199 | 608,680 | 10 | 6.2 | 01.7-10.7 | 189 | 93.8 | 89.3-98.3 |
| 25-34 | 388 | 819,562 | 17 | 4.2 | 01.8-06.6 | 371 | 95.8 | 93.4-98.2 |
| 35-44 | 463 | 804,007 | 20 | 4.3 | 02.1-06.5 | 443 | 95.7 | 93.5-97.9 |
| 45-54 | 777 | 847,481 | 86 | 11.1 | 08.2-14.0 | 691 | 88.9 | 86.0-91.8 |
| 55-64 | 1107 | 799,626 | 120 | 10.7 | 08.2-13.2 | 987 | 89.3 | 86.8-91.8 |
| 65+ | 1919 | 972,694 | 186 | 9.1 | 07.3-10.9 | 1733 | 90.9 | 89.1-92.7 |
| Less Than H.S. | 630 | 784,248 | 125 | 19.4 | 14.7-24.1 | 505 | 80.6 | 75.9-85.3 |
| H.S. or G.E.D. | 1679 | 1,616,483 | 176 | 8.2 | 06.4-10.0 | 1503 | 91.8 | 90.0-93.6 |
| Some Post-H.S. | 1203 | 1,418,150 | 88 | 4.5 | 03.1-05.9 | 1115 | 95.5 | 94.1-96.9 |
| College Graduate | 1379 | 1,050,746 | 49 | 2.3 | 01.3-03.3 | 1330 | 97.7 | 96.7-98.7 |
| Less than \$15,000 | 668 | 581,614 | 155 | 20.6 | 16.1-25.1 | 513 | 79.4 | 74.9-83.9 |
| \$15,000- 24,999 | 840 | 798,333 | 102 | 10.5 | 07.8-13.2 | 738 | 89.5 | 86.8-92.2 |
| \$25,000- 34,999 | 516 | 497,770 | 29 | 5.9 | 02.6-09.2 | 487 | 94.1 | 90.8-97.4 |
| \$35,000- 49,999 | 599 | 637,966 | 28 | 4.0 | 02.2-05.8 | 571 | 96.0 | 94.2-97.8 |
| \$50,000- 74,999 | 526 | 566,810 | 23 | 4.4 | 02.0-06.8 | 503 | 95.6 | 93.2-98.0 |
| \$75,000+ | 814 | 931,287 | 15 | 1.3 | 00.5-02.1 | 799 | 98.7 | 97.9-99.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1798 | 2,354,310 | 148 | 7.1 | 05.5-08.7 | 1650 | 92.9 | 91.3-94.5 |
| 18-24 | 89 | 305,227 | 2 | 3.8 | 00.0-09.3 | 87 | 96.2 | 90.7-0100 |
| 25-34 | 161 | 416,790 | 7 | 4.0 | 00.9-07.1 | 154 | 96.0 | 92.9-99.1 |
| 35-44 | 166 | 394,639 | 6 | 2.9 | 00.2-05.6 | 160 | 97.1 | 94.4-99.8 |
| 45-54 | 297 | 422,544 | 35 | 11.4 | 07.1-15.7 | 262 | 88.6 | 84.3-92.9 |
| 55-64 | 429 | 382,069 | 43 | 11.0 | 07.1-14.9 | 386 | 89.0 | 85.1-92.9 |
| 65+ | 643 | 424,798 | 55 | 8.9 | 06.0-11.8 | 588 | 91.1 | 88.2-94.0 |
| Less Than H.S. | 223 | 380,640 | 39 | 15.6 | 09.9-21.3 | 184 | 84.4 | 78.7-90.1 |
| H.S. or G.E.D. | 595 | 772,316 | 64 | 9.1 | 06.0-12.2 | 531 | 90.9 | 87.8-94.0 |
| Some Post-H.S. | 425 | 679,078 | 19 | 3.3 | 01.5-05.1 | 406 | 96.7 | 94.9-98.5 |
| College Graduate | 551 | 512,394 | 25 | 2.8 | 01.4-04.2 | 526 | 97.2 | 95.8-98.6 |
| Less than \$15,000 | 205 | 237,937 | 44 | 20.5 | 13.2-27.8 | 161 | 79.5 | 72.2-86.8 |
| \$15,000- 24,999 | 275 | 349,861 | 35 | 11.4 | 06.7-16.1 | 240 | 88.6 | 83.9-93.3 |
| \$25,000- 34,999 | 189 | 250,136 | 6 | 3.8 | 00.1-07.5 | 183 | 96.2 | 92.5-99.9 |
| \$35,000- 49,999 | 268 | 359,404 | 15 | 4.2 | 01.7-06.7 | 253 | 95.8 | 93.3-98.3 |
| \$50,000- 74,999 | 231 | 299,774 | 17 | 6.9 | 03.0-10.8 | 214 | 93.1 | 89.2-97.0 |
| \$75,000+ | 371 | 514,172 | 10 | 1.8 | 00.4-03.2 | 361 | 98.2 | 96.8-99.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3110 | 2,529,638 | 293 | 8.2 | 06.6-09.8 | 2817 | 91.8 | 90.2-93.4 |
| 18-24 | 110 | 303,453 | 8 | 8.5 | 01.4-15.6 | 102 | 91.5 | 84.4-98.6 |
| 25-34 | 227 | 402,772 | 10 | 4.4 | 00.9-07.9 | 217 | 95.6 | 92.1-99.1 |
| 35-44 | 297 | 409,368 | 14 | 5.6 | 02.1-09.1 | 283 | 94.4 | 90.9-97.9 |
| 45-54 | 480 | 424,937 | 51 | 10.7 | 06.6-14.8 | 429 | 89.3 | 85.2-93.4 |
| 55-64 | 678 | 417,556 | 77 | 10.4 | 07.3-13.5 | 601 | 89.6 | 86.5-92.7 |
| 65+ | 1276 | 547,896 | 131 | 9.2 | 07.0-11.4 | 1145 | 90.8 | 88.6-93.0 |
| Less Than H.S. | 407 | 403,608 | 86 | 23.0 | 15.9-30.1 | 321 | 77.0 | 69.9-84.1 |
| H.S. or G.E.D. | 1084 | 844,167 | 112 | 7.4 | 05.4-09.4 | 972 | 92.6 | 90.6-94.6 |
| Some Post-H.S. | 778 | 739,071 | 69 | 5.6 | 03.8-07.4 | 709 | 94.4 | 92.6-96.2 |
| College Graduate | 828 | 538,352 | 24 | 1.9 | 00.7-03.1 | 804 | 98.1 | 96.9-99.3 |
| Less than \$15,000 | 463 | 343,677 | 111 | 20.6 | 14.9-26.3 | 352 | 79.4 | 73.7-85.1 |
| \$15,000- 24,999 | 565 | 448,472 | 67 | 9.8 | 06.5-13.1 | 498 | 90.2 | 86.9-93.5 |
| \$25,000- 34,999 | 327 | 247,634 | 23 | 8.1 | 02.6-13.6 | 304 | 91.9 | 86.4-97.4 |
| \$35,000- 49,999 | 331 | 278,562 | 13 | 3.6 | 01.2-06.0 | 318 | 96.4 | 94.0-98.8 |
| \$50,000- 74,999 | 295 | 267,036 | 6 | 1.6 | 00.0-03.6 | 289 | 98.4 | 96.4-0100 |
| \$75,000+ | 443 | 417,115 | 5 | 0.8 | 00.0-01.6 | 438 | 99.2 | 98.4-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4881 | 4,859,638 | 766 | 14.4 | 13.0-15.8 | 4115 | 85.6 | 84.2-87.0 |
| Male | 1785 | 2,339,455 | 240 | 12.5 | 10.3-14.7 | 1545 | 87.5 | 85.3-89.7 |
| Female | 3096 | 2,520,182 | 526 | 16.2 | 14.2-18.2 | 2570 | 83.8 | 81.8-85.8 |
| 18-24 | 200 | 609,611 | 28 | 14.2 | 08.1-20.3 | 172 | 85.8 | 79.7-91.9 |
| 25-34 | 387 | 817,760 | 39 | 9.1 | 06.0-12.2 | 348 | 90.9 | 87.8-94.0 |
| 35-44 | 461 | 802,194 | 72 | 14.3 | 10.4-18.2 | 389 | 85.7 | 81.8-89.6 |
| 45-54 | 769 | 835,204 | 145 | 17.2 | 13.9-20.5 | 624 | 82.8 | 79.5-86.1 |
| 55-64 | 1100 | 793,438 | 211 | 18.5 | 15.6-21.4 | 889 | 81.5 | 78.6-84.4 |
| 65+ | 1909 | 969,535 | 266 | 13.4 | 11.4-15.4 | 1643 | 86.6 | 84.6-88.6 |
| Less Than H.S. | 623 | 780,206 | 207 | 30.8 | 25.5-36.1 | 416 | 69.2 | 63.9-74.5 |
| H.S. or G.E.D. | 1670 | 1,605,699 | 293 | 15.4 | 13.0-17.8 | 1377 | 84.6 | 82.2-87.0 |
| Some Post-H.S. | 1197 | 1,413,227 | 168 | 11.3 | 08.9-13.7 | 1029 | 88.7 | 86.3-91.1 |
| College Graduate | 1374 | 1,046,186 | 98 | 5.0 | 03.6-06.4 | 1276 | 95.0 | 93.6-96.4 |
| Less than \$15,000 | 662 | 575,297 | 249 | 36.8 | 31.3-42.3 | 413 | 63.2 | 57.7-68.7 |
| \$15,000- 24,999 | 835 | 792,907 | 182 | 19.8 | 16.1-23.5 | 653 | 80.2 | 76.5-83.9 |
| \$25,000- 34,999 | 517 | 499,242 | 62 | 11.2 | 07.5-14.9 | 455 | 88.8 | 85.1-92.5 |
| \$35,000- 49,999 | 596 | 636,629 | 48 | 8.4 | 04.7-12.1 | 548 | 91.6 | 87.9-95.3 |
| \$50,000- 74,999 | 525 | 564,055 | 32 | 4.7 | 02.3-07.1 | 493 | 95.3 | 92.9-97.7 |
| \$75,000+ | 811 | 928,450 | 34 | 4.8 | 02.4-07.2 | 777 | 95.2 | 92.8-97.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1785 | 2,339,455 | 240 | 12.5 | 10.3-14.7 | 1545 | 87.5 | 85.3-89.7 |
| 18-24 | 89 | 305,227 | 10 | 14.5 | 05.1-23.9 | 79 | 85.5 | 76.1-94.9 |
| 25-34 | 161 | 416,790 | 15 | 8.3 | 03.6-13.0 | 146 | 91.7 | 87.0-96.4 |
| 35-44 | 165 | 393,088 | 18 | 8.5 | 03.6-13.4 | 147 | 91.5 | 86.6-96.4 |
| 45-54 | 293 | 413,778 | 42 | 15.2 | 10.1-20.3 | 251 | 84.8 | 79.7-89.9 |
| 55-64 | 424 | 378,565 | 74 | 16.1 | 11.8-20.4 | 350 | 83.9 | 79.6-88.2 |
| 65+ | 640 | 423,764 | 80 | 13.2 | 09.9-16.5 | 560 | 86.8 | 83.5-90.1 |
| Less Than H.S. | 220 | 379,898 | 70 | 26.0 | 18.2-33.8 | 150 | 74.0 | 66.2-81.8 |
| H.S. or G.E.D. | 590 | 764,627 | 91 | 14.5 | 10.6-18.4 | 499 | 85.5 | 81.6-89.4 |
| Some Post-H.S. | 422 | 675,860 | 47 | 9.0 | 05.3-12.7 | 375 | 91.0 | 87.3-94.7 |
| College Graduate | 549 | 509,188 | 32 | 4.2 | 02.0-06.4 | 517 | 95.8 | 93.6-98.0 |
| Less than \$15,000 | 202 | 234,250 | 72 | 33.2 | 24.4-42.0 | 130 | 66.8 | 58.0-75.6 |
| \$15,000- 24,999 | 273 | 349,569 | 61 | 18.5 | 12.6-24.4 | 212 | 81.5 | 75.6-87.4 |
| \$25,000- 34,999 | 190 | 251,168 | 23 | 10.4 | 04.9-15.9 | 167 | 89.6 | 84.1-95.1 |
| \$35,000- 49,999 | 267 | 358,629 | 17 | 6.9 | 01.0-12.8 | 250 | 93.1 | 87.2-99.0 |
| \$50,000- 74,999 | 230 | 297,019 | 16 | 6.2 | 02.1-10.3 | 214 | 93.8 | 89.7-97.9 |
| \$75,000+ | 368 | 511,335 | 14 | 5.3 | 01.4-09.2 | 354 | 94.7 | 90.8-98.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3096 | 2,520,182 | 526 | 16.2 | 14.2-18.2 | 2570 | 83.8 | 81.8-85.8 |
| 18-24 | 111 | 304,385 | 18 | 13.9 | 06.1-21.7 | 93 | 86.1 | 78.3-93.9 |
| 25-34 | 226 | 400,969 | 24 | 9.9 | 05.6-14.2 | 202 | 90.1 | 85.8-94.4 |
| 35-44 | 296 | 409,105 | 54 | 19.8 | 14.1-25.5 | 242 | 80.2 | 74.5-85.9 |
| 45-54 | 476 | 421,425 | 103 | 19.1 | 14.8-23.4 | 373 | 80.9 | 76.6-85.2 |
| 55-64 | 676 | 414,873 | 137 | 20.8 | 16.7-24.9 | 539 | 79.2 | 75.1-83.3 |
| 65+ | 1269 | 545,770 | 186 | 13.6 | 11.1-16.1 | 1083 | 86.4 | 83.9-88.9 |
| Less Than H.S. | 403 | 400,307 | 137 | 35.3 | 28.0-42.6 | 266 | 64.7 | 57.4-72.0 |
| H.S. or G.E.D. | 1080 | 841,072 | 202 | 16.1 | 13.2-19.0 | 878 | 83.9 | 81.0-86.8 |
| Some Post-H.S. | 775 | 737,367 | 121 | 13.4 | 10.3-16.5 | 654 | 86.6 | 83.5-89.7 |
| College Graduate | 825 | 536,998 | 66 | 5.8 | 03.8-07.8 | 759 | 94.2 | 92.2-96.2 |
| Less than \$15,000 | 460 | 341,048 | 177 | 39.3 | 32.6-46.0 | 283 | 60.7 | 54.0-67.4 |
| \$15,000- 24,999 | 562 | 443,339 | 121 | 20.8 | 16.1-25.5 | 441 | 79.2 | 74.5-83.9 |
| \$25,000- 34,999 | 327 | 248,074 | 39 | 12.0 | 06.9-17.1 | 288 | 88.0 | 82.9-93.1 |
| \$35,000- 49,999 | 329 | 278,000 | 31 | 10.4 | 06.1-14.7 | 298 | 89.6 | 85.3-93.9 |
| \$50,000- 74,999 | 295 | 267,036 | 16 | 2.9 | 01.1-04.7 | 279 | 97.1 | 95.3-98.9 |
| \$75,000+ | 443 | 417,115 | 20 | 4.3 | 01.9-06.7 | 423 | 95.7 | 93.3-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4896 | 4,868,949 | 1334 | 20.4 | 18.8-22.0 | 3562 | 79.6 | 78.0-81.2 |
| Male | 1790 | 2,343,041 | 392 | 16.7 | 14.5-18.9 | 1398 | 83.3 | 81.1-85.5 |
| Female | 3106 | 2,525,908 | 942 | 23.9 | 21.9-25.9 | 2164 | 76.1 | 74.1-78.1 |
| 18-24 | 200 | 609,611 | 7 | 5.2 | 00.7-09.7 | 193 | 94.8 | 90.3-99.3 |
| 25-34 | 388 | 819,562 | 23 | 5.7 | 03.2-08.2 | 365 | 94.3 | 91.8-96.8 |
| 35-44 | 461 | 802,194 | 79 | 16.6 | 12.5-20.7 | 382 | 83.4 | 79.3-87.5 |
| 45-54 | 773 | 840,016 | 198 | 24.3 | 20.4-28.2 | 575 | 75.7 | 71.8-79.6 |
| 55-64 | 1109 | 798,560 | 350 | 31.1 | 27.6-34.6 | 759 | 68.9 | 65.4-72.4 |
| 65+ | 1910 | 967,109 | 669 | 33.6 | 30.9-36.3 | 1241 | 66.4 | 63.7-69.1 |
| Less Than H.S. | 624 | 781,153 | 331 | 45.8 | 39.9-51.7 | 293 | 54.2 | 48.3-60.1 |
| H.S. or G.E.D. | 1678 | 1,612,203 | 498 | 20.5 | 18.0-23.0 | 1180 | 79.5 | 77.0-82.0 |
| Some Post-H.S. | 1201 | 1,414,513 | 300 | 15.2 | 12.8-17.6 | 901 | 84.8 | 82.4-87.2 |
| College Graduate | 1376 | 1,046,760 | 198 | 8.5 | 06.9-10.1 | 1178 | 91.5 | 89.9-93.1 |
| Less than \$15,000 | 666 | 579,506 | 350 | 43.4 | 37.9-48.9 | 316 | 56.6 | 51.1-62.1 |
| \$15,000- 24,999 | 840 | 798,234 | 297 | 27.7 | 23.6-31.8 | 543 | 72.3 | 68.2-76.4 |
| \$25,000- 34,999 | 519 | 499,681 | 136 | 21.2 | 16.3-26.1 | 383 | 78.8 | 73.9-83.7 |
| \$35,000- 49,999 | 599 | 637,966 | 118 | 14.4 | 10.5-18.3 | 481 | 85.6 | 81.7-89.5 |
| \$50,000- 74,999 | 523 | 562,015 | 84 | 10.8 | 07.7-13.9 | 439 | 89.2 | 86.1-92.3 |
| \$75,000+ | 812 | 928,778 | 60 | 5.7 | 03.5-07.9 | 752 | 94.3 | 92.1-96.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1790 | 2,343,041 | 392 | 16.7 | 14.5-18.9 | 1398 | 83.3 | 81.1-85.5 |
| 18-24 | 89 | 305,227 | 3 | 6.6 | 00.0-14.6 | 86 | 93.4 | 85.4-0100 |
| 25-34 | 161 | 416,790 | 6 | 3.0 | 00.3-05.7 | 155 | 97.0 | 94.3-99.7 |
| 35-44 | 165 | 393,088 | 22 | 11.6 | 05.9-17.3 | 143 | 88.4 | 82.7-94.1 |
| 45-54 | 293 | 415,621 | 54 | 18.7 | 13.2-24.2 | 239 | 81.3 | 75.8-86.8 |
| 55-64 | 428 | 380,138 | 129 | 30.4 | 24.9-35.9 | 299 | 69.6 | 64.1-75.1 |
| 65+ | 641 | 423,934 | 176 | 27.9 | 23.6-32.2 | 465 | 72.1 | 67.8-76.4 |
| Less Than H.S. | 222 | 380,483 | 108 | 40.5 | 31.5-49.5 | 114 | 59.5 | 50.5-68.5 |
| H.S. or G.E.D. | 592 | 767,945 | 142 | 16.4 | 12.9-19.9 | 450 | 83.6 | 80.1-87.1 |
| Some Post-H.S. | 424 | 676,323 | 80 | 11.4 | 07.9-14.9 | 344 | 88.6 | 85.1-92.1 |
| College Graduate | 548 | 508,408 | 61 | 6.4 | 04.4-08.4 | 487 | 93.6 | 91.6-95.6 |
| Less than \$15,000 | 204 | 236,968 | 99 | 38.4 | 29.4-47.4 | 105 | 61.6 | 52.6-70.6 |
| \$15,000- 24,999 | 274 | 349,705 | 90 | 23.7 | 17.6-29.8 | 184 | 76.3 | 70.2-82.4 |
| \$25,000- 34,999 | 190 | 251,168 | 44 | 17.5 | 11.0-24.0 | 146 | 82.5 | 76.0-89.0 |
| \$35,000- 49,999 | 268 | 359,404 | 45 | 11.6 | 05.7-17.5 | 223 | 88.4 | 82.5-94.3 |
| \$50,000- 74,999 | 230 | 297,019 | 32 | 10.4 | 05.9-14.9 | 198 | 89.6 | 85.1-94.1 |
| \$75,000+ | 369 | 511,663 | 16 | 4.6 | 01.3-07.9 | 353 | 95.4 | 92.1-98.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3106 | 2,525,908 | 942 | 23.9 | 21.9-25.9 | 2164 | 76.1 | 74.1-78.1 |
| 18-24 | 111 | 304,385 | 4 | 3.8 | 00.0-07.9 | 107 | 96.2 | 92.1-0100 |
| 25-34 | 227 | 402,772 | 17 | 8.6 | 04.3-12.9 | 210 | 91.4 | 87.1-95.7 |
| 35-44 | 296 | 409,105 | 57 | 21.5 | 15.4-27.6 | 239 | 78.5 | 72.4-84.6 |
| 45-54 | 480 | 424,395 | 144 | 29.8 | 24.5-35.1 | 336 | 70.2 | 64.9-75.5 |
| 55-64 | 681 | 418,422 | 221 | 31.8 | 27.3-36.3 | 460 | 68.2 | 63.7-72.7 |
| 65+ | 1269 | 543,175 | 493 | 38.0 | 34.5-41.5 | 776 | 62.0 | 58.5-65.5 |
| Less Than H.S. | 402 | 400,670 | 223 | 50.8 | 43.4-58.2 | 179 | 49.2 | 41.8-56.6 |
| H.S. or G.E.D. | 1086 | 844,259 | 356 | 24.3 | 20.8-27.8 | 730 | 75.7 | 72.2-79.2 |
| Some Post-H.S. | 777 | 738,189 | 220 | 18.6 | 15.5-21.7 | 557 | 81.4 | 78.3-84.5 |
| College Graduate | 828 | 538,352 | 137 | 10.6 | 08.2-13.0 | 691 | 89.4 | 87.0-91.8 |
| Less than \$15,000 | 462 | 342,538 | 251 | 46.8 | 39.9-53.7 | 211 | 53.2 | 46.3-60.1 |
| \$15,000- 24,999 | 566 | 448,529 | 207 | 30.8 | 25.5-36.1 | 359 | 69.2 | 63.9-74.5 |
| \$25,000- 34,999 | 329 | 248,513 | 92 | 24.9 | 17.6-32.2 | 237 | 75.1 | 67.8-82.4 |
| \$35,000- 49,999 | 331 | 278,562 | 73 | 18.0 | 13.1-22.9 | 258 | 82.0 | 77.1-86.9 |
| \$50,000- 74,999 | 293 | 264,996 | 52 | 11.3 | 07.2-15.4 | 241 | 88.7 | 84.6-92.8 |
| \$75,000+ | 443 | 417,115 | 44 | 7.0 | 04.5-09.5 | 399 | 93.0 | 90.5-95.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4895 | 4,864,816 | 346 | 5.5 | 04.7-06.3 | 4549 | 94.5 | 93.7-95.3 |
| Male | 1788 | 2,338,669 | 115 | 4.9 | 03.7-06.1 | 1673 | 95.1 | 93.9-96.3 |
| Female | 3107 | 2,526,147 | 231 | 6.0 | 04.8-07.2 | 2876 | 94.0 | 92.8-95.2 |
| 18-24 | 200 | 609,611 | 2 | 1.0 | 00.0-02.8 | 198 | 99.0 | 97.2-0100 |
| 25-34 | 388 | 819,562 | 8 | 2.1 | 00.3-03.9 | 380 | 97.9 | 96.1-99.7 |
| 35-44 | 460 | 800,111 | 22 | 5.6 | 02.7-08.5 | 438 | 94.4 | 91.5-97.3 |
| 45-54 | 774 | 840,260 | 71 | 7.3 | 05.3-09.3 | 703 | 92.7 | 90.7-94.7 |
| 55-64 | 1107 | 795,302 | 103 | 9.3 | 07.1-11.5 | 1004 | 90.7 | 88.5-92.9 |
| 65+ | 1911 | 968,073 | 135 | 6.1 | 04.7-07.5 | 1776 | 93.9 | 92.5-95.3 |
| Less Than H.S. | 624 | 780,967 | 85 | 11.5 | 08.2-14.8 | 539 | 88.5 | 85.2-91.8 |
| H.S. or G.E.D. | 1679 | 1,612,448 | 136 | 6.5 | 05.1-07.9 | 1543 | 93.5 | 92.1-94.9 |
| Some Post-H.S. | 1202 | 1,415,662 | 74 | 3.6 | 02.2-05.0 | 1128 | 96.4 | 95.0-97.8 |
| College Graduate | 1374 | 1,043,123 | 49 | 1.9 | 01.1-02.7 | 1325 | 98.1 | 97.3-98.9 |
| Less than \$15,000 | 666 | 579,457 | 113 | 12.3 | 09.2-15.4 | 553 | 87.7 | 84.6-90.8 |
| \$15,000- 24,999 | 840 | 797,296 | 67 | 7.4 | 04.9-09.9 | 773 | 92.6 | 90.1-95.1 |
| \$25,000- 34,999 | 518 | 497,598 | 26 | 4.3 | 01.8-06.8 | 492 | 95.7 | 93.2-98.2 |
| \$35,000- 49,999 | 599 | 637,966 | 25 | 3.3 | 01.7-04.9 | 574 | 96.7 | 95.1-98.3 |
| \$50,000- 74,999 | 525 | 564,055 | 23 | 2.9 | 01.5-04.3 | 502 | 97.1 | 95.7-98.5 |
| \$75,000+ | 810 | 925,607 | 13 | 1.5 | 00.0-03.1 | 797 | 98.5 | 96.9-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1788 | 2,338,669 | 115 | 4.9 | 03.7-06.1 | 1673 | 95.1 | 93.9-96.3 |
| 18-24 | 89 | 305,227 | 1 | 1.7 | 00.0-05.0 | 88 | 98.3 | 95.0-0100 |
| 25-34 | 161 | 416,790 | 3 | 1.8 | 00.0-04.2 | 158 | 98.2 | 95.8-0100 |
| 35-44 | 164 | 391,006 | 6 | 3.9 | 00.0-08.0 | 158 | 96.1 | 92.0-0100 |
| 45-54 | 294 | 416,590 | 23 | 6.7 | 03.8-09.6 | 271 | 93.3 | 90.4-96.2 |
| 55-64 | 426 | 376,880 | 39 | 8.3 | 05.2-11.4 | 387 | 91.7 | 88.6-94.8 |
| 65+ | 641 | 423,934 | 42 | 6.2 | 03.8-08.6 | 599 | 93.8 | 91.4-96.2 |
| Less Than H.S. | 222 | 380,483 | 24 | 7.9 | 04.0-11.8 | 198 | 92.1 | 88.2-96.0 |
| H.S. or G.E.D. | 593 | 768,914 | 47 | 6.2 | 04.0-08.4 | 546 | 93.8 | 91.6-96.0 |
| Some Post-H.S. | 424 | 676,323 | 22 | 3.8 | 01.3-06.3 | 402 | 96.2 | 93.7-98.7 |
| College Graduate | 546 | 504,771 | 22 | 2.1 | 00.9-03.3 | 524 | 97.9 | 96.7-99.1 |
| Less than \$15,000 | 204 | 236,233 | 31 | 9.3 | 05.2-13.4 | 173 | 90.7 | 86.6-94.8 |
| \$15,000- 24,999 | 274 | 349,705 | 23 | 7.9 | 03.8-12.0 | 251 | 92.1 | 88.0-96.2 |
| \$25,000- 34,999 | 189 | 249,086 | 10 | 3.5 | 01.0-06.0 | 179 | 96.5 | 94.0-99.0 |
| \$35,000- 49,999 | 268 | 359,404 | 11 | 3.0 | 00.6-05.4 | 257 | 97.0 | 94.6-99.4 |
| \$50,000- 74,999 | 230 | 297,019 | 15 | 4.0 | 01.6-06.4 | 215 | 96.0 | 93.6-98.4 |
| \$75,000+ | 368 | 510,108 | 6 | 2.2 | 00.0-05.1 | 362 | 97.8 | 94.9-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3107 | 2,526,147 | 231 | 6.0 | 04.8-07.2 | 2876 | 94.0 | 92.8-95.2 |
| 18-24 | 111 | 304,385 | 1 | 0.3 | 00.0-00.9 | 110 | 99.7 | 99.1-0100 |
| 25-34 | 227 | 402,772 | 5 | 2.4 | 00.0-04.8 | 222 | 97.6 | 95.2-0100 |
| 35-44 | 296 | 409,105 | 16 | 7.2 | 02.9-11.5 | 280 | 92.8 | 88.5-97.1 |
| 45-54 | 480 | 423,671 | 48 | 7.9 | 05.2-10.6 | 432 | 92.1 | 89.4-94.8 |
| 55-64 | 681 | 418,422 | 64 | 10.2 | 07.1-13.3 | 617 | 89.8 | 86.7-92.9 |
| 65+ | 1270 | 544,138 | 93 | 6.0 | 04.4-07.6 | 1177 | 94.0 | 92.4-95.6 |
| Less Than H.S. | 402 | 400,484 | 61 | 14.9 | 09.6-20.2 | 341 | 85.1 | 79.8-90.4 |
| H.S. or G.E.D. | 1086 | 843,534 | 89 | 6.7 | 04.7-08.7 | 997 | 93.3 | 91.3-95.3 |
| Some Post-H.S. | 778 | 739,338 | 52 | 3.5 | 02.3-04.7 | 726 | 96.5 | 95.3-97.7 |
| College Graduate | 828 | 538,352 | 27 | 1.6 | 00.8-02.4 | 801 | 98.4 | 97.6-99.2 |
| Less than \$15,000 | 462 | 343,225 | 82 | 14.3 | 09.8-18.8 | 380 | 85.7 | 81.2-90.2 |
| \$15,000- 24,999 | 566 | 447,591 | 44 | 6.9 | 04.0-09.8 | 522 | 93.1 | 90.2-96.0 |
| \$25,000- 34,999 | 329 | 248,513 | 16 | 5.1 | 00.8-09.4 | 313 | 94.9 | 90.6-99.2 |
| \$35,000- 49,999 | 331 | 278,562 | 14 | 3.6 | 01.4-05.8 | 317 | 96.4 | 94.2-98.6 |
| \$50,000- 74,999 | 295 | 267,036 | 8 | 1.6 | 00.0-03.2 | 287 | 98.4 | 96.8-0100 |
| \$75,000+ | 442 | 415,499 | 7 | 0.7 | 00.1-01.3 | 435 | 99.3 | 98.7-99.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4877 | 4,846,379 | 620 | 10.0 | 08.8-11.2 | 4257 | 90.0 | 88.8-91.2 |
| Male | 1785 | 2,331,518 | 176 | 8.3 | 06.5-10.1 | 1609 | 91.7 | 89.9-93.5 |
| Female | 3092 | 2,514,861 | 444 | 11.5 | 09.9-13.1 | 2648 | 88.5 | 86.9-90.1 |
| 18-24 | 199 | 606,350 | 6 | 3.1 | 00.0-06.4 | 193 | 96.9 | 93.6-0100 |
| 25-34 | 388 | 819,562 | 23 | 5.6 | 03.1-08.1 | 365 | 94.4 | 91.9-96.9 |
| 35-44 | 457 | 792,325 | 42 | 9.1 | 06.0-12.2 | 415 | 90.9 | 87.8-94.0 |
| 45-54 | 772 | 837,392 | 109 | 13.4 | 10.3-16.5 | 663 | 86.6 | 83.5-89.7 |
| 55-64 | 1104 | 793,272 | 153 | 13.9 | 11.2-16.6 | 951 | 86.1 | 83.4-88.8 |
| 65+ | 1903 | 966,294 | 282 | 12.5 | 10.7-14.3 | 1621 | 87.5 | 85.7-89.3 |
| Less Than H.S. | 622 | 781,324 | 155 | 20.3 | 15.8-24.8 | 467 | 79.7 | 75.2-84.2 |
| H.S. or G.E.D. | 1670 | 1,602,765 | 235 | 10.9 | 08.9-12.9 | 1435 | 89.1 | 87.1-91.1 |
| Some Post-H.S. | 1198 | 1,409,710 | 154 | 8.1 | 06.3-09.9 | 1044 | 91.9 | 90.1-93.7 |
| College Graduate | 1371 | 1,039,964 | 73 | 3.3 | 02.1-04.5 | 1298 | 96.7 | 95.5-97.9 |
| Less than \$15,000 | 665 | 578,718 | 208 | 26.2 | 21.5-30.9 | 457 | 73.8 | 69.1-78.5 |
| \$15,000- 24,999 | 837 | 798,043 | 143 | 14.7 | 11.6-17.8 | 694 | 85.3 | 82.2-88.4 |
| \$25,000- 34,999 | 517 | 495,210 | 46 | 7.6 | 04.5-10.7 | 471 | 92.4 | 89.3-95.5 |
| \$35,000- 49,999 | 597 | 633,970 | 31 | 4.9 | 02.4-07.4 | 566 | 95.1 | 92.6-97.6 |
| \$50,000- 74,999 | 524 | 559,703 | 38 | 5.8 | 03.1-08.5 | 486 | 94.2 | 91.5-96.9 |
| \$75,000+ | 810 | 925,607 | 21 | 1.8 | 00.8-02.8 | 789 | 98.2 | 97.2-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1785 | 2,331,518 | 176 | 8.3 | 06.5-10.1 | 1609 | 91.7 | 89.9-93.5 |
| 18-24 | 89 | 305,227 | 2 | 4.7 | 00.0-11.0 | 87 | 95.3 | 89.0-0100 |
| 25-34 | 161 | 416,790 | 8 | 4.2 | 01.1-07.3 | 153 | 95.8 | 92.7-98.9 |
| 35-44 | 163 | 386,653 | 14 | 6.5 | 02.6-10.4 | 149 | 93.5 | 89.6-97.4 |
| 45-54 | 293 | 414,201 | 34 | 13.2 | 08.1-18.3 | 259 | 86.8 | 81.7-91.9 |
| 55-64 | 425 | 376,470 | 53 | 12.8 | 08.7-16.9 | 372 | 87.2 | 83.1-91.3 |
| 65+ | 641 | 423,934 | 64 | 7.8 | 05.4-10.2 | 577 | 92.2 | 89.8-94.6 |
| Less Than H.S. | 221 | 380,073 | 47 | 16.5 | 10.0-23.0 | 174 | 83.5 | 77.0-90.0 |
| H.S. or G.E.D. | 592 | 766,525 | 67 | 9.7 | 06.6-12.8 | 525 | 90.3 | 87.2-93.4 |
| Some Post-H.S. | 423 | 671,971 | 33 | 5.6 | 02.9-08.3 | 390 | 94.4 | 91.7-97.1 |
| College Graduate | 546 | 504,771 | 29 | 3.6 | 01.6-05.6 | 517 | 96.4 | 94.4-98.4 |
| Less than \$15,000 | 204 | 236,233 | 52 | 24.0 | 16.2-31.8 | 152 | 76.0 | 68.2-83.8 |
| \$15,000- 24,999 | 274 | 349,705 | 46 | 12.3 | 07.8-16.8 | 228 | 87.7 | 83.2-92.2 |
| \$25,000- 34,999 | 188 | 246,697 | 15 | 6.7 | 01.8-11.6 | 173 | 93.3 | 88.4-98.2 |
| \$35,000- 49,999 | 268 | 359,404 | 12 | 4.0 | 00.3-07.7 | 256 | 96.0 | 92.3-99.7 |
| \$50,000- 74,999 | 229 | 292,667 | 18 | 7.9 | 03.0-12.8 | 211 | 92.1 | 87.2-97.0 |
| \$75,000+ | 368 | 510,108 | 9 | 1.9 | 00.3-03.5 | 359 | 98.1 | 96.5-99.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3092 | 2,514,861 | 444 | 11.5 | 09.9-13.1 | 2648 | 88.5 | 86.9-90.1 |
| 18-24 | 110 | 301,124 | 4 | 1.4 | 00.0-03.0 | 106 | 98.6 | 97.0-0100 |
| 25-34 | 227 | 402,772 | 15 | 7.0 | 03.3-10.7 | 212 | 93.0 | 89.3-96.7 |
| 35-44 | 294 | 405,671 | 28 | 11.6 | 06.7-16.5 | 266 | 88.4 | 83.5-93.3 |
| 45-54 | 479 | 423,190 | 75 | 13.6 | 09.7-17.5 | 404 | 86.4 | 82.5-90.3 |
| 55-64 | 679 | 416,802 | 100 | 14.9 | 11.2-18.6 | 579 | 85.1 | 81.4-88.8 |
| 65+ | 1262 | 542,360 | 218 | 16.1 | 13.6-18.6 | 1044 | 83.9 | 81.4-86.4 |
| Less Than H.S. | 401 | 401,250 | 108 | 23.8 | 17.7-29.9 | 293 | 76.2 | 70.1-82.3 |
| H.S. or G.E.D. | 1078 | 836,240 | 168 | 12.0 | 09.5-14.5 | 910 | 88.0 | 85.5-90.5 |
| Some Post-H.S. | 775 | 737,739 | 121 | 10.4 | 08.0-12.8 | 654 | 89.6 | 87.2-92.0 |
| College Graduate | 825 | 535,193 | 44 | 3.0 | 01.8-04.2 | 781 | 97.0 | 95.8-98.2 |
| Less than \$15,000 | 461 | 342,485 | 156 | 27.7 | 21.8-33.6 | 305 | 72.3 | 66.4-78.2 |
| \$15,000- 24,999 | 563 | 448,339 | 97 | 16.6 | 12.3-20.9 | 466 | 83.4 | 79.1-87.7 |
| \$25,000- 34,999 | 329 | 248,513 | 31 | 8.5 | 04.4-12.6 | 298 | 91.5 | 87.4-95.6 |
| \$35,000- 49,999 | 329 | 274,566 | 19 | 6.0 | 02.9-09.1 | 310 | 94.0 | 90.9-97.1 |
| \$50,000- 74,999 | 295 | 267,036 | 20 | 3.6 | 01.8-05.4 | 275 | 96.4 | 94.6-98.2 |
| \$75,000+ | 442 | 415,499 | 12 | 1.8 | 00.6-03.0 | 430 | 98.2 | 97.0-99.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100) | |
| 1 | MALES AND FEMALES | 169 |
| 2 | MALES ONLY | 170 |
| 3 | FEMALES ONLY | 171 |
| | DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2) | |
| 4 | MALES AND FEMALES | 172 |
| 5 | MALES ONLY | 173 |
| 6 | FEMALES ONLY | 174 |
| | DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2) | |
| 7 | MALES AND FEMALES | 175 |
| 8 | MALES ONLY | 176 |
| 9 | FEMALES ONLY | 177 |
| | HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2) | |
| 10 | MALES AND FEMALES | 178 |
| 11 | MALES ONLY | 179 |
| 12 | FEMALES ONLY | 180 |
| | DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3) | |
| 13 | MALES AND FEMALES | 181 |
| 14 | MALES ONLY | 182 |
| 15 | FEMALES ONLY | 183 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4854 | 4,822,215 | 2337 | 48.2 | 46.0-50.4 | 2517 | 51.8 | 49.6-54.0 |
| Male | 1774 | 2,317,718 | 1028 | 54.7 | 51.4-58.0 | 746 | 45.3 | 42.0-48.6 |
| Female | 3080 | 2,504,497 | 1309 | 42.2 | 39.7-44.7 | 1771 | 57.8 | 55.3-60.3 |
| White/Non-Hisp | 4040 | 3,693,355 | 2003 | 50.3 | 48.1-52.5 | 2037 | 49.7 | 47.5-51.9 |
| Black or Afr. Am./Non-Hisp | 579 | 750,172 | 218 | 37.8 | 31.9-43.7 | 361 | 62.2 | 56.3-68.1 |
| Oth. Race/Non-Hisp. | 90 | 118,022 | 46 | 45.8 | 32.5-59.1 | 44 | 54.2 | 40.9-67.5 |
| Hispanic | 57 | 135,184 | 22 | 46.7 | 30.8-62.6 | 35 | 53.3 | 37.4-69.2 |
| 18-24 | 198 | 604,098 | 54 | 29.6 | 22.0-37.2 | 144 | 70.4 | 62.8-78.0 |
| 25-34 | 385 | 815,281 | 172 | 47.3 | 41.4-53.2 | 213 | 52.7 | 46.8-58.6 |
| 35-44 | 456 | 789,517 | 199 | 44.3 | 38.4-50.2 | 257 | 55.7 | 49.8-61.6 |
| 45-54 | 768 | 831,453 | 370 | 51.3 | 46.8-55.8 | 398 | 48.7 | 44.2-53.2 |
| 55-64 | 1103 | 792,007 | 598 | 56.9 | 53.2-60.6 | 505 | 43.1 | 39.4-46.8 |
| 65+ | 1891 | 959,666 | 925 | 54.3 | 51.4-57.2 | 966 | 45.7 | 42.8-48.6 |
| Less Than H.S. | 618 | 773,871 | 385 | 68.6 | 63.1-74.1 | 233 | 31.4 | 25.9-36.9 |
| H.S. or G.E.D. | 1660 | 1,596,102 | 871 | 50.2 | 46.7-53.7 | 789 | 49.8 | 46.3-53.3 |
| Some Post-H.S. | 1195 | 1,403,416 | 616 | 48.6 | 44.7-52.5 | 579 | 51.4 | 47.5-55.3 |
| College Graduate | 1365 | 1,036,210 | 460 | 29.8 | 26.7-32.9 | 905 | 70.2 | 67.1-73.3 |
| Less than \$15,000 | 662 | 576,755 | 410 | 59.1 | 53.2-65.0 | 252 | 40.9 | 35.0-46.8 |
| \$15,000- 24,999 | 833 | 788,733 | 449 | 54.7 | 49.6-59.8 | 384 | 45.3 | 40.2-50.4 |
| \$25,000- 34,999 | 516 | 495,003 | 267 | 55.5 | 49.2-61.8 | 249 | 44.5 | 38.2-50.8 |
| \$35,000- 49,999 | 594 | 632,474 | 275 | 46.8 | 41.1-52.5 | 319 | 53.2 | 47.5-58.9 |
| \$50,000- 74,999 | 520 | 554,727 | 226 | 45.7 | 39.8-51.6 | 294 | 54.3 | 48.4-60.2 |
| \$75,000+ | 808 | 924,454 | 297 | 35.1 | 30.4-39.8 | 511 | 64.9 | 60.2-69.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1774 | 2,317,718 | 1028 | 54.7 | 51.4-58.0 | 746 | 45.3 | 42.0-48.6 |
| White/Non-Hisp | 1488 | 1,770,032 | 874 | 56.1 | 52.6-59.6 | 614 | 43.9 | 40.4-47.4 |
| Black or Afr. Am./Non-Hisp | 180 | 345,933 | 94 | 46.6 | 36.8-56.4 | 86 | 53.4 | 43.6-63.2 |
| 18-24 | 89 | 305,227 | 22 | 30.4 | 19.0-41.8 | 67 | 69.6 | 58.2-81.0 |
| 25-34 | 159 | 413,551 | 85 | 55.1 | 46.3-63.9 | 74 | 44.9 | 36.1-53.7 |
| 35-44 | 162 | 384,288 | 72 | 43.8 | 34.2-53.4 | 90 | 56.2 | 46.6-65.8 |
| 45-54 | 291 | 409,842 | 147 | 54.4 | 47.3-61.5 | 144 | 45.6 | 38.5-52.7 |
| 55-64 | 425 | 376,470 | 276 | 66.6 | 61.1-72.1 | 149 | 33.4 | 27.9-38.9 |
| 65+ | 636 | 421,089 | 421 | 71.6 | 67.5-75.7 | 215 | 28.4 | 24.3-32.5 |
| Less Than H.S. | 219 | 375,715 | 171 | 74.2 | 65.4-83.0 | 48 | 25.8 | 17.0-34.6 |
| H.S. or G.E.D. | 588 | 762,421 | 383 | 58.1 | 52.4-63.8 | 205 | 41.9 | 36.2-47.6 |
| Some Post-H.S. | 421 | 668,214 | 257 | 55.7 | 49.2-62.2 | 164 | 44.3 | 37.8-50.8 |
| College Graduate | 543 | 503,191 | 217 | 34.6 | 29.5-39.7 | 326 | 65.4 | 60.3-70.5 |
| Less than \$15,000 | 202 | 234,194 | 143 | 63.4 | 53.2-73.6 | 59 | 36.6 | 26.4-46.8 |
| \$15,000- 24,999 | 271 | 343,444 | 176 | 60.3 | 51.9-68.7 | 95 | 39.7 | 31.3-48.1 |
| \$25,000- 34,999 | 188 | 246,697 | 117 | 62.1 | 52.3-71.9 | 71 | 37.9 | 28.1-47.7 |
| \$35,000- 49,999 | 266 | 358,521 | 159 | 56.1 | 47.7-64.5 | 107 | 43.9 | 35.5-52.3 |
| \$50,000- 74,999 | 227 | 289,332 | 123 | 56.3 | 47.7-64.9 | 104 | 43.7 | 35.1-52.3 |
| \$75,000+ | 368 | 510,108 | 156 | 39.7 | 32.8-46.6 | 212 | 60.3 | 53.4-67.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3080 | 2,504,497 | 1309 | 42.2 | 39.7-44.7 | 1771 | 57.8 | 55.3-60.3 |
| White/Non-Hisp | 2552 | 1,923,323 | 1129 | 44.9 | 42.2-47.6 | 1423 | 55.1 | 52.4-57.8 |
| Black or Afr. Am./Non-Hisp | 399 | 404,240 | 124 | 30.3 | 23.8-36.8 | 275 | 69.7 | 63.2-76.2 |
| Oth. Race/Non-Hisp. | 52 | 69,122 | 23 | 39.6 | 21.8-57.4 | 29 | 60.4 | 42.6-78.2 |
| 18-24 | 109 | 298,871 | 32 | 28.9 | 18.9-38.9 | 77 | 71.1 | 61.1-81.1 |
| 25-34 | 226 | 401,730 | 87 | 39.3 | 31.9-46.7 | 139 | 60.7 | 53.3-68.1 |
| 35-44 | 294 | 405,229 | 127 | 44.9 | 37.8-52.0 | 167 | 55.1 | 48.0-62.2 |
| 45-54 | 477 | 421,611 | 223 | 48.3 | 42.6-54.0 | 254 | 51.7 | 46.0-57.4 |
| 55-64 | 678 | 415,537 | 322 | 48.1 | 43.4-52.8 | 356 | 51.9 | 47.2-56.6 |
| 65+ | 1255 | 538,577 | 504 | 40.8 | 37.3-44.3 | 751 | 59.2 | 55.7-62.7 |
| Less Than H.S. | 399 | 398,156 | 214 | 63.4 | 56.7-70.1 | 185 | 36.6 | 29.9-43.3 |
| H.S. or G.E.D. | 1072 | 833,680 | 488 | 42.9 | 38.6-47.2 | 584 | 57.1 | 52.8-61.4 |
| Some Post-H.S. | 774 | 735,202 | 359 | 42.2 | 37.5-46.9 | 415 | 57.8 | 53.1-62.5 |
| College Graduate | 822 | 533,020 | 243 | 25.3 | 21.4-29.2 | 579 | 74.7 | 70.8-78.6 |
| Less than \$15,000 | 460 | 342,560 | 267 | 56.2 | 49.3-63.1 | 193 | 43.8 | 36.9-50.7 |
| \$15,000- 24,999 | 562 | 445,289 | 273 | 50.4 | 44.3-56.5 | 289 | 49.6 | 43.5-55.7 |
| \$25,000- 34,999 | 328 | 248,306 | 150 | 49.0 | 41.2-56.8 | 178 | 51.0 | 43.2-58.8 |
| \$35,000- 49,999 | 328 | 273,953 | 116 | 34.6 | 27.7-41.5 | 212 | 65.4 | 58.5-72.3 |
| \$50,000- 74,999 | 293 | 265,395 | 103 | 34.2 | 26.6-41.8 | 190 | 65.8 | 58.2-73.4 |
| \$75,000+ | 440 | 414,346 | 141 | 29.6 | 23.9-35.3 | 299 | 70.4 | 64.7-76.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2334 | 2,324,237 | 752 | 38.9 | 36.0-41.8 | 217 | 11.4 | 09.2-13.6 | 1365 | 49.8 | 46.9-52.7 |
| Male | 1028 | 1,268,170 | 320 | 37.3 | 32.8-41.8 | 75 | 10.2 | 07.1-13.3 | 633 | 52.5 | 48.0-57.0 |
| Female | 1306 | 1,056,067 | 432 | 40.7 | 36.8-44.6 | 142 | 12.8 | 09.7-15.9 | 732 | 46.5 | 42.6-50.4 |
| White/Non-Hisp | 2001 | 1,856,364 | 642 | 39.5 | 36.4-42.6 | 164 | 9.6 | 07.2-12.0 | 1195 | 50.9 | 47.8-54.0 |
| Black or Afr. Am./Non-Hisp | 217 | 283,091 | 79 | 40.0 | 29.8-50.2 | 37 | 16.9 | 09.8-24.0 | 101 | 43.1 | 33.5-52.7 |
| 18-24 | 54 | 179,107 | 32 | 55.8 | 40.5-71.1 | 11 | 26.2 | 11.9-40.5 | 11 | 18.0 | 06.8-29.2 |
| 25-34 | 172 | 385,859 | 88 | 51.6 | 42.6-60.6 | 23 | 11.5 | 06.4-16.6 | 61 | 36.9 | 28.3-45.5 |
| 35-44 | 199 | 349,918 | 92 | 50.5 | 41.5-59.5 | 34 | 17.3 | 09.5-25.1 | 73 | 32.3 | 24.5-40.1 |
| 45-54 | 369 | 426,158 | 157 | 41.1 | 34.6-47.6 | 42 | 12.0 | 07.3-16.7 | 170 | 46.9 | 40.2-53.6 |
| 55-64 | 598 | 450,613 | 210 | 33.3 | 28.4-38.2 | 48 | 8.0 | 04.9-11.1 | 340 | 58.7 | 53.6-63.8 |
| 65+ | 923 | 520,935 | 170 | 18.9 | 15.6-22.2 | 54 | 4.4 | 02.8-06.0 | 699 | 76.7 | 73.2-80.2 |
| Less Than H.S. | 385 | 531,060 | 147 | 50.9 | 43.5-58.3 | 48 | 12.7 | 07.6-17.8 | 190 | 36.4 | 29.9-42.9 |
| H.S. or G.E.D. | 869 | 800,822 | 341 | 43.1 | 38.4-47.8 | 76 | 11.6 | 07.9-15.3 | 452 | 45.3 | 40.8-49.8 |
| Some Post-H.S. | 615 | 681,874 | 183 | 33.4 | 28.1-38.7 | 56 | 11.2 | 06.9-15.5 | 376 | 55.4 | 49.7-61.1 |
| College Graduate | 460 | 308,910 | 81 | 19.4 | 14.1-24.7 | 37 | 9.0 | 05.3-12.7 | 342 | 71.7 | 65.8-77.6 |
| Less than \$15,000 | 408 | 340,308 | 186 | 51.6 | 44.5-58.7 | 46 | 13.0 | 08.3-17.7 | 176 | 35.4 | 28.7-42.1 |
| \$15,000- 24,999 | 449 | 431,420 | 165 | 47.7 | 40.4-55.0 | 57 | 15.5 | 09.4-21.6 | 227 | 36.8 | 30.5-43.1 |
| \$25,000- 34,999 | 267 | 274,852 | 91 | 34.6 | 26.2-43.0 | 23 | 13.0 | 05.7-20.3 | 153 | 52.4 | 43.6-61.2 |
| \$35,000- 49,999 | 275 | 295,759 | 85 | 35.7 | 27.3-44.1 | 16 | 7.3 | 02.8-11.8 | 174 | 57.0 | 48.6-65.4 |
| \$50,000- 74,999 | 226 | 253,498 | 67 | 37.6 | 28.6-46.6 | 22 | 11.9 | 05.4-18.4 | 137 | 50.5 | 41.7-59.3 |
| \$75,000+ | 297 | 324,944 | 40 | 15.8 | 09.1-22.5 | 20 | 8.2 | 02.7-13.7 | 237 | 76.0 | 68.2-83.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1028 | 1,268,170 | 320 | 37.3 | 32.8-41.8 | 75 | 10.2 | 07.1-13.3 | 633 | 52.5 | 48.2-58.8 |
| White/Non-Hisp | 874 | 992,804 | 271 | 37.9 | 33.2-42.6 | 52 | 8.0 | 04.7-11.3 | 551 | 54.1 | 49.4-58.8 |
| Black or Afr. Am./Non-Hisp | 94 | 161,146 | 38 | 40.6 | 25.7-55.5 | 13 | 16.6 | 06.0-27.2 | 43 | 42.8 | 28.7-56.9 |
| 25-34 | 85 | 228,008 | 42 | 53.0 | 40.5-65.5 | 11 | 10.1 | 03.8-16.4 | 32 | 36.9 | 24.9-48.9 |
| 35-44 | 72 | 168,150 | 29 | 42.2 | 27.5-56.9 | 14 | 23.4 | 09.1-37.7 | 29 | 34.3 | 21.8-46.8 |
| 45-54 | 147 | 223,082 | 64 | 39.7 | 30.1-49.3 | 12 | 8.4 | 02.7-14.1 | 71 | 51.9 | 41.9-61.9 |
| 55-64 | 276 | 250,690 | 102 | 34.6 | 27.7-41.5 | 20 | 8.9 | 03.8-14.0 | 154 | 56.5 | 49.1-63.9 |
| 65+ | 421 | 301,390 | 68 | 17.0 | 12.3-21.7 | 13 | 1.6 | 00.6-02.6 | 340 | 81.4 | 76.7-86.1 |
| Less Than H.S. | 171 | 278,673 | 66 | 52.8 | 42.0-63.6 | 13 | 5.7 | 02.0-09.4 | 92 | 41.5 | 31.3-51.7 |
| H.S. or G.E.D. | 383 | 443,203 | 150 | 40.5 | 33.8-47.2 | 24 | 11.7 | 05.8-17.6 | 209 | 47.8 | 41.1-54.5 |
| Some Post-H.S. | 257 | 372,342 | 72 | 30.9 | 23.1-38.7 | 19 | 11.6 | 04.7-18.5 | 166 | 57.5 | 48.9-66.1 |
| College Graduate | 217 | 173,952 | 32 | 18.2 | 10.6-25.8 | 19 | 10.6 | 04.9-16.3 | 166 | 71.1 | 62.7-79.5 |
| Less than \$15,000 | 143 | 148,384 | 74 | 51.0 | 39.6-62.4 | 12 | 10.7 | 03.3-18.1 | 57 | 38.2 | 27.0-49.4 |
| \$15,000- 24,999 | 176 | 207,012 | 65 | 46.3 | 34.1-58.5 | 18 | 15.9 | 05.1-26.7 | 93 | 37.7 | 27.3-48.1 |
| \$25,000- 34,999 | 117 | 153,158 | 35 | 29.2 | 17.2-41.2 | 6 | 10.6 | 00.6-20.6 | 76 | 60.2 | 47.1-73.3 |
| \$35,000- 49,999 | 159 | 200,981 | 44 | 34.1 | 22.9-45.3 | 9 | 6.7 | 01.6-11.8 | 106 | 59.2 | 48.0-70.4 |
| \$50,000- 74,999 | 123 | 162,798 | 40 | 37.6 | 25.8-49.4 | 10 | 12.1 | 03.5-20.7 | 73 | 50.3 | 38.5-62.1 |
| \$75,000+ | 156 | 202,375 | 14 | 16.1 | 06.1-26.1 | 10 | 9.8 | 01.6-18.0 | 132 | 74.1 | 62.5-85.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1306 | 1,056,067 | 432 | 40.7 | 36.8-44.6 | 142 | 12.8 | 09.7-15.9 | 732 | 46.5 | 42.8-50.2 |
| White/Non-Hisp | 1127 | 863,560 | 371 | 41.2 | 36.9-45.5 | 112 | 11.5 | 08.4-14.6 | 644 | 47.2 | 43.1-51.3 |
| Black or Afr. Am./Non-Hisp | 123 | 121,945 | 41 | 39.2 | 26.5-51.9 | 24 | 17.3 | 08.7-25.9 | 58 | 43.4 | 30.7-56.1 |
| 25-34 | 87 | 157,851 | 46 | 49.6 | 37.3-61.9 | 12 | 13.6 | 05.2-22.0 | 29 | 36.9 | 24.7-49.1 |
| 35-44 | 127 | 181,768 | 63 | 58.1 | 47.9-68.3 | 20 | 11.6 | 06.1-17.1 | 44 | 30.3 | 21.1-39.5 |
| 45-54 | 222 | 203,076 | 93 | 42.5 | 34.3-50.7 | 30 | 16.0 | 08.6-23.4 | 99 | 41.4 | 33.2-49.6 |
| 55-64 | 322 | 199,923 | 108 | 31.7 | 25.0-38.4 | 28 | 6.9 | 03.4-10.4 | 186 | 61.3 | 54.4-68.2 |
| 65+ | 502 | 219,545 | 102 | 21.6 | 16.7-26.5 | 41 | 8.2 | 05.1-11.3 | 359 | 70.2 | 64.9-75.5 |
| Less Than H.S. | 214 | 252,386 | 81 | 48.8 | 38.8-58.8 | 35 | 20.4 | 11.0-29.8 | 98 | 30.8 | 22.8-38.8 |
| H.S. or G.E.D. | 486 | 357,619 | 191 | 46.4 | 40.3-52.5 | 52 | 11.4 | 07.3-15.5 | 243 | 42.1 | 36.4-47.8 |
| Some Post-H.S. | 358 | 309,532 | 111 | 36.4 | 29.5-43.3 | 37 | 10.8 | 06.5-15.1 | 210 | 52.8 | 45.7-59.9 |
| College Graduate | 243 | 134,957 | 49 | 20.9 | 13.8-28.0 | 18 | 6.8 | 02.7-10.9 | 176 | 72.3 | 64.5-80.1 |
| Less than \$15,000 | 265 | 191,924 | 112 | 52.0 | 43.2-60.8 | 34 | 14.8 | 08.5-21.1 | 119 | 33.2 | 25.4-41.0 |
| \$15,000- 24,999 | 273 | 224,408 | 100 | 49.0 | 40.6-57.4 | 39 | 15.1 | 08.8-21.4 | 134 | 35.9 | 28.3-43.5 |
| \$25,000- 34,999 | 150 | 121,693 | 56 | 41.4 | 29.6-53.2 | 17 | 16.1 | 05.5-26.7 | 77 | 42.5 | 31.3-53.7 |
| \$35,000- 49,999 | 116 | 94,778 | 41 | 39.2 | 27.6-50.8 | 7 | 8.6 | 00.4-16.8 | 68 | 52.3 | 40.5-64.1 |
| \$50,000- 74,999 | 103 | 90,700 | 27 | 37.6 | 23.9-51.3 | 12 | 11.6 | 02.4-20.8 | 64 | 50.8 | 37.5-64.1 |
| \$75,000+ | 141 | 122,570 | 26 | 15.3 | 08.6-22.0 | 10 | 5.4 | 01.5-09.3 | 105 | 79.3 | 71.9-86.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 967 | 1,165,334 | 545 | 58.7 | 54.2-63.2 | 422 | 41.3 | 36.8-45.8 |
| Male | 393 | 600,391 | 204 | 54.2 | 47.1-61.3 | 189 | 45.8 | 38.7-52.9 |
| Female | 574 | 564,943 | 341 | 63.4 | 57.9-68.9 | 233 | 36.6 | 31.1-42.1 |
| White/Non-Hisp | 804 | 908,748 | 431 | 57.1 | 52.2-62.0 | 373 | 42.9 | 38.0-47.8 |
| Black or Afr. Am./Non-Hisp | 116 | 161,160 | 86 | 64.2 | 49.5-78.9 | 30 | 35.8 | 21.1-50.5 |
| 25-34 | 111 | 243,638 | 69 | 56.6 | 45.0-68.2 | 42 | 43.4 | 31.8-55.0 |
| 35-44 | 126 | 237,060 | 71 | 58.7 | 47.3-70.1 | 55 | 41.3 | 29.9-52.7 |
| 45-54 | 199 | 226,215 | 119 | 57.9 | 48.9-66.9 | 80 | 42.1 | 33.1-51.1 |
| 55-64 | 258 | 186,326 | 146 | 58.5 | 50.5-66.5 | 112 | 41.5 | 33.5-49.5 |
| 65+ | 222 | 119,158 | 103 | 46.1 | 37.5-54.7 | 119 | 53.9 | 45.3-62.5 |
| Less Than H.S. | 195 | 337,706 | 121 | 59.7 | 49.3-70.1 | 74 | 40.3 | 29.9-50.7 |
| H.S. or G.E.D. | 417 | 438,301 | 233 | 59.6 | 53.1-66.1 | 184 | 40.4 | 33.9-46.9 |
| Some Post-H.S. | 238 | 301,844 | 130 | 58.1 | 49.3-66.9 | 108 | 41.9 | 33.1-50.7 |
| College Graduate | 117 | 87,483 | 61 | 51.9 | 39.4-64.4 | 56 | 48.1 | 35.6-60.6 |
| Less than \$15,000 | 232 | 219,917 | 126 | 56.0 | 47.2-64.8 | 106 | 44.0 | 35.2-52.8 |
| \$15,000- 24,999 | 222 | 272,633 | 138 | 64.0 | 54.0-74.0 | 84 | 36.0 | 26.0-46.0 |
| \$25,000- 34,999 | 114 | 130,937 | 66 | 60.8 | 47.3-74.3 | 48 | 39.2 | 25.7-52.7 |
| \$35,000- 49,999 | 101 | 127,276 | 53 | 50.1 | 36.4-63.8 | 48 | 49.9 | 36.2-63.6 |
| \$50,000- 74,999 | 89 | 125,475 | 52 | 59.6 | 45.7-73.5 | 37 | 40.4 | 26.5-54.3 |
| \$75,000+ | 60 | 77,909 | 33 | 55.7 | 36.1-75.3 | 27 | 44.3 | 24.7-63.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 393 | 600,391 | 204 | 54.2 | 47.1-61.3 | 189 | 45.8 | 38.7-52.9 |
| White/Non-Hisp | 321 | 453,093 | 161 | 53.3 | 45.5-61.1 | 160 | 46.7 | 38.9-54.5 |
| Black or Afr. Am./Non-Hisp | 51 | 92,179 | 31 | 52.2 | 31.6-72.8 | 20 | 47.8 | 27.2-68.4 |
| 25-34 | 53 | 143,982 | 28 | 45.9 | 30.0-61.8 | 25 | 54.1 | 38.2-70.0 |
| 45-54 | 76 | 107,274 | 44 | 54.3 | 40.2-68.4 | 32 | 45.7 | 31.6-59.8 |
| 55-64 | 122 | 108,983 | 66 | 58.7 | 47.9-69.5 | 56 | 41.3 | 30.5-52.1 |
| 65+ | 79 | 53,715 | 28 | 30.7 | 18.0-43.4 | 51 | 69.3 | 56.6-82.0 |
| Less Than H.S. | 79 | 163,081 | 44 | 52.2 | 35.9-68.5 | 35 | 47.8 | 31.5-64.1 |
| H.S. or G.E.D. | 174 | 231,286 | 91 | 57.1 | 47.5-66.7 | 83 | 42.9 | 33.3-52.5 |
| Some Post-H.S. | 90 | 155,882 | 44 | 53.7 | 39.8-67.6 | 46 | 46.3 | 32.4-60.2 |
| College Graduate | 50 | 50,142 | 25 | 49.7 | 31.5-67.9 | 25 | 50.3 | 32.1-68.5 |
| Less than \$15,000 | 86 | 91,645 | 47 | 61.4 | 48.1-74.7 | 39 | 38.6 | 25.3-51.9 |
| \$15,000- 24,999 | 83 | 128,884 | 48 | 60.5 | 43.3-77.7 | 35 | 39.5 | 22.3-56.7 |
| \$35,000- 49,999 | 53 | 82,028 | 25 | 40.5 | 22.9-58.1 | 28 | 59.5 | 41.9-77.1 |
| \$50,000- 74,999 | 50 | 80,891 | 31 | 61.4 | 42.2-80.6 | 19 | 38.6 | 19.4-57.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 574 | 564,943 | 341 | 63.4 | 57.9-68.9 | 233 | 36.6 | 31.1-42.1 |
| White/Non-Hisp | 483 | 455,655 | 270 | 61.0 | 54.9-67.1 | 213 | 39.0 | 32.9-45.1 |
| Black or Afr. Am./Non-Hisp | 65 | 68,981 | 55 | 80.4 | 66.3-94.5 | 10 | 19.6 | 05.5-33.7 |
| 25-34 | 58 | 99,656 | 41 | 72.0 | 59.1-84.9 | 17 | 28.0 | 15.1-40.9 |
| 35-44 | 83 | 126,602 | 46 | 53.8 | 40.3-67.3 | 37 | 46.2 | 32.7-59.7 |
| 45-54 | 123 | 118,940 | 75 | 61.2 | 50.0-72.4 | 48 | 38.8 | 27.6-50.0 |
| 55-64 | 136 | 77,343 | 80 | 58.2 | 46.2-70.2 | 56 | 41.8 | 29.8-53.8 |
| 65+ | 143 | 65,443 | 75 | 58.7 | 48.3-69.1 | 68 | 41.3 | 30.9-51.7 |
| Less Than H.S. | 116 | 174,625 | 77 | 66.8 | 54.8-78.8 | 39 | 33.2 | 21.2-45.2 |
| H.S. or G.E.D. | 243 | 207,015 | 142 | 62.4 | 54.2-70.6 | 101 | 37.6 | 29.4-45.8 |
| Some Post-H.S. | 148 | 145,961 | 86 | 62.8 | 52.8-72.8 | 62 | 37.2 | 27.2-47.2 |
| College Graduate | 67 | 37,342 | 36 | 54.8 | 38.3-71.3 | 31 | 45.2 | 28.7-61.7 |
| Less than \$15,000 | 146 | 128,272 | 79 | 52.2 | 40.6-63.8 | 67 | 47.8 | 36.2-59.4 |
| \$15,000- 24,999 | 139 | 143,750 | 90 | 67.1 | 56.3-77.9 | 49 | 32.9 | 22.1-43.7 |
| \$25,000- 34,999 | 73 | 70,012 | 48 | 78.7 | 67.3-90.1 | 25 | 21.3 | 09.9-32.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1351 | 1,149,208 | 139 | 15.9 | 12.8-19.0 | 162 | 15.8 | 12.9-18.7 | 149 | 11.9 | 09.4-14.4 | 896 | 56.0 | 52.3-59.7 | 5 | 0.4 | 00.0-00.8 |
| Male | 627 | 660,815 | 55 | 14.7 | 10.4-19.0 | 65 | 14.5 | 10.4-18.6 | 69 | 11.6 | 08.1-15.1 | 435 | 58.8 | 53.5-64.1 | 3 | 0.5 | 00.0-01.1 |
| Female | 724 | 488,393 | 84 | 17.6 | 13.1-22.1 | 97 | 17.7 | 13.4-22.0 | 80 | 12.2 | 08.9-15.5 | 461 | 52.4 | 47.3-57.5 | 2 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 1182 | 938,118 | 109 | 13.6 | 10.7-16.5 | 142 | 15.8 | 12.7-18.9 | 127 | 11.1 | 08.7-13.5 | 801 | 59.3 | 55.4-63.2 | 3 | 0.3 | 00.0-00.7 |
| Black or Afr. Am./Non-Hisp | 101 | 121,931 | 19 | 22.5 | 10.5-34.5 | 9 | 14.1 | 02.9-25.3 | 15 | 20.8 | 08.8-32.8 | 56 | 41.8 | 28.7-54.9 | 2 | 0.9 | 00.0-02.3 |
| 25-34 | 61 | 142,221 | 24 | 37.3 | 23.2-51.4 | 27 | 40.8 | 26.9-54.7 | 5 | 10.5 | 00.9-20.1 | 5 | 11.4 | 01.4-21.4 | | | |
| 35-44 | 72 | 112,634 | 18 | 25.7 | 13.5-37.9 | 15 | 17.6 | 07.8-27.4 | 15 | 21.2 | 10.0-32.4 | 24 | 35.4 | 22.7-48.1 | | | |
| 45-54 | 170 | 199,943 | 28 | 16.0 | 09.3-22.7 | 34 | 22.0 | 13.6-30.4 | 20 | 11.8 | 05.7-17.9 | 87 | 50.0 | 40.2-59.8 | 1 | 0.3 | 00.0-00.9 |
| 55-64 | 332 | 258,180 | 34 | 12.1 | 07.6-16.6 | 43 | 11.0 | 07.1-14.9 | 54 | 17.0 | 11.9-22.1 | 201 | 59.9 | 53.2-66.6 | | | |
| 65+ | 694 | 398,412 | 30 | 5.7 | 03.0-08.4 | 38 | 5.0 | 02.8-07.2 | 52 | 6.6 | 04.2-09.0 | 570 | 81.9 | 78.0-85.8 | 4 | 0.9 | 00.0-01.9 |
| Less Than H.S. | 186 | 189,980 | 25 | 18.1 | 09.5-26.7 | 25 | 15.3 | 07.7-22.9 | 22 | 11.5 | 05.4-17.6 | 113 | 55.0 | 45.2-64.8 | 1 | 0.2 | 00.0-00.6 |
| H.S. or G.E.D. | 449 | 360,967 | 41 | 12.1 | 08.0-16.2 | 52 | 14.4 | 09.7-19.1 | 54 | 13.6 | 08.9-18.3 | 301 | 59.8 | 53.5-66.1 | 1 | 0.2 | 00.0-00.6 |
| Some Post-H.S. | 373 | 376,944 | 45 | 20.5 | 13.6-27.4 | 50 | 17.3 | 11.4-23.2 | 41 | 9.5 | 05.6-13.4 | 235 | 52.1 | 44.8-59.4 | 2 | 0.6 | 00.0-01.6 |
| College Graduate | 338 | 219,745 | 27 | 12.4 | 06.9-17.9 | 35 | 16.2 | 10.1-22.3 | 32 | 13.6 | 07.7-19.5 | 243 | 57.4 | 50.0-64.8 | 1 | 0.3 | 00.0-00.9 |
| Less than \$15,000 | 175 | 120,194 | 21 | 19.5 | 08.5-30.5 | 28 | 21.5 | 10.7-32.3 | 21 | 10.9 | 04.0-17.8 | 105 | 48.0 | 36.4-59.6 | | | |
| \$15,000- 24,999 | 226 | 158,435 | 30 | 19.1 | 11.1-27.1 | 31 | 15.1 | 08.6-21.6 | 28 | 12.2 | 06.3-18.1 | 136 | 53.3 | 44.1-62.5 | 1 | 0.2 | 00.0-00.6 |
| \$25,000- 34,999 | 150 | 141,169 | 20 | 19.5 | 10.3-28.7 | 15 | 16.8 | 07.0-26.6 | 10 | 7.5 | 02.0-13.0 | 105 | 56.2 | 44.8-67.6 | | | |
| \$35,000- 49,999 | 173 | 168,363 | 13 | 15.5 | 05.7-25.3 | 16 | 10.1 | 04.6-15.6 | 27 | 17.9 | 09.3-26.5 | 116 | 56.0 | 45.6-66.4 | 1 | 0.5 | 00.0-01.5 |
| \$50,000- 74,999 | 134 | 126,663 | 15 | 18.9 | 09.3-28.5 | 15 | 14.9 | 05.9-23.9 | 18 | 15.2 | 07.0-23.4 | 86 | 50.9 | 39.7-62.1 | | | |
| \$75,000+ | 235 | 245,911 | 20 | 12.8 | 06.3-19.3 | 33 | 21.2 | 13.8-28.6 | 18 | 10.0 | 04.3-15.7 | 161 | 54.8 | 46.2-63.4 | 3 | 1.2 | 00.0-02.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|--------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 627 | 660,815 | 55 | 14.7 | 10.4-19.0 | 65 | 14.5 | 10.6-18.4 | 69 | 11.6 | 08.1-15.1 | 435 | 58.8 | 53.5-64.1 | 3 | 0.5 | 00.0-01.1 |
| White/Non-Hisp | 545 | 532,746 | 43 | 12.7 | 08.4-17.0 | 56 | 13.9 | 09.8-18.0 | 58 | 10.6 | 07.1-14.1 | 386 | 62.4 | 56.9-67.9 | 2 | 0.4 | 00.0-01.0 |
| 45-54 | 71 | 115,808 | 8 | 11.8 | 02.8-20.8 | 13 | 21.6 | 09.8-33.4 | 8 | 11.1 | 02.3-19.9 | 42 | 55.5 | 41.4-69.6 | | | |
| 55-64 | 149 | 137,235 | 13 | 8.6 | 02.7-14.5 | 18 | 10.5 | 05.2-15.8 | 30 | 19.8 | 11.8-27.8 | 88 | 61.1 | 51.5-70.7 | | | |
| 65+ | 339 | 245,182 | 11 | 4.7 | 01.4-08.0 | 14 | 4.5 | 01.6-07.4 | 21 | 6.1 | 02.8-09.4 | 290 | 83.4 | 78.1-88.7 | 3 | 1.3 | 00.0-02.9 |
| Less Than H.S. | 90 | 112,935 | 7 | 13.2 | 01.4-25.0 | 7 | 10.9 | 02.1-19.7 | 10 | 11.4 | 02.8-20.0 | 66 | 64.6 | 50.9-78.3 | | | |
| H.S. or G.E.D. | 207 | 210,561 | 16 | 10.2 | 04.9-15.5 | 18 | 10.7 | 05.0-16.4 | 29 | 15.7 | 08.4-23.0 | 144 | 63.3 | 54.5-72.1 | | | |
| Some Post-H.S. | 165 | 213,697 | 18 | 19.4 | 09.8-29.0 | 22 | 18.0 | 09.4-26.6 | 15 | 7.7 | 02.4-13.0 | 108 | 53.7 | 43.1-64.3 | 2 | 1.1 | 00.0-02.7 |
| College Graduate | 165 | 123,623 | 14 | 15.3 | 06.7-23.9 | 18 | 18.1 | 09.3-26.9 | 15 | 11.4 | 03.8-19.0 | 117 | 54.5 | 44.3-64.7 | 1 | 0.6 | 00.0-01.8 |
| Less than \$15,000 | 57 | 56,739 | 3 | 16.1 | 00.0-35.7 | 6 | 22.5 | 04.7-40.3 | 6 | 6.6 | 00.0-14.6 | 42 | 54.8 | 34.6-75.0 | | | |
| \$15,000- 24,999 | 93 | 78,129 | 12 | 12.4 | 04.4-20.4 | 14 | 14.4 | 05.2-23.6 | 11 | 12.9 | 03.5-22.3 | 56 | 60.3 | 47.2-73.4 | | | |
| \$25,000- 34,999 | 74 | 89,576 | 11 | 21.1 | 07.8-34.4 | 9 | 17.0 | 04.3-29.7 | 5 | 8.2 | 00.6-15.8 | 49 | 53.6 | 38.3-68.9 | | | |
| \$35,000- 49,999 | 105 | 118,834 | 6 | 16.4 | 03.5-29.3 | 5 | 5.6 | 00.3-10.9 | 17 | 16.1 | 05.3-26.9 | 76 | 61.2 | 47.5-74.9 | 1 | 0.7 | 00.0-02.1 |
| \$50,000- 74,999 | 73 | 81,907 | 7 | 19.6 | 06.7-32.5 | 5 | 11.3 | 00.3-22.3 | 10 | 14.3 | 03.7-24.9 | 51 | 54.9 | 39.8-70.0 | | | |
| \$75,000+ | 131 | 149,130 | 10 | 9.1 | 02.8-15.4 | 21 | 23.9 | 13.5-34.3 | 10 | 11.1 | 02.9-19.3 | 88 | 54.3 | 43.1-65.5 | 2 | 1.5 | 00.0-03.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 724 | 488,393 | 84 | 17.6 | 13.1-22.1 | 97 | 17.7 | 13.4-22.0 | 80 | 12.2 | 08.9-15.5 | 461 | 52.4 | 47.3-57.5 | 2 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 637 | 405,371 | 66 | 14.8 | 10.9-18.7 | 86 | 18.2 | 13.7-22.7 | 69 | 11.7 | 08.4-15.0 | 415 | 55.2 | 49.9-60.5 | 1 | 0.2 | 00.0-00.4 |
| Black or Afr. Am./Non-Hisp | 58 | 52,964 | 12 | 31.2 | 11.6-50.8 | 5 | 13.2 | 00.0-29.5 | 7 | 13.0 | 01.0-25.0 | 33 | 42.0 | 24.0-60.0 | 1 | 0.6 | 00.0-01.8 |
| 45-54 | 99 | 84,135 | 20 | 21.7 | 11.9-31.5 | 21 | 22.4 | 11.0-33.8 | 12 | 12.7 | 05.1-20.3 | 45 | 42.4 | 30.2-54.6 | 1 | 0.7 | 00.0-02.1 |
| 55-64 | 183 | 120,944 | 21 | 16.0 | 08.9-23.1 | 25 | 11.6 | 06.1-17.1 | 24 | 13.9 | 07.6-20.2 | 113 | 58.5 | 49.7-67.3 | | | |
| 65+ | 355 | 153,230 | 19 | 7.2 | 02.3-12.1 | 24 | 5.7 | 02.4-09.0 | 31 | 7.4 | 04.3-10.5 | 280 | 79.5 | 73.4-85.6 | 1 | 0.2 | 00.0-00.6 |
| Less Than H.S. | 96 | 77,045 | 18 | 25.3 | 12.6-38.0 | 18 | 21.8 | 08.7-34.9 | 12 | 11.7 | 03.5-19.9 | 47 | 40.8 | 27.5-54.1 | 1 | 0.4 | 00.0-01.2 |
| H.S. or G.E.D. | 242 | 150,407 | 25 | 14.6 | 08.5-20.7 | 34 | 19.5 | 11.7-27.3 | 25 | 10.5 | 06.0-15.0 | 157 | 54.9 | 46.5-63.3 | 1 | 0.4 | 00.0-01.2 |
| Some Post-H.S. | 208 | 163,247 | 27 | 21.9 | 12.5-31.3 | 28 | 16.4 | 09.1-23.7 | 26 | 11.8 | 06.1-17.5 | 127 | 49.9 | 40.5-59.3 | | | |
| College Graduate | 173 | 96,122 | 13 | 8.7 | 03.4-14.0 | 17 | 13.9 | 05.9-21.9 | 17 | 16.3 | 06.9-25.7 | 126 | 61.2 | 50.4-72.0 | | | |
| Less than \$15,000 | 118 | 63,455 | 18 | 22.6 | 10.6-34.6 | 22 | 20.7 | 08.0-33.4 | 15 | 14.8 | 04.4-25.2 | 63 | 41.9 | 29.2-54.6 | | | |
| \$15,000- 24,999 | 133 | 80,307 | 18 | 25.7 | 13.0-38.4 | 17 | 15.9 | 06.7-25.1 | 17 | 11.6 | 04.7-18.5 | 80 | 46.5 | 34.5-58.5 | 1 | 0.4 | 00.0-01.2 |
| \$25,000- 34,999 | 76 | 51,593 | 9 | 16.7 | 05.9-27.5 | 6 | 16.3 | 01.0-31.6 | 5 | 6.2 | 00.0-13.3 | 56 | 60.8 | 44.9-76.7 | | | |
| \$35,000- 49,999 | 68 | 49,529 | 7 | 13.2 | 03.2-23.2 | 11 | 20.9 | 08.6-33.2 | 10 | 22.4 | 08.7-36.1 | 40 | 43.6 | 29.7-57.5 | | | |
| \$50,000- 74,999 | 61 | 44,756 | 8 | 17.7 | 04.6-30.8 | 10 | 21.6 | 06.3-36.9 | 8 | 17.0 | 03.9-30.1 | 35 | 43.7 | 27.6-59.8 | | | |
| \$75,000+ | 104 | 96,781 | 10 | 18.5 | 06.2-30.8 | 12 | 17.0 | 07.2-26.8 | 8 | 8.4 | 01.5-15.3 | 73 | 55.5 | 42.4-68.6 | 1 | 0.6 | 00.0-01.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4873 | 4,830,208 | 124 | 4.6 | 03.4-05.8 | 97 | 2.7 | 01.9-03.5 | 4652 | 92.7 | 91.3-94.1 |
| Male | 1782 | 2,317,506 | 110 | 8.9 | 06.7-11.1 | 68 | 4.4 | 03.0-05.8 | 1604 | 86.7 | 84.2-89.2 |
| Female | 3091 | 2,512,702 | 14 | 0.6 | 00.2-01.0 | 29 | 1.1 | 00.5-01.7 | 3048 | 98.3 | 97.7-98.9 |
| White/Non-Hisp | 4053 | 3,696,639 | 113 | 5.0 | 03.8-06.2 | 83 | 3.1 | 02.1-04.1 | 3857 | 91.9 | 90.3-93.5 |
| Black or Afr. Am./Non-Hisp | 581 | 752,190 | 5 | 1.6 | 00.0-03.2 | 11 | 1.5 | 00.3-02.7 | 565 | 96.9 | 94.9-98.9 |
| Oth. Race/Non-Hisp. | 90 | 118,022 | 2 | 0.7 | 00.0-01.7 | 3 | 4.5 | 00.0-09.6 | 85 | 94.8 | 89.7-99.9 |
| Hispanic | 58 | 136,226 | 1 | 6.9 | 00.0-19.6 | | | | 57 | 93.1 | 80.4-0100 |
| 18-24 | 199 | 606,350 | 10 | 6.1 | 02.0-10.2 | 6 | 3.4 | 00.5-06.3 | 183 | 90.4 | 85.3-95.5 |
| 25-34 | 388 | 819,562 | 15 | 4.4 | 01.7-07.1 | 12 | 3.4 | 01.4-05.4 | 361 | 92.2 | 88.9-95.5 |
| 35-44 | 455 | 780,838 | 13 | 5.2 | 01.3-09.1 | 10 | 3.5 | 01.0-06.0 | 432 | 91.3 | 86.8-95.8 |
| 45-54 | 770 | 834,038 | 29 | 6.2 | 03.7-08.7 | 19 | 2.4 | 01.2-03.6 | 722 | 91.4 | 88.7-94.1 |
| 55-64 | 1104 | 793,317 | 22 | 3.2 | 01.4-05.0 | 12 | 1.1 | 00.3-01.9 | 1070 | 95.7 | 93.9-97.5 |
| 65+ | 1903 | 964,917 | 33 | 3.0 | 01.8-04.2 | 38 | 2.8 | 01.6-04.0 | 1832 | 94.3 | 92.7-95.9 |
| Less Than H.S. | 620 | 767,562 | 29 | 8.6 | 04.3-12.9 | 18 | 2.3 | 00.9-03.7 | 573 | 89.1 | 84.8-93.4 |
| H.S. or G.E.D. | 1669 | 1,601,571 | 50 | 4.5 | 02.9-06.1 | 38 | 3.5 | 01.9-05.1 | 1581 | 92.0 | 89.8-94.2 |
| Some Post-H.S. | 1198 | 1,409,886 | 30 | 4.5 | 02.3-06.7 | 23 | 2.7 | 01.3-04.1 | 1145 | 92.8 | 90.3-95.3 |
| College Graduate | 1370 | 1,038,573 | 15 | 1.7 | 00.5-02.9 | 18 | 2.0 | 00.8-03.2 | 1337 | 96.2 | 94.6-97.8 |
| Less than \$15,000 | 665 | 579,359 | 11 | 2.1 | 00.3-03.9 | 11 | 2.4 | 00.6-04.2 | 643 | 95.4 | 92.9-97.9 |
| \$15,000- 24,999 | 838 | 792,688 | 18 | 4.7 | 01.0-08.4 | 21 | 3.0 | 01.4-04.6 | 799 | 92.3 | 88.4-96.2 |
| \$25,000- 34,999 | 515 | 494,730 | 15 | 6.4 | 02.1-10.7 | 8 | 0.8 | 00.2-01.4 | 492 | 92.8 | 88.5-97.1 |
| \$35,000- 49,999 | 597 | 633,970 | 21 | 6.1 | 03.0-09.2 | 13 | 3.4 | 01.0-05.8 | 563 | 90.5 | 86.6-94.4 |
| \$50,000- 74,999 | 523 | 558,176 | 11 | 3.0 | 01.0-05.0 | 9 | 2.4 | 00.4-04.4 | 503 | 94.6 | 91.9-97.3 |
| \$75,000+ | 808 | 917,090 | 25 | 4.5 | 02.5-06.5 | 16 | 3.3 | 01.1-05.5 | 767 | 92.2 | 89.3-95.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1782 | 2,317,506 | 110 | 8.9 | 06.7-11.1 | 68 | 4.4 | 03.0-05.8 | 1604 | 86.7 | 84.2-89.2 |
| White/Non-Hisp | 1494 | 1,768,299 | 101 | 9.9 | 07.4-12.4 | 64 | 5.4 | 03.6-07.2 | 1329 | 84.7 | 81.8-87.6 |
| Black or Afr. Am./Non-Hisp | 180 | 345,933 | 3 | 2.7 | 00.0-05.8 | 3 | 1.7 | 00.0-03.9 | 174 | 95.5 | 91.8-99.2 |
| 18-24 | 89 | 305,227 | 10 | 12.1 | 04.1-20.1 | 4 | 5.6 | 00.0-11.3 | 75 | 82.3 | 72.9-91.7 |
| 25-34 | 161 | 416,790 | 14 | 8.3 | 03.2-13.4 | 11 | 6.1 | 02.4-09.8 | 136 | 85.6 | 79.5-91.7 |
| 35-44 | 161 | 375,953 | 11 | 10.3 | 02.7-17.9 | 6 | 5.4 | 00.5-10.3 | 144 | 84.3 | 75.7-92.9 |
| 45-54 | 292 | 410,889 | 27 | 12.1 | 07.2-17.0 | 13 | 3.7 | 01.3-06.1 | 252 | 84.2 | 78.9-89.5 |
| 55-64 | 425 | 376,470 | 19 | 6.0 | 02.7-09.3 | 11 | 2.3 | 00.7-03.9 | 395 | 91.7 | 88.0-95.4 |
| 65+ | 641 | 423,934 | 27 | 5.4 | 02.9-07.9 | 23 | 3.9 | 01.9-05.9 | 591 | 90.8 | 87.7-93.9 |
| Less Than H.S. | 219 | 368,426 | 23 | 16.4 | 08.2-24.6 | 10 | 2.5 | 00.5-04.5 | 186 | 81.1 | 72.7-89.5 |
| H.S. or G.E.D. | 591 | 764,160 | 44 | 8.7 | 05.6-11.8 | 28 | 6.3 | 03.4-09.2 | 519 | 85.0 | 80.9-89.1 |
| Some Post-H.S. | 423 | 671,971 | 28 | 9.1 | 04.8-13.4 | 17 | 4.4 | 01.7-07.1 | 378 | 86.4 | 81.5-91.3 |
| College Graduate | 546 | 504,771 | 15 | 3.6 | 01.4-05.8 | 13 | 3.1 | 00.9-05.3 | 518 | 93.3 | 90.2-96.4 |
| Less than \$15,000 | 204 | 236,233 | 9 | 5.0 | 00.7-09.3 | 9 | 5.4 | 01.3-09.5 | 186 | 89.6 | 83.7-95.5 |
| \$15,000- 24,999 | 272 | 344,027 | 16 | 10.1 | 02.3-17.9 | 11 | 3.5 | 00.8-06.2 | 245 | 86.4 | 78.4-94.4 |
| \$25,000- 34,999 | 188 | 246,697 | 12 | 12.1 | 03.9-20.3 | 5 | 1.1 | 00.1-02.1 | 171 | 86.8 | 78.6-95.0 |
| \$35,000- 49,999 | 268 | 359,404 | 20 | 10.5 | 05.0-16.0 | 11 | 5.0 | 00.9-09.1 | 237 | 84.5 | 78.0-91.0 |
| \$50,000- 74,999 | 229 | 292,667 | 9 | 5.0 | 01.5-08.5 | 7 | 3.9 | 00.2-07.6 | 213 | 91.1 | 86.0-96.2 |
| \$75,000+ | 367 | 501,773 | 24 | 7.9 | 04.4-11.4 | 15 | 5.9 | 02.0-09.8 | 328 | 86.3 | 81.2-91.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3091 | 2,512,702 | 14 | 0.6 | 00.2-01.0 | 29 | 1.1 | 00.5-01.7 | 3048 | 98.3 | 97.7-98.9 |
| White/Non-Hisp | 2559 | 1,928,340 | 12 | 0.6 | 00.2-01.0 | 19 | 1.0 | 00.4-01.6 | 2528 | 98.4 | 97.8-99.0 |
| Black or Afr. Am./Non-Hisp | 401 | 406,257 | 2 | 0.6 | 00.0-01.6 | 8 | 1.3 | 00.0-02.7 | 391 | 98.1 | 96.3-99.9 |
| Oth. Race/Non-Hisp. | 52 | 69,122 | 2 | 5.0 | 00.0-11.9 | 2 | 5.0 | 00.0-11.9 | 50 | 95.0 | 88.1-0100 |
| 18-24 | 110 | 301,124 | | | | 2 | 1.2 | 00.0-03.0 | 108 | 98.8 | 97.0-0100 |
| 25-34 | 227 | 402,772 | 1 | 0.3 | 00.0-00.9 | 1 | 0.7 | 00.0-02.1 | 225 | 99.0 | 97.6-0100 |
| 35-44 | 294 | 404,885 | 2 | 0.4 | 00.0-01.0 | 4 | 1.8 | 00.0-03.6 | 288 | 97.8 | 95.8-99.8 |
| 45-54 | 478 | 423,149 | 2 | 0.5 | 00.0-01.1 | 6 | 1.1 | 00.1-02.1 | 470 | 98.4 | 97.2-99.6 |
| 55-64 | 679 | 416,847 | 3 | 0.7 | 00.0-01.5 | 1 | 0.1 | 00.0-00.3 | 675 | 99.3 | 98.5-0100 |
| 65+ | 1262 | 540,983 | 6 | 1.1 | 00.1-02.1 | 15 | 1.9 | 00.5-03.3 | 1241 | 97.0 | 95.4-98.6 |
| Less Than H.S. | 401 | 399,136 | 6 | 1.4 | 00.0-02.8 | 8 | 2.1 | 00.3-03.9 | 387 | 96.5 | 94.3-98.7 |
| H.S. or G.E.D. | 1078 | 837,411 | 6 | 0.7 | 00.1-01.3 | 10 | 0.9 | 00.1-01.7 | 1062 | 98.4 | 97.2-99.6 |
| Some Post-H.S. | 775 | 737,915 | 2 | 0.3 | 00.0-00.7 | 6 | 1.1 | 00.1-02.1 | 767 | 98.6 | 97.4-99.8 |
| College Graduate | 824 | 533,802 | 5 | 1.0 | 00.2-01.8 | 5 | 1.0 | 00.2-01.8 | 819 | 99.0 | 98.2-99.8 |
| Less than \$15,000 | 461 | 343,127 | 2 | 0.2 | 00.0-00.4 | 2 | 0.4 | 00.0-01.0 | 457 | 99.5 | 98.9-0100 |
| \$15,000- 24,999 | 566 | 448,661 | 2 | 0.6 | 00.0-01.4 | 10 | 2.6 | 00.6-04.6 | 554 | 96.9 | 94.7-99.1 |
| \$25,000- 34,999 | 327 | 248,033 | 3 | 0.8 | 00.0-01.8 | 3 | 0.4 | 00.0-01.0 | 321 | 98.8 | 97.6-0100 |
| \$35,000- 49,999 | 329 | 274,566 | 1 | 0.4 | 00.0-01.2 | 2 | 1.2 | 00.0-03.0 | 326 | 98.4 | 96.4-0100 |
| \$50,000- 74,999 | 294 | 265,509 | 2 | 0.9 | 00.0-02.1 | 2 | 0.8 | 00.0-02.0 | 290 | 98.3 | 96.7-99.9 |
| \$75,000+ | 441 | 415,316 | 1 | 0.3 | 00.0-00.9 | 1 | 0.2 | 00.0-00.6 | 439 | 99.4 | 98.6-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5) | |
| 1 | MALES AND FEMALES | 185 |
| 2 | MALES ONLY | 186 |
| 3 | FEMALES ONLY | 187 |
| | ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2) | |
| 4 | MALES AND FEMALES | 188 |
| 5 | MALES ONLY | 189 |
| 6 | FEMALES ONLY | 190 |
| | CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5) | |
| 7 | MALES AND FEMALES | 191 |
| 8 | MALES ONLY | 192 |
| 9 | FEMALES ONLY | 193 |
| | DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS) | |
| 10 | MALES AND FEMALES | 194 |
| 11 | MALES ONLY | 195 |
| 12 | FEMALES ONLY | 196 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|------|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4811 | 4,753,476 | 324 | 8.0 | 06.8-09.2 | 70 | 1.5 | 00.9-02.1 | 1037 | 25.3 | 23.5-27.1 | 239 | 5.7 | 04.7-06.7 | 3141 | 59.5 | 57.5-61.5 |
| Male | 1758 | 2,292,432 | 159 | 9.2 | 07.4-11.0 | 43 | 2.2 | 01.2-03.2 | 415 | 26.8 | 23.9-29.7 | 145 | 8.2 | 06.2-10.2 | 996 | 53.5 | 50.2-56.8 |
| Female | 3053 | 2,461,044 | 165 | 6.9 | 05.3-08.5 | 27 | 0.9 | 00.5-01.3 | 622 | 23.9 | 21.7-26.1 | 94 | 3.3 | 02.5-04.1 | 2145 | 65.0 | 62.5-67.5 |
| White/Non-Hisp | 4004 | 3,636,663 | 271 | 8.3 | 06.9-09.7 | 68 | 1.8 | 01.2-02.4 | 830 | 23.7 | 21.7-25.7 | 213 | 6.1 | 04.9-07.3 | 2622 | 60.1 | 57.9-62.3 |
| Black or Afr. Am./Non-Hisp | 571 | 737,408 | 34 | 6.4 | 03.7-09.1 | 1 | 0.1 | 00.0-00.3 | 150 | 33.2 | 27.3-39.1 | 15 | 3.5 | 01.0-06.0 | 371 | 56.7 | 50.6-62.8 |
| Oth. Race/Non-Hisp. | 90 | 118,022 | 6 | 13.7 | 03.1-24.3 | | | | 18 | 15.3 | 07.1-23.5 | 4 | 3.3 | 00.0-06.6 | 62 | 67.7 | 55.2-80.2 |
| Hispanic | 57 | 135,295 | 7 | 8.2 | 00.9-15.5 | 1 | 4.6 | 00.0-13.2 | 15 | 24.6 | 12.1-37.1 | 4 | 7.1 | 00.0-14.7 | 30 | 55.5 | 40.2-70.8 |
| 18-24 | 195 | 587,432 | 20 | 10.7 | 05.2-16.2 | 2 | 0.9 | 00.0-02.3 | 59 | 30.8 | 23.2-38.4 | 12 | 6.0 | 02.5-09.5 | 102 | 51.5 | 43.3-59.7 |
| 25-34 | 382 | 799,991 | 37 | 9.6 | 06.3-12.9 | 4 | 1.5 | 00.0-03.3 | 134 | 32.4 | 26.9-37.9 | 15 | 5.1 | 02.0-08.2 | 192 | 51.3 | 45.4-57.2 |
| 35-44 | 449 | 780,112 | 31 | 9.1 | 05.6-12.6 | 6 | 1.4 | 00.0-02.8 | 155 | 29.7 | 24.6-34.8 | 30 | 8.1 | 04.4-11.8 | 227 | 51.7 | 45.8-57.6 |
| 45-54 | 762 | 827,144 | 63 | 7.1 | 04.9-09.3 | 11 | 2.0 | 00.6-03.4 | 216 | 29.2 | 24.9-33.5 | 37 | 4.9 | 03.1-06.7 | 435 | 56.8 | 52.3-61.3 |
| 55-64 | 1089 | 778,351 | 87 | 8.9 | 06.7-11.1 | 22 | 2.2 | 01.2-03.2 | 224 | 20.8 | 17.7-23.9 | 60 | 5.6 | 04.0-07.2 | 696 | 62.4 | 58.7-66.1 |
| 65+ | 1881 | 949,608 | 84 | 4.4 | 03.2-05.6 | 24 | 1.1 | 00.5-01.7 | 239 | 12.8 | 10.8-14.8 | 84 | 4.7 | 03.5-05.9 | 1450 | 77.0 | 74.6-79.4 |
| Less Than H.S. | 611 | 750,442 | 21 | 3.4 | 01.4-05.4 | 5 | 1.5 | 00.0-03.3 | 53 | 14.3 | 09.6-19.0 | 13 | 3.4 | 00.9-05.9 | 519 | 77.5 | 72.0-83.0 |
| H.S. or G.E.D. | 1646 | 1,570,845 | 72 | 6.0 | 03.8-08.2 | 15 | 1.0 | 00.4-01.6 | 262 | 20.5 | 17.4-23.6 | 59 | 4.2 | 02.8-05.6 | 1238 | 68.4 | 64.9-71.9 |
| Some Post-H.S. | 1185 | 1,395,689 | 85 | 9.0 | 06.6-11.4 | 20 | 2.1 | 00.9-03.3 | 306 | 30.5 | 26.8-34.2 | 57 | 6.6 | 04.2-09.0 | 717 | 51.9 | 47.8-56.0 |
| College Graduate | 1356 | 1,027,602 | 146 | 13.4 | 10.7-16.1 | 30 | 1.8 | 01.0-02.6 | 416 | 33.9 | 30.4-37.4 | 110 | 8.4 | 06.4-10.4 | 654 | 42.5 | 39.0-46.0 |
| Less than \$15,000 | 656 | 570,329 | 22 | 4.0 | 01.6-06.4 | 8 | 2.7 | 00.2-05.2 | 86 | 20.2 | 15.3-25.1 | 22 | 2.8 | 01.2-04.4 | 518 | 70.3 | 64.8-75.8 |
| \$15,000- 24,999 | 826 | 773,170 | 43 | 6.4 | 03.9-08.9 | 8 | 1.1 | 00.1-02.1 | 129 | 18.3 | 14.4-22.2 | 31 | 4.7 | 02.5-06.9 | 615 | 69.6 | 64.9-74.3 |
| \$25,000- 34,999 | 511 | 489,961 | 28 | 5.9 | 03.4-08.4 | 7 | 0.7 | 00.1-01.3 | 103 | 24.2 | 18.5-29.9 | 23 | 7.4 | 03.3-11.5 | 350 | 61.8 | 55.3-68.3 |
| \$35,000- 49,999 | 596 | 633,878 | 46 | 9.2 | 05.9-12.5 | 5 | 0.6 | 00.0-01.2 | 146 | 24.7 | 19.6-29.8 | 23 | 5.2 | 02.1-08.3 | 376 | 60.3 | 54.6-66.0 |
| \$50,000- 74,999 | 520 | 556,727 | 44 | 8.9 | 05.4-12.4 | 7 | 1.8 | 00.0-03.6 | 144 | 31.3 | 25.8-36.8 | 27 | 5.4 | 02.9-07.9 | 298 | 52.6 | 46.5-58.7 |
| \$75,000+ | 797 | 913,658 | 99 | 14.0 | 10.1-17.9 | 21 | 2.1 | 00.9-03.3 | 289 | 36.1 | 31.4-40.8 | 86 | 10.2 | 07.1-13.3 | 302 | 37.6 | 32.9-42.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|------|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1758 | 2,292,432 | 159 | 9.2 | 07.4-11.0 | 43 | 2.2 | 01.2-03.2 | 415 | 26.8 | 23.9-29.7 | 145 | 8.2 | 06.2-10.2 | 996 | 53.5 | 50.2-56.8 |
| White/Non-Hisp | 1473 | 1,749,326 | 133 | 10.0 | 07.8-12.2 | 41 | 2.5 | 01.5-03.5 | 336 | 25.6 | 22.3-28.9 | 130 | 9.0 | 06.8-11.2 | 833 | 52.8 | 49.3-56.3 |
| Black or Afr. Am./Non-Hisp | 178 | 340,512 | 18 | 7.9 | 03.2-12.6 | 1 | 0.3 | 00.0-00.9 | 56 | 36.8 | 27.2-46.4 | 8 | 5.2 | 00.3-10.1 | 95 | 49.8 | 39.8-59.8 |
| 18-24 | 88 | 302,238 | 6 | 6.7 | 01.0-12.4 | 1 | 1.1 | 00.0-03.3 | 32 | 36.2 | 24.8-47.6 | 7 | 7.5 | 01.6-13.4 | 42 | 48.5 | 36.7-60.3 |
| 25-34 | 158 | 405,200 | 18 | 11.2 | 05.9-16.5 | 2 | 2.5 | 00.0-06.0 | 58 | 32.5 | 24.3-40.7 | 11 | 8.7 | 03.0-14.4 | 69 | 45.0 | 36.0-54.0 |
| 35-44 | 160 | 382,786 | 16 | 11.0 | 04.9-17.1 | 3 | 1.7 | 00.0-04.1 | 50 | 28.4 | 20.2-36.6 | 16 | 11.5 | 04.6-18.4 | 75 | 47.4 | 37.8-57.0 |
| 45-54 | 291 | 410,503 | 26 | 6.9 | 03.6-10.2 | 7 | 2.6 | 00.6-04.6 | 85 | 30.2 | 23.3-37.1 | 22 | 6.6 | 03.5-09.7 | 151 | 53.7 | 46.6-60.8 |
| 55-64 | 420 | 370,774 | 48 | 12.6 | 08.5-16.7 | 15 | 3.6 | 01.4-05.8 | 85 | 21.3 | 16.2-26.4 | 34 | 7.3 | 04.6-10.0 | 238 | 55.2 | 49.3-61.1 |
| 65+ | 628 | 412,689 | 45 | 6.8 | 04.4-09.2 | 14 | 1.7 | 00.3-03.1 | 103 | 14.5 | 11.2-17.8 | 54 | 7.7 | 05.3-10.1 | 412 | 69.2 | 64.9-73.5 |
| Less Than H.S. | 216 | 371,450 | 16 | 5.5 | 02.2-08.8 | 4 | 2.4 | 00.0-05.7 | 23 | 15.7 | 07.7-23.7 | 13 | 6.8 | 01.7-11.9 | 160 | 69.6 | 60.4-78.8 |
| H.S. or G.E.D. | 582 | 748,861 | 40 | 7.3 | 04.2-10.4 | 10 | 1.3 | 00.3-02.3 | 110 | 22.0 | 17.1-26.9 | 36 | 5.8 | 03.3-08.3 | 386 | 63.6 | 58.1-69.1 |
| Some Post-H.S. | 417 | 664,632 | 36 | 9.8 | 06.1-13.5 | 13 | 3.6 | 01.2-06.0 | 120 | 33.4 | 27.1-39.7 | 31 | 9.0 | 04.5-13.5 | 217 | 44.2 | 37.7-50.7 |
| College Graduate | 541 | 502,506 | 67 | 14.1 | 10.0-18.2 | 16 | 1.9 | 00.7-03.1 | 162 | 33.7 | 28.4-39.0 | 65 | 12.0 | 08.5-15.5 | 231 | 38.3 | 33.0-43.6 |
| Less than \$15,000 | 200 | 233,897 | 7 | 3.3 | 00.4-06.2 | 6 | 5.6 | 00.0-11.3 | 28 | 16.8 | 09.5-24.1 | 15 | 4.8 | 01.5-08.1 | 144 | 69.5 | 60.5-78.5 |
| \$15,000- 24,999 | 267 | 334,121 | 18 | 6.6 | 02.7-10.5 | 5 | 1.9 | 00.0-04.1 | 46 | 20.4 | 13.5-27.3 | 19 | 5.9 | 02.6-09.2 | 179 | 65.3 | 57.1-73.5 |
| \$25,000- 34,999 | 186 | 243,588 | 13 | 6.6 | 02.5-10.7 | 6 | 1.0 | 00.0-02.0 | 39 | 24.4 | 15.0-33.8 | 16 | 12.1 | 04.3-19.9 | 112 | 55.8 | 45.6-66.0 |
| \$35,000- 49,999 | 267 | 359,311 | 24 | 10.7 | 05.6-15.8 | 3 | 0.8 | 00.0-01.8 | 59 | 25.5 | 17.7-33.3 | 17 | 8.3 | 02.8-13.8 | 164 | 54.7 | 46.3-63.1 |
| \$50,000- 74,999 | 228 | 292,094 | 27 | 11.1 | 05.4-16.8 | 5 | 2.8 | 00.0-06.1 | 64 | 31.4 | 23.4-39.4 | 16 | 7.4 | 02.9-11.9 | 116 | 47.3 | 38.7-55.9 |
| \$75,000+ | 364 | 506,924 | 52 | 13.7 | 08.8-18.6 | 12 | 2.7 | 00.7-04.7 | 129 | 36.6 | 29.5-43.7 | 51 | 13.3 | 08.0-18.6 | 120 | 33.7 | 27.0-40.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3053 | 2,461,044 | 165 | 6.9 | 05.3-08.5 | 27 | 0.9 | 00.5-01.3 | 622 | 23.9 | 21.7-26.1 | 94 | 3.3 | 02.5-04.1 | 2145 | 65.0 | 62.5-67.5 |
| White/Non-Hisp | 2531 | 1,887,337 | 138 | 6.7 | 04.9-08.5 | 27 | 1.2 | 00.6-01.8 | 494 | 22.0 | 19.6-24.4 | 83 | 3.4 | 02.4-04.4 | 1789 | 66.8 | 64.1-69.5 |
| Black or Afr. Am./Non-Hisp | 393 | 396,896 | 16 | 5.2 | 02.1-08.3 | | | | 94 | 30.2 | 23.3-37.1 | 7 | 2.0 | 00.2-03.8 | 276 | 62.6 | 55.3-69.9 |
| Oth. Race/Non-Hisp. | 52 | 69,122 | 4 | 17.5 | 01.4-33.6 | | | | 12 | 18.1 | 06.1-30.1 | | | | 36 | 64.4 | 47.0-81.8 |
| 18-24 | 107 | 285,194 | 14 | 15.0 | 05.6-24.4 | 1 | 0.8 | 00.0-02.4 | 27 | 25.1 | 15.7-34.5 | 5 | 4.3 | 00.4-08.2 | 60 | 54.8 | 43.4-66.2 |
| 25-34 | 224 | 394,792 | 19 | 8.0 | 03.9-12.1 | 2 | 0.6 | 00.0-01.4 | 76 | 32.3 | 25.4-39.2 | 4 | 1.4 | 00.0-03.0 | 123 | 57.8 | 50.4-65.2 |
| 35-44 | 289 | 397,326 | 15 | 7.3 | 03.4-11.2 | 3 | 1.1 | 00.0-02.3 | 105 | 31.0 | 24.7-37.3 | 14 | 4.9 | 02.2-07.6 | 152 | 55.7 | 48.8-62.6 |
| 45-54 | 471 | 416,641 | 37 | 7.3 | 04.4-10.2 | 4 | 1.4 | 00.0-03.0 | 131 | 28.2 | 23.3-33.1 | 15 | 3.3 | 01.5-05.1 | 284 | 59.9 | 54.4-65.4 |
| 55-64 | 669 | 407,577 | 39 | 5.6 | 03.6-07.6 | 7 | 0.9 | 00.1-01.7 | 139 | 20.4 | 16.7-24.1 | 26 | 4.1 | 02.3-05.9 | 458 | 69.0 | 64.7-73.3 |
| 65+ | 1253 | 536,919 | 39 | 2.5 | 01.5-03.5 | 10 | 0.7 | 00.1-01.3 | 136 | 11.5 | 09.3-13.7 | 30 | 2.5 | 01.5-03.5 | 1038 | 82.9 | 80.4-85.4 |
| Less Than H.S. | 395 | 378,992 | 5 | 1.4 | 00.0-03.4 | 1 | 0.6 | 00.0-01.8 | 30 | 13.0 | 08.1-17.9 | | | | 359 | 85.1 | 79.8-90.4 |
| H.S. or G.E.D. | 1064 | 821,984 | 32 | 4.7 | 01.6-07.8 | 5 | 0.7 | 00.0-01.5 | 152 | 19.1 | 15.2-23.0 | 23 | 2.7 | 01.3-04.1 | 852 | 72.8 | 68.3-77.3 |
| Some Post-H.S. | 768 | 731,057 | 49 | 8.3 | 05.6-11.0 | 7 | 0.7 | 00.1-01.3 | 186 | 27.8 | 23.5-32.1 | 26 | 4.3 | 02.3-06.3 | 500 | 59.0 | 54.3-63.7 |
| College Graduate | 815 | 525,096 | 79 | 12.7 | 09.2-16.2 | 14 | 1.7 | 00.5-02.9 | 254 | 34.0 | 29.5-38.5 | 45 | 5.1 | 03.1-07.1 | 423 | 46.5 | 42.0-51.0 |
| Less than \$15,000 | 456 | 336,432 | 15 | 4.5 | 01.2-07.8 | 2 | 0.7 | 00.0-01.7 | 58 | 22.5 | 16.0-29.0 | 7 | 1.4 | 00.0-02.8 | 374 | 70.8 | 63.9-77.7 |
| \$15,000- 24,999 | 559 | 439,050 | 25 | 6.2 | 03.1-09.3 | 3 | 0.5 | 00.0-01.3 | 83 | 16.7 | 12.4-21.0 | 12 | 3.7 | 01.2-06.2 | 436 | 72.8 | 67.3-78.3 |
| \$25,000- 34,999 | 325 | 246,373 | 15 | 5.1 | 01.8-08.4 | 1 | 0.4 | 00.0-01.2 | 64 | 24.0 | 17.1-30.9 | 7 | 2.9 | 00.4-05.4 | 238 | 67.6 | 60.3-74.9 |
| \$35,000- 49,999 | 329 | 274,566 | 22 | 7.2 | 03.5-10.9 | 2 | 0.3 | 00.0-00.7 | 87 | 23.5 | 18.0-29.0 | 6 | 1.2 | 00.0-02.4 | 212 | 67.7 | 61.2-74.2 |
| \$50,000- 74,999 | 292 | 264,634 | 17 | 6.5 | 02.4-10.6 | 2 | 0.6 | 00.0-01.6 | 80 | 31.2 | 23.6-38.8 | 11 | 3.2 | 00.8-05.6 | 182 | 58.5 | 50.3-66.7 |
| \$75,000+ | 433 | 406,734 | 47 | 14.3 | 07.8-20.8 | 9 | 1.4 | 00.2-02.6 | 160 | 35.4 | 29.3-41.5 | 35 | 6.4 | 03.9-08.9 | 182 | 42.5 | 36.0-49.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1626 | 1,874,323 | 819 | 42.2 | 38.9-45.5 | 458 | 29.0 | 26.1-31.9 | 182 | 13.6 | 11.1-16.1 | 54 | 5.8 | 03.8-07.8 | 113 | 9.4 | 07.0-11.8 |
| Male | 740 | 1,035,333 | 287 | 33.4 | 28.9-37.9 | 222 | 29.4 | 24.9-33.9 | 109 | 15.5 | 11.8-19.2 | 40 | 8.5 | 05.2-11.8 | 82 | 13.2 | 09.5-16.9 |
| Female | 886 | 838,991 | 532 | 53.1 | 48.4-57.8 | 236 | 28.6 | 24.5-32.7 | 73 | 11.2 | 07.5-14.9 | 14 | 2.5 | 01.1-03.9 | 31 | 4.6 | 02.6-06.6 |
| White/Non-Hisp | 1352 | 1,417,735 | 694 | 42.8 | 39.3-46.3 | 376 | 29.0 | 25.7-32.3 | 146 | 12.7 | 10.0-15.4 | 39 | 5.5 | 03.1-07.9 | 97 | 10.1 | 07.4-12.8 |
| Black or Afr. Am./Non-Hisp | 194 | 315,027 | 90 | 43.9 | 34.5-53.3 | 62 | 30.5 | 21.9-39.1 | 22 | 12.3 | 05.8-18.8 | 11 | 7.4 | 02.5-12.3 | 9 | 5.9 | 01.2-10.6 |
| 18-24 | 90 | 268,601 | 26 | 27.7 | 17.1-38.3 | 26 | 26.6 | 16.6-36.6 | 19 | 24.6 | 13.4-35.8 | 10 | 10.9 | 03.5-18.3 | 9 | 10.2 | 03.3-17.1 |
| 25-34 | 185 | 379,989 | 67 | 35.8 | 27.8-43.8 | 65 | 31.7 | 24.1-39.3 | 27 | 13.9 | 08.0-19.8 | 13 | 11.5 | 04.4-18.6 | 13 | 7.2 | 03.1-11.3 |
| 35-44 | 219 | 370,731 | 107 | 42.8 | 34.8-50.8 | 59 | 27.6 | 20.5-34.7 | 22 | 11.1 | 05.2-17.0 | 7 | 3.4 | 00.7-06.1 | 24 | 15.2 | 07.8-22.6 |
| 45-54 | 320 | 350,531 | 146 | 42.2 | 35.3-49.1 | 97 | 32.8 | 25.9-39.7 | 39 | 10.5 | 06.8-14.2 | 11 | 4.1 | 01.4-06.8 | 27 | 10.4 | 05.9-14.9 |
| 55-64 | 379 | 283,250 | 200 | 48.5 | 42.2-54.8 | 106 | 28.2 | 22.5-33.9 | 40 | 13.7 | 08.6-18.8 | 10 | 2.5 | 00.7-04.3 | 23 | 7.1 | 03.6-10.6 |
| 65+ | 419 | 214,134 | 262 | 61.5 | 55.6-67.4 | 104 | 25.5 | 20.2-30.8 | 35 | 8.9 | 05.2-12.6 | 2 | 0.7 | 00.0-01.9 | 16 | 3.4 | 01.4-05.4 |
| Less Than H.S. | 87 | 156,312 | 42 | 44.5 | 31.0-58.0 | 14 | 12.9 | 05.3-20.5 | 11 | 16.6 | 06.0-27.2 | 4 | 12.0 | 00.0-25.1 | 16 | 14.1 | 06.3-21.9 |
| H.S. or G.E.D. | 393 | 484,827 | 177 | 36.3 | 29.8-42.8 | 108 | 30.2 | 23.7-36.7 | 49 | 14.7 | 08.6-20.8 | 18 | 6.9 | 02.6-11.2 | 41 | 11.9 | 07.0-16.8 |
| Some Post-H.S. | 456 | 654,264 | 211 | 37.6 | 31.9-43.3 | 139 | 31.0 | 25.5-36.5 | 51 | 13.8 | 09.3-18.3 | 19 | 6.0 | 03.1-08.9 | 36 | 11.5 | 06.8-16.2 |
| College Graduate | 690 | 578,920 | 389 | 51.7 | 46.6-56.8 | 197 | 30.1 | 25.6-34.6 | 71 | 11.6 | 08.3-14.9 | 13 | 3.1 | 00.9-05.3 | 20 | 3.5 | 01.7-05.3 |
| Less than \$15,000 | 129 | 162,983 | 58 | 40.2 | 28.8-51.6 | 29 | 27.5 | 17.3-37.7 | 16 | 15.1 | 05.9-24.3 | 6 | 4.9 | 00.6-09.2 | 20 | 12.2 | 05.5-18.9 |
| \$15,000- 24,999 | 207 | 231,881 | 90 | 33.8 | 25.4-42.2 | 52 | 28.0 | 19.8-36.2 | 33 | 18.2 | 11.1-25.3 | 7 | 4.2 | 00.7-07.7 | 25 | 15.8 | 08.5-23.1 |
| \$25,000- 34,999 | 157 | 183,345 | 72 | 33.0 | 23.4-42.6 | 44 | 27.7 | 18.3-37.1 | 14 | 10.6 | 03.3-17.9 | 15 | 20.4 | 08.8-32.0 | 12 | 8.2 | 02.1-14.3 |
| \$35,000- 49,999 | 213 | 234,707 | 118 | 46.3 | 37.1-55.5 | 55 | 28.6 | 19.8-37.4 | 24 | 15.3 | 07.7-22.9 | 5 | 4.8 | 00.0-09.9 | 11 | 5.0 | 01.9-08.1 |
| \$50,000- 74,999 | 221 | 262,446 | 122 | 46.1 | 37.3-54.9 | 62 | 28.7 | 20.7-36.7 | 18 | 10.2 | 03.9-16.5 | 6 | 4.9 | 00.4-09.4 | 13 | 10.1 | 04.2-16.0 |
| \$75,000+ | 488 | 562,570 | 238 | 42.9 | 36.6-49.2 | 159 | 31.1 | 25.4-36.8 | 64 | 15.0 | 09.5-20.5 | 7 | 2.9 | 00.0-06.0 | 20 | 8.1 | 03.2-13.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 740 | 1,035,333 | 287 | 33.4 | 28.9-37.9 | 222 | 29.4 | 25.1-33.7 | 109 | 15.5 | 11.8-19.2 | 40 | 8.5 | 05.4-11.6 | 82 | 13.2 | 09.5-16.9 |
| White/Non-Hisp | 623 | 802,825 | 244 | 33.6 | 28.9-38.3 | 190 | 30.4 | 25.5-35.3 | 88 | 13.8 | 10.3-17.3 | 30 | 8.2 | 04.7-11.7 | 71 | 14.1 | 09.8-18.4 |
| Black or Afr. Am./Non-Hisp | 82 | 169,495 | 29 | 36.1 | 22.8-49.4 | 27 | 30.5 | 18.0-43.0 | 12 | 14.3 | 04.1-24.5 | 6 | 8.7 | 00.9-16.5 | 8 | 10.4 | 01.8-19.0 |
| 25-34 | 88 | 220,964 | 26 | 28.1 | 17.7-38.5 | 25 | 27.4 | 17.0-37.8 | 15 | 14.6 | 06.0-23.2 | 12 | 19.5 | 08.1-30.9 | 10 | 10.4 | 03.7-17.1 |
| 35-44 | 84 | 198,289 | 29 | 31.5 | 20.1-42.9 | 25 | 30.3 | 19.1-41.5 | 11 | 13.9 | 04.5-23.3 | 3 | 1.7 | 00.0-03.9 | 16 | 22.6 | 10.1-35.1 |
| 45-54 | 136 | 186,110 | 52 | 36.2 | 26.0-46.4 | 36 | 32.0 | 21.6-42.4 | 17 | 9.4 | 04.3-14.5 | 10 | 6.6 | 01.7-11.5 | 21 | 15.8 | 08.2-23.4 |
| 55-64 | 174 | 159,607 | 60 | 31.4 | 23.0-39.8 | 61 | 34.0 | 25.4-42.6 | 27 | 20.0 | 11.6-28.4 | 7 | 3.4 | 00.7-06.1 | 19 | 11.2 | 05.1-17.3 |
| 65+ | 210 | 123,997 | 107 | 55.0 | 46.6-63.4 | 63 | 26.8 | 19.7-33.9 | 28 | 13.8 | 07.7-19.9 | 1 | 0.2 | 00.0-00.6 | 11 | 4.2 | 01.3-07.1 |
| Less Than H.S. | 51 | 99,894 | 19 | 31.9 | 15.2-48.6 | 6 | 6.7 | 00.4-13.0 | 9 | 24.3 | 08.4-40.2 | 3 | 17.3 | 00.0-36.7 | 14 | 19.8 | 07.8-31.8 |
| H.S. or G.E.D. | 190 | 268,391 | 58 | 25.9 | 18.1-33.7 | 62 | 36.1 | 26.7-45.5 | 24 | 11.1 | 05.2-17.0 | 16 | 11.9 | 06.2-17.6 | 30 | 14.9 | 07.6-22.2 |
| Some Post-H.S. | 195 | 363,045 | 64 | 28.1 | 20.3-35.9 | 66 | 31.9 | 23.7-40.1 | 31 | 16.8 | 09.7-23.9 | 9 | 5.9 | 01.8-10.0 | 25 | 17.3 | 09.5-25.1 |
| College Graduate | 304 | 304,003 | 146 | 46.8 | 39.5-54.1 | 88 | 27.9 | 21.4-34.4 | 45 | 14.9 | 09.6-20.2 | 12 | 5.8 | 01.9-09.7 | 13 | 4.6 | 01.7-07.5 |
| Less than \$15,000 | 52 | 68,980 | 17 | 26.1 | 10.8-41.4 | 8 | 19.4 | 04.7-34.1 | 9 | 26.1 | 08.3-43.9 | 4 | 7.6 | 00.0-16.2 | 14 | 20.7 | 07.4-34.0 |
| \$15,000- 24,999 | 86 | 114,565 | 30 | 30.6 | 17.9-43.3 | 17 | 20.9 | 09.3-32.5 | 18 | 20.0 | 09.4-30.6 | 4 | 5.6 | 00.0-11.3 | 17 | 23.0 | 11.0-35.0 |
| \$25,000- 34,999 | 72 | 106,569 | 18 | 19.7 | 08.3-31.1 | 24 | 26.4 | 13.9-38.9 | 7 | 11.1 | 00.1-22.1 | 13 | 30.4 | 15.7-45.1 | 10 | 12.4 | 02.6-22.2 |
| \$35,000- 49,999 | 100 | 149,708 | 47 | 38.9 | 26.7-51.1 | 26 | 30.3 | 17.6-43.0 | 16 | 18.5 | 07.7-29.3 | 3 | 6.2 | 00.0-13.8 | 8 | 6.1 | 01.6-10.6 |
| \$50,000- 74,999 | 111 | 152,689 | 48 | 34.2 | 23.6-44.8 | 38 | 32.3 | 20.9-43.7 | 9 | 10.9 | 01.9-19.9 | 5 | 7.2 | 00.1-14.3 | 11 | 15.4 | 06.0-24.8 |
| \$75,000+ | 239 | 330,249 | 93 | 35.2 | 26.8-43.6 | 83 | 33.4 | 25.2-41.6 | 43 | 16.2 | 09.9-22.5 | 5 | 3.8 | 00.0-08.9 | 15 | 11.4 | 03.4-19.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 886 | 838,991 | 532 | 53.1 | 48.4-57.8 | 236 | 28.6 | 24.5-32.7 | 73 | 11.2 | 07.5-14.9 | 14 | 2.5 | 01.1-03.9 | 31 | 4.6 | 02.6-06.6 |
| White/Non-Hisp | 729 | 614,910 | 450 | 54.7 | 49.6-59.8 | 186 | 27.1 | 22.8-31.4 | 58 | 11.3 | 06.6-16.0 | 9 | 2.0 | 00.4-03.6 | 26 | 4.9 | 02.7-07.1 |
| Black or Afr. Am./Non-Hisp | 112 | 145,532 | 61 | 53.0 | 40.5-65.5 | 35 | 30.6 | 19.4-41.8 | 10 | 9.9 | 02.3-17.5 | 5 | 6.0 | 00.9-11.1 | 1 | 0.5 | 00.0-01.5 |
| 25-34 | 97 | 159,026 | 41 | 46.5 | 34.9-58.1 | 40 | 37.7 | 26.7-48.7 | 12 | 12.9 | 05.6-20.2 | 1 | 0.3 | 00.0-00.9 | 3 | 2.7 | 00.0-06.2 |
| 35-44 | 135 | 172,442 | 78 | 55.8 | 45.8-65.8 | 34 | 24.5 | 16.3-32.7 | 11 | 7.9 | 01.6-14.2 | 4 | 5.2 | 00.1-10.3 | 8 | 6.6 | 01.7-11.5 |
| 45-54 | 184 | 164,421 | 94 | 49.1 | 40.3-57.9 | 61 | 33.6 | 25.2-42.0 | 22 | 11.8 | 06.3-17.3 | 1 | 1.1 | 00.0-03.3 | 6 | 4.4 | 00.3-08.5 |
| 55-64 | 205 | 123,644 | 140 | 70.5 | 63.1-77.9 | 45 | 20.8 | 14.3-27.3 | 13 | 5.5 | 01.8-09.2 | 3 | 1.4 | 00.0-03.8 | 4 | 1.8 | 00.0-03.8 |
| 65+ | 209 | 90,138 | 155 | 70.4 | 62.4-78.4 | 41 | 23.8 | 16.2-31.4 | 7 | 2.1 | 00.5-03.7 | 1 | 1.3 | 00.0-03.8 | 5 | 2.4 | 00.2-04.6 |
| H.S. or G.E.D. | 203 | 216,437 | 119 | 49.3 | 38.7-59.9 | 46 | 22.9 | 15.3-30.5 | 25 | 19.1 | 07.9-30.3 | 2 | 0.6 | 00.0-01.8 | 11 | 8.1 | 02.2-14.0 |
| Some Post-H.S. | 261 | 291,219 | 147 | 49.6 | 42.0-57.2 | 73 | 29.9 | 22.8-37.0 | 20 | 10.2 | 05.3-15.1 | 10 | 6.1 | 02.2-10.0 | 11 | 4.3 | 01.2-07.4 |
| College Graduate | 386 | 274,917 | 243 | 57.1 | 50.4-63.8 | 109 | 32.7 | 26.2-39.2 | 26 | 7.9 | 04.0-11.8 | 1 | 0.0 | 00.0-00.0 | 7 | 2.3 | 00.3-04.3 |
| Less than \$15,000 | 77 | 94,003 | 41 | 50.6 | 35.9-65.3 | 21 | 33.4 | 19.5-47.3 | 7 | 7.0 | 00.1-13.9 | 2 | 3.0 | 00.0-07.1 | 6 | 6.0 | 00.1-11.9 |
| \$15,000- 24,999 | 121 | 117,316 | 60 | 36.9 | 26.1-47.7 | 35 | 35.1 | 23.5-46.7 | 15 | 16.5 | 07.1-25.9 | 3 | 2.8 | 00.0-06.7 | 8 | 8.7 | 00.5-16.9 |
| \$25,000- 34,999 | 85 | 76,776 | 54 | 51.4 | 37.5-65.3 | 20 | 29.6 | 16.5-42.7 | 7 | 10.0 | 02.0-18.0 | 2 | 6.6 | 00.0-15.4 | 2 | 2.4 | 00.0-05.9 |
| \$35,000- 49,999 | 113 | 85,000 | 71 | 59.4 | 48.0-70.8 | 29 | 25.5 | 15.7-35.3 | 8 | 9.8 | 02.4-17.2 | 2 | 2.3 | 00.0-06.6 | 3 | 2.9 | 00.0-06.8 |
| \$50,000- 74,999 | 110 | 109,756 | 74 | 62.6 | 50.3-74.9 | 24 | 23.7 | 12.9-34.5 | 9 | 9.2 | 01.4-17.0 | 1 | 1.7 | 00.0-05.0 | 2 | 2.7 | 00.0-07.4 |
| \$75,000+ | 249 | 232,321 | 145 | 53.8 | 44.4-63.2 | 76 | 27.7 | 20.3-35.1 | 21 | 13.5 | 03.5-23.5 | 2 | 1.6 | 00.0-04.0 | 5 | 3.4 | 00.1-06.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1625 | 1,883,390 | 111 | 8.7 | 06.5-10.9 | 57 | 5.2 | 03.4-07.0 | 33 | 2.7 | 01.5-03.9 | 30 | 2.1 | 01.1-03.1 | 79 | 7.9 | 05.7-10.1 | 1315 | 73.5 | 70.2-76.8 |
| Male | 739 | 1,044,368 | 64 | 9.4 | 06.5-12.3 | 41 | 7.8 | 04.7-10.9 | 16 | 3.0 | 01.0-05.0 | 18 | 2.3 | 00.9-03.7 | 60 | 11.6 | 07.9-15.3 | 540 | 65.8 | 60.7-70.9 |
| Female | 886 | 839,023 | 47 | 7.7 | 04.2-11.2 | 16 | 1.9 | 00.7-03.1 | 17 | 2.3 | 00.9-03.7 | 12 | 1.8 | 00.4-03.2 | 19 | 3.3 | 01.5-05.1 | 775 | 83.0 | 78.9-87.1 |
| White/Non-Hisp | 1347 | 1,424,469 | 84 | 8.1 | 05.6-10.6 | 48 | 5.5 | 03.3-07.7 | 27 | 2.9 | 01.3-04.5 | 23 | 1.9 | 00.9-02.9 | 66 | 8.0 | 05.5-10.5 | 1099 | 73.7 | 69.8-77.6 |
| Black or Afr. Am./Non-Hisp | 194 | 312,877 | 15 | 6.7 | 02.8-10.6 | 6 | 3.6 | 00.0-07.5 | 4 | 1.4 | 00.0-03.0 | 3 | 0.8 | 00.0-01.8 | 9 | 9.2 | 02.7-15.7 | 157 | 78.2 | 70.4-86.0 |
| 18-24 | 92 | 280,999 | 13 | 15.3 | 05.5-25.1 | 7 | 7.1 | 00.0-14.4 | 2 | 2.6 | 00.0-06.3 | 5 | 4.6 | 00.3-08.9 | 11 | 12.3 | 04.9-19.7 | 54 | 58.1 | 46.1-70.1 |
| 25-34 | 186 | 381,827 | 22 | 12.2 | 06.3-18.1 | 4 | 3.4 | 00.0-06.9 | 6 | 2.2 | 00.2-04.2 | 4 | 1.5 | 00.0-03.1 | 11 | 8.4 | 02.7-14.1 | 139 | 72.4 | 64.4-80.4 |
| 35-44 | 220 | 371,912 | 16 | 7.7 | 03.6-11.8 | 12 | 8.2 | 03.1-13.3 | 6 | 4.7 | 00.2-09.2 | 5 | 2.1 | 00.1-04.1 | 13 | 10.1 | 03.4-16.8 | 168 | 67.2 | 58.6-75.8 |
| 45-54 | 319 | 350,019 | 22 | 6.0 | 03.1-08.9 | 12 | 4.6 | 01.5-07.7 | 6 | 2.2 | 00.0-04.4 | 5 | 1.3 | 00.0-03.1 | 21 | 7.9 | 04.0-11.8 | 253 | 78.0 | 72.1-83.9 |
| 55-64 | 381 | 282,302 | 27 | 6.6 | 03.5-09.7 | 13 | 4.3 | 01.0-07.6 | 10 | 2.7 | 00.7-04.7 | 8 | 2.3 | 00.5-04.1 | 17 | 5.2 | 01.9-08.5 | 306 | 78.9 | 73.4-84.4 |
| 65+ | 414 | 210,025 | 11 | 2.6 | 00.6-04.6 | 9 | 2.8 | 00.6-05.0 | 3 | 0.9 | 00.0-02.1 | 3 | 0.9 | 00.0-02.1 | 6 | 1.2 | 00.2-02.2 | 382 | 91.6 | 88.3-94.9 |
| Less Than H.S. | 88 | 165,354 | 8 | 9.7 | 01.3-18.1 | 6 | 13.9 | 00.8-27.0 | 1 | 0.9 | 00.0-02.7 | 1 | 0.3 | 00.0-00.9 | 12 | 14.7 | 04.1-25.3 | 60 | 60.5 | 45.6-75.4 |
| H.S. or G.E.D. | 390 | 476,674 | 31 | 11.1 | 05.2-17.0 | 10 | 2.6 | 00.6-04.6 | 9 | 3.3 | 00.2-06.4 | 13 | 3.0 | 00.8-05.2 | 22 | 7.1 | 03.2-11.0 | 305 | 72.9 | 65.8-80.0 |
| Some Post-H.S. | 455 | 658,949 | 34 | 8.6 | 05.1-12.1 | 22 | 6.3 | 03.2-09.4 | 10 | 3.6 | 01.1-06.1 | 7 | 2.1 | 00.3-03.9 | 26 | 9.4 | 04.9-13.9 | 356 | 69.9 | 63.8-76.0 |
| College Graduate | 692 | 582,414 | 38 | 6.5 | 04.0-09.0 | 19 | 3.5 | 01.5-05.5 | 13 | 1.6 | 00.6-02.6 | 9 | 1.8 | 00.4-03.2 | 19 | 5.0 | 02.3-07.7 | 594 | 81.7 | 77.6-85.8 |
| Less than \$15,000 | 128 | 161,986 | 8 | 9.9 | 01.3-18.5 | 3 | 2.4 | 00.0-05.1 | 3 | 2.6 | 00.0-05.7 | 6 | 3.0 | 00.0-06.5 | 8 | 6.1 | 00.8-11.4 | 100 | 76.1 | 65.7-86.5 |
| \$15,000- 24,999 | 203 | 223,557 | 20 | 10.5 | 05.0-16.0 | 10 | 3.5 | 00.8-06.2 | 4 | 2.2 | 00.0-04.6 | 5 | 2.9 | 00.0-06.4 | 15 | 12.0 | 05.3-18.7 | 149 | 69.0 | 60.4-77.6 |
| \$25,000- 34,999 | 156 | 182,336 | 8 | 8.1 | 01.0-15.2 | 3 | 0.9 | 00.0-01.9 | 7 | 6.4 | 00.7-12.1 | 4 | 3.7 | 00.0-07.6 | 10 | 12.5 | 02.7-22.3 | 124 | 68.3 | 56.7-79.9 |
| \$35,000- 49,999 | 216 | 246,816 | 12 | 5.8 | 01.9-09.7 | 10 | 11.2 | 02.4-20.0 | 4 | 1.6 | 00.0-03.4 | 3 | 1.7 | 00.0-03.7 | 7 | 7.2 | 00.9-13.5 | 180 | 72.5 | 62.5-82.5 |
| \$50,000- 74,999 | 220 | 262,773 | 18 | 9.4 | 04.3-14.5 | 9 | 7.6 | 01.9-13.3 | 2 | 1.0 | 00.0-02.6 | 2 | 0.5 | 00.0-01.5 | 12 | 8.8 | 03.1-14.5 | 177 | 72.6 | 64.4-80.8 |
| \$75,000+ | 487 | 562,755 | 32 | 9.4 | 04.1-14.7 | 18 | 5.0 | 02.1-07.9 | 9 | 2.4 | 00.0-05.1 | 8 | 1.9 | 00.3-03.5 | 18 | 5.7 | 01.6-09.8 | 402 | 75.5 | 68.8-82.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 739 | 1,044,368 | 64 | 9.4 | 06.5-12.3 | 41 | 7.8 | 04.7-10.9 | 16 | 3.0 | 01.0-05.0 | 18 | 2.3 | 00.9-03.7 | 60 | 11.6 | 07.9-15.3 | 540 | 65.8 | 60.7-70.9 |
| White/Non-Hisp | 620 | 810,450 | 51 | 8.9 | 05.8-12.0 | 34 | 8.0 | 04.5-11.5 | 11 | 2.8 | 00.4-05.2 | 15 | 2.6 | 01.0-04.2 | 50 | 11.2 | 07.1-15.3 | 459 | 66.5 | 61.0-72.0 |
| Black or Afr. Am./Non-Hisp | 81 | 168,631 | 5 | 5.7 | 00.2-11.2 | 4 | 5.0 | 00.0-11.7 | 3 | 1.6 | 00.0-03.6 | 2 | 1.2 | 00.0-03.0 | 7 | 15.7 | 04.3-27.1 | 60 | 70.8 | 57.9-83.7 |
| 25-34 | 86 | 216,307 | 15 | 15.6 | 06.8-24.4 | 4 | 6.0 | 00.0-12.1 | 2 | 0.6 | 00.0-01.4 | 3 | 2.4 | 00.0-05.3 | 10 | 14.4 | 04.8-24.0 | 52 | 61.0 | 48.8-73.2 |
| 35-44 | 85 | 201,204 | 12 | 11.1 | 04.0-18.2 | 9 | 13.2 | 04.2-22.2 | 3 | 6.4 | 00.0-14.2 | 4 | 3.2 | 00.0-06.7 | 9 | 14.8 | 03.4-26.2 | 48 | 51.3 | 38.4-64.2 |
| 45-54 | 137 | 186,459 | 8 | 4.6 | 00.9-08.3 | 7 | 6.7 | 01.4-12.0 | 3 | 3.3 | 00.0-07.2 | 3 | 1.8 | 00.0-04.7 | 17 | 12.2 | 05.5-18.9 | 99 | 71.5 | 62.1-80.9 |
| 55-64 | 174 | 159,262 | 15 | 7.4 | 02.9-11.9 | 11 | 6.3 | 00.6-12.0 | 5 | 2.9 | 00.2-05.6 | 5 | 3.0 | 00.3-05.7 | 13 | 7.8 | 02.3-13.3 | 125 | 72.5 | 63.9-81.1 |
| 65+ | 207 | 122,138 | 7 | 2.6 | 00.6-04.6 | 7 | 4.2 | 00.5-07.9 | 2 | 1.3 | 00.0-03.1 | 1 | 0.1 | 00.0-00.3 | 5 | 1.8 | 00.0-03.6 | 185 | 89.9 | 85.2-94.6 |
| Less Than H.S. | 53 | 110,409 | 5 | 11.1 | 00.0-22.9 | 4 | 18.9 | 00.1-37.7 | 1 | 1.3 | 00.0-03.8 | 1 | 0.4 | 00.0-01.2 | 12 | 22.1 | 06.6-37.6 | 30 | 46.2 | 27.6-64.8 |
| H.S. or G.E.D. | 187 | 263,750 | 18 | 9.6 | 03.9-15.3 | 8 | 3.4 | 00.3-06.5 | 5 | 4.4 | 00.0-09.9 | 7 | 2.6 | 00.1-05.1 | 15 | 9.9 | 03.6-16.2 | 134 | 70.1 | 60.7-79.5 |
| Some Post-H.S. | 195 | 364,588 | 22 | 10.2 | 05.1-15.3 | 13 | 8.9 | 03.6-14.2 | 5 | 3.9 | 00.2-07.6 | 5 | 2.5 | 00.0-05.0 | 19 | 13.7 | 06.3-21.1 | 131 | 60.8 | 51.6-70.0 |
| College Graduate | 304 | 305,621 | 19 | 7.8 | 03.7-11.9 | 16 | 6.3 | 02.8-09.8 | 5 | 1.2 | 00.0-02.4 | 5 | 2.6 | 00.2-05.0 | 14 | 6.9 | 02.4-11.4 | 245 | 75.3 | 68.6-82.0 |
| Less than \$15,000 | 51 | 66,518 | 5 | 18.5 | 00.7-36.3 | 1 | 2.5 | 00.0-07.4 | 1 | 1.1 | 00.0-03.3 | 3 | 1.5 | 00.0-03.3 | 7 | 13.6 | 01.3-25.9 | 34 | 62.8 | 44.0-81.6 |
| \$15,000- 24,999 | 84 | 110,661 | 10 | 10.0 | 02.4-17.6 | 6 | 3.3 | 00.0-06.6 | 2 | 2.1 | 00.0-05.2 | 2 | 1.0 | 00.0-02.8 | 13 | 22.0 | 09.8-34.2 | 51 | 61.6 | 48.3-74.9 |
| \$25,000- 34,999 | 72 | 104,340 | 5 | 11.1 | 00.0-22.5 | 3 | 1.5 | 00.0-03.3 | 5 | 8.7 | 00.0-17.5 | 3 | 4.5 | 00.0-10.0 | 8 | 18.4 | 02.7-34.1 | 48 | 55.8 | 39.7-71.9 |
| \$35,000- 49,999 | 101 | 162,328 | 8 | 6.4 | 01.1-11.7 | 7 | 14.7 | 02.0-27.4 | 1 | 0.9 | 00.0-02.7 | 2 | 1.8 | 00.0-04.3 | 5 | 9.4 | 00.2-18.6 | 78 | 66.7 | 52.6-80.8 |
| \$50,000- 74,999 | 110 | 153,017 | 11 | 12.6 | 04.6-20.6 | 8 | 12.8 | 03.6-22.0 | | | | 1 | 0.8 | 00.0-02.4 | 10 | 12.0 | 03.4-20.6 | 80 | 61.8 | 49.8-73.8 |
| \$75,000+ | 240 | 331,793 | 16 | 6.6 | 02.1-11.1 | 15 | 7.6 | 02.9-12.3 | 5 | 3.7 | 00.0-08.2 | 5 | 2.6 | 00.1-05.1 | 13 | 7.7 | 01.0-14.4 | 186 | 71.7 | 62.7-80.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|----------|----------|------|------------|-----------|-----|------------|-------------|-----|------------|------------|-----|------------|--------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 886 | 839,023 | 47 | 7.7 | 04.2-11.2 | 16 | 1.9 | 00.7-03.1 | 17 | 2.3 | 00.9-03.7 | 12 | 1.8 | 00.4-03.2 | 19 | 3.3 | 01.5-05.1 | 775 | 83.0 | 78.9-87.1 |
| White/Non-Hisp | 727 | 614,019 | 33 | 7.0 | 02.7-11.3 | 14 | 2.2 | 00.8-03.6 | 16 | 2.9 | 01.1-04.7 | 8 | 1.0 | 00.2-01.8 | 16 | 3.8 | 01.6-06.0 | 640 | 83.3 | 78.4-88.2 |
| Black or Afr. Am./Non-Hisp | 113 | 144,246 | 10 | 8.0 | 02.7-13.3 | 2 | 1.9 | 00.0-04.4 | 1 | 1.2 | 00.0-03.6 | 1 | 0.3 | 00.0-00.9 | 2 | 1.6 | 00.0-04.5 | 97 | 87.0 | 80.1-93.9 |
| 25-34 | 100 | 165,520 | 7 | 7.7 | 01.0-14.4 | | | | 4 | 4.2 | 00.0-08.5 | 1 | 0.3 | 00.0-00.9 | 1 | 0.5 | 00.0-01.5 | 87 | 87.2 | 79.4-95.0 |
| 35-44 | 135 | 170,708 | 4 | 3.7 | 00.0-07.6 | 3 | 2.3 | 00.0-05.2 | 3 | 2.6 | 00.0-05.5 | 1 | 0.7 | 00.0-02.1 | 4 | 4.6 | 00.1-09.1 | 120 | 86.0 | 78.9-93.1 |
| 45-54 | 182 | 163,561 | 14 | 7.6 | 03.1-12.1 | 5 | 2.3 | 00.0-04.8 | 3 | 0.9 | 00.0-02.1 | 2 | 0.8 | 00.0-02.2 | 4 | 3.0 | 00.0-06.1 | 154 | 85.4 | 79.3-91.5 |
| 55-64 | 207 | 123,040 | 12 | 5.5 | 01.8-09.2 | 2 | 1.7 | 00.0-04.2 | 5 | 2.6 | 00.0-05.3 | 3 | 1.3 | 00.0-03.3 | 4 | 1.9 | 00.0-04.1 | 181 | 87.1 | 81.4-92.8 |
| 65+ | 207 | 87,887 | 4 | 2.6 | 00.0-06.1 | 2 | 0.7 | 00.0-01.9 | 1 | 0.4 | 00.0-01.2 | 2 | 2.0 | 00.0-04.7 | 1 | 0.4 | 00.0-01.2 | 197 | 93.9 | 89.2-98.6 |
| H.S. or G.E.D. | 203 | 212,923 | 13 | 12.9 | 01.9-23.9 | 2 | 1.6 | 00.0-04.0 | 4 | 2.0 | 00.0-04.2 | 6 | 3.6 | 00.1-07.1 | 7 | 3.5 | 00.4-06.6 | 171 | 76.4 | 65.2-87.6 |
| Some Post-H.S. | 260 | 294,361 | 12 | 6.6 | 02.1-11.1 | 9 | 3.1 | 00.7-05.5 | 5 | 3.3 | 00.4-06.2 | 2 | 1.7 | 00.0-04.4 | 7 | 4.2 | 01.1-07.3 | 225 | 81.2 | 74.7-87.7 |
| College Graduate | 388 | 276,793 | 19 | 5.0 | 02.3-07.7 | 3 | 0.5 | 00.0-01.3 | 8 | 2.0 | 00.2-03.8 | 4 | 0.9 | 00.0-01.9 | 5 | 2.9 | 00.0-06.0 | 349 | 88.7 | 84.2-93.2 |
| Less than \$15,000 | 77 | 95,468 | 3 | 4.0 | 00.0-09.9 | 2 | 2.2 | 00.0-05.5 | 2 | 3.7 | 00.0-08.8 | 3 | 4.0 | 00.0-09.7 | 1 | 0.8 | 00.0-02.4 | 66 | 85.3 | 75.3-95.3 |
| \$15,000- 24,999 | 119 | 112,896 | 10 | 11.0 | 03.6-18.4 | 4 | 3.6 | 00.0-07.9 | 2 | 2.2 | 00.0-05.9 | 3 | 4.8 | 00.0-11.7 | 2 | 2.2 | 00.0-06.3 | 98 | 76.2 | 65.2-87.2 |
| \$25,000- 34,999 | 84 | 77,997 | 3 | 4.1 | 00.0-09.2 | | | | 2 | 3.5 | 00.0-08.4 | 1 | 2.8 | 00.0-08.1 | 2 | 4.5 | 00.0-10.8 | 76 | 85.1 | 74.9-95.3 |
| \$35,000- 49,999 | 115 | 84,488 | 4 | 4.7 | 00.0-10.0 | 3 | 4.4 | 00.0-10.1 | 3 | 2.9 | 00.0-06.8 | 1 | 1.4 | 00.0-04.1 | 2 | 2.9 | 00.0-07.0 | 102 | 83.8 | 74.8-92.8 |
| \$50,000- 74,999 | 110 | 109,756 | 7 | 4.9 | 00.4-09.4 | 1 | 0.4 | 00.0-01.2 | 2 | 2.4 | 00.0-05.9 | 1 | 0.2 | 00.0-00.6 | 2 | 4.4 | 00.0-10.3 | 97 | 87.7 | 79.7-95.7 |
| \$75,000+ | 247 | 230,961 | 16 | 13.5 | 03.1-23.9 | 3 | 1.3 | 00.0-02.9 | 4 | 0.6 | 00.0-01.2 | 3 | 0.9 | 00.0-02.1 | 5 | 2.7 | 00.0-05.6 | 216 | 80.9 | 70.5-91.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1590 | 1,824,322 | 575 | 28.5 | 25.6-31.4 | 424 | 25.4 | 22.5-28.3 | 251 | 17.0 | 14.5-19.5 | 100 | 7.1 | 05.1-09.1 | 240 | 22.0 | 18.7-25.3 |
| Male | 721 | 1,007,135 | 175 | 19.3 | 15.8-22.8 | 182 | 22.6 | 18.7-26.5 | 126 | 18.7 | 14.8-22.6 | 54 | 8.7 | 05.6-11.8 | 184 | 30.7 | 25.8-35.6 |
| Female | 869 | 817,187 | 400 | 39.8 | 35.3-44.3 | 242 | 28.8 | 24.7-32.9 | 125 | 14.9 | 11.6-18.2 | 46 | 5.2 | 03.4-07.0 | 56 | 11.2 | 07.3-15.1 |
| White/Non-Hisp | 1324 | 1,379,400 | 492 | 29.4 | 26.3-32.5 | 350 | 24.8 | 21.7-27.9 | 207 | 16.8 | 13.9-19.7 | 79 | 7.0 | 04.8-09.2 | 196 | 22.0 | 18.3-25.7 |
| Black or Afr. Am./Non-Hisp | 186 | 301,430 | 61 | 29.0 | 20.4-37.6 | 56 | 30.0 | 21.2-38.8 | 31 | 18.5 | 10.7-26.3 | 18 | 9.2 | 03.9-14.5 | 20 | 13.3 | 06.8-19.8 |
| 18-24 | 90 | 269,032 | 17 | 17.7 | 08.5-26.9 | 18 | 19.2 | 10.4-28.0 | 13 | 15.6 | 07.2-24.0 | 9 | 10.3 | 03.0-17.6 | 33 | 37.2 | 25.4-49.0 |
| 25-34 | 179 | 362,625 | 45 | 24.4 | 17.3-31.5 | 47 | 22.9 | 16.0-29.8 | 38 | 21.9 | 14.8-29.0 | 12 | 7.5 | 02.0-13.0 | 37 | 23.3 | 15.5-31.1 |
| 35-44 | 213 | 358,476 | 75 | 27.3 | 20.4-34.2 | 54 | 24.5 | 17.4-31.6 | 32 | 15.2 | 08.7-21.7 | 8 | 4.4 | 01.1-07.7 | 44 | 28.6 | 20.0-37.2 |
| 45-54 | 311 | 343,354 | 105 | 31.9 | 25.4-38.4 | 85 | 28.2 | 21.7-34.7 | 53 | 16.9 | 11.6-22.2 | 24 | 7.1 | 03.8-10.4 | 44 | 15.9 | 10.6-21.2 |
| 55-64 | 373 | 276,728 | 131 | 30.1 | 24.6-35.6 | 95 | 26.2 | 20.5-31.9 | 65 | 18.6 | 13.5-23.7 | 26 | 8.1 | 04.8-11.4 | 56 | 17.0 | 11.7-22.3 |
| 65+ | 411 | 207,802 | 194 | 43.1 | 37.0-49.2 | 121 | 32.8 | 26.9-38.7 | 49 | 11.9 | 08.0-15.8 | 21 | 6.1 | 02.8-09.4 | 26 | 6.0 | 03.3-08.7 |
| Less Than H.S. | 82 | 143,990 | 34 | 34.8 | 21.7-47.9 | 14 | 19.3 | 07.7-30.9 | 6 | 6.3 | 00.8-11.8 | 7 | 10.9 | 00.0-22.3 | 21 | 28.7 | 14.8-42.6 |
| H.S. or G.E.D. | 382 | 463,455 | 132 | 28.1 | 21.8-34.4 | 93 | 22.3 | 16.6-28.0 | 55 | 17.5 | 11.8-23.2 | 30 | 8.2 | 03.9-12.5 | 72 | 23.9 | 16.8-31.0 |
| Some Post-H.S. | 448 | 649,484 | 145 | 22.5 | 17.8-27.2 | 127 | 27.2 | 22.1-32.3 | 73 | 18.6 | 13.7-23.5 | 25 | 6.0 | 03.3-08.7 | 78 | 25.7 | 19.8-31.6 |
| College Graduate | 678 | 567,393 | 264 | 34.0 | 29.3-38.7 | 190 | 27.4 | 22.9-31.9 | 117 | 17.6 | 13.7-21.5 | 38 | 6.6 | 03.9-09.3 | 69 | 14.5 | 10.6-18.4 |
| Less than \$15,000 | 126 | 162,441 | 41 | 25.3 | 15.5-35.1 | 32 | 28.6 | 18.0-39.2 | 18 | 15.5 | 07.1-23.9 | 8 | 7.6 | 01.9-13.3 | 27 | 23.0 | 12.8-33.2 |
| \$15,000- 24,999 | 199 | 220,296 | 59 | 23.5 | 15.7-31.3 | 51 | 27.0 | 18.8-35.2 | 32 | 15.7 | 09.2-22.2 | 16 | 5.9 | 02.2-09.6 | 41 | 27.8 | 19.0-36.6 |
| \$25,000- 34,999 | 153 | 174,369 | 51 | 21.2 | 13.6-28.8 | 44 | 24.8 | 15.8-33.8 | 21 | 12.8 | 06.1-19.5 | 8 | 11.2 | 01.8-20.6 | 29 | 30.0 | 18.0-42.0 |
| \$35,000- 49,999 | 213 | 226,559 | 87 | 31.6 | 23.8-39.4 | 54 | 23.7 | 15.9-31.5 | 35 | 21.0 | 12.2-29.8 | 13 | 7.2 | 02.3-12.1 | 24 | 16.6 | 09.2-24.0 |
| \$50,000- 74,999 | 216 | 254,893 | 89 | 33.7 | 25.7-41.7 | 53 | 23.0 | 15.9-30.1 | 31 | 17.4 | 09.8-25.0 | 13 | 4.7 | 01.6-07.8 | 30 | 21.3 | 13.3-29.3 |
| \$75,000+ | 479 | 556,223 | 150 | 25.9 | 20.8-31.0 | 143 | 26.1 | 20.8-31.4 | 87 | 18.8 | 13.9-23.7 | 34 | 8.0 | 04.1-11.9 | 65 | 21.1 | 14.4-27.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 721 | 1,007,135 | 175 | 19.3 | 15.8-22.8 | 182 | 22.6 | 18.7-26.5 | 126 | 18.7 | 14.8-22.6 | 54 | 8.7 | 06.0-11.4 | 184 | 30.7 | 25.8-35.6 |
| White/Non-Hisp | 611 | 784,474 | 152 | 19.9 | 16.0-23.8 | 159 | 23.1 | 18.8-27.4 | 105 | 18.4 | 14.3-22.5 | 45 | 8.6 | 05.5-11.7 | 150 | 30.1 | 24.6-35.6 |
| Black or Afr. Am./Non-Hisp | 73 | 157,672 | 14 | 18.8 | 08.2-29.4 | 19 | 26.5 | 13.6-39.4 | 16 | 21.3 | 08.8-33.8 | 8 | 11.3 | 02.3-20.3 | 16 | 22.0 | 10.4-33.6 |
| 25-34 | 82 | 206,426 | 16 | 18.1 | 09.1-27.1 | 12 | 13.6 | 05.6-21.6 | 19 | 24.2 | 13.6-34.8 | 7 | 11.1 | 01.9-20.3 | 28 | 33.0 | 21.0-45.0 |
| 35-44 | 83 | 195,874 | 14 | 13.2 | 06.1-20.3 | 17 | 21.1 | 10.9-31.3 | 12 | 15.7 | 05.9-25.5 | 4 | 4.5 | 00.0-09.4 | 36 | 45.4 | 32.3-58.5 |
| 45-54 | 131 | 180,757 | 32 | 23.9 | 14.5-33.3 | 33 | 27.5 | 17.5-37.5 | 22 | 16.9 | 08.5-25.3 | 12 | 6.9 | 02.2-11.6 | 32 | 24.8 | 15.8-33.8 |
| 55-64 | 169 | 153,669 | 31 | 14.5 | 08.8-20.2 | 43 | 26.7 | 18.3-35.1 | 37 | 24.1 | 15.9-32.3 | 12 | 8.5 | 03.6-13.4 | 46 | 26.3 | 17.7-34.9 |
| 65+ | 207 | 121,441 | 72 | 33.3 | 25.3-41.3 | 68 | 35.6 | 27.4-43.8 | 30 | 14.4 | 08.7-20.1 | 13 | 6.9 | 02.0-11.8 | 24 | 9.9 | 05.2-14.6 |
| H.S. or G.E.D. | 181 | 254,334 | 45 | 20.3 | 13.0-27.6 | 34 | 17.8 | 10.2-25.4 | 29 | 21.7 | 13.1-30.3 | 20 | 11.6 | 06.7-16.5 | 53 | 28.5 | 19.3-37.7 |
| Some Post-H.S. | 193 | 362,021 | 37 | 14.8 | 08.7-20.9 | 48 | 22.8 | 15.5-30.1 | 40 | 20.8 | 13.4-28.2 | 9 | 4.8 | 01.1-08.5 | 59 | 36.8 | 27.6-46.0 |
| College Graduate | 298 | 297,809 | 80 | 24.4 | 18.3-30.5 | 92 | 27.4 | 21.1-33.7 | 52 | 16.9 | 11.4-22.4 | 20 | 8.8 | 04.3-13.3 | 54 | 22.4 | 15.7-29.1 |
| \$15,000- 24,999 | 84 | 109,478 | 17 | 20.1 | 08.1-32.1 | 18 | 25.0 | 12.3-37.7 | 11 | 10.9 | 03.5-18.3 | 7 | 5.8 | 00.3-11.3 | 31 | 38.2 | 24.7-51.7 |
| \$25,000- 34,999 | 70 | 101,976 | 11 | 10.2 | 02.8-17.6 | 16 | 17.5 | 06.3-28.7 | 15 | 13.1 | 04.7-21.5 | 5 | 16.9 | 06.9-26.9 | 23 | 42.3 | 25.6-59.0 |
| \$35,000- 49,999 | 98 | 141,602 | 28 | 20.0 | 11.2-28.8 | 25 | 25.4 | 14.0-36.8 | 19 | 24.4 | 11.7-37.1 | 7 | 7.5 | 00.6-14.4 | 19 | 22.7 | 11.3-34.1 |
| \$50,000- 74,999 | 109 | 151,189 | 29 | 22.1 | 13.3-30.9 | 30 | 20.5 | 12.1-28.9 | 20 | 22.5 | 11.3-33.7 | 4 | 1.9 | 00.0-03.9 | 26 | 33.1 | 21.1-45.1 |
| \$75,000+ | 233 | 324,680 | 53 | 19.5 | 12.8-26.2 | 64 | 23.1 | 15.8-30.4 | 44 | 20.7 | 13.4-28.0 | 22 | 10.4 | 04.1-16.7 | 50 | 26.3 | 17.3-35.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|-----|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 869 | 817,187 | 400 | 39.8 | 35.3-44.3 | 242 | 28.8 | 24.7-32.9 | 125 | 14.9 | 11.6-18.2 | 46 | 5.2 | 03.4-07.0 | 56 | 11.2 | 07.3-15.1 |
| White/Non-Hisp | 713 | 594,926 | 340 | 42.0 | 37.1-46.9 | 191 | 27.1 | 22.8-31.4 | 102 | 14.6 | 11.1-18.1 | 34 | 4.9 | 02.9-06.9 | 46 | 11.4 | 06.7-16.1 |
| Black or Afr. Am./Non-Hisp | 113 | 143,758 | 47 | 40.2 | 27.3-53.1 | 37 | 34.0 | 22.0-46.0 | 15 | 15.3 | 06.5-24.1 | 10 | 6.8 | 01.7-11.9 | 4 | 3.7 | 00.0-07.4 |
| 25-34 | 97 | 156,199 | 29 | 32.8 | 22.0-43.6 | 35 | 35.2 | 24.2-46.2 | 19 | 18.8 | 10.2-27.4 | 5 | 2.8 | 00.0-05.7 | 9 | 10.4 | 02.8-18.0 |
| 35-44 | 130 | 162,602 | 61 | 44.3 | 33.9-54.7 | 37 | 28.6 | 19.4-37.8 | 20 | 14.5 | 06.7-22.3 | 4 | 4.3 | 00.0-08.6 | 8 | 8.3 | 02.4-14.2 |
| 45-54 | 180 | 162,597 | 73 | 40.8 | 32.2-49.4 | 52 | 29.1 | 21.3-36.9 | 31 | 16.8 | 10.1-23.5 | 12 | 7.3 | 02.6-12.0 | 12 | 6.0 | 02.3-09.7 |
| 55-64 | 204 | 123,059 | 100 | 49.6 | 41.2-58.0 | 52 | 25.7 | 18.6-32.8 | 28 | 11.6 | 06.5-16.7 | 14 | 7.6 | 02.9-12.3 | 10 | 5.5 | 01.6-09.4 |
| 65+ | 204 | 86,361 | 122 | 57.0 | 48.6-65.4 | 53 | 28.9 | 21.1-36.7 | 19 | 8.5 | 03.8-13.2 | 8 | 5.1 | 00.8-09.4 | 2 | 0.6 | 00.0-01.6 |
| H.S. or G.E.D. | 201 | 209,121 | 87 | 37.7 | 27.7-47.7 | 59 | 27.7 | 18.9-36.5 | 26 | 12.3 | 06.0-18.6 | 10 | 4.1 | 00.8-07.4 | 19 | 18.2 | 06.8-29.6 |
| Some Post-H.S. | 255 | 287,463 | 108 | 32.3 | 25.4-39.2 | 79 | 32.6 | 25.3-39.9 | 33 | 15.8 | 09.7-21.9 | 16 | 7.5 | 03.6-11.4 | 19 | 11.8 | 05.9-17.7 |
| College Graduate | 380 | 269,584 | 184 | 44.5 | 37.8-51.2 | 98 | 27.3 | 21.2-33.4 | 65 | 18.3 | 13.0-23.6 | 18 | 4.1 | 01.7-06.5 | 15 | 5.8 | 02.3-09.3 |
| Less than \$15,000 | 77 | 95,293 | 28 | 30.4 | 17.1-43.7 | 26 | 42.5 | 27.6-57.4 | 12 | 12.5 | 02.9-22.1 | 2 | 2.9 | 00.0-08.0 | 9 | 11.7 | 03.1-20.3 |
| \$15,000- 24,999 | 115 | 110,818 | 42 | 26.9 | 16.7-37.1 | 33 | 29.0 | 18.4-39.6 | 21 | 20.6 | 10.2-31.0 | 9 | 6.1 | 01.6-10.6 | 10 | 17.4 | 06.0-28.8 |
| \$25,000- 34,999 | 83 | 72,393 | 40 | 36.6 | 23.5-49.7 | 28 | 35.0 | 21.5-48.5 | 6 | 12.5 | 01.5-23.5 | 3 | 3.2 | 00.0-07.5 | 6 | 12.7 | 02.5-22.9 |
| \$35,000- 49,999 | 115 | 84,957 | 59 | 50.8 | 39.4-62.2 | 29 | 20.8 | 12.4-29.2 | 16 | 15.3 | 06.9-23.7 | 6 | 6.6 | 00.5-12.7 | 5 | 6.5 | 00.8-12.2 |
| \$50,000- 74,999 | 107 | 103,704 | 60 | 50.6 | 37.9-63.3 | 23 | 26.7 | 14.9-38.5 | 11 | 9.9 | 02.3-17.5 | 9 | 8.7 | 01.8-15.6 | 4 | 4.1 | 00.0-09.4 |
| \$75,000+ | 246 | 231,543 | 97 | 35.0 | 27.0-43.0 | 79 | 30.3 | 22.7-37.9 | 43 | 16.2 | 10.1-22.3 | 12 | 4.7 | 01.4-08.0 | 15 | 13.8 | 03.4-24.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6) | |
| 1 MALES AND FEMALES | 198 |
| 2 MALES ONLY | 199 |
| 3 FEMALES ONLY | 200 |
| DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2) | |
| 4 MALES AND FEMALES | 201 |
| 5 MALES ONLY | 202 |
| 6 FEMALES ONLY | 203 |
| A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3) | |
| 7 MALES AND FEMALES | 204 |
| 8 MALES ONLY | 205 |
| 9 FEMALES ONLY | 206 |
| THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2) | |
| 10 MALES AND FEMALES | 207 |
| 11 MALES ONLY | 208 |
| 12 FEMALES ONLY | 209 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4822 | 4,777,982 | 2540 | 43.0 | 41.0-45.0 | 2282 | 57.0 | 55.0-59.0 |
| Male | 1755 | 2,294,962 | 849 | 39.3 | 36.2-42.4 | 906 | 60.7 | 57.6-63.8 |
| Female | 3067 | 2,483,021 | 1691 | 46.4 | 43.9-48.9 | 1376 | 53.6 | 51.1-56.1 |
| White/Non-Hisp | 4011 | 3,654,770 | 2198 | 45.9 | 43.7-48.1 | 1813 | 54.1 | 51.9-56.3 |
| Black or Afr. Am./Non-Hisp | 577 | 747,991 | 238 | 33.8 | 28.3-39.3 | 339 | 66.2 | 60.7-71.7 |
| Oth. Race/Non-Hisp. | 86 | 112,899 | 45 | 47.5 | 33.8-61.2 | 41 | 52.5 | 38.8-66.2 |
| Hispanic | 58 | 136,226 | 18 | 20.8 | 10.0-31.6 | 40 | 79.2 | 68.4-90.0 |
| 18-24 | 197 | 601,755 | 65 | 29.7 | 22.3-37.1 | 132 | 70.3 | 62.9-77.7 |
| 25-34 | 380 | 799,630 | 126 | 30.4 | 25.1-35.7 | 254 | 69.6 | 64.3-74.9 |
| 35-44 | 455 | 788,275 | 178 | 33.5 | 28.2-38.8 | 277 | 66.5 | 61.2-71.8 |
| 45-54 | 760 | 822,459 | 301 | 39.1 | 34.6-43.6 | 459 | 60.9 | 56.4-65.4 |
| 55-64 | 1092 | 782,897 | 561 | 49.8 | 46.1-53.5 | 531 | 50.2 | 46.5-53.9 |
| 65+ | 1886 | 953,599 | 1278 | 67.2 | 64.5-69.9 | 608 | 32.8 | 30.1-35.5 |
| Less Than H.S. | 615 | 765,037 | 314 | 39.7 | 34.0-45.4 | 301 | 60.3 | 54.6-66.0 |
| H.S. or G.E.D. | 1647 | 1,575,127 | 825 | 41.6 | 38.1-45.1 | 822 | 58.4 | 54.9-61.9 |
| Some Post-H.S. | 1184 | 1,396,916 | 603 | 39.4 | 35.7-43.1 | 581 | 60.6 | 56.9-64.3 |
| College Graduate | 1361 | 1,029,321 | 790 | 52.3 | 48.8-55.8 | 571 | 47.7 | 44.2-51.2 |
| Less than \$15,000 | 656 | 568,846 | 302 | 34.9 | 29.6-40.2 | 354 | 65.1 | 59.8-70.4 |
| \$15,000- 24,999 | 829 | 780,109 | 400 | 36.4 | 31.9-40.9 | 429 | 63.6 | 59.1-68.1 |
| \$25,000- 34,999 | 510 | 487,840 | 281 | 46.9 | 40.6-53.2 | 229 | 53.1 | 46.8-59.4 |
| \$35,000- 49,999 | 594 | 631,883 | 328 | 45.8 | 40.1-51.5 | 266 | 54.2 | 48.5-59.9 |
| \$50,000- 74,999 | 519 | 551,557 | 291 | 46.1 | 40.2-52.0 | 228 | 53.9 | 48.0-59.8 |
| \$75,000+ | 799 | 912,711 | 442 | 47.9 | 43.0-52.8 | 357 | 52.1 | 47.2-57.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1755 | 2,294,962 | 849 | 39.3 | 36.2-42.4 | 906 | 60.7 | 57.6-63.8 |
| White/Non-Hisp | 1472 | 1,753,832 | 729 | 40.9 | 37.6-44.2 | 743 | 59.1 | 55.8-62.4 |
| Black or Afr. Am./Non-Hisp | 178 | 342,197 | 70 | 32.5 | 23.7-41.3 | 108 | 67.5 | 58.7-76.3 |
| 18-24 | 88 | 303,586 | 26 | 24.3 | 14.9-33.7 | 62 | 75.7 | 66.3-85.1 |
| 25-34 | 156 | 405,285 | 47 | 27.5 | 19.7-35.3 | 109 | 72.5 | 64.7-80.3 |
| 35-44 | 163 | 386,653 | 52 | 27.7 | 19.9-35.5 | 111 | 72.3 | 64.5-80.1 |
| 45-54 | 287 | 406,308 | 107 | 38.7 | 31.6-45.8 | 180 | 61.3 | 54.2-68.4 |
| 55-64 | 418 | 370,972 | 193 | 46.0 | 40.1-51.9 | 225 | 54.0 | 48.1-59.9 |
| 65+ | 630 | 413,914 | 418 | 67.1 | 62.4-71.8 | 212 | 32.9 | 28.2-37.6 |
| Less Than H.S. | 216 | 370,268 | 104 | 37.9 | 29.1-46.7 | 112 | 62.1 | 53.3-70.9 |
| H.S. or G.E.D. | 582 | 755,316 | 248 | 35.8 | 30.7-40.9 | 334 | 64.2 | 59.1-69.3 |
| Some Post-H.S. | 414 | 664,388 | 195 | 36.0 | 30.1-41.9 | 219 | 64.0 | 58.1-69.9 |
| College Graduate | 540 | 496,812 | 301 | 49.8 | 44.3-55.3 | 239 | 50.2 | 44.7-55.7 |
| Less than \$15,000 | 201 | 233,574 | 75 | 28.3 | 20.1-36.5 | 126 | 71.7 | 63.5-79.9 |
| \$15,000- 24,999 | 266 | 335,622 | 111 | 32.7 | 25.3-40.1 | 155 | 67.3 | 59.9-74.7 |
| \$25,000- 34,999 | 186 | 244,569 | 101 | 47.5 | 37.3-57.7 | 85 | 52.5 | 42.3-62.7 |
| \$35,000- 49,999 | 268 | 359,404 | 141 | 42.0 | 34.2-49.8 | 127 | 58.0 | 50.2-65.8 |
| \$50,000- 74,999 | 228 | 291,493 | 120 | 41.8 | 33.4-50.2 | 108 | 58.2 | 49.8-66.6 |
| \$75,000+ | 359 | 498,342 | 185 | 43.6 | 36.5-50.7 | 174 | 56.4 | 49.3-63.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3067 | 2,483,021 | 1691 | 46.4 | 43.9-48.9 | 1376 | 53.6 | 51.1-56.1 |
| White/Non-Hisp | 2539 | 1,900,938 | 1469 | 50.5 | 47.8-53.2 | 1070 | 49.5 | 46.8-52.2 |
| Black or Afr. Am./Non-Hisp | 399 | 405,794 | 168 | 34.8 | 28.1-41.5 | 231 | 65.2 | 58.5-71.9 |
| Oth. Race/Non-Hisp. | 51 | 68,340 | 25 | 40.5 | 23.4-57.6 | 26 | 59.5 | 42.4-76.6 |
| 18-24 | 109 | 298,168 | 39 | 35.2 | 23.8-46.6 | 70 | 64.8 | 53.4-76.2 |
| 25-34 | 224 | 394,345 | 79 | 33.5 | 26.4-40.6 | 145 | 66.5 | 59.4-73.6 |
| 35-44 | 292 | 401,621 | 126 | 39.0 | 32.3-45.7 | 166 | 61.0 | 54.3-67.7 |
| 45-54 | 473 | 416,152 | 194 | 39.5 | 34.0-45.0 | 279 | 60.5 | 55.0-66.0 |
| 55-64 | 674 | 411,925 | 368 | 53.3 | 48.6-58.0 | 306 | 46.7 | 42.0-51.4 |
| 65+ | 1256 | 539,684 | 860 | 67.2 | 63.7-70.7 | 396 | 32.8 | 29.3-36.3 |
| Less Than H.S. | 399 | 394,769 | 210 | 41.4 | 34.1-48.7 | 189 | 58.6 | 51.3-65.9 |
| H.S. or G.E.D. | 1065 | 819,811 | 577 | 47.0 | 42.5-51.5 | 488 | 53.0 | 48.5-57.5 |
| Some Post-H.S. | 770 | 732,528 | 408 | 42.5 | 37.8-47.2 | 362 | 57.5 | 52.8-62.2 |
| College Graduate | 821 | 532,509 | 489 | 54.6 | 49.9-59.3 | 332 | 45.4 | 40.7-50.1 |
| Less than \$15,000 | 455 | 335,272 | 227 | 39.6 | 32.9-46.3 | 228 | 60.4 | 53.7-67.1 |
| \$15,000- 24,999 | 563 | 444,487 | 289 | 39.1 | 33.6-44.6 | 274 | 60.9 | 55.4-66.4 |
| \$25,000- 34,999 | 324 | 243,271 | 180 | 46.4 | 38.8-54.0 | 144 | 53.6 | 46.0-61.2 |
| \$35,000- 49,999 | 326 | 272,479 | 187 | 50.8 | 43.4-58.2 | 139 | 49.2 | 41.8-56.6 |
| \$50,000- 74,999 | 291 | 260,064 | 171 | 51.0 | 42.6-59.4 | 120 | 49.0 | 40.6-57.4 |
| \$75,000+ | 440 | 414,369 | 257 | 53.1 | 46.4-59.8 | 183 | 46.9 | 40.2-53.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2013 | | | May-Aug 2013 | | | Sep-Dec 2013 | | |
|----------------------------|-------------------|-----------|--------------|-----|------------|--------------|-----|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1458 | 1,124,544 | 3 | 0.4 | 00.0-01.0 | 22 | 1.5 | 00.7-02.3 | 1433 | 98.2 | 97.2-99.2 |
| Male | 463 | 473,637 | 2 | 0.8 | 00.0-02.4 | 8 | 1.8 | 00.2-03.4 | 453 | 97.4 | 95.2-99.6 |
| Female | 995 | 650,907 | 1 | 0.1 | 00.0-00.3 | 14 | 1.2 | 00.4-02.0 | 980 | 98.8 | 98.0-99.6 |
| White/Non-Hisp | 1282 | 925,189 | 2 | 0.1 | 00.1-00.1 | 19 | 1.4 | 00.4-02.4 | 1261 | 98.5 | 97.5-99.5 |
| Black or Afr. Am./Non-Hisp | 127 | 128,749 | | | | 2 | 1.5 | 00.0-03.7 | 125 | 98.5 | 96.3-0100 |
| 25-34 | 64 | 114,060 | | | | 2 | 1.8 | 00.0-04.3 | 62 | 98.2 | 95.7-0100 |
| 35-44 | 97 | 145,613 | | | | 2 | 2.3 | 00.0-06.0 | 95 | 97.7 | 94.0-0100 |
| 45-54 | 177 | 186,284 | | | | 4 | 2.1 | 00.0-04.3 | 173 | 97.9 | 95.7-0100 |
| 55-64 | 357 | 245,656 | 1 | 0.2 | 00.0-00.6 | 2 | 0.1 | 00.0-00.3 | 354 | 99.7 | 99.3-0100 |
| 65+ | 724 | 359,090 | 1 | 0.1 | 00.0-00.3 | 12 | 1.9 | 00.5-03.3 | 711 | 98.1 | 96.7-99.5 |
| Less Than H.S. | 163 | 153,087 | | | | 2 | 1.6 | 00.0-04.3 | 161 | 98.4 | 95.7-0100 |
| H.S. or G.E.D. | 477 | 360,554 | 2 | 1.1 | 00.0-03.1 | 3 | 0.3 | 00.0-00.7 | 472 | 98.6 | 96.6-0100 |
| Some Post-H.S. | 337 | 296,070 | | | | 9 | 2.4 | 00.2-04.6 | 328 | 97.6 | 95.4-99.8 |
| College Graduate | 477 | 314,020 | 1 | 0.1 | 00.0-00.3 | 8 | 1.8 | 00.2-03.4 | 468 | 98.1 | 96.5-99.7 |
| Less than \$15,000 | 171 | 118,946 | | | | 2 | 2.3 | 00.0-06.6 | 169 | 97.7 | 93.4-0100 |
| \$15,000- 24,999 | 237 | 153,972 | 1 | 0.1 | 00.0-00.3 | 3 | 1.7 | 00.0-04.4 | 233 | 98.2 | 95.5-0100 |
| \$25,000- 34,999 | 156 | 128,269 | 1 | 2.8 | 00.0-08.1 | 6 | 1.7 | 00.0-03.5 | 149 | 95.5 | 90.0-0100 |
| \$35,000- 49,999 | 191 | 156,387 | | | | 4 | 2.5 | 00.0-05.0 | 187 | 97.5 | 95.0-0100 |
| \$50,000- 74,999 | 169 | 144,083 | | | | 2 | 0.6 | 00.0-01.6 | 167 | 99.4 | 98.4-0100 |
| \$75,000+ | 260 | 237,682 | | | | 3 | 1.3 | 00.0-02.9 | 257 | 98.7 | 97.1-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2013 | | | May-Aug 2013 | | | Sep-Dec 2013 | | |
|--------------------|-------------------|----------|--------------|-----|------------|--------------|-----|------------|--------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 463 | 473,637 | 2 | 0.8 | 00.0-02.4 | 8 | 1.8 | 00.2-03.4 | 453 | 97.4 | 95.2-99.6 |
| White/Non-Hisp | 402 | 370,378 | 1 | 0.1 | 00.0-00.3 | 6 | 1.7 | 00.0-03.5 | 395 | 98.3 | 96.5-0100 |
| 45-54 | 63 | 90,273 | | | | 2 | 2.7 | 00.0-06.4 | 61 | 97.3 | 93.6-0100 |
| 55-64 | 110 | 95,696 | | | | | | | 110 | 100.0 | 0100-0100 |
| 65+ | 229 | 155,135 | 1 | 0.1 | 00.0-00.3 | 2 | 0.5 | 00.0-01.3 | 226 | 99.3 | 98.5-0100 |
| Less Than H.S. | 58 | 80,942 | | | | 1 | 0.5 | 00.0-01.5 | 57 | 99.5 | 98.5-0100 |
| H.S. or G.E.D. | 130 | 140,679 | 2 | 2.7 | 00.0-07.6 | | | | 128 | 97.3 | 92.4-0100 |
| Some Post-H.S. | 103 | 122,883 | | | | 2 | 2.8 | 00.0-07.1 | 101 | 97.2 | 92.9-0100 |
| College Graduate | 172 | 129,133 | | | | 5 | 3.8 | 00.3-07.3 | 167 | 96.2 | 92.7-99.7 |
| \$15,000- 24,999 | 59 | 59,166 | 1 | 0.3 | 00.0-00.9 | | | | 58 | 99.7 | 99.1-0100 |
| \$25,000- 34,999 | 56 | 68,849 | 1 | 5.2 | 00.0-15.0 | 2 | 1.6 | 00.0-04.0 | 53 | 93.1 | 83.1-0100 |
| \$35,000- 49,999 | 74 | 66,577 | | | | 1 | 1.8 | 00.0-05.3 | 73 | 98.2 | 94.7-0100 |
| \$50,000- 74,999 | 67 | 63,919 | | | | 1 | 1.0 | 00.0-03.0 | 66 | 99.0 | 97.0-0100 |
| \$75,000+ | 105 | 115,900 | | | | 3 | 2.6 | 00.0-05.7 | 102 | 97.4 | 94.3-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2013 | | | May-Aug 2013 | | | Sep-Dec 2013 | | |
|----------------------------|-------------------|----------|--------------|-----|------------|--------------|-----|------------|--------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 995 | 650,907 | 1 | 0.1 | 00.0-00.3 | 14 | 1.2 | 00.4-02.0 | 980 | 98.8 | 98.0-99.6 |
| White/Non-Hisp | 880 | 554,811 | 1 | 0.1 | 00.0-00.3 | 13 | 1.3 | 00.3-02.3 | 866 | 98.7 | 97.7-99.7 |
| Black or Afr. Am./Non-Hisp | 92 | 73,887 | | | | 1 | 0.9 | 00.0-02.7 | 91 | 99.1 | 97.3-0100 |
| 35-44 | 71 | 86,004 | | | | | | | 71 | 100.0 | 0100-0100 |
| 45-54 | 114 | 96,012 | | | | 2 | 1.6 | 00.0-03.8 | 112 | 98.4 | 96.2-0100 |
| 55-64 | 247 | 149,960 | 1 | 0.3 | 00.0-00.9 | 2 | 0.2 | 00.0-00.4 | 244 | 99.5 | 98.9-0100 |
| 65+ | 495 | 203,955 | | | | 10 | 2.9 | 00.4-05.4 | 485 | 97.1 | 94.6-99.6 |
| Less Than H.S. | 105 | 72,144 | | | | 1 | 2.9 | 00.0-08.4 | 104 | 97.1 | 91.6-0100 |
| H.S. or G.E.D. | 347 | 219,875 | | | | 3 | 0.5 | 00.0-01.3 | 344 | 99.5 | 98.7-0100 |
| Some Post-H.S. | 234 | 173,187 | | | | 7 | 2.1 | 00.1-04.1 | 227 | 97.9 | 95.9-99.9 |
| College Graduate | 305 | 184,887 | 1 | 0.2 | 00.0-00.6 | 3 | 0.4 | 00.0-01.0 | 301 | 99.4 | 98.6-0100 |
| Less than \$15,000 | 126 | 71,965 | | | | 1 | 0.1 | 00.0-00.3 | 125 | 99.9 | 99.7-0100 |
| \$15,000- 24,999 | 178 | 94,805 | | | | 3 | 2.8 | 00.0-07.1 | 175 | 97.2 | 92.9-0100 |
| \$25,000- 34,999 | 100 | 59,420 | | | | 4 | 1.9 | 00.0-04.3 | 96 | 98.1 | 95.7-0100 |
| \$35,000- 49,999 | 117 | 89,810 | | | | 3 | 3.1 | 00.0-06.6 | 114 | 96.9 | 93.4-0100 |
| \$50,000- 74,999 | 102 | 80,164 | | | | 1 | 0.2 | 00.0-00.6 | 101 | 99.8 | 99.4-0100 |
| \$75,000+ | 155 | 121,782 | | | | | | | 155 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4535 | 4,356,734 | 2029 | 33.1 | 31.1-35.1 | 2506 | 66.9 | 64.9-68.9 |
| Male | 1611 | 2,042,358 | 680 | 32.4 | 29.3-35.5 | 931 | 67.6 | 64.5-70.7 |
| Female | 2924 | 2,314,376 | 1349 | 33.8 | 31.4-36.2 | 1575 | 66.2 | 63.8-68.6 |
| White/Non-Hisp | 3777 | 3,329,969 | 1779 | 35.9 | 33.7-38.1 | 1998 | 64.1 | 61.9-66.3 |
| Black or Afr. Am./Non-Hisp | 548 | 698,581 | 178 | 24.1 | 19.2-29.0 | 370 | 75.9 | 71.0-80.8 |
| Oth. Race/Non-Hisp. | 81 | 104,215 | 27 | 21.5 | 11.5-31.5 | 54 | 78.5 | 68.5-88.5 |
| 18-24 | 159 | 497,953 | 27 | 19.1 | 11.5-26.7 | 132 | 80.9 | 73.3-88.5 |
| 25-34 | 318 | 670,788 | 50 | 13.4 | 09.3-17.5 | 268 | 86.6 | 82.5-90.7 |
| 35-44 | 416 | 728,304 | 74 | 20.9 | 15.4-26.4 | 342 | 79.1 | 73.6-84.6 |
| 45-54 | 715 | 762,818 | 172 | 23.8 | 19.7-27.9 | 543 | 76.2 | 72.1-80.3 |
| 55-64 | 1044 | 741,141 | 370 | 33.9 | 30.2-37.6 | 674 | 66.1 | 62.4-69.8 |
| 65+ | 1833 | 927,596 | 1314 | 71.2 | 68.5-73.9 | 519 | 28.8 | 26.1-31.5 |
| Less Than H.S. | 587 | 727,806 | 329 | 45.1 | 39.0-51.2 | 258 | 54.9 | 48.8-61.0 |
| H.S. or G.E.D. | 1578 | 1,459,798 | 733 | 35.0 | 31.7-38.3 | 845 | 65.0 | 61.7-68.3 |
| Some Post-H.S. | 1113 | 1,272,188 | 457 | 26.7 | 23.4-30.0 | 656 | 73.3 | 70.0-76.6 |
| College Graduate | 1245 | 891,540 | 505 | 29.4 | 26.3-32.5 | 740 | 70.6 | 67.5-73.7 |
| Less than \$15,000 | 621 | 530,582 | 307 | 36.6 | 31.1-42.1 | 314 | 63.4 | 57.9-68.9 |
| \$15,000- 24,999 | 792 | 733,739 | 381 | 39.0 | 33.7-44.3 | 411 | 61.0 | 55.7-66.3 |
| \$25,000- 34,999 | 486 | 454,797 | 231 | 33.5 | 27.6-39.4 | 255 | 66.5 | 60.6-72.4 |
| \$35,000- 49,999 | 560 | 569,080 | 255 | 37.1 | 31.4-42.8 | 305 | 62.9 | 57.2-68.6 |
| \$50,000- 74,999 | 480 | 482,992 | 196 | 28.1 | 23.2-33.0 | 284 | 71.9 | 67.0-76.8 |
| \$75,000+ | 739 | 826,700 | 226 | 21.8 | 18.1-25.5 | 513 | 78.2 | 74.5-81.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1611 | 2,042,358 | 680 | 32.4 | 29.3-35.5 | 931 | 67.6 | 64.5-70.7 |
| White/Non-Hisp | 1355 | 1,559,427 | 600 | 34.7 | 31.2-38.2 | 755 | 65.3 | 61.8-68.8 |
| Black or Afr. Am./Non-Hisp | 166 | 317,646 | 48 | 23.4 | 15.2-31.6 | 118 | 76.6 | 68.4-84.8 |
| 18-24 | 68 | 242,115 | 15 | 24.1 | 12.1-36.1 | 53 | 75.9 | 63.9-87.9 |
| 25-34 | 121 | 323,196 | 18 | 13.7 | 07.0-20.4 | 103 | 86.3 | 79.6-93.0 |
| 35-44 | 149 | 358,151 | 31 | 25.5 | 16.1-34.9 | 118 | 74.5 | 65.1-83.9 |
| 45-54 | 261 | 368,177 | 67 | 23.0 | 16.9-29.1 | 194 | 77.0 | 70.9-83.1 |
| 55-64 | 389 | 340,866 | 123 | 30.2 | 24.5-35.9 | 266 | 69.8 | 64.1-75.5 |
| 65+ | 610 | 401,612 | 418 | 68.6 | 63.9-73.3 | 192 | 31.4 | 26.7-36.1 |
| Less Than H.S. | 199 | 343,815 | 98 | 40.8 | 31.0-50.6 | 101 | 59.2 | 49.4-69.0 |
| H.S. or G.E.D. | 548 | 686,877 | 222 | 33.3 | 28.0-38.6 | 326 | 66.7 | 61.4-72.0 |
| Some Post-H.S. | 379 | 590,353 | 151 | 26.6 | 20.7-32.5 | 228 | 73.4 | 67.5-79.3 |
| College Graduate | 484 | 418,572 | 208 | 31.7 | 26.8-36.6 | 276 | 68.3 | 63.4-73.2 |
| Less than \$15,000 | 182 | 206,185 | 79 | 33.5 | 23.9-43.1 | 103 | 66.5 | 56.9-76.1 |
| \$15,000- 24,999 | 254 | 318,033 | 111 | 40.1 | 30.9-49.3 | 143 | 59.9 | 50.7-69.1 |
| \$25,000- 34,999 | 174 | 224,068 | 77 | 34.5 | 24.9-44.1 | 97 | 65.5 | 55.9-75.1 |
| \$35,000- 49,999 | 248 | 320,651 | 125 | 40.3 | 31.9-48.7 | 123 | 59.7 | 51.3-68.1 |
| \$50,000- 74,999 | 205 | 240,221 | 89 | 28.4 | 21.3-35.5 | 116 | 71.6 | 64.5-78.7 |
| \$75,000+ | 326 | 454,949 | 95 | 19.4 | 14.3-24.5 | 231 | 80.6 | 75.5-85.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2924 | 2,314,376 | 1349 | 33.8 | 31.4-36.2 | 1575 | 66.2 | 63.8-68.6 |
| White/Non-Hisp | 2422 | 1,770,543 | 1179 | 37.0 | 34.5-39.5 | 1243 | 63.0 | 60.5-65.5 |
| Black or Afr. Am./Non-Hisp | 382 | 380,935 | 130 | 24.7 | 19.0-30.4 | 252 | 75.3 | 69.6-81.0 |
| 18-24 | 91 | 255,839 | 12 | 14.4 | 05.2-23.6 | 79 | 85.6 | 76.4-94.8 |
| 25-34 | 197 | 347,592 | 32 | 13.2 | 08.1-18.3 | 165 | 86.8 | 81.7-91.9 |
| 35-44 | 267 | 370,153 | 43 | 16.5 | 11.0-22.0 | 224 | 83.5 | 78.0-89.0 |
| 45-54 | 454 | 394,641 | 105 | 24.6 | 19.3-29.9 | 349 | 75.4 | 70.1-80.7 |
| 55-64 | 655 | 400,276 | 247 | 37.1 | 32.4-41.8 | 408 | 62.9 | 58.2-67.6 |
| 65+ | 1223 | 525,985 | 896 | 73.2 | 69.9-76.5 | 327 | 26.8 | 23.5-30.1 |
| Less Than H.S. | 388 | 383,992 | 231 | 49.1 | 41.5-56.7 | 157 | 50.9 | 43.3-58.5 |
| H.S. or G.E.D. | 1030 | 772,921 | 511 | 36.5 | 32.6-40.4 | 519 | 63.5 | 59.6-67.4 |
| Some Post-H.S. | 734 | 681,835 | 306 | 26.8 | 23.1-30.5 | 428 | 73.2 | 69.5-76.9 |
| College Graduate | 761 | 472,968 | 297 | 27.3 | 23.4-31.2 | 464 | 72.7 | 68.8-76.6 |
| Less than \$15,000 | 439 | 324,398 | 228 | 38.6 | 32.1-45.1 | 211 | 61.4 | 54.9-67.9 |
| \$15,000- 24,999 | 538 | 415,706 | 270 | 38.2 | 32.3-44.1 | 268 | 61.8 | 55.9-67.7 |
| \$25,000- 34,999 | 312 | 230,729 | 154 | 32.5 | 25.8-39.2 | 158 | 67.5 | 60.8-74.2 |
| \$35,000- 49,999 | 312 | 248,429 | 130 | 33.0 | 26.5-39.5 | 182 | 67.0 | 60.5-73.5 |
| \$50,000- 74,999 | 275 | 242,771 | 107 | 27.8 | 20.9-34.7 | 168 | 72.2 | 65.3-79.1 |
| \$75,000+ | 413 | 371,752 | 131 | 24.9 | 19.6-30.2 | 282 | 75.1 | 69.8-80.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 10: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3356 | 2,148,169 | 753 | 18.8 | 17.2-20.4 | 2603 | 81.2 | 79.6-82.8 |
| Male | 1183 | 975,109 | 236 | 16.0 | 13.6-18.4 | 947 | 84.0 | 81.6-86.4 |
| Female | 2173 | 1,173,060 | 517 | 21.2 | 19.0-23.4 | 1656 | 78.8 | 76.6-81.0 |
| White/Non-Hisp | 2885 | 1,785,177 | 717 | 21.5 | 19.7-23.3 | 2168 | 78.5 | 76.7-80.3 |
| Black or Afr. Am./Non-Hisp | 347 | 252,840 | 20 | 6.0 | 02.3-09.7 | 327 | 94.0 | 90.3-97.7 |
| Oth. Race/Non-Hisp. | 53 | 44,501 | 5 | 3.4 | 00.1-06.7 | 48 | 96.6 | 93.3-99.9 |
| 45-54 | 423 | 441,572 | 17 | 3.7 | 01.5-05.9 | 406 | 96.3 | 94.1-98.5 |
| 55-64 | 1075 | 769,798 | 136 | 11.0 | 08.6-13.4 | 939 | 89.0 | 86.6-91.4 |
| 65+ | 1858 | 936,799 | 600 | 32.4 | 29.7-35.1 | 1258 | 67.6 | 64.9-70.3 |
| Less Than H.S. | 486 | 418,382 | 72 | 13.3 | 09.6-17.0 | 414 | 86.7 | 83.0-90.4 |
| H.S. or G.E.D. | 1159 | 697,964 | 222 | 16.5 | 14.0-19.0 | 937 | 83.5 | 81.0-86.0 |
| Some Post-H.S. | 790 | 574,795 | 189 | 20.4 | 16.9-23.9 | 601 | 79.6 | 76.1-83.1 |
| College Graduate | 916 | 456,129 | 269 | 25.4 | 22.1-28.7 | 647 | 74.6 | 71.3-77.9 |
| Less than \$15,000 | 463 | 230,506 | 71 | 11.7 | 08.2-15.2 | 392 | 88.3 | 84.8-91.8 |
| \$15,000- 24,999 | 596 | 366,566 | 96 | 14.0 | 10.5-17.5 | 500 | 86.0 | 82.5-89.5 |
| \$25,000- 34,999 | 376 | 249,381 | 91 | 18.3 | 13.4-23.2 | 285 | 81.7 | 76.8-86.6 |
| \$35,000- 49,999 | 403 | 281,623 | 104 | 21.2 | 16.3-26.1 | 299 | 78.8 | 73.9-83.7 |
| \$50,000- 74,999 | 350 | 249,047 | 92 | 19.1 | 14.6-23.6 | 258 | 80.9 | 76.4-85.4 |
| \$75,000+ | 497 | 366,217 | 122 | 21.5 | 17.2-25.8 | 375 | 78.5 | 74.2-82.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 11: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1183 | 975,109 | 236 | 16.0 | 13.6-18.4 | 947 | 84.0 | 81.6-86.4 |
| White/Non-Hisp | 1018 | 794,513 | 223 | 18.4 | 15.7-21.1 | 795 | 81.6 | 78.9-84.3 |
| Black or Afr. Am./Non-Hisp | 104 | 112,644 | 4 | 5.0 | 00.0-11.7 | 100 | 95.0 | 88.3-0100 |
| 45-54 | 158 | 206,153 | 4 | 3.1 | 00.0-06.4 | 154 | 96.9 | 93.6-0100 |
| 55-64 | 407 | 362,920 | 35 | 7.0 | 04.1-09.9 | 372 | 93.0 | 90.1-95.9 |
| 65+ | 618 | 406,036 | 197 | 30.6 | 26.1-35.1 | 421 | 69.4 | 64.9-73.9 |
| Less Than H.S. | 168 | 195,874 | 21 | 11.4 | 05.9-16.9 | 147 | 88.6 | 83.1-94.1 |
| H.S. or G.E.D. | 378 | 303,258 | 54 | 10.8 | 07.3-14.3 | 324 | 89.2 | 85.7-92.7 |
| Some Post-H.S. | 258 | 242,283 | 56 | 17.7 | 12.0-23.4 | 202 | 82.3 | 76.6-88.0 |
| College Graduate | 379 | 233,694 | 105 | 24.8 | 19.7-29.9 | 274 | 75.2 | 70.1-80.3 |
| Less than \$15,000 | 139 | 92,412 | 18 | 8.9 | 03.6-14.2 | 121 | 91.1 | 85.8-96.4 |
| \$15,000- 24,999 | 176 | 143,720 | 24 | 9.9 | 04.8-15.0 | 152 | 90.1 | 85.0-95.2 |
| \$25,000- 34,999 | 139 | 126,990 | 24 | 13.9 | 06.8-21.0 | 115 | 86.1 | 79.0-93.2 |
| \$35,000- 49,999 | 183 | 157,258 | 44 | 21.0 | 13.6-28.4 | 139 | 79.0 | 71.6-86.4 |
| \$50,000- 74,999 | 156 | 128,675 | 42 | 17.6 | 11.7-23.5 | 114 | 82.4 | 76.5-88.3 |
| \$75,000+ | 229 | 193,764 | 47 | 17.9 | 12.0-23.8 | 182 | 82.1 | 76.2-88.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 12: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2173 | 1,173,060 | 517 | 21.2 | 19.0-23.4 | 1656 | 78.8 | 76.6-81.0 |
| White/Non-Hisp | 1867 | 990,664 | 494 | 23.9 | 21.5-26.3 | 1373 | 76.1 | 73.7-78.5 |
| Black or Afr. Am./Non-Hisp | 243 | 140,196 | 16 | 6.9 | 02.8-11.0 | 227 | 93.1 | 89.0-97.2 |
| 45-54 | 265 | 235,419 | 13 | 4.3 | 01.6-07.0 | 252 | 95.7 | 93.0-98.4 |
| 55-64 | 668 | 406,878 | 101 | 14.7 | 11.4-18.0 | 567 | 85.3 | 82.0-88.6 |
| 65+ | 1240 | 530,763 | 403 | 33.7 | 30.4-37.0 | 837 | 66.3 | 63.0-69.6 |
| Less Than H.S. | 318 | 222,508 | 51 | 15.0 | 10.1-19.9 | 267 | 85.0 | 80.1-89.9 |
| H.S. or G.E.D. | 781 | 394,706 | 168 | 20.9 | 17.4-24.4 | 613 | 79.1 | 75.6-82.6 |
| Some Post-H.S. | 532 | 332,513 | 133 | 22.4 | 18.1-26.7 | 399 | 77.6 | 73.3-81.9 |
| College Graduate | 537 | 222,435 | 164 | 26.0 | 21.7-30.3 | 373 | 74.0 | 69.7-78.3 |
| Less than \$15,000 | 324 | 138,095 | 53 | 13.6 | 09.1-18.1 | 271 | 86.4 | 81.9-90.9 |
| \$15,000- 24,999 | 420 | 222,846 | 72 | 16.6 | 12.1-21.1 | 348 | 83.4 | 78.9-87.9 |
| \$25,000- 34,999 | 237 | 122,391 | 67 | 22.8 | 16.1-29.5 | 170 | 77.2 | 70.5-83.9 |
| \$35,000- 49,999 | 220 | 124,365 | 60 | 21.6 | 15.3-27.9 | 160 | 78.4 | 72.1-84.7 |
| \$50,000- 74,999 | 194 | 120,372 | 50 | 20.7 | 14.0-27.4 | 144 | 79.3 | 72.6-86.0 |
| \$75,000+ | 268 | 172,453 | 75 | 25.6 | 19.3-31.9 | 193 | 74.4 | 68.1-80.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN) | |
| 1 | MALES AND FEMALES | 211 |
| 2 | MALES ONLY | 212 |
| 3 | FEMALES ONLY | 213 |
| | HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2) | |
| 4 | MALES AND FEMALES | 214 |
| 5 | MALES ONLY | 215 |
| 6 | FEMALES ONLY | 216 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3725 | 2,544,105 | 567 | 13.5 | 12.1-14.9 | 257 | 7.1 | 05.9-08.3 | 146 | 3.5 | 02.7-04.3 | 55 | 1.9 | 01.1-02.7 | 182 | 4.9 | 03.9-05.9 | 2518 | 69.2 | 67.2-71.2 |
| Male | 1319 | 1,176,469 | 170 | 12.0 | 09.6-14.4 | 96 | 7.7 | 05.7-09.7 | 50 | 3.5 | 02.3-04.7 | 17 | 1.5 | 00.5-02.5 | 61 | 4.7 | 03.3-06.1 | 925 | 70.6 | 67.3-73.9 |
| Female | 2406 | 1,367,635 | 397 | 14.7 | 12.9-16.5 | 161 | 6.6 | 05.2-08.0 | 96 | 3.5 | 02.7-04.3 | 38 | 2.2 | 01.0-03.4 | 121 | 5.0 | 03.8-06.2 | 1593 | 68.0 | 65.5-70.5 |
| White/Non-Hisp | 3168 | 2,079,914 | 490 | 13.5 | 11.9-15.1 | 226 | 7.3 | 06.1-08.5 | 122 | 3.6 | 02.8-04.4 | 51 | 2.1 | 01.3-02.9 | 150 | 4.6 | 03.6-05.6 | 2129 | 69.0 | 66.8-71.2 |
| Black or Afr. Am./Non-Hisp | 417 | 336,865 | 57 | 14.0 | 09.3-18.7 | 23 | 5.5 | 02.8-08.2 | 14 | 2.4 | 00.8-04.0 | 3 | 1.2 | 00.0-03.4 | 19 | 3.9 | 01.5-06.3 | 301 | 72.9 | 67.0-78.8 |
| Oth. Race/Non-Hisp. | 59 | 52,614 | 11 | 14.0 | 03.8-24.2 | 6 | 12.1 | 01.7-22.5 | 3 | 4.6 | 00.0-10.3 | 1 | 1.6 | 00.0-04.7 | 6 | 16.6 | 01.7-31.5 | 32 | 51.2 | 34.5-67.9 |
| 45-54 | 748 | 808,877 | 92 | 11.8 | 08.9-14.7 | 62 | 8.0 | 05.5-10.5 | 28 | 3.1 | 01.7-04.5 | 8 | 2.2 | 00.2-04.2 | 40 | 5.3 | 03.3-07.3 | 518 | 69.6 | 65.3-73.9 |
| 55-64 | 1081 | 775,817 | 152 | 12.6 | 10.2-15.0 | 76 | 7.7 | 05.5-09.9 | 49 | 4.2 | 02.8-05.6 | 20 | 2.0 | 00.8-03.2 | 68 | 5.6 | 03.8-07.4 | 716 | 67.8 | 64.3-71.3 |
| 65+ | 1844 | 929,622 | 316 | 15.7 | 13.5-17.9 | 119 | 6.0 | 04.6-07.4 | 69 | 3.3 | 02.3-04.3 | 25 | 1.2 | 00.6-01.8 | 71 | 3.9 | 02.7-05.1 | 1244 | 69.9 | 67.2-72.6 |
| Less Than H.S. | 510 | 459,497 | 57 | 9.0 | 05.9-12.1 | 55 | 12.3 | 08.6-16.0 | 36 | 5.4 | 03.2-07.6 | 11 | 4.3 | 01.0-07.6 | 40 | 8.0 | 04.9-11.1 | 311 | 61.0 | 55.3-66.7 |
| H.S. or G.E.D. | 1288 | 854,160 | 187 | 12.9 | 10.4-15.4 | 86 | 6.2 | 04.2-08.2 | 49 | 3.9 | 02.5-05.3 | 19 | 1.2 | 00.2-02.2 | 69 | 5.6 | 03.8-07.4 | 878 | 70.3 | 67.0-73.6 |
| Some Post-H.S. | 876 | 678,198 | 147 | 16.1 | 13.0-19.2 | 44 | 5.3 | 03.3-07.3 | 32 | 2.4 | 01.4-03.4 | 14 | 1.6 | 00.6-02.6 | 39 | 3.5 | 02.1-04.9 | 600 | 71.2 | 67.3-75.1 |
| College Graduate | 1038 | 547,812 | 172 | 14.8 | 12.3-17.3 | 72 | 6.5 | 04.5-08.5 | 29 | 2.7 | 01.7-03.7 | 11 | 1.3 | 00.3-02.3 | 33 | 2.8 | 01.6-04.0 | 721 | 71.9 | 68.6-75.2 |
| Less than \$15,000 | 497 | 278,781 | 82 | 16.5 | 12.0-21.0 | 57 | 12.0 | 07.9-16.1 | 43 | 6.6 | 04.1-09.1 | 10 | 3.2 | 00.1-06.3 | 59 | 14.0 | 09.3-18.7 | 246 | 47.8 | 41.7-53.9 |
| \$15,000- 24,999 | 637 | 411,301 | 98 | 12.4 | 09.5-15.3 | 40 | 7.5 | 04.8-10.2 | 26 | 3.8 | 02.0-05.6 | 16 | 2.8 | 00.8-04.8 | 36 | 6.9 | 04.2-09.6 | 421 | 66.5 | 61.8-71.2 |
| \$25,000- 34,999 | 405 | 275,931 | 64 | 13.7 | 09.0-18.4 | 30 | 7.9 | 04.2-11.6 | 7 | 1.4 | 00.0-02.8 | 3 | 2.4 | 00.0-06.7 | 13 | 2.8 | 01.0-04.6 | 288 | 71.7 | 65.0-78.4 |
| \$35,000- 49,999 | 452 | 330,807 | 50 | 8.5 | 05.8-11.2 | 26 | 5.2 | 02.8-07.6 | 18 | 4.5 | 02.1-06.9 | 9 | 2.2 | 00.6-03.8 | 19 | 3.6 | 01.6-05.6 | 330 | 76.1 | 71.4-80.8 |
| \$50,000- 74,999 | 401 | 314,095 | 68 | 16.3 | 11.6-21.0 | 21 | 8.0 | 03.5-12.5 | 12 | 2.0 | 00.8-03.2 | 2 | 0.2 | 00.0-00.6 | 15 | 3.5 | 01.5-05.5 | 283 | 70.1 | 64.0-76.2 |
| \$75,000+ | 592 | 480,874 | 95 | 14.4 | 10.7-18.1 | 34 | 4.8 | 03.0-06.6 | 10 | 1.7 | 00.3-03.1 | 3 | 0.8 | 00.0-01.8 | 6 | 0.8 | 00.0-01.6 | 444 | 77.4 | 73.1-81.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1319 | 1,176,469 | 170 | 12.0 | 09.6-14.4 | 96 | 7.7 | 05.7-09.7 | 50 | 3.5 | 02.3-04.7 | 17 | 1.5 | 00.5-02.5 | 61 | 4.7 | 03.3-06.1 | 925 | 70.6 | 67.5-73.7 |
| White/Non-Hisp | 1135 | 957,931 | 145 | 11.7 | 09.2-14.2 | 82 | 7.2 | 05.2-09.2 | 43 | 3.8 | 02.4-05.2 | 16 | 1.5 | 00.5-02.5 | 51 | 4.7 | 03.1-06.3 | 798 | 71.0 | 67.7-74.3 |
| Black or Afr. Am./Non-Hisp | 122 | 147,162 | 18 | 15.5 | 06.5-24.5 | 9 | 7.4 | 01.9-12.9 | 2 | 1.2 | 00.0-03.0 | 1 | 2.4 | 00.0-07.1 | 4 | 2.5 | 00.0-05.2 | 88 | 71.0 | 60.2-81.8 |
| 45-54 | 280 | 399,970 | 27 | 10.9 | 05.8-16.0 | 30 | 9.2 | 05.1-13.3 | 10 | 3.5 | 01.1-05.9 | 3 | 1.7 | 00.0-03.9 | 15 | 5.5 | 02.4-08.6 | 195 | 69.2 | 62.3-76.1 |
| 55-64 | 407 | 362,194 | 57 | 12.2 | 08.7-15.7 | 32 | 8.6 | 05.1-12.1 | 15 | 3.6 | 01.2-06.0 | 8 | 2.1 | 00.3-03.9 | 23 | 5.6 | 02.9-08.3 | 272 | 67.9 | 62.4-73.4 |
| 65+ | 619 | 406,062 | 85 | 13.1 | 09.8-16.4 | 34 | 5.4 | 03.0-07.8 | 25 | 3.4 | 01.6-05.2 | 6 | 0.8 | 00.0-01.6 | 22 | 3.1 | 01.7-04.5 | 447 | 74.2 | 69.9-78.5 |
| Less Than H.S. | 171 | 210,347 | 22 | 10.9 | 05.4-16.4 | 19 | 11.7 | 06.0-17.4 | 13 | 6.1 | 02.0-10.2 | 3 | 2.3 | 00.0-05.2 | 10 | 7.0 | 02.1-11.9 | 104 | 62.0 | 53.0-71.0 |
| H.S. or G.E.D. | 433 | 396,326 | 52 | 10.9 | 06.8-15.0 | 35 | 7.6 | 04.3-10.9 | 18 | 5.0 | 02.3-07.7 | 4 | 1.2 | 00.0-03.0 | 23 | 5.4 | 02.7-08.1 | 301 | 70.0 | 64.1-75.9 |
| Some Post-H.S. | 291 | 291,583 | 44 | 15.5 | 09.8-21.2 | 18 | 6.9 | 02.8-11.0 | 6 | 0.8 | 00.2-01.4 | 5 | 1.3 | 00.0-02.7 | 15 | 3.4 | 01.4-05.4 | 203 | 72.1 | 65.4-78.8 |
| College Graduate | 424 | 278,213 | 52 | 10.8 | 07.3-14.3 | 24 | 5.6 | 03.1-08.1 | 13 | 2.1 | 00.7-03.5 | 5 | 1.6 | 00.0-03.4 | 13 | 3.4 | 01.2-05.6 | 317 | 76.5 | 71.6-81.4 |
| Less than \$15,000 | 149 | 112,831 | 22 | 16.5 | 08.3-24.7 | 19 | 11.2 | 04.7-17.7 | 11 | 6.7 | 02.0-11.4 | 1 | 3.2 | 00.0-09.3 | 16 | 15.8 | 06.4-25.2 | 80 | 46.6 | 35.8-57.4 |
| \$15,000- 24,999 | 189 | 160,350 | 24 | 9.7 | 04.8-14.6 | 11 | 5.5 | 01.8-09.2 | 10 | 5.4 | 01.7-09.1 | 5 | 3.4 | 00.0-07.1 | 12 | 5.9 | 02.2-09.6 | 127 | 70.0 | 62.2-77.8 |
| \$25,000- 34,999 | 148 | 135,634 | 19 | 10.3 | 03.0-17.6 | 17 | 11.6 | 04.9-18.3 | 4 | 1.7 | 00.0-04.1 | 1 | 0.3 | 00.0-00.9 | 6 | 3.3 | 00.4-06.2 | 101 | 72.8 | 63.2-82.4 |
| \$35,000- 49,999 | 203 | 183,533 | 23 | 9.1 | 04.8-13.4 | 13 | 5.1 | 01.8-08.4 | 9 | 4.3 | 01.2-07.4 | 3 | 1.2 | 00.0-03.0 | 8 | 2.7 | 00.7-04.7 | 147 | 77.6 | 71.1-84.1 |
| \$50,000- 74,999 | 181 | 172,426 | 27 | 16.2 | 08.9-23.5 | 12 | 12.4 | 04.6-20.2 | 3 | 0.7 | 00.0-01.5 | 1 | 0.3 | 00.0-00.9 | 10 | 4.5 | 01.4-07.6 | 128 | 65.8 | 56.4-75.2 |
| \$75,000+ | 272 | 263,234 | 32 | 12.4 | 06.7-18.1 | 15 | 4.4 | 01.9-06.9 | 3 | 1.3 | 00.0-03.3 | 2 | 1.2 | 00.0-03.0 | 2 | 1.0 | 00.0-02.4 | 218 | 79.8 | 73.3-86.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2406 | 1,367,635 | 397 | 14.7 | 12.9-16.5 | 161 | 6.6 | 05.2-08.0 | 96 | 3.5 | 02.7-04.3 | 38 | 2.2 | 01.0-03.4 | 121 | 5.0 | 03.8-06.2 | 1593 | 68.0 | 65.5-70.5 |
| White/Non-Hisp | 2033 | 1,121,983 | 345 | 15.0 | 13.0-17.0 | 144 | 7.3 | 05.7-08.9 | 79 | 3.4 | 02.4-04.4 | 35 | 2.5 | 01.1-03.9 | 99 | 4.5 | 03.3-05.7 | 1331 | 67.2 | 64.5-69.9 |
| Black or Afr. Am./Non-Hisp | 295 | 189,704 | 39 | 12.9 | 08.2-17.6 | 14 | 4.0 | 01.3-06.7 | 12 | 3.3 | 01.1-05.5 | 2 | 0.3 | 00.0-00.9 | 15 | 5.0 | 01.3-08.7 | 213 | 74.3 | 68.0-80.6 |
| 45-54 | 468 | 408,906 | 65 | 12.7 | 09.4-16.0 | 32 | 6.9 | 04.0-09.8 | 18 | 2.7 | 01.3-04.1 | 5 | 2.7 | 00.0-05.8 | 25 | 5.1 | 02.7-07.5 | 323 | 70.0 | 64.7-75.3 |
| 55-64 | 674 | 413,623 | 95 | 12.9 | 09.8-16.0 | 44 | 6.9 | 04.4-09.4 | 34 | 4.8 | 02.8-06.8 | 12 | 1.9 | 00.5-03.3 | 45 | 5.7 | 03.5-07.9 | 444 | 67.8 | 63.3-72.3 |
| 65+ | 1225 | 523,560 | 231 | 17.7 | 15.2-20.2 | 85 | 6.5 | 04.7-08.3 | 44 | 3.3 | 02.1-04.5 | 19 | 1.4 | 00.6-02.2 | 49 | 4.5 | 02.7-06.3 | 797 | 66.6 | 63.3-69.9 |
| Less Than H.S. | 339 | 249,150 | 35 | 7.4 | 04.3-10.5 | 36 | 12.8 | 07.9-17.7 | 23 | 4.8 | 02.6-07.0 | 8 | 5.9 | 00.4-11.4 | 30 | 8.9 | 05.0-12.8 | 207 | 60.3 | 52.9-67.7 |
| H.S. or G.E.D. | 855 | 457,834 | 135 | 14.6 | 11.7-17.5 | 51 | 5.0 | 03.0-07.0 | 31 | 2.9 | 01.7-04.1 | 15 | 1.1 | 00.3-01.9 | 46 | 5.8 | 03.6-08.0 | 577 | 70.6 | 66.7-74.5 |
| Some Post-H.S. | 585 | 386,614 | 103 | 16.5 | 13.0-20.0 | 26 | 4.0 | 02.2-05.8 | 26 | 3.6 | 01.8-05.4 | 9 | 1.9 | 00.5-03.3 | 24 | 3.5 | 01.7-05.3 | 397 | 70.5 | 66.0-75.0 |
| College Graduate | 614 | 269,598 | 120 | 18.9 | 15.2-22.6 | 48 | 7.6 | 04.9-10.3 | 16 | 3.2 | 01.4-05.0 | 6 | 1.0 | 00.0-02.0 | 20 | 2.1 | 00.9-03.3 | 404 | 67.2 | 62.7-71.7 |
| Less than \$15,000 | 348 | 165,950 | 60 | 16.5 | 11.2-21.8 | 38 | 12.5 | 07.0-18.0 | 32 | 6.5 | 03.6-09.4 | 9 | 3.3 | 00.2-06.4 | 43 | 12.7 | 08.2-17.2 | 166 | 48.6 | 41.3-55.9 |
| \$15,000- 24,999 | 448 | 250,952 | 74 | 14.1 | 10.4-17.8 | 29 | 8.8 | 04.9-12.7 | 16 | 2.9 | 01.1-04.7 | 11 | 2.4 | 00.2-04.6 | 24 | 7.6 | 03.7-11.5 | 294 | 64.3 | 58.4-70.2 |
| \$25,000- 34,999 | 257 | 140,297 | 45 | 17.0 | 10.9-23.1 | 13 | 4.4 | 01.5-07.3 | 3 | 1.0 | 00.0-02.2 | 2 | 4.5 | 00.0-12.7 | 7 | 2.4 | 00.4-04.4 | 187 | 70.7 | 61.7-79.7 |
| \$35,000- 49,999 | 249 | 147,274 | 27 | 7.6 | 04.5-10.7 | 13 | 5.3 | 01.8-08.8 | 9 | 4.7 | 01.4-08.0 | 6 | 3.4 | 00.7-06.1 | 11 | 4.7 | 01.2-08.2 | 183 | 74.3 | 67.8-80.8 |
| \$50,000- 74,999 | 220 | 141,669 | 41 | 16.4 | 10.3-22.5 | 9 | 2.5 | 00.5-04.5 | 9 | 3.5 | 01.0-06.0 | 1 | 0.1 | 00.0-00.3 | 5 | 2.2 | 00.0-04.6 | 155 | 75.3 | 68.4-82.2 |
| \$75,000+ | 320 | 217,640 | 63 | 16.8 | 12.3-21.3 | 19 | 5.4 | 02.7-08.1 | 7 | 2.3 | 00.3-04.3 | 1 | 0.3 | 00.0-00.9 | 4 | 0.7 | 00.0-01.5 | 226 | 74.5 | 69.0-80.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 12: FALLS

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|----------------------------|-------------------|----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1188 | 767,587 | 304 | 25.7 | 22.2-29.2 | 78 | 6.3 | 04.5-08.1 | 35 | 2.8 | 01.6-04.0 | 12 | 1.6 | 00.4-02.8 | 22 | 1.9 | 00.9-02.9 | 737 | 61.7 | 57.8-65.6 |
| Male | 391 | 342,709 | 87 | 25.1 | 19.0-31.2 | 23 | 4.7 | 02.3-07.1 | 8 | 1.9 | 00.3-03.5 | 4 | 1.8 | 00.0-04.2 | 3 | 0.6 | 00.0-01.2 | 266 | 65.9 | 59.4-72.4 |
| Female | 797 | 424,878 | 217 | 26.2 | 22.5-29.9 | 55 | 7.5 | 05.0-10.0 | 27 | 3.5 | 01.9-05.1 | 8 | 1.4 | 00.2-02.6 | 19 | 3.0 | 01.2-04.8 | 471 | 58.4 | 53.9-62.9 |
| White/Non-Hisp | 1028 | 636,278 | 263 | 25.1 | 21.6-28.6 | 64 | 6.1 | 04.1-08.1 | 29 | 2.6 | 01.4-03.8 | 11 | 1.4 | 00.4-02.4 | 19 | 1.9 | 00.9-02.9 | 642 | 62.9 | 58.8-67.0 |
| Black or Afr. Am./Non-Hisp | 109 | 85,335 | 27 | 22.8 | 13.2-32.4 | 8 | 5.7 | 01.2-10.2 | 3 | 2.8 | 00.0-06.3 | 1 | 4.2 | 00.0-12.0 | 1 | 0.8 | 00.0-02.4 | 69 | 63.7 | 51.5-75.9 |
| 45-54 | 228 | 241,829 | 56 | 26.1 | 18.5-33.7 | 17 | 5.7 | 02.2-09.2 | 12 | 4.1 | 01.4-06.8 | 5 | 2.8 | 00.0-05.9 | 5 | 1.4 | 00.0-02.8 | 133 | 59.9 | 51.5-68.3 |
| 55-64 | 358 | 242,347 | 85 | 22.1 | 16.6-27.6 | 24 | 6.9 | 03.8-10.0 | 14 | 2.6 | 01.2-04.0 | 4 | 1.2 | 00.0-02.6 | 10 | 2.8 | 00.8-04.8 | 221 | 64.4 | 58.1-70.7 |
| 65+ | 590 | 275,083 | 158 | 28.3 | 23.4-33.2 | 37 | 6.3 | 03.8-08.8 | 9 | 1.8 | 00.0-03.6 | 2 | 0.2 | 00.0-00.6 | 7 | 1.7 | 00.0-03.5 | 377 | 61.7 | 56.4-67.0 |
| Less Than H.S. | 197 | 176,396 | 48 | 21.7 | 14.3-29.1 | 17 | 8.1 | 03.2-13.0 | 8 | 3.0 | 00.5-05.5 | 4 | 2.1 | 00.0-04.6 | 7 | 4.5 | 00.8-08.2 | 113 | 60.6 | 51.6-69.6 |
| H.S. or G.E.D. | 398 | 243,332 | 94 | 21.4 | 16.1-26.7 | 24 | 5.6 | 02.9-08.3 | 14 | 3.0 | 01.0-05.0 | 6 | 3.1 | 00.0-06.4 | 9 | 2.0 | 00.6-03.4 | 251 | 64.8 | 58.3-71.3 |
| Some Post-H.S. | 275 | 195,035 | 83 | 35.2 | 27.2-43.2 | 21 | 5.8 | 03.1-08.5 | 9 | 3.2 | 00.7-05.7 | 2 | 0.6 | 00.0-01.6 | 3 | 0.5 | 00.0-01.1 | 157 | 54.6 | 46.8-62.4 |
| College Graduate | 313 | 151,120 | 75 | 24.3 | 18.4-30.2 | 16 | 5.8 | 02.3-09.3 | 4 | 1.6 | 00.0-03.6 | | | | 3 | 0.5 | 00.0-01.1 | 215 | 67.8 | 61.3-74.3 |
| Less than \$15,000 | 248 | 142,812 | 61 | 24.2 | 16.4-32.0 | 28 | 9.1 | 04.6-13.6 | 9 | 3.8 | 00.7-06.9 | 6 | 4.2 | 00.0-09.3 | 12 | 4.5 | 01.6-07.4 | 132 | 54.1 | 45.1-63.1 |
| \$15,000- 24,999 | 213 | 131,636 | 50 | 21.7 | 14.8-28.6 | 19 | 12.5 | 05.8-19.2 | 7 | 3.6 | 00.3-06.9 | 3 | 1.3 | 00.0-02.9 | 3 | 1.8 | 00.0-04.2 | 131 | 59.1 | 50.5-67.7 |
| \$25,000- 34,999 | 116 | 77,671 | 31 | 27.7 | 15.7-39.7 | 3 | 2.0 | 00.0-04.5 | 3 | 1.2 | 00.0-02.4 | | | | 1 | 0.5 | 00.0-01.5 | 78 | 68.6 | 56.4-80.8 |
| \$35,000- 49,999 | 120 | 77,766 | 20 | 15.5 | 08.2-22.8 | 8 | 8.0 | 01.9-14.1 | 6 | 5.4 | 00.3-10.5 | 1 | 1.1 | 00.0-03.3 | 2 | 3.0 | 00.0-07.3 | 83 | 67.0 | 56.8-77.2 |
| \$50,000- 74,999 | 118 | 94,004 | 39 | 35.1 | 23.1-47.1 | 6 | 3.6 | 00.7-06.5 | 5 | 4.4 | 00.1-08.7 | | | | | | | 68 | 57.0 | 44.8-69.2 |
| \$75,000+ | 148 | 108,822 | 41 | 30.1 | 19.3-40.9 | 4 | 2.7 | 00.0-05.4 | | | | 1 | 1.5 | 00.0-04.2 | 1 | 0.4 | 00.0-01.2 | 101 | 65.3 | 54.5-76.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 12: FALLS

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|--------------------|-------------------|----------|----------|------|------------|-----------|-----|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 391 | 342,709 | 87 | 25.1 | 19.0-31.2 | 23 | 4.7 | 02.3-07.1 | 8 | 1.9 | 00.3-03.5 | 4 | 1.8 | 00.0-04.2 | 3 | 0.6 | 00.0-01.2 | 266 | 65.9 | 59.4-72.4 |
| White/Non-Hisp | 335 | 274,907 | 75 | 24.3 | 17.8-30.8 | 17 | 4.0 | 01.6-06.4 | 6 | 1.3 | 00.0-02.7 | 3 | 1.0 | 00.0-02.4 | 2 | 0.4 | 00.0-01.0 | 232 | 69.0 | 62.3-75.7 |
| 45-54 | 84 | 121,566 | 22 | 30.0 | 17.1-42.9 | 4 | 3.7 | 00.0-07.8 | 3 | 3.4 | 00.0-07.1 | 2 | 3.7 | 00.0-09.6 | | | | 53 | 59.3 | 45.8-72.8 |
| 55-64 | 135 | 116,365 | 23 | 17.4 | 08.8-26.0 | 10 | 6.2 | 02.1-10.3 | 2 | 0.7 | 00.0-01.7 | 1 | 1.4 | 00.0-04.1 | 2 | 1.0 | 00.0-02.4 | 97 | 73.4 | 64.0-82.8 |
| 65+ | 170 | 103,716 | 41 | 27.9 | 18.9-36.9 | 9 | 4.3 | 01.2-07.4 | 3 | 1.5 | 00.0-03.9 | 1 | 0.2 | 00.0-00.6 | 1 | 0.7 | 00.0-02.1 | 115 | 65.3 | 56.1-74.5 |
| Less Than H.S. | 67 | 79,950 | 17 | 25.8 | 12.3-39.3 | 2 | 2.0 | 00.0-04.7 | 1 | 1.5 | 00.0-04.4 | 1 | 1.1 | 00.0-03.3 | | | | 46 | 69.6 | 55.9-83.3 |
| H.S. or G.E.D. | 131 | 118,221 | 24 | 19.2 | 10.4-28.0 | 9 | 6.4 | 01.3-11.5 | 4 | 1.7 | 00.0-03.9 | 3 | 4.6 | 00.0-10.9 | 3 | 1.6 | 00.0-03.6 | 88 | 66.5 | 55.3-77.7 |
| Some Post-H.S. | 87 | 80,971 | 22 | 36.0 | 21.1-50.9 | 5 | 4.9 | 00.4-09.4 | 2 | 2.2 | 00.0-05.7 | | | | | | | 58 | 56.9 | 42.4-71.4 |
| College Graduate | 106 | 63,568 | 24 | 21.0 | 11.6-30.4 | 7 | 4.8 | 00.7-08.9 | 1 | 2.2 | 00.0-06.5 | | | | | | | 74 | 72.0 | 62.0-82.0 |
| Less than \$15,000 | 69 | 60,258 | 17 | 25.6 | 10.5-40.7 | 4 | 8.3 | 00.0-16.9 | 2 | 2.4 | 00.0-06.5 | 2 | 6.3 | 00.0-17.3 | 1 | 1.3 | 00.0-03.8 | 43 | 56.1 | 39.8-72.4 |
| \$15,000- 24,999 | 62 | 48,073 | 13 | 19.8 | 07.5-32.1 | 5 | 7.4 | 00.3-14.5 | 1 | 0.8 | 00.0-02.4 | 1 | 1.9 | 00.0-05.6 | 1 | 0.9 | 00.0-02.7 | 41 | 69.2 | 55.3-83.1 |
| \$35,000- 49,999 | 55 | 40,300 | 9 | 13.1 | 03.5-22.7 | 3 | 5.2 | 00.0-11.1 | 1 | 3.0 | 00.0-08.9 | | | | 1 | 1.7 | 00.0-05.0 | 41 | 77.0 | 65.0-89.0 |
| \$50,000- 74,999 | 53 | 58,988 | 11 | 26.3 | 09.6-43.0 | 6 | 5.7 | 00.8-10.6 | 2 | 4.8 | 00.0-11.5 | | | | | | | 34 | 63.2 | 46.3-80.1 |
| \$75,000+ | 54 | 53,295 | 17 | 37.5 | 18.7-56.3 | 1 | 1.7 | 00.0-05.0 | | | | 1 | 3.0 | 00.0-08.9 | | | | 35 | 57.9 | 39.1-76.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 12: FALLS

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five+ Times | | | None | | |
|----------------------------|-------------------|----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 797 | 424,878 | 217 | 26.2 | 22.5-29.9 | 55 | 7.5 | 05.0-10.0 | 27 | 3.5 | 01.9-05.1 | 8 | 1.4 | 00.2-02.6 | 19 | 3.0 | 01.2-04.8 | 471 | 58.4 | 53.9-62.9 |
| White/Non-Hisp | 693 | 361,371 | 188 | 25.7 | 21.6-29.8 | 47 | 7.7 | 05.0-10.4 | 23 | 3.6 | 01.8-05.4 | 8 | 1.7 | 00.1-03.3 | 17 | 3.0 | 01.2-04.8 | 410 | 58.3 | 53.4-63.2 |
| Black or Afr. Am./Non-Hisp | 76 | 43,010 | 23 | 34.3 | 20.8-47.8 | 5 | 4.4 | 00.3-08.5 | 2 | 2.3 | 00.0-05.6 | | | | | | | 46 | 58.9 | 45.2-72.6 |
| 45-54 | 144 | 120,263 | 34 | 22.1 | 14.1-30.1 | 13 | 7.8 | 02.3-13.3 | 9 | 4.9 | 01.0-08.8 | 3 | 1.9 | 00.0-04.3 | 5 | 2.7 | 00.0-05.4 | 80 | 60.6 | 50.4-70.8 |
| 55-64 | 223 | 125,983 | 62 | 26.4 | 19.5-33.3 | 14 | 7.6 | 02.7-12.5 | 12 | 4.4 | 01.9-06.9 | 3 | 1.0 | 00.0-02.4 | 8 | 4.4 | 00.7-08.1 | 124 | 56.1 | 48.1-64.1 |
| 65+ | 420 | 171,367 | 117 | 28.5 | 23.0-34.0 | 28 | 7.6 | 04.1-11.1 | 6 | 2.0 | 00.0-04.4 | 1 | 0.2 | 00.0-00.6 | 6 | 2.2 | 00.0-04.7 | 262 | 59.5 | 53.4-65.6 |
| Less Than H.S. | 130 | 96,446 | 31 | 18.4 | 11.0-25.8 | 15 | 13.2 | 04.8-21.6 | 7 | 4.2 | 00.5-07.9 | 3 | 2.9 | 00.0-07.2 | 7 | 8.2 | 01.5-14.9 | 67 | 53.2 | 41.2-65.2 |
| H.S. or G.E.D. | 267 | 125,111 | 70 | 23.5 | 17.4-29.6 | 15 | 4.9 | 02.2-07.6 | 10 | 4.3 | 01.2-07.4 | 3 | 1.7 | 00.0-03.9 | 6 | 2.4 | 00.4-04.4 | 163 | 63.2 | 56.1-70.3 |
| Some Post-H.S. | 188 | 114,064 | 61 | 34.6 | 26.2-43.0 | 16 | 6.5 | 03.0-10.0 | 7 | 3.9 | 00.2-07.6 | 2 | 1.1 | 00.0-02.7 | 3 | 0.9 | 00.0-02.1 | 99 | 53.0 | 44.4-61.6 |
| College Graduate | 207 | 87,552 | 51 | 26.7 | 19.3-34.1 | 9 | 6.5 | 01.4-11.6 | 3 | 1.2 | 00.0-02.8 | | | | 3 | 0.8 | 00.0-01.8 | 141 | 64.8 | 56.6-73.0 |
| Less than \$15,000 | 179 | 82,554 | 44 | 23.3 | 15.3-31.3 | 24 | 9.7 | 05.2-14.2 | 7 | 4.9 | 00.6-09.2 | 4 | 2.7 | 00.0-06.0 | 11 | 6.9 | 02.0-11.8 | 89 | 52.6 | 42.4-62.8 |
| \$15,000- 24,999 | 151 | 83,563 | 37 | 22.7 | 14.7-30.7 | 14 | 15.5 | 06.1-24.9 | 6 | 5.3 | 00.2-10.4 | 2 | 1.0 | 00.0-02.4 | 2 | 2.2 | 00.0-05.7 | 90 | 53.3 | 42.7-63.9 |
| \$25,000- 34,999 | 70 | 41,115 | 22 | 30.9 | 15.6-46.2 | 1 | 1.9 | 00.0-05.6 | 1 | 0.8 | 00.4-01.2 | | | | 1 | 0.9 | 00.0-02.7 | 45 | 65.5 | 49.4-81.6 |
| \$35,000- 49,999 | 65 | 37,466 | 11 | 18.2 | 07.4-29.0 | 5 | 11.1 | 00.7-21.5 | 5 | 7.9 | 00.0-16.5 | 1 | 2.2 | 00.0-06.5 | 1 | 4.3 | 00.0-12.5 | 42 | 56.3 | 41.4-71.2 |
| \$50,000- 74,999 | 65 | 35,016 | 28 | 49.9 | 34.6-65.2 | | | | 3 | 3.6 | 00.0-07.7 | | | | | | | 34 | 46.5 | 31.2-61.8 |
| \$75,000+ | 94 | 55,527 | 24 | 23.1 | 13.7-32.5 | 3 | 3.7 | 00.0-08.2 | | | | | | | 1 | 0.8 | 00.0-02.4 | 66 | 72.5 | 62.3-82.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT) | |
| 1 | MALES AND FEMALES | 218 |
| 2 | MALES ONLY | 219 |
| 3 | FEMALES ONLY | 220 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4806 | 4,771,282 | 4262 | 84.9 | 83.1-86.7 | 316 | 9.1 | 07.7-10.5 | 117 | 2.7 | 02.1-03.3 | 44 | 1.5 | 00.9-02.1 | 53 | 1.6 | 00.8-02.4 | 14 | 0.3 | 00.1-00.5 |
| Male | 1748 | 2,291,321 | 1453 | 79.3 | 76.4-82.2 | 155 | 11.9 | 09.4-14.4 | 67 | 3.5 | 02.3-04.7 | 32 | 2.5 | 01.5-03.5 | 36 | 2.6 | 01.2-04.0 | 5 | 0.3 | 00.0-00.7 |
| Female | 3058 | 2,479,961 | 2809 | 90.1 | 88.5-91.7 | 161 | 6.5 | 05.1-07.9 | 50 | 1.9 | 01.1-02.7 | 12 | 0.5 | 00.1-00.9 | 17 | 0.7 | 00.3-01.1 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 4001 | 3,655,247 | 3537 | 84.1 | 82.1-86.1 | 273 | 9.8 | 08.2-11.4 | 96 | 2.6 | 01.8-03.4 | 37 | 1.6 | 01.0-02.2 | 48 | 1.7 | 00.9-02.5 | 10 | 0.2 | 00.0-00.4 |
| Black or Afr. Am./Non-Hisp | 572 | 741,417 | 525 | 90.8 | 87.5-94.1 | 26 | 5.4 | 02.7-08.1 | 10 | 2.1 | 00.5-03.7 | 6 | 1.3 | 00.0-02.7 | 3 | 0.1 | 00.0-00.3 | 2 | 0.3 | 00.0-00.9 |
| Oth. Race/Non-Hisp. | 86 | 112,899 | 74 | 84.7 | 74.3-95.1 | 5 | 5.5 | 00.0-12.0 | 4 | 6.1 | 00.0-13.5 | 1 | 1.2 | 00.0-03.6 | | | | 2 | 2.6 | 00.0-06.5 |
| Hispanic | 58 | 136,226 | 47 | 77.8 | 63.5-92.1 | 6 | 8.0 | 01.1-14.9 | 3 | 5.7 | 00.0-12.2 | | | | 2 | 8.6 | 00.0-21.5 | | | |
| 18-24 | 199 | 606,350 | 162 | 79.3 | 72.6-86.0 | 24 | 14.3 | 08.2-20.4 | 7 | 4.0 | 00.7-07.3 | 3 | 1.2 | 00.0-02.6 | 2 | 0.8 | 00.0-02.0 | 1 | 0.3 | 00.0-00.9 |
| 25-34 | 382 | 804,786 | 318 | 80.6 | 75.7-85.5 | 37 | 11.1 | 07.0-15.2 | 10 | 2.5 | 00.9-04.1 | 9 | 3.2 | 01.0-05.4 | 6 | 1.7 | 00.1-03.3 | 2 | 0.8 | 00.0-02.0 |
| 35-44 | 455 | 788,275 | 393 | 83.5 | 78.2-88.8 | 32 | 9.2 | 05.1-13.3 | 13 | 1.8 | 00.6-03.0 | 5 | 1.3 | 00.1-02.5 | 11 | 4.2 | 00.7-07.7 | 1 | 0.1 | 00.0-00.3 |
| 45-54 | 757 | 816,448 | 665 | 85.1 | 81.8-88.4 | 53 | 9.2 | 06.5-11.9 | 22 | 3.0 | 01.4-04.6 | 10 | 1.7 | 00.5-02.9 | 7 | 1.0 | 00.2-01.8 | | | |
| 55-64 | 1083 | 776,151 | 964 | 88.2 | 85.7-90.7 | 74 | 7.9 | 05.5-10.3 | 26 | 2.1 | 01.1-03.1 | 7 | 0.8 | 00.2-01.4 | 9 | 0.9 | 00.1-01.7 | 3 | 0.1 | 00.0-00.3 |
| 65+ | 1877 | 948,870 | 1709 | 89.9 | 88.1-91.7 | 94 | 5.2 | 04.0-06.4 | 39 | 3.0 | 01.8-04.2 | 10 | 0.6 | 00.2-01.0 | 18 | 1.0 | 00.4-01.6 | 7 | 0.3 | 00.1-00.5 |
| Less Than H.S. | 607 | 753,608 | 542 | 84.9 | 79.6-90.2 | 35 | 9.9 | 05.2-14.6 | 13 | 2.1 | 00.7-03.5 | 6 | 0.9 | 00.1-01.7 | 7 | 2.0 | 00.0-04.5 | 4 | 0.2 | 00.0-00.4 |
| H.S. or G.E.D. | 1639 | 1,575,548 | 1398 | 80.7 | 77.8-83.6 | 132 | 11.0 | 08.6-13.4 | 61 | 4.1 | 02.7-05.5 | 19 | 2.1 | 00.9-03.3 | 25 | 1.8 | 00.8-02.8 | 4 | 0.2 | 00.0-00.4 |
| Some Post-H.S. | 1184 | 1,398,788 | 1055 | 85.9 | 82.6-89.2 | 78 | 8.6 | 05.9-11.3 | 31 | 2.6 | 01.4-03.8 | 7 | 1.0 | 00.0-02.0 | 10 | 1.6 | 00.0-03.2 | 3 | 0.4 | 00.0-01.0 |
| College Graduate | 1361 | 1,031,085 | 1254 | 89.7 | 87.3-92.1 | 69 | 6.4 | 04.4-08.4 | 12 | 1.1 | 00.3-01.9 | 12 | 1.6 | 00.6-02.6 | 11 | 0.9 | 00.1-01.7 | 3 | 0.3 | 00.0-00.7 |
| Less than \$15,000 | 652 | 567,773 | 579 | 86.5 | 82.4-90.6 | 37 | 6.8 | 03.7-09.9 | 19 | 2.8 | 01.2-04.4 | 9 | 2.7 | 00.7-04.7 | 6 | 0.7 | 00.0-01.5 | 2 | 0.5 | 00.0-01.3 |
| \$15,000- 24,999 | 821 | 771,450 | 726 | 85.0 | 80.5-89.5 | 50 | 7.6 | 04.3-10.9 | 24 | 3.2 | 01.4-05.0 | 5 | 1.1 | 00.0-02.3 | 13 | 3.0 | 00.3-05.7 | 3 | 0.1 | 00.0-00.3 |
| \$25,000- 34,999 | 509 | 490,118 | 448 | 82.8 | 76.9-88.7 | 32 | 9.2 | 04.3-14.1 | 16 | 5.3 | 01.6-09.0 | 6 | 1.2 | 00.0-02.4 | 6 | 1.5 | 00.1-02.9 | 1 | 0.0 | 00.0-00.0 |
| \$35,000- 49,999 | 594 | 630,944 | 515 | 83.0 | 78.1-87.9 | 53 | 11.8 | 07.5-16.1 | 11 | 1.8 | 00.2-03.4 | 6 | 1.4 | 00.2-02.6 | 5 | 1.0 | 00.0-02.0 | 4 | 1.0 | 00.0-02.4 |
| \$50,000- 74,999 | 515 | 550,304 | 451 | 84.0 | 79.5-88.5 | 41 | 10.9 | 07.0-14.8 | 11 | 1.8 | 00.4-03.2 | 5 | 2.0 | 00.0-04.0 | 7 | 1.2 | 00.2-02.2 | | | |
| \$75,000+ | 802 | 917,843 | 732 | 88.3 | 84.4-92.2 | 50 | 8.0 | 04.7-11.3 | 10 | 1.3 | 00.3-02.3 | 7 | 0.8 | 00.0-01.6 | 3 | 1.5 | 00.0-03.7 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1748 | 2,291,321 | 1453 | 79.3 | 76.4-82.2 | 155 | 11.9 | 09.4-14.4 | 67 | 3.5 | 02.3-04.7 | 32 | 2.5 | 01.5-03.5 | 36 | 2.6 | 01.2-04.0 | 5 | 0.3 | 00.0-00.7 |
| White/Non-Hisp | 1466 | 1,753,566 | 1212 | 78.2 | 74.9-81.5 | 133 | 12.5 | 09.6-15.4 | 54 | 3.4 | 02.0-04.8 | 29 | 2.9 | 01.7-04.1 | 33 | 2.7 | 01.3-04.1 | 5 | 0.3 | 00.0-00.9 |
| Black or Afr. Am./Non-Hisp | 177 | 338,822 | 155 | 86.5 | 80.0-93.0 | 13 | 8.5 | 03.2-13.8 | 6 | 3.4 | 00.1-06.7 | 2 | 1.4 | 00.0-03.8 | 1 | 0.2 | 00.0-00.6 | | | |
| 18-24 | 89 | 305,227 | 70 | 76.3 | 65.7-86.9 | 13 | 17.1 | 07.5-26.7 | 4 | 5.0 | 00.0-10.5 | 2 | 1.6 | 00.0-03.8 | | | | | | |
| 25-34 | 156 | 405,285 | 117 | 72.0 | 63.6-80.4 | 21 | 15.4 | 08.1-22.7 | 7 | 3.8 | 00.9-06.7 | 7 | 5.5 | 01.4-09.6 | 3 | 2.1 | 00.0-04.6 | 1 | 1.1 | 00.0-03.3 |
| 35-44 | 163 | 386,653 | 126 | 74.6 | 65.0-84.2 | 16 | 13.2 | 05.6-20.8 | 6 | 1.5 | 00.1-02.9 | 5 | 2.6 | 00.1-05.1 | 9 | 8.0 | 00.9-15.1 | 1 | 0.1 | 00.0-00.3 |
| 45-54 | 286 | 404,594 | 234 | 79.2 | 73.3-85.1 | 31 | 12.9 | 08.0-17.8 | 9 | 3.6 | 00.9-06.3 | 7 | 2.9 | 00.5-05.3 | 5 | 1.4 | 00.0-02.8 | | | |
| 55-64 | 412 | 367,114 | 353 | 87.8 | 83.9-91.7 | 34 | 7.5 | 04.2-10.8 | 15 | 2.0 | 00.8-03.2 | 4 | 1.1 | 00.0-02.3 | 6 | 1.7 | 00.1-03.3 | | | |
| 65+ | 629 | 414,205 | 540 | 85.1 | 81.6-88.6 | 40 | 6.5 | 04.1-08.9 | 26 | 5.2 | 02.7-07.7 | 7 | 1.1 | 00.1-02.1 | 13 | 1.8 | 00.6-03.0 | 3 | 0.2 | 00.0-00.6 |
| Less Than H.S. | 213 | 366,578 | 180 | 79.2 | 69.6-88.8 | 15 | 13.7 | 04.9-22.5 | 6 | 1.8 | 00.0-03.6 | 4 | 1.1 | 00.0-02.3 | 6 | 3.9 | 00.0-09.0 | 2 | 0.2 | 00.0-00.6 |
| H.S. or G.E.D. | 579 | 754,560 | 441 | 73.3 | 68.2-78.4 | 69 | 14.4 | 10.3-18.5 | 38 | 5.4 | 02.9-07.9 | 14 | 3.9 | 01.5-06.3 | 16 | 2.9 | 01.1-04.7 | 1 | 0.1 | 00.0-00.3 |
| Some Post-H.S. | 414 | 665,160 | 353 | 80.7 | 74.6-86.8 | 33 | 11.5 | 06.6-16.4 | 18 | 3.7 | 01.3-06.1 | 3 | 1.4 | 00.0-03.2 | 5 | 2.1 | 00.0-05.0 | 2 | 0.7 | 00.0-02.1 |
| College Graduate | 539 | 496,847 | 476 | 86.2 | 82.3-90.1 | 38 | 7.5 | 04.8-10.2 | 5 | 1.7 | 00.1-03.3 | 11 | 2.9 | 00.9-04.9 | 9 | 1.7 | 00.1-03.3 | | | |
| Less than \$15,000 | 200 | 230,200 | 166 | 83.3 | 75.9-90.7 | 13 | 8.3 | 02.2-14.4 | 12 | 2.4 | 00.8-04.0 | 4 | 4.5 | 00.0-09.0 | 4 | 1.2 | 00.0-02.6 | 1 | 0.3 | 00.0-00.9 |
| \$15,000- 24,999 | 263 | 334,361 | 222 | 80.5 | 71.9-89.1 | 20 | 8.8 | 02.3-15.3 | 9 | 2.4 | 00.4-04.4 | 3 | 2.1 | 00.0-04.8 | 8 | 6.0 | 00.0-12.1 | 1 | 0.2 | 00.0-00.6 |
| \$25,000- 34,999 | 185 | 244,063 | 147 | 72.8 | 62.6-83.0 | 16 | 13.5 | 04.7-22.3 | 11 | 9.0 | 02.1-15.9 | 6 | 2.4 | 00.0-04.8 | 5 | 2.3 | 00.1-04.5 | | | |
| \$35,000- 49,999 | 268 | 359,404 | 218 | 78.7 | 71.3-86.1 | 30 | 13.9 | 07.0-20.8 | 9 | 2.9 | 00.4-05.4 | 5 | 2.0 | 00.0-04.0 | 4 | 1.3 | 00.0-02.9 | 2 | 1.3 | 00.0-03.7 |
| \$50,000- 74,999 | 227 | 291,143 | 186 | 77.2 | 69.8-84.6 | 23 | 14.1 | 07.6-20.6 | 8 | 3.0 | 00.5-05.5 | 5 | 3.9 | 00.2-07.6 | 5 | 1.8 | 00.0-03.6 | | | |
| \$75,000+ | 360 | 501,375 | 313 | 83.7 | 77.2-90.2 | 34 | 10.7 | 05.4-16.0 | 5 | 1.8 | 00.2-03.4 | 5 | 1.1 | 00.0-02.3 | 3 | 2.8 | 00.0-06.9 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3058 | 2,479,961 | 2809 | 90.1 | 88.5-91.7 | 161 | 6.5 | 05.1-07.9 | 50 | 1.9 | 01.1-02.7 | 12 | 0.5 | 00.1-00.9 | 17 | 0.7 | 00.3-01.1 | 9 | 0.3 | 00.1-00.5 |
| White/Non-Hisp | 2535 | 1,901,682 | 2325 | 89.5 | 87.7-91.3 | 140 | 7.4 | 05.8-09.0 | 42 | 1.8 | 01.2-02.4 | 8 | 0.4 | 00.0-00.8 | 15 | 0.9 | 00.3-01.5 | 5 | 0.1 | 00.1-00.1 |
| Black or Afr. Am./Non-Hisp | 395 | 402,594 | 370 | 94.5 | 91.8-97.2 | 13 | 2.8 | 00.8-04.8 | 4 | 1.0 | 00.0-02.0 | 4 | 1.2 | 00.0-02.6 | 2 | 0.1 | 00.0-00.3 | 2 | 0.6 | 00.0-01.8 |
| Oth. Race/Non-Hisp. | 51 | 68,340 | 44 | 86.0 | 73.1-98.9 | 4 | 3.8 | 00.0-08.3 | 1 | 5.9 | 00.0-16.9 | | | | | | | 2 | 4.3 | 00.0-10.6 |
| 18-24 | 110 | 301,124 | 92 | 82.3 | 74.1-90.5 | 11 | 11.5 | 04.4-18.6 | 3 | 3.0 | 00.0-06.5 | 1 | 0.8 | 00.0-02.4 | 2 | 1.7 | 00.0-04.1 | 1 | 0.7 | 00.0-02.1 |
| 25-34 | 226 | 399,500 | 201 | 89.3 | 85.0-93.6 | 16 | 6.7 | 03.0-10.4 | 3 | 1.2 | 00.0-02.6 | 2 | 0.9 | 00.0-02.1 | 3 | 1.3 | 00.0-02.9 | 1 | 0.6 | 00.0-01.8 |
| 35-44 | 292 | 401,621 | 267 | 92.1 | 88.4-95.8 | 16 | 5.2 | 02.1-08.3 | 7 | 2.2 | 00.4-04.0 | | | | 2 | 0.5 | 00.0-01.3 | | | |
| 45-54 | 471 | 411,854 | 431 | 90.9 | 87.8-94.0 | 22 | 5.5 | 02.8-08.2 | 13 | 2.5 | 00.9-04.1 | 3 | 0.7 | 00.0-01.5 | 2 | 0.5 | 00.0-01.3 | | | |
| 55-64 | 671 | 409,037 | 611 | 88.6 | 85.1-92.1 | 40 | 8.2 | 05.1-11.3 | 11 | 2.2 | 00.6-03.8 | 3 | 0.6 | 00.0-01.4 | 3 | 0.2 | 00.0-00.4 | 3 | 0.2 | 00.0-00.6 |
| 65+ | 1248 | 534,665 | 1169 | 93.7 | 91.9-95.5 | 54 | 4.2 | 02.8-05.6 | 13 | 1.2 | 00.2-02.2 | 3 | 0.3 | 00.0-00.7 | 5 | 0.3 | 00.1-00.5 | 4 | 0.3 | 00.0-00.7 |
| Less Than H.S. | 394 | 387,031 | 362 | 90.4 | 86.3-94.5 | 20 | 6.3 | 02.8-09.8 | 7 | 2.4 | 00.4-04.4 | 2 | 0.7 | 00.0-01.7 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 |
| H.S. or G.E.D. | 1060 | 820,989 | 957 | 87.6 | 84.5-90.7 | 63 | 7.9 | 05.4-10.4 | 23 | 2.8 | 01.2-04.4 | 5 | 0.4 | 00.0-00.8 | 9 | 0.9 | 00.1-01.7 | 3 | 0.3 | 00.0-00.9 |
| Some Post-H.S. | 770 | 733,629 | 702 | 90.6 | 87.5-93.7 | 45 | 5.9 | 03.4-08.4 | 13 | 1.7 | 00.5-02.9 | 4 | 0.6 | 00.0-01.4 | 5 | 1.1 | 00.0-02.3 | 1 | 0.1 | 00.0-00.3 |
| College Graduate | 822 | 534,238 | 778 | 93.0 | 90.3-95.7 | 31 | 5.3 | 02.8-07.8 | 7 | 0.6 | 00.0-01.2 | 1 | 0.3 | 00.0-00.9 | 2 | 0.2 | 00.0-00.6 | 3 | 0.5 | 00.0-01.3 |
| Less than \$15,000 | 452 | 337,573 | 413 | 88.7 | 84.2-93.2 | 24 | 5.7 | 02.4-09.0 | 7 | 3.0 | 00.5-05.5 | 5 | 1.4 | 00.0-02.8 | 2 | 0.5 | 00.0-01.3 | 1 | 0.6 | 00.0-01.8 |
| \$15,000- 24,999 | 558 | 437,090 | 504 | 88.4 | 84.3-92.5 | 30 | 6.6 | 03.5-09.7 | 15 | 3.8 | 01.1-06.5 | 2 | 0.3 | 00.0-00.7 | 5 | 0.8 | 00.0-01.8 | 2 | 0.1 | 00.1-00.1 |
| \$25,000- 34,999 | 324 | 246,055 | 301 | 92.6 | 88.7-96.5 | 16 | 4.8 | 01.5-08.1 | 5 | 1.7 | 00.0-03.7 | | | | 1 | 0.8 | 00.0-02.4 | 1 | 0.1 | 00.0-00.3 |
| \$35,000- 49,999 | 326 | 271,540 | 297 | 88.8 | 83.9-93.7 | 23 | 8.9 | 04.4-13.4 | 2 | 0.3 | 00.0-00.7 | 1 | 0.7 | 00.0-02.1 | 1 | 0.8 | 00.0-02.2 | 2 | 0.6 | 00.0-01.4 |
| \$50,000- 74,999 | 288 | 259,162 | 265 | 91.6 | 87.3-95.9 | 18 | 7.3 | 03.2-11.4 | 3 | 0.5 | 00.0-01.3 | | | | 2 | 0.6 | 00.0-01.6 | | | |
| \$75,000+ | 442 | 416,467 | 419 | 93.9 | 90.4-97.4 | 16 | 4.8 | 01.5-08.1 | 5 | 0.8 | 00.0-01.6 | 2 | 0.5 | 00.0-01.3 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2) | |
| 1 | MALES AND FEMALES | 222 |
| 2 | MALES ONLY | 223 |
| 3 | FEMALES ONLY | 224 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|-----|------------|-----------|-----|------------|-------------|-----|------------|--------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1699 | 1,963,364 | 16 | 1.0 | 00.4-01.6 | 7 | 0.7 | 00.1-01.3 | 4 | 0.6 | 00.0-01.2 | 14 | 1.2 | 00.4-02.0 | 1658 | 96.5 | 95.1-97.9 |
| Male | 763 | 1,066,336 | 12 | 1.7 | 00.5-02.9 | 7 | 1.2 | 00.0-02.4 | 1 | 0.3 | 00.0-00.9 | 6 | 1.6 | 00.2-03.0 | 737 | 95.1 | 92.9-97.3 |
| Female | 936 | 897,028 | 4 | 0.3 | 00.1-00.5 | | | | 3 | 1.0 | 00.0-02.2 | 8 | 0.7 | 00.0-01.5 | 921 | 98.1 | 96.7-99.5 |
| White/Non-Hisp | 1403 | 1,478,540 | 16 | 1.3 | 00.5-02.1 | 5 | 0.3 | 00.1-00.5 | 3 | 0.6 | 00.0-01.2 | 10 | 0.9 | 00.1-01.7 | 1369 | 96.9 | 95.5-98.3 |
| Black or Afr. Am./Non-Hisp | 209 | 331,745 | | | | 2 | 2.8 | 00.0-06.7 | | | | 3 | 2.4 | 00.0-05.7 | 204 | 94.8 | 89.9-99.7 |
| 18-24 | 97 | 303,580 | | | | 1 | 1.5 | 00.0-04.4 | 3 | 3.3 | 00.0-07.0 | 1 | 1.5 | 00.0-04.2 | 92 | 93.8 | 88.5-99.1 |
| 25-34 | 188 | 387,802 | 3 | 1.3 | 00.0-02.9 | | | | 1 | 0.5 | 00.0-01.5 | 2 | 1.6 | 00.0-03.8 | 182 | 96.6 | 93.7-99.5 |
| 35-44 | 227 | 379,090 | 3 | 1.5 | 00.0-03.3 | 2 | 1.5 | 00.0-04.0 | | | | 2 | 1.4 | 00.0-03.8 | 220 | 95.7 | 92.0-99.4 |
| 45-54 | 331 | 361,527 | 4 | 1.7 | 00.0-03.7 | 2 | 0.5 | 00.0-01.3 | | | | 3 | 1.1 | 00.0-02.5 | 322 | 96.8 | 94.3-99.3 |
| 55-64 | 397 | 298,727 | 5 | 0.9 | 00.0-01.9 | 2 | 0.5 | 00.0-01.1 | | | | 2 | 1.1 | 00.0-02.9 | 388 | 97.5 | 95.3-99.7 |
| 65+ | 445 | 225,987 | 1 | 0.3 | 00.0-00.9 | | | | | | | 4 | 0.3 | 00.0-00.7 | 440 | 99.4 | 98.8-100.0 |
| Less Than H.S. | 96 | 185,718 | | | | 1 | 0.7 | 00.0-02.1 | | | | 1 | 1.1 | 00.0-03.3 | 94 | 98.2 | 95.7-100.0 |
| H.S. or G.E.D. | 418 | 512,739 | 5 | 1.4 | 00.0-02.8 | 2 | 0.2 | 00.0-00.6 | 1 | 0.7 | 00.0-02.1 | 6 | 1.4 | 00.0-03.2 | 404 | 96.2 | 93.7-98.7 |
| Some Post-H.S. | 473 | 667,192 | 5 | 1.2 | 00.0-02.6 | 2 | 0.8 | 00.0-02.2 | 3 | 1.2 | 00.0-02.6 | 4 | 1.8 | 00.0-03.8 | 459 | 95.0 | 92.1-97.9 |
| College Graduate | 711 | 597,556 | 6 | 0.7 | 00.0-01.5 | 2 | 0.9 | 00.0-02.5 | | | | 3 | 0.5 | 00.0-01.1 | 700 | 97.9 | 96.1-99.7 |
| Less than \$15,000 | 140 | 173,439 | 3 | 1.0 | 00.0-02.2 | 1 | 0.8 | 00.0-02.4 | 1 | 1.1 | 00.0-03.3 | 2 | 1.6 | 00.0-04.0 | 133 | 95.5 | 91.8-99.2 |
| \$15,000- 24,999 | 210 | 238,534 | | | | | | | 1 | 1.5 | 00.0-04.4 | 1 | 1.1 | 00.0-03.3 | 208 | 97.4 | 93.9-100.0 |
| \$25,000- 34,999 | 161 | 188,232 | 1 | 0.9 | 00.0-02.7 | | | | | | | 1 | 2.4 | 00.0-06.9 | 159 | 96.8 | 92.1-100.0 |
| \$35,000- 49,999 | 219 | 245,655 | 3 | 2.3 | 00.0-05.0 | 1 | 1.8 | 00.0-05.3 | | | | | | | 215 | 95.9 | 91.6-100.0 |
| \$50,000- 74,999 | 222 | 263,830 | 3 | 1.3 | 00.0-03.3 | | | | | | | 1 | 1.6 | 00.0-04.7 | 218 | 97.0 | 93.3-100.0 |
| \$75,000+ | 501 | 565,590 | 6 | 1.3 | 00.0-02.7 | 4 | 1.2 | 00.0-03.0 | | | | 1 | 0.1 | 00.0-00.3 | 490 | 97.4 | 95.2-99.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|-----|------------|-----------|-----|------------|-------------|-----|------------|--------------------|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 763 | 1,066,336 | 12 | 1.7 | 00.5-02.9 | 7 | 1.2 | 00.0-02.4 | 1 | 0.3 | 00.0-00.9 | 6 | 1.6 | 00.2-03.0 | 737 | 95.1 | 92.9-97.3 |
| White/Non-Hisp | 642 | 824,906 | 12 | 2.1 | 00.7-03.5 | 5 | 0.5 | 00.1-00.9 | 1 | 0.4 | 00.0-01.2 | 4 | 1.2 | 00.0-02.6 | 620 | 95.8 | 93.6-98.0 |
| Black or Afr. Am./Non-Hisp | 84 | 176,087 | | | | 2 | 5.3 | 00.0-12.4 | | | | 2 | 4.5 | 00.0-10.6 | 80 | 90.2 | 81.0-99.4 |
| 25-34 | 86 | 218,710 | 3 | 2.3 | 00.0-05.0 | | | | | | | 2 | 2.9 | 00.0-06.8 | 81 | 94.8 | 90.1-99.5 |
| 35-44 | 88 | 199,203 | 2 | 2.4 | 00.0-05.7 | 2 | 2.9 | 00.0-07.8 | | | | 2 | 2.6 | 00.0-06.9 | 82 | 92.1 | 85.0-99.2 |
| 45-54 | 137 | 189,082 | 4 | 3.2 | 00.0-06.9 | 2 | 0.9 | 00.0-02.3 | | | | 1 | 0.9 | 00.0-02.7 | 130 | 95.0 | 90.7-99.3 |
| 55-64 | 180 | 165,494 | 2 | 0.7 | 00.0-01.9 | 2 | 0.8 | 00.0-02.0 | | | | | | | 176 | 98.4 | 96.8-0100 |
| 65+ | 221 | 131,860 | 1 | 0.5 | 00.0-01.5 | | | | | | | | | | 220 | 99.5 | 98.5-0100 |
| Less Than H.S. | 55 | 111,478 | | | | 1 | 1.2 | 00.0-03.6 | | | | | | | 54 | 98.8 | 96.4-0100 |
| H.S. or G.E.D. | 197 | 283,139 | 4 | 2.3 | 00.0-04.7 | 2 | 0.4 | 00.0-01.0 | | | | 1 | 1.3 | 00.0-03.7 | 190 | 96.1 | 92.6-99.6 |
| Some Post-H.S. | 201 | 364,916 | 4 | 2.1 | 00.0-04.5 | 2 | 1.5 | 00.0-03.9 | 1 | 0.9 | 00.0-02.7 | 3 | 3.2 | 00.0-06.7 | 191 | 92.4 | 87.3-97.5 |
| College Graduate | 310 | 306,802 | 4 | 1.1 | 00.0-02.5 | 2 | 1.8 | 00.0-04.9 | | | | 2 | 0.8 | 00.0-02.0 | 302 | 96.2 | 92.7-99.7 |
| Less than \$15,000 | 57 | 70,991 | 2 | 1.3 | 00.0-03.3 | 1 | 1.9 | 00.0-05.6 | | | | | | | 54 | 96.7 | 92.4-0100 |
| \$15,000- 24,999 | 84 | 115,597 | | | | | | | | | | | | | 84 | 100.0 | 0100-0100 |
| \$25,000- 34,999 | 74 | 108,533 | 1 | 1.5 | 00.0-04.4 | | | | | | | 1 | 4.1 | 00.0-11.9 | 72 | 94.4 | 86.2-0100 |
| \$35,000- 49,999 | 103 | 158,485 | 3 | 3.5 | 00.0-07.8 | 1 | 2.8 | 00.0-08.3 | | | | | | | 99 | 93.7 | 87.0-0100 |
| \$50,000- 74,999 | 114 | 158,974 | 1 | 1.6 | 00.0-04.7 | | | | | | | 1 | 2.7 | 00.0-08.0 | 112 | 95.6 | 89.5-0100 |
| \$75,000+ | 241 | 322,183 | 5 | 2.1 | 00.0-04.5 | 4 | 2.0 | 00.0-04.9 | | | | 1 | 0.2 | 00.0-00.6 | 231 | 95.6 | 91.9-99.3 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using <u>LLCPWT.</u> | | | | | | | | | | | |
|----------------------------|-------------------|----------|--|----------|------------|---|-------------|------------|---|--------------------|------------|-----|-------|------------|
| | TOTAL | WEIGHTED | N | One Time | | N | Three Times | | N | Five or More Times | | N | None | |
| | | | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Female | 936 | 897,028 | 4 | 0.3 | 00.1-00.5 | 3 | 1.0 | 00.0-02.2 | 8 | 0.7 | 00.0-01.5 | 921 | 98.1 | 96.7-99.5 |
| White/Non-Hisp | 761 | 653,634 | 4 | 0.4 | 00.0-00.8 | 2 | 0.8 | 00.0-01.8 | 6 | 0.6 | 00.0-01.4 | 749 | 98.2 | 96.8-99.6 |
| Black or Afr. Am./Non-Hisp | 125 | 155,658 | | | | | | | 1 | 0.0 | 00.0-00.0 | 124 | 100.0 | 0100-0100 |
| 18-24 | 50 | 144,801 | | | | 2 | 4.6 | 00.0-10.9 | | | | 48 | 95.4 | 89.1-0100 |
| 25-34 | 102 | 169,092 | | | | 1 | 1.2 | 00.0-03.6 | | | | 101 | 98.8 | 96.4-0100 |
| 35-44 | 139 | 179,888 | 1 | 0.4 | 00.0-01.2 | | | | | | | 138 | 99.6 | 98.8-0100 |
| 45-54 | 194 | 172,444 | | | | | | | 2 | 1.3 | 00.0-03.7 | 192 | 98.7 | 96.3-0100 |
| 55-64 | 217 | 133,233 | 3 | 1.2 | 00.0-02.8 | | | | 2 | 2.5 | 00.0-06.4 | 212 | 96.4 | 92.3-0100 |
| 65+ | 224 | 94,126 | | | | | | | 4 | 0.8 | 00.0-01.8 | 220 | 99.2 | 98.2-0100 |
| H.S. or G.E.D. | 221 | 229,599 | 1 | 0.3 | 00.0-00.9 | 1 | 1.6 | 00.0-04.7 | 5 | 1.7 | 00.0-04.1 | 214 | 96.4 | 92.5-0100 |
| Some Post-H.S. | 272 | 302,277 | 1 | 0.2 | 00.0-00.6 | 2 | 1.6 | 00.0-04.0 | 1 | 0.1 | 00.0-00.3 | 268 | 98.1 | 95.7-0100 |
| College Graduate | 401 | 290,753 | 2 | 0.3 | 00.0-00.9 | | | | 1 | 0.1 | 00.0-00.3 | 398 | 99.6 | 99.0-0100 |
| Less than \$15,000 | 83 | 102,448 | 1 | 0.7 | 00.0-02.1 | 1 | 1.9 | 00.0-05.6 | 2 | 2.7 | 00.0-06.8 | 79 | 94.7 | 89.0-0100 |
| \$15,000- 24,999 | 126 | 122,937 | | | | 1 | 3.0 | 00.0-08.7 | 1 | 2.1 | 00.0-06.2 | 124 | 94.9 | 88.0-0100 |
| \$25,000- 34,999 | 87 | 79,699 | | | | | | | | | | 87 | 100.0 | 0100-0100 |
| \$35,000- 49,999 | 116 | 87,169 | | | | | | | | | | 116 | 100.0 | 0100-0100 |
| \$50,000- 74,999 | 108 | 104,856 | 2 | 0.9 | 00.0-02.7 | | | | | | | 106 | 99.1 | 97.3-0100 |
| \$75,000+ | 260 | 243,407 | 1 | 0.2 | 00.0-00.6 | | | | | | | 259 | 99.8 | 99.4-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| 1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY | 226 |
| 2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY | 227 |
| 3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY | 228 |
| 4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY | 229 |
| 5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY | 230 |
| 6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY | 231 |
| 7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY | 232 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3052 | 2,470,364 | 2542 | 67.5 | 64.8-70.2 | 510 | 32.5 | 29.8-35.2 |
| White/Non-Hisp | 2530 | 1,896,741 | 2124 | 68.3 | 65.4-71.2 | 406 | 31.7 | 28.8-34.6 |
| Black or Afr. Am./Non-Hisp | 395 | 400,787 | 329 | 70.8 | 63.4-78.2 | 66 | 29.2 | 21.8-36.6 |
| Oth. Race/Non-Hisp. | 50 | 68,215 | 37 | 51.4 | 33.0-69.8 | 13 | 48.6 | 30.2-67.0 |
| 18-24 | 109 | 298,548 | 21 | 17.9 | 09.5-26.3 | 88 | 82.1 | 73.7-90.5 |
| 25-34 | 224 | 394,066 | 44 | 19.9 | 14.0-25.8 | 180 | 80.1 | 74.2-86.0 |
| 35-44 | 291 | 401,290 | 161 | 56.9 | 50.0-63.8 | 130 | 43.1 | 36.2-50.0 |
| 45-54 | 471 | 411,311 | 429 | 91.8 | 88.7-94.9 | 42 | 8.2 | 05.1-11.3 |
| 55-64 | 670 | 408,912 | 652 | 96.9 | 95.1-98.7 | 18 | 3.1 | 01.3-04.9 |
| 65+ | 1248 | 534,446 | 1198 | 96.0 | 94.4-97.6 | 50 | 4.0 | 02.4-05.6 |
| Less Than H.S. | 395 | 387,155 | 348 | 73.4 | 65.6-81.2 | 47 | 26.6 | 18.8-34.4 |
| H.S. or G.E.D. | 1057 | 818,189 | 868 | 63.8 | 58.7-68.9 | 189 | 36.2 | 31.1-41.3 |
| Some Post-H.S. | 768 | 728,194 | 628 | 66.8 | 61.7-71.9 | 140 | 33.2 | 28.1-38.3 |
| College Graduate | 820 | 532,756 | 687 | 69.5 | 64.8-74.2 | 133 | 30.5 | 25.8-35.2 |
| Less than \$15,000 | 451 | 334,266 | 370 | 67.4 | 60.3-74.5 | 81 | 32.6 | 25.5-39.7 |
| \$15,000- 24,999 | 557 | 434,744 | 455 | 64.7 | 58.2-71.2 | 102 | 35.3 | 28.8-41.8 |
| \$25,000- 34,999 | 324 | 246,055 | 266 | 69.2 | 61.4-77.0 | 58 | 30.8 | 23.0-38.6 |
| \$35,000- 49,999 | 326 | 271,540 | 270 | 68.6 | 61.2-76.0 | 56 | 31.4 | 24.0-38.8 |
| \$50,000- 74,999 | 287 | 258,831 | 244 | 69.2 | 60.2-78.2 | 43 | 30.8 | 21.8-39.8 |
| \$75,000+ | 440 | 415,022 | 366 | 69.6 | 62.5-76.7 | 74 | 30.4 | 23.3-37.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 LT 12 months | | | 1 LT 2 years | | | 2 LT 3 years | | | 3 LT 5 years | | | 5 or More years | | |
|----------------------------|-------------------|-----------|----------------|------|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2508 | 1,649,577 | 1528 | 59.6 | 56.9-62.3 | 458 | 18.4 | 16.2-20.6 | 187 | 8.4 | 06.8-10.0 | 107 | 4.1 | 03.1-05.1 | 228 | 9.5 | 07.7-11.3 |
| White/Non-Hisp | 2096 | 1,278,986 | 1258 | 57.9 | 55.0-60.8 | 381 | 18.7 | 16.3-21.1 | 163 | 8.6 | 07.0-10.2 | 93 | 4.6 | 03.4-05.8 | 201 | 10.3 | 08.3-12.3 |
| Black or Afr. Am./Non-Hisp | 324 | 282,546 | 223 | 67.3 | 59.9-74.7 | 56 | 17.4 | 11.9-22.9 | 17 | 7.2 | 02.3-12.1 | 11 | 2.8 | 00.6-05.0 | 17 | 5.4 | 01.9-08.9 |
| 35-44 | 160 | 227,932 | 84 | 47.9 | 38.7-57.1 | 30 | 18.7 | 11.6-25.8 | 20 | 14.4 | 07.1-21.7 | 11 | 8.5 | 03.2-13.8 | 15 | 10.5 | 04.0-17.0 |
| 45-54 | 426 | 376,155 | 267 | 60.6 | 54.7-66.5 | 76 | 20.2 | 15.1-25.3 | 33 | 7.2 | 04.5-09.9 | 16 | 3.5 | 01.5-05.5 | 34 | 8.6 | 05.3-11.9 |
| 55-64 | 649 | 391,626 | 405 | 62.0 | 57.3-66.7 | 113 | 16.4 | 12.9-19.9 | 48 | 8.3 | 05.6-11.0 | 27 | 4.0 | 02.2-05.8 | 56 | 9.3 | 06.2-12.4 |
| 65+ | 1174 | 507,988 | 715 | 61.8 | 58.3-65.3 | 220 | 18.7 | 16.0-21.4 | 78 | 7.1 | 05.1-09.1 | 49 | 3.4 | 02.2-04.6 | 112 | 9.1 | 06.7-11.5 |
| Less Than H.S. | 344 | 281,870 | 175 | 49.0 | 41.2-56.8 | 68 | 18.0 | 11.9-24.1 | 36 | 10.0 | 06.1-13.9 | 17 | 3.8 | 01.4-06.2 | 48 | 19.2 | 12.5-25.9 |
| H.S. or G.E.D. | 853 | 519,605 | 515 | 60.1 | 55.6-64.6 | 162 | 19.1 | 15.6-22.6 | 55 | 7.5 | 05.0-10.0 | 37 | 3.7 | 01.9-05.5 | 84 | 9.6 | 07.1-12.1 |
| Some Post-H.S. | 618 | 475,044 | 386 | 62.8 | 57.7-67.9 | 109 | 17.6 | 13.7-21.5 | 42 | 8.0 | 04.5-11.5 | 33 | 5.7 | 03.2-08.2 | 48 | 6.0 | 03.8-08.2 |
| College Graduate | 682 | 369,354 | 442 | 62.4 | 57.5-67.3 | 119 | 19.1 | 15.2-23.0 | 53 | 8.9 | 06.0-11.8 | 20 | 3.0 | 01.4-04.6 | 48 | 6.6 | 03.9-09.3 |
| Less than \$15,000 | 365 | 223,217 | 190 | 53.3 | 45.7-60.9 | 69 | 15.6 | 10.5-20.7 | 29 | 5.8 | 03.3-08.3 | 23 | 8.3 | 03.8-12.8 | 54 | 17.1 | 10.8-23.4 |
| \$15,000- 24,999 | 452 | 280,419 | 255 | 55.8 | 49.3-62.3 | 80 | 16.9 | 12.2-21.6 | 45 | 9.8 | 06.3-13.3 | 24 | 3.9 | 01.7-06.1 | 48 | 13.6 | 08.7-18.5 |
| \$25,000- 34,999 | 265 | 169,949 | 153 | 50.3 | 41.5-59.1 | 52 | 27.2 | 18.2-36.2 | 24 | 11.8 | 06.1-17.5 | 14 | 4.9 | 02.0-07.8 | 22 | 5.9 | 02.8-09.0 |
| \$35,000- 49,999 | 268 | 185,615 | 181 | 67.1 | 59.8-74.4 | 43 | 16.8 | 10.9-22.7 | 14 | 6.5 | 02.8-10.2 | 14 | 4.6 | 01.9-07.3 | 16 | 5.1 | 02.0-08.2 |
| \$50,000- 74,999 | 242 | 175,164 | 164 | 61.2 | 52.2-70.2 | 40 | 19.2 | 12.3-26.1 | 15 | 9.1 | 01.5-16.7 | 6 | 2.7 | 00.0-05.8 | 17 | 7.8 | 03.5-12.1 |
| \$75,000+ | 365 | 288,649 | 245 | 66.3 | 60.2-72.4 | 57 | 13.9 | 09.8-18.0 | 29 | 9.1 | 05.6-12.6 | 10 | 4.1 | 01.2-07.0 | 24 | 6.7 | 03.4-10.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3038 | 2,461,671 | 2700 | 85.4 | 83.2-87.6 | 338 | 14.6 | 12.4-16.8 |
| White/Non-Hisp | 2516 | 1,887,992 | 2263 | 86.7 | 84.3-89.1 | 253 | 13.3 | 10.9-15.7 |
| Black or Afr. Am./Non-Hisp | 394 | 400,718 | 332 | 81.1 | 74.4-87.8 | 62 | 18.9 | 12.2-25.6 |
| Oth. Race/Non-Hisp. | 51 | 68,340 | 44 | 89.9 | 79.9-99.9 | 7 | 10.1 | 00.1-20.1 |
| 18-24 | 110 | 301,124 | 66 | 58.4 | 47.0-69.8 | 44 | 41.6 | 30.2-53.0 |
| 25-34 | 223 | 392,095 | 189 | 83.2 | 77.1-89.3 | 34 | 16.8 | 10.7-22.9 |
| 35-44 | 290 | 398,845 | 263 | 90.9 | 86.6-95.2 | 27 | 9.1 | 04.8-13.4 |
| 45-54 | 469 | 410,122 | 439 | 92.9 | 89.6-96.2 | 30 | 7.1 | 03.8-10.4 |
| 55-64 | 669 | 405,893 | 618 | 92.5 | 89.6-95.4 | 51 | 7.5 | 04.6-10.4 |
| 65+ | 1239 | 532,293 | 1092 | 87.2 | 84.7-89.7 | 147 | 12.8 | 10.3-15.3 |
| Less Than H.S. | 394 | 386,900 | 325 | 80.2 | 73.9-86.5 | 69 | 19.8 | 13.5-26.1 |
| H.S. or G.E.D. | 1054 | 819,096 | 911 | 80.5 | 75.8-85.2 | 143 | 19.5 | 14.8-24.2 |
| Some Post-H.S. | 763 | 720,189 | 688 | 88.9 | 85.6-92.2 | 75 | 11.1 | 07.8-14.4 |
| College Graduate | 815 | 531,417 | 766 | 92.1 | 89.2-95.0 | 49 | 7.9 | 05.0-10.8 |
| Less than \$15,000 | 450 | 333,950 | 380 | 83.5 | 77.8-89.2 | 70 | 16.5 | 10.8-22.2 |
| \$15,000- 24,999 | 553 | 431,431 | 482 | 83.1 | 78.2-88.0 | 71 | 16.9 | 12.0-21.8 |
| \$25,000- 34,999 | 322 | 243,212 | 275 | 82.3 | 76.0-88.6 | 47 | 17.7 | 11.4-24.0 |
| \$35,000- 49,999 | 326 | 271,540 | 296 | 88.9 | 84.2-93.6 | 30 | 11.1 | 06.4-15.8 |
| \$50,000- 74,999 | 286 | 255,829 | 273 | 90.8 | 83.7-97.9 | 13 | 9.2 | 02.1-16.3 |
| \$75,000+ | 440 | 415,022 | 424 | 91.6 | 85.5-97.7 | 16 | 8.4 | 02.3-14.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 LT 12 months | | | 1 LT 2 years | | | 2 LT 3 years | | | 3 LT 5 years | | | 5 or More years | | |
|----------------------------|-------------------|-----------|----------------|------|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2637 | 2,067,256 | 1647 | 64.1 | 61.6-66.6 | 430 | 16.5 | 14.5-18.5 | 171 | 7.2 | 05.6-08.8 | 113 | 4.4 | 03.2-05.6 | 276 | 7.9 | 06.5-09.3 |
| White/Non-Hisp | 2209 | 1,607,782 | 1344 | 61.4 | 58.7-64.1 | 366 | 17.8 | 15.4-20.2 | 143 | 6.8 | 05.2-08.4 | 100 | 4.8 | 03.6-06.0 | 256 | 9.1 | 07.5-10.7 |
| Black or Afr. Am./Non-Hisp | 326 | 319,846 | 240 | 72.8 | 65.7-79.9 | 47 | 12.0 | 07.9-16.1 | 22 | 10.0 | 04.5-15.5 | 7 | 2.6 | 00.0-05.9 | 10 | 2.6 | 00.2-05.0 |
| 18-24 | 64 | 173,661 | 50 | 79.5 | 68.5-90.5 | 7 | 7.6 | 01.1-14.1 | 4 | 7.0 | 00.0-14.1 | 3 | 5.8 | 00.0-12.7 | | | |
| 25-34 | 186 | 322,107 | 118 | 62.1 | 54.1-70.1 | 42 | 23.0 | 16.1-29.9 | 12 | 7.1 | 02.8-11.4 | 6 | 3.5 | 00.6-06.4 | 8 | 4.3 | 01.0-07.6 |
| 35-44 | 263 | 362,686 | 178 | 64.7 | 57.4-72.0 | 39 | 14.7 | 09.8-19.6 | 18 | 9.2 | 04.1-14.3 | 12 | 4.7 | 01.4-08.0 | 16 | 6.7 | 02.8-10.6 |
| 45-54 | 435 | 378,785 | 272 | 62.5 | 56.6-68.4 | 76 | 19.3 | 14.2-24.4 | 27 | 5.5 | 03.1-07.9 | 24 | 5.0 | 02.6-07.4 | 36 | 7.7 | 04.8-10.6 |
| 55-64 | 608 | 367,510 | 385 | 62.7 | 58.0-67.4 | 98 | 15.4 | 11.9-18.9 | 38 | 7.8 | 05.1-10.5 | 21 | 3.7 | 01.9-05.5 | 66 | 10.5 | 07.6-13.4 |
| 65+ | 1049 | 446,608 | 622 | 61.3 | 57.6-65.0 | 164 | 15.5 | 12.8-18.2 | 69 | 6.3 | 04.5-08.1 | 44 | 4.2 | 02.6-05.8 | 150 | 12.8 | 10.3-15.3 |
| Less Than H.S. | 313 | 300,734 | 163 | 51.5 | 43.1-59.9 | 58 | 19.7 | 12.8-26.6 | 25 | 7.2 | 03.9-10.5 | 20 | 8.6 | 03.3-13.9 | 47 | 13.0 | 07.7-18.3 |
| H.S. or G.E.D. | 882 | 645,376 | 511 | 58.0 | 53.5-62.5 | 150 | 17.5 | 14.0-21.0 | 64 | 9.7 | 06.6-12.8 | 46 | 5.3 | 03.3-07.3 | 111 | 9.6 | 07.4-11.8 |
| Some Post-H.S. | 675 | 631,712 | 423 | 67.6 | 62.9-72.3 | 120 | 17.0 | 13.5-20.5 | 36 | 5.4 | 02.7-08.1 | 26 | 3.1 | 01.7-04.5 | 70 | 6.9 | 04.7-09.1 |
| College Graduate | 757 | 486,721 | 544 | 75.3 | 71.4-79.2 | 101 | 12.7 | 09.8-15.6 | 45 | 6.1 | 03.9-08.3 | 20 | 2.1 | 00.9-03.3 | 47 | 3.7 | 02.1-05.3 |
| Less than \$15,000 | 371 | 271,184 | 198 | 56.6 | 49.2-64.0 | 66 | 16.1 | 10.8-21.4 | 33 | 10.5 | 05.0-16.0 | 20 | 5.5 | 02.4-08.6 | 54 | 11.2 | 06.9-15.5 |
| \$15,000- 24,999 | 474 | 352,446 | 265 | 56.0 | 49.5-62.5 | 70 | 15.5 | 10.8-20.2 | 46 | 9.6 | 05.9-13.3 | 26 | 7.0 | 02.7-11.3 | 67 | 11.9 | 08.4-15.4 |
| \$25,000- 34,999 | 263 | 196,519 | 166 | 58.2 | 49.6-66.8 | 47 | 22.0 | 14.0-30.0 | 11 | 7.5 | 02.2-12.8 | 9 | 3.4 | 01.0-05.8 | 30 | 8.9 | 04.8-13.0 |
| \$35,000- 49,999 | 291 | 240,129 | 190 | 65.9 | 58.6-73.2 | 49 | 17.2 | 11.3-23.1 | 16 | 5.8 | 02.5-09.1 | 11 | 4.4 | 01.7-07.1 | 25 | 6.7 | 03.2-10.2 |
| \$50,000- 74,999 | 272 | 231,045 | 193 | 67.9 | 59.7-76.1 | 38 | 16.1 | 09.4-22.8 | 10 | 7.3 | 01.0-13.6 | 7 | 2.1 | 00.3-03.9 | 24 | 6.6 | 03.3-09.9 |
| \$75,000+ | 422 | 378,771 | 312 | 77.2 | 72.5-81.9 | 55 | 11.8 | 08.1-15.5 | 25 | 5.4 | 03.0-07.8 | 10 | 2.4 | 00.6-04.2 | 20 | 3.1 | 01.5-04.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3033 | 2,458,818 | 2853 | 93.2 | 91.6-94.8 | 180 | 6.8 | 05.2-08.4 |
| White/Non-Hisp | 2514 | 1,887,485 | 2372 | 94.2 | 92.6-95.8 | 142 | 5.8 | 04.2-07.4 |
| Black or Afr. Am./Non-Hisp | 393 | 398,759 | 365 | 89.9 | 84.2-95.6 | 28 | 10.1 | 04.4-15.8 |
| Oth. Race/Non-Hisp. | 50 | 68,151 | 45 | 92.7 | 85.1-0100 | 5 | 7.3 | 00.0-14.9 |
| 18-24 | 110 | 301,124 | 83 | 74.7 | 64.7-84.7 | 27 | 25.3 | 15.3-35.3 |
| 25-34 | 222 | 390,185 | 214 | 96.4 | 93.5-99.3 | 8 | 3.6 | 00.7-06.5 |
| 35-44 | 289 | 398,158 | 284 | 96.9 | 93.8-0100 | 5 | 3.1 | 00.0-06.2 |
| 45-54 | 472 | 412,462 | 453 | 96.5 | 94.7-98.3 | 19 | 3.5 | 01.7-05.3 |
| 55-64 | 669 | 405,929 | 646 | 96.9 | 95.3-98.5 | 23 | 3.1 | 01.5-04.7 |
| 65+ | 1232 | 529,169 | 1135 | 92.9 | 91.1-94.7 | 97 | 7.1 | 05.3-08.9 |
| Less Than H.S. | 387 | 382,491 | 354 | 92.9 | 89.0-96.8 | 33 | 7.1 | 03.2-11.0 |
| H.S. or G.E.D. | 1050 | 818,126 | 982 | 90.5 | 87.0-94.0 | 68 | 9.5 | 06.0-13.0 |
| Some Post-H.S. | 764 | 720,415 | 719 | 94.4 | 92.0-96.8 | 45 | 5.6 | 03.2-08.0 |
| College Graduate | 820 | 533,718 | 786 | 95.7 | 93.7-97.7 | 34 | 4.3 | 02.3-06.3 |
| Less than \$15,000 | 447 | 333,092 | 408 | 89.3 | 84.4-94.2 | 39 | 10.7 | 05.8-15.6 |
| \$15,000- 24,999 | 552 | 429,370 | 510 | 93.5 | 90.4-96.6 | 42 | 6.5 | 03.4-09.6 |
| \$25,000- 34,999 | 323 | 244,085 | 298 | 91.3 | 86.4-96.2 | 25 | 8.7 | 03.8-13.6 |
| \$35,000- 49,999 | 325 | 271,434 | 312 | 97.5 | 95.9-99.1 | 13 | 2.5 | 00.9-04.1 |
| \$50,000- 74,999 | 286 | 255,829 | 279 | 95.7 | 89.8-0100 | 7 | 4.3 | 00.0-10.2 |
| \$75,000+ | 441 | 416,173 | 432 | 96.8 | 94.4-99.2 | 9 | 3.2 | 00.8-05.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 LT 12 months | | | 1 LT 2 years | | | 2 LT 3 years | | | 3 LT 5 years | | | 5 or More years | | |
|----------------------------|-------------------|-----------|----------------|------|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2773 | 2,238,792 | 1178 | 51.0 | 48.3-53.7 | 512 | 18.6 | 16.6-20.6 | 265 | 9.3 | 07.7-10.9 | 197 | 6.4 | 05.0-07.8 | 621 | 14.7 | 13.1-16.3 |
| White/Non-Hisp | 2305 | 1,735,608 | 932 | 47.9 | 45.0-50.8 | 423 | 19.3 | 16.9-21.7 | 221 | 8.8 | 07.2-10.4 | 175 | 7.3 | 05.7-08.9 | 554 | 16.6 | 14.8-18.4 |
| Black or Afr. Am./Non-Hisp | 354 | 348,742 | 192 | 62.5 | 55.4-69.6 | 67 | 15.9 | 10.8-21.0 | 31 | 9.7 | 04.8-14.6 | 16 | 3.8 | 01.3-06.3 | 48 | 8.1 | 04.8-11.4 |
| 18-24 | 80 | 216,500 | 54 | 70.3 | 59.1-81.5 | 18 | 19.2 | 10.0-28.4 | 6 | 7.4 | 01.3-13.5 | 2 | 3.1 | 00.0-07.4 | | | |
| 25-34 | 213 | 375,851 | 135 | 64.0 | 56.7-71.3 | 47 | 21.4 | 15.3-27.5 | 19 | 9.6 | 04.9-14.3 | 8 | 3.7 | 01.0-06.4 | 4 | 1.2 | 00.0-03.0 |
| 35-44 | 284 | 385,654 | 180 | 62.1 | 55.0-69.2 | 47 | 16.4 | 11.1-21.7 | 22 | 8.5 | 03.8-13.2 | 16 | 6.3 | 02.6-10.0 | 19 | 6.7 | 03.4-10.0 |
| 45-54 | 448 | 388,650 | 242 | 52.7 | 46.8-58.6 | 76 | 18.1 | 13.6-22.6 | 37 | 8.1 | 05.2-11.0 | 24 | 7.2 | 03.3-11.1 | 69 | 13.9 | 10.2-17.6 |
| 55-64 | 635 | 384,526 | 282 | 44.3 | 39.4-49.2 | 121 | 19.1 | 15.4-22.8 | 64 | 10.9 | 07.8-14.0 | 39 | 6.4 | 04.0-08.8 | 129 | 19.3 | 15.4-23.2 |
| 65+ | 1078 | 468,204 | 266 | 26.1 | 22.6-29.6 | 198 | 18.5 | 15.6-21.4 | 117 | 10.6 | 08.2-13.0 | 102 | 9.3 | 07.1-11.5 | 395 | 35.5 | 31.8-39.2 |
| Less Than H.S. | 341 | 339,327 | 99 | 38.0 | 30.0-46.0 | 59 | 15.3 | 10.2-20.4 | 35 | 12.2 | 07.3-17.1 | 34 | 10.2 | 04.9-15.5 | 114 | 24.3 | 18.2-30.4 |
| H.S. or G.E.D. | 947 | 725,891 | 384 | 49.9 | 45.2-54.6 | 163 | 17.7 | 14.0-21.4 | 92 | 9.2 | 06.7-11.7 | 82 | 7.9 | 05.5-10.3 | 226 | 15.3 | 12.8-17.8 |
| Some Post-H.S. | 700 | 667,985 | 299 | 52.2 | 47.1-57.3 | 140 | 21.0 | 17.1-24.9 | 58 | 8.1 | 05.0-11.2 | 47 | 5.4 | 03.4-07.4 | 156 | 13.3 | 10.6-16.0 |
| College Graduate | 773 | 501,520 | 394 | 59.9 | 55.4-64.4 | 147 | 19.2 | 15.5-22.9 | 80 | 9.0 | 06.5-11.5 | 31 | 2.9 | 01.7-04.1 | 121 | 9.0 | 07.0-11.0 |
| Less than \$15,000 | 395 | 289,846 | 131 | 42.6 | 35.2-50.0 | 58 | 12.9 | 08.4-17.4 | 52 | 14.7 | 09.2-20.2 | 33 | 8.7 | 04.0-13.4 | 121 | 21.1 | 16.0-26.2 |
| \$15,000- 24,999 | 498 | 397,048 | 191 | 46.5 | 40.0-53.0 | 95 | 19.6 | 14.5-24.7 | 40 | 8.2 | 04.9-11.5 | 38 | 7.6 | 04.3-10.9 | 134 | 18.2 | 14.3-22.1 |
| \$25,000- 34,999 | 289 | 217,240 | 110 | 44.9 | 36.7-53.1 | 48 | 16.7 | 10.8-22.6 | 23 | 7.5 | 03.4-11.6 | 29 | 10.9 | 04.4-17.4 | 79 | 20.1 | 14.2-26.0 |
| \$35,000- 49,999 | 310 | 263,571 | 147 | 55.6 | 48.3-62.9 | 61 | 19.5 | 13.6-25.4 | 34 | 9.8 | 05.9-13.7 | 17 | 4.4 | 02.2-06.6 | 51 | 10.8 | 07.1-14.5 |
| \$50,000- 74,999 | 275 | 240,248 | 152 | 58.3 | 50.1-66.5 | 46 | 18.8 | 12.1-25.5 | 26 | 10.4 | 03.5-17.3 | 8 | 3.5 | 00.8-06.2 | 43 | 9.0 | 05.7-12.3 |
| \$75,000+ | 427 | 398,075 | 252 | 67.1 | 61.4-72.8 | 79 | 16.5 | 12.2-20.8 | 38 | 6.8 | 04.1-09.5 | 15 | 3.2 | 01.4-05.0 | 43 | 6.5 | 04.1-08.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CORE QUESTIONS DATA REPORT, 2014
 SECTION 15: BREAST/CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3012 | 2,395,138 | 1200 | 30.0 | 27.8-32.2 | 1812 | 70.0 | 67.8-72.2 |
| White/Non-Hisp | 2501 | 1,848,698 | 992 | 31.3 | 28.9-33.7 | 1509 | 68.7 | 66.3-71.1 |
| Black or Afr. Am./Non-Hisp | 388 | 388,431 | 162 | 27.3 | 21.8-32.8 | 226 | 72.7 | 67.2-78.2 |
| Oth. Race/Non-Hisp. | 50 | 64,325 | 19 | 25.7 | 12.0-39.4 | 31 | 74.3 | 60.6-88.0 |
| 18-24 | 101 | 277,357 | | | | 101 | 100.0 | 0100-0100 |
| 25-34 | 206 | 354,935 | 13 | 7.0 | 03.1-10.9 | 193 | 93.0 | 89.1-96.9 |
| 35-44 | 288 | 395,074 | 45 | 18.2 | 12.7-23.7 | 243 | 81.8 | 76.3-87.3 |
| 45-54 | 470 | 410,532 | 167 | 36.3 | 30.8-41.8 | 303 | 63.7 | 58.2-69.2 |
| 55-64 | 666 | 404,532 | 299 | 44.6 | 39.9-49.3 | 367 | 55.4 | 50.7-60.1 |
| 65+ | 1245 | 532,417 | 660 | 53.3 | 49.8-56.8 | 585 | 46.7 | 43.2-50.2 |
| Less Than H.S. | 394 | 383,123 | 207 | 41.4 | 34.3-48.5 | 187 | 58.6 | 51.5-65.7 |
| H.S. or G.E.D. | 1042 | 792,299 | 442 | 31.7 | 28.0-35.4 | 600 | 68.3 | 64.6-72.0 |
| Some Post-H.S. | 752 | 692,998 | 299 | 28.6 | 24.7-32.5 | 453 | 71.4 | 67.5-75.3 |
| College Graduate | 812 | 522,649 | 246 | 20.9 | 17.8-24.0 | 566 | 79.1 | 76.0-82.2 |
| Less than \$15,000 | 448 | 326,830 | 200 | 31.8 | 25.9-37.7 | 248 | 68.2 | 62.3-74.1 |
| \$15,000- 24,999 | 550 | 419,987 | 257 | 36.4 | 30.9-41.9 | 293 | 63.6 | 58.1-69.1 |
| \$25,000- 34,999 | 320 | 239,605 | 133 | 34.5 | 26.9-42.1 | 187 | 65.5 | 57.9-73.1 |
| \$35,000- 49,999 | 318 | 256,381 | 113 | 28.5 | 22.4-34.6 | 205 | 71.5 | 65.4-77.6 |
| \$50,000- 74,999 | 282 | 247,746 | 90 | 23.0 | 16.9-29.1 | 192 | 77.0 | 70.9-83.1 |
| \$75,000+ | 436 | 408,573 | 128 | 22.9 | 18.2-27.6 | 308 | 77.1 | 72.4-81.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2) | |
| 1 | MALES ONLY | 234 |
| | HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1) | |
| 2 | MALES ONLY | 235 |
| | HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1) | |
| 3 | MALES ONLY | 236 |
| | HAVE YOU EVER HAD A PSA TEST? (PSATEST1) | |
| 4 | MALES ONLY | 237 |
| | HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME) | |
| 5 | MALES ONLY | 238 |
| | WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1) | |
| 6 | MALES ONLY | 239 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1362 | 1,343,078 | 868 | 57.4 | 53.7-61.1 | 494 | 42.6 | 38.9-46.3 |
| White/Non-Hisp | 1167 | 1,079,881 | 743 | 56.6 | 52.7-60.5 | 424 | 43.4 | 39.5-47.3 |
| Black or Afr. Am./Non-Hisp | 131 | 177,231 | 79 | 57.7 | 45.9-69.5 | 52 | 42.3 | 30.5-54.1 |
| 35-44 | 84 | 205,677 | 25 | 29.4 | 16.9-41.9 | 59 | 70.6 | 58.1-83.1 |
| 45-54 | 280 | 391,823 | 138 | 48.4 | 41.1-55.7 | 142 | 51.6 | 44.3-58.9 |
| 55-64 | 403 | 354,515 | 266 | 65.6 | 59.9-71.3 | 137 | 34.4 | 28.7-40.1 |
| 65+ | 595 | 391,063 | 439 | 73.7 | 69.2-78.2 | 156 | 26.3 | 21.8-30.8 |
| Less Than H.S. | 178 | 237,546 | 84 | 43.9 | 34.5-53.3 | 94 | 56.1 | 46.7-65.5 |
| H.S. or G.E.D. | 448 | 441,304 | 251 | 52.3 | 46.0-58.6 | 197 | 47.7 | 41.4-54.0 |
| Some Post-H.S. | 293 | 331,186 | 196 | 59.2 | 50.8-67.6 | 97 | 40.8 | 32.4-49.2 |
| College Graduate | 443 | 333,042 | 337 | 72.0 | 66.1-77.9 | 106 | 28.0 | 22.1-33.9 |
| Less than \$15,000 | 154 | 121,956 | 75 | 39.8 | 29.4-50.2 | 79 | 60.2 | 49.8-70.6 |
| \$15,000- 24,999 | 201 | 201,728 | 112 | 50.1 | 39.5-60.7 | 89 | 49.9 | 39.3-60.5 |
| \$25,000- 34,999 | 145 | 137,532 | 98 | 64.0 | 53.2-74.8 | 47 | 36.0 | 25.2-46.8 |
| \$35,000- 49,999 | 205 | 196,016 | 137 | 62.9 | 54.7-71.1 | 68 | 37.1 | 28.9-45.3 |
| \$50,000- 74,999 | 186 | 187,271 | 131 | 60.6 | 50.8-70.4 | 55 | 39.4 | 29.6-49.2 |
| \$75,000+ | 298 | 338,115 | 209 | 59.7 | 51.3-68.1 | 89 | 40.3 | 31.9-48.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1343 | 1,319,981 | 446 | 30.7 | 27.4-34.0 | 897 | 69.3 | 66.0-72.6 |
| White/Non-Hisp | 1152 | 1,062,033 | 375 | 29.4 | 25.9-32.9 | 777 | 70.6 | 67.1-74.1 |
| Black or Afr. Am./Non-Hisp | 129 | 174,679 | 45 | 35.1 | 23.9-46.3 | 84 | 64.9 | 53.7-76.1 |
| 35-44 | 83 | 204,818 | 15 | 21.3 | 09.3-33.3 | 68 | 78.7 | 66.7-90.7 |
| 45-54 | 282 | 389,064 | 74 | 23.9 | 17.8-30.0 | 208 | 76.1 | 70.0-82.2 |
| 55-64 | 389 | 346,424 | 139 | 34.2 | 28.3-40.1 | 250 | 65.8 | 59.9-71.7 |
| 65+ | 589 | 379,675 | 218 | 39.5 | 34.4-44.6 | 371 | 60.5 | 55.4-65.6 |
| Less Than H.S. | 174 | 231,301 | 47 | 28.0 | 19.4-36.6 | 127 | 72.0 | 63.4-80.6 |
| H.S. or G.E.D. | 443 | 429,797 | 131 | 27.8 | 22.3-33.3 | 312 | 72.2 | 66.7-77.7 |
| Some Post-H.S. | 288 | 329,177 | 94 | 29.6 | 22.0-37.2 | 194 | 70.4 | 62.8-78.0 |
| College Graduate | 438 | 329,707 | 174 | 37.4 | 31.7-43.1 | 264 | 62.6 | 56.9-68.3 |
| Less than \$15,000 | 150 | 119,863 | 44 | 26.5 | 17.1-35.9 | 106 | 73.5 | 64.1-82.9 |
| \$15,000- 24,999 | 202 | 200,903 | 60 | 28.4 | 17.8-39.0 | 142 | 71.6 | 61.0-82.2 |
| \$25,000- 34,999 | 143 | 134,439 | 50 | 38.3 | 27.3-49.3 | 93 | 61.7 | 50.7-72.7 |
| \$35,000- 49,999 | 200 | 190,566 | 67 | 31.5 | 23.9-39.1 | 133 | 68.5 | 60.9-76.1 |
| \$50,000- 74,999 | 179 | 179,007 | 57 | 23.9 | 16.6-31.2 | 122 | 76.1 | 68.8-83.4 |
| \$75,000+ | 298 | 336,458 | 103 | 29.2 | 22.5-35.9 | 195 | 70.8 | 64.1-77.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1373 | 1,354,380 | 826 | 51.3 | 47.6-55.0 | 547 | 48.7 | 45.0-52.4 |
| White/Non-Hisp | 1178 | 1,090,861 | 707 | 50.4 | 46.5-54.3 | 471 | 49.6 | 45.7-53.5 |
| Black or Afr. Am./Non-Hisp | 130 | 174,775 | 79 | 56.0 | 44.0-68.0 | 51 | 44.0 | 32.0-56.0 |
| 35-44 | 84 | 205,677 | 16 | 16.1 | 07.3-24.9 | 68 | 83.9 | 75.1-92.7 |
| 45-54 | 280 | 394,209 | 122 | 41.1 | 34.0-48.2 | 158 | 58.9 | 51.8-66.0 |
| 55-64 | 397 | 353,660 | 251 | 62.5 | 56.6-68.4 | 146 | 37.5 | 31.6-43.4 |
| 65+ | 612 | 400,835 | 437 | 69.6 | 64.7-74.5 | 175 | 30.4 | 25.5-35.3 |
| Less Than H.S. | 183 | 240,327 | 84 | 42.7 | 33.5-51.9 | 99 | 57.3 | 48.1-66.5 |
| H.S. or G.E.D. | 449 | 442,770 | 254 | 51.2 | 44.7-57.7 | 195 | 48.8 | 42.3-55.3 |
| Some Post-H.S. | 298 | 338,725 | 180 | 49.0 | 40.8-57.2 | 118 | 51.0 | 42.8-59.2 |
| College Graduate | 443 | 332,558 | 308 | 60.0 | 53.7-66.3 | 135 | 40.0 | 33.7-46.3 |
| Less than \$15,000 | 156 | 120,745 | 66 | 34.4 | 24.6-44.2 | 90 | 65.6 | 55.8-75.4 |
| \$15,000- 24,999 | 207 | 206,341 | 114 | 42.4 | 32.8-52.0 | 93 | 57.6 | 48.0-67.2 |
| \$25,000- 34,999 | 147 | 138,387 | 99 | 67.3 | 57.1-77.5 | 48 | 32.7 | 22.5-42.9 |
| \$35,000- 49,999 | 204 | 194,355 | 132 | 58.5 | 49.9-67.1 | 72 | 41.5 | 32.9-50.1 |
| \$50,000- 74,999 | 189 | 191,960 | 131 | 58.4 | 48.8-68.0 | 58 | 41.6 | 32.0-51.2 |
| \$75,000+ | 296 | 342,062 | 177 | 46.5 | 38.5-54.5 | 119 | 53.5 | 45.5-61.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 825 | 694,715 | 745 | 86.1 | 82.4-89.8 | 80 | 13.9 | 10.2-17.6 |
| White/Non-Hisp | 706 | 549,447 | 644 | 86.8 | 82.9-90.7 | 62 | 13.2 | 09.3-17.1 |
| Black or Afr. Am./Non-Hisp | 79 | 97,870 | 66 | 80.0 | 67.1-92.9 | 13 | 20.0 | 07.1-32.9 |
| 45-54 | 122 | 162,050 | 89 | 69.2 | 58.4-80.0 | 33 | 30.8 | 20.0-41.6 |
| 55-64 | 251 | 220,930 | 220 | 88.7 | 83.8-93.6 | 31 | 11.3 | 06.4-16.2 |
| 65+ | 436 | 278,547 | 423 | 95.3 | 92.2-98.4 | 13 | 4.7 | 01.6-07.8 |
| Less Than H.S. | 84 | 102,729 | 71 | 78.5 | 65.8-91.2 | 13 | 21.5 | 08.8-34.2 |
| H.S. or G.E.D. | 253 | 226,484 | 219 | 84.0 | 77.3-90.7 | 34 | 16.0 | 09.3-22.7 |
| Some Post-H.S. | 180 | 165,846 | 166 | 87.4 | 79.8-95.0 | 14 | 12.6 | 05.0-20.2 |
| College Graduate | 308 | 199,655 | 289 | 91.4 | 86.9-95.9 | 19 | 8.6 | 04.1-13.1 |
| Less than \$15,000 | 66 | 41,540 | 58 | 91.2 | 83.6-98.8 | 8 | 8.8 | 01.2-16.4 |
| \$15,000- 24,999 | 114 | 87,419 | 96 | 84.6 | 76.4-92.8 | 18 | 15.4 | 07.2-23.6 |
| \$25,000- 34,999 | 99 | 93,170 | 87 | 73.9 | 60.0-87.8 | 12 | 26.1 | 12.2-40.0 |
| \$35,000- 49,999 | 132 | 113,643 | 123 | 90.0 | 82.7-97.3 | 9 | 10.0 | 02.7-17.3 |
| \$50,000- 74,999 | 131 | 112,152 | 121 | 88.5 | 80.1-96.9 | 10 | 11.5 | 03.1-19.9 |
| \$75,000+ | 176 | 158,745 | 163 | 87.7 | 80.3-95.1 | 13 | 12.3 | 04.9-19.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 3 years ago | | | 3 years but less than 5 years ago | | | 5 or more years ago | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|-----|------------|-----------------------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 829 | 668,397 | 555 | 64.3 | 60.0-68.6 | 120 | 16.6 | 13.1-20.1 | 53 | 5.9 | 03.9-07.9 | 50 | 7.6 | 04.9-10.3 | 51 | 5.5 | 03.5-07.5 |
| White/Non-Hisp | 713 | 531,345 | 481 | 65.3 | 60.8-69.8 | 103 | 16.3 | 12.8-19.8 | 44 | 6.2 | 04.0-08.4 | 41 | 6.8 | 04.3-09.3 | 44 | 5.4 | 03.4-07.4 |
| Black or Afr. Am./Non-Hisp | 75 | 88,028 | 46 | 63.4 | 48.5-78.3 | 12 | 14.9 | 03.9-25.9 | 6 | 5.9 | 00.0-12.0 | 6 | 7.5 | 00.0-16.1 | 5 | 8.4 | 00.0-17.4 |
| 45-54 | 106 | 136,198 | 56 | 51.5 | 39.7-63.3 | 25 | 25.6 | 14.8-36.4 | 11 | 8.1 | 02.8-13.4 | 9 | 10.3 | 02.7-17.9 | 5 | 4.5 | 00.0-09.8 |
| 55-64 | 243 | 211,247 | 164 | 65.7 | 57.7-73.7 | 32 | 14.1 | 08.2-20.0 | 18 | 6.2 | 02.9-09.5 | 16 | 10.2 | 04.1-16.3 | 13 | 3.9 | 01.4-06.4 |
| 65+ | 467 | 296,109 | 324 | 67.5 | 62.2-72.8 | 61 | 14.4 | 10.3-18.5 | 24 | 5.3 | 02.8-07.8 | 25 | 5.2 | 02.8-07.6 | 33 | 7.6 | 04.3-10.9 |
| Less Than H.S. | 78 | 87,556 | 43 | 50.9 | 37.2-64.6 | 14 | 14.3 | 06.3-22.3 | 6 | 7.3 | 00.4-14.2 | 6 | 16.3 | 03.8-28.8 | 9 | 11.3 | 01.5-21.1 |
| H.S. or G.E.D. | 242 | 206,915 | 151 | 62.4 | 54.6-70.2 | 39 | 17.6 | 11.5-23.7 | 21 | 8.7 | 04.6-12.8 | 19 | 7.8 | 03.3-12.3 | 12 | 3.5 | 01.0-06.0 |
| Some Post-H.S. | 192 | 175,546 | 135 | 66.7 | 57.5-75.9 | 28 | 20.0 | 11.2-28.8 | 6 | 2.2 | 00.0-04.4 | 10 | 5.9 | 01.6-10.2 | 13 | 5.2 | 01.7-08.7 |
| College Graduate | 317 | 198,379 | 226 | 70.1 | 63.8-76.4 | 39 | 13.6 | 08.9-18.3 | 20 | 5.8 | 02.9-08.7 | 15 | 5.2 | 02.3-08.1 | 17 | 5.4 | 02.5-08.3 |
| Less than \$15,000 | 67 | 42,854 | 35 | 48.0 | 31.9-64.1 | 17 | 25.9 | 12.6-39.2 | 5 | 6.7 | 00.0-13.6 | 2 | 12.3 | 00.0-28.8 | 8 | 7.2 | 01.1-13.3 |
| \$15,000- 24,999 | 105 | 77,993 | 67 | 59.6 | 47.4-71.8 | 13 | 11.7 | 04.8-18.6 | 8 | 7.8 | 01.7-13.9 | 9 | 13.2 | 02.8-23.6 | 8 | 7.7 | 00.4-15.0 |
| \$25,000- 34,999 | 95 | 75,770 | 57 | 58.0 | 44.5-71.5 | 18 | 20.4 | 08.4-32.4 | 4 | 4.6 | 00.0-09.7 | 9 | 11.8 | 03.2-20.4 | 7 | 5.1 | 00.8-09.4 |
| \$35,000- 49,999 | 141 | 118,945 | 92 | 69.2 | 60.2-78.2 | 23 | 16.3 | 08.9-23.7 | 9 | 3.4 | 00.5-06.3 | 9 | 6.0 | 01.9-10.1 | 8 | 5.1 | 00.8-09.4 |
| \$50,000- 74,999 | 132 | 107,837 | 98 | 65.2 | 53.4-77.0 | 16 | 19.5 | 08.7-30.3 | 6 | 5.0 | 00.7-09.3 | 7 | 4.6 | 00.0-09.9 | 5 | 5.7 | 00.0-12.4 |
| \$75,000+ | 180 | 155,302 | 129 | 70.0 | 61.2-78.8 | 23 | 17.3 | 09.5-25.1 | 12 | 6.4 | 02.3-10.5 | 7 | 2.2 | 00.4-04.0 | 9 | 4.2 | 00.9-07.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Routine Exam | | | A Prostate Problem | | | Family History of Prostate Cancer | | | Told you had Prostate Cancer | | | Some Other Reason | | |
|----------------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|-----------------------------------|-----|------------|------------------------------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 839 | 675,136 | 638 | 77.1 | 73.4-80.8 | 84 | 10.4 | 07.7-13.1 | 38 | 4.4 | 02.8-06.0 | 38 | 3.8 | 02.0-05.6 | 41 | 4.2 | 02.6-05.8 |
| White/Non-Hisp | 722 | 536,904 | 554 | 77.5 | 73.8-81.2 | 73 | 10.7 | 07.8-13.6 | 30 | 4.3 | 02.5-06.1 | 29 | 3.1 | 01.7-04.5 | 36 | 4.4 | 02.6-06.2 |
| Black or Afr. Am./Non-Hisp | 76 | 89,208 | 56 | 77.0 | 65.0-89.0 | 7 | 11.5 | 00.7-22.3 | 5 | 4.3 | 00.2-08.4 | 5 | 3.5 | 00.0-07.0 | 3 | 3.7 | 00.0-08.2 |
| 45-54 | 105 | 134,671 | 76 | 74.0 | 63.8-84.2 | 8 | 12.2 | 03.4-21.0 | 11 | 7.9 | 02.8-13.0 | 2 | 0.5 | 00.0-01.1 | 8 | 5.4 | 01.3-09.5 |
| 55-64 | 245 | 214,607 | 194 | 77.9 | 71.2-84.6 | 14 | 6.9 | 02.8-11.0 | 19 | 5.9 | 03.0-08.8 | 8 | 4.7 | 00.6-08.8 | 10 | 4.5 | 01.4-07.6 |
| 65+ | 476 | 301,015 | 357 | 76.6 | 71.9-81.3 | 62 | 13.0 | 09.3-16.7 | 8 | 2.1 | 00.3-03.9 | 28 | 5.0 | 02.5-07.5 | 21 | 3.4 | 01.6-05.2 |
| Less Than H.S. | 81 | 90,615 | 55 | 71.5 | 59.7-83.3 | 19 | 22.5 | 11.7-33.3 | 3 | 2.1 | 00.0-04.8 | 4 | 3.9 | 00.0-09.4 | | | |
| H.S. or G.E.D. | 247 | 209,645 | 189 | 76.4 | 69.1-83.7 | 20 | 10.0 | 04.3-15.7 | 13 | 4.7 | 01.8-07.6 | 12 | 4.4 | 00.7-08.1 | 13 | 4.5 | 01.6-07.4 |
| Some Post-H.S. | 194 | 176,138 | 147 | 81.0 | 74.7-87.3 | 20 | 7.7 | 03.6-11.8 | 6 | 3.5 | 00.6-06.4 | 11 | 4.4 | 01.1-07.7 | 10 | 3.5 | 00.8-06.2 |
| College Graduate | 317 | 198,738 | 247 | 77.0 | 71.1-82.9 | 25 | 7.8 | 04.1-11.5 | 16 | 6.0 | 02.9-09.1 | 11 | 2.7 | 00.7-04.7 | 18 | 6.6 | 03.1-10.1 |
| Less than \$15,000 | 67 | 43,193 | 47 | 69.3 | 54.4-84.2 | 9 | 20.7 | 06.4-35.0 | 6 | 6.6 | 00.7-12.5 | 3 | 2.3 | 00.0-05.2 | 2 | 1.0 | 00.0-02.4 |
| \$15,000- 24,999 | 110 | 82,489 | 79 | 71.9 | 61.3-82.5 | 12 | 13.1 | 05.3-20.9 | 6 | 7.0 | 00.7-13.3 | 9 | 6.4 | 00.1-12.7 | 4 | 1.6 | 00.0-03.4 |
| \$25,000- 34,999 | 97 | 76,377 | 67 | 68.1 | 55.0-81.2 | 15 | 19.9 | 07.4-32.4 | 5 | 5.5 | 00.4-10.6 | 4 | 2.6 | 00.1-05.1 | 6 | 4.0 | 00.0-08.9 |
| \$35,000- 49,999 | 143 | 120,468 | 119 | 85.0 | 77.9-92.1 | 10 | 6.3 | 01.2-11.4 | 5 | 2.6 | 00.1-05.1 | 3 | 2.3 | 00.0-05.2 | 6 | 3.8 | 00.3-07.3 |
| \$50,000- 74,999 | 133 | 108,225 | 106 | 80.7 | 72.9-88.5 | 9 | 5.7 | 01.4-10.0 | 4 | 2.6 | 00.0-05.3 | 4 | 1.8 | 00.0-03.6 | 10 | 9.1 | 03.0-15.2 |
| \$75,000+ | 179 | 154,796 | 140 | 81.9 | 75.4-88.4 | 10 | 4.3 | 01.0-07.6 | 9 | 5.0 | 01.5-08.5 | 10 | 4.8 | 01.1-08.5 | 10 | 3.9 | 01.0-06.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL) | |
| 1 MALES AND FEMALES | 241 |
| 2 MALES ONLY | 242 |
| 3 FEMALES ONLY | 243 |
| HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3) | |
| 4 MALES AND FEMALES | 244 |
| 5 MALES ONLY | 245 |
| 6 FEMALES ONLY | 246 |
| SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3) | |
| 7 MALES AND FEMALES | 247 |
| 8 MALES ONLY | 248 |
| 9 FEMALES ONLY | 249 |
| FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL) | |
| 10 MALES AND FEMALES | 250 |
| 11 MALES ONLY | 251 |
| 12 FEMALES ONLY | 252 |
| HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3) | |
| 13 MALES AND FEMALES | 253 |
| 14 MALES ONLY | 254 |
| 15 FEMALES ONLY | 255 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3338 | 2,133,669 | 1224 | 32.4 | 30.4-34.4 | 2114 | 67.6 | 65.6-69.6 |
| Male | 1185 | 974,112 | 402 | 29.3 | 26.0-32.6 | 783 | 70.7 | 67.4-74.0 |
| Female | 2153 | 1,159,556 | 822 | 35.1 | 32.6-37.6 | 1331 | 64.9 | 62.4-67.4 |
| White/Non-Hisp | 2868 | 1,768,662 | 1085 | 33.5 | 31.3-35.7 | 1783 | 66.5 | 64.3-68.7 |
| Black or Afr. Am./Non-Hisp | 350 | 260,158 | 106 | 28.9 | 22.0-35.8 | 244 | 71.1 | 64.2-78.0 |
| Oth. Race/Non-Hisp. | 53 | 44,501 | 12 | 26.5 | 08.5-44.5 | 41 | 73.5 | 55.5-91.5 |
| 45-54 | 420 | 438,140 | 75 | 17.1 | 12.4-21.8 | 345 | 82.9 | 78.2-87.6 |
| 55-64 | 1068 | 762,055 | 335 | 29.7 | 26.2-33.2 | 733 | 70.3 | 66.8-73.8 |
| 65+ | 1850 | 933,474 | 814 | 41.9 | 39.0-44.8 | 1036 | 58.1 | 55.2-61.0 |
| Less Than H.S. | 484 | 416,744 | 135 | 26.0 | 20.9-31.1 | 349 | 74.0 | 68.9-79.1 |
| H.S. or G.E.D. | 1151 | 694,377 | 436 | 33.8 | 30.3-37.3 | 715 | 66.2 | 62.7-69.7 |
| Some Post-H.S. | 781 | 562,469 | 301 | 34.3 | 30.2-38.4 | 480 | 65.7 | 61.6-69.8 |
| College Graduate | 917 | 459,179 | 350 | 33.7 | 30.2-37.2 | 567 | 66.3 | 62.8-69.8 |
| Less than \$15,000 | 460 | 230,823 | 158 | 31.8 | 25.7-37.9 | 302 | 68.2 | 62.1-74.3 |
| \$15,000- 24,999 | 590 | 357,158 | 208 | 30.8 | 26.1-35.5 | 382 | 69.2 | 64.5-73.9 |
| \$25,000- 34,999 | 376 | 249,395 | 132 | 29.6 | 23.1-36.1 | 244 | 70.4 | 63.9-76.9 |
| \$35,000- 49,999 | 404 | 280,681 | 168 | 37.4 | 31.7-43.1 | 236 | 62.6 | 56.9-68.3 |
| \$50,000- 74,999 | 352 | 250,131 | 137 | 31.7 | 26.0-37.4 | 215 | 68.3 | 62.6-74.0 |
| \$75,000+ | 494 | 365,746 | 173 | 31.0 | 25.9-36.1 | 321 | 69.0 | 63.9-74.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1185 | 974,112 | 402 | 29.3 | 26.0-32.6 | 783 | 70.7 | 67.4-74.0 |
| White/Non-Hisp | 1020 | 792,899 | 362 | 30.3 | 27.0-33.6 | 658 | 69.7 | 66.4-73.0 |
| Black or Afr. Am./Non-Hisp | 105 | 114,635 | 27 | 28.8 | 16.3-41.3 | 78 | 71.2 | 58.7-83.7 |
| 45-54 | 159 | 206,860 | 26 | 18.1 | 10.3-25.9 | 133 | 81.9 | 74.1-89.7 |
| 55-64 | 407 | 360,487 | 108 | 24.2 | 19.1-29.3 | 299 | 75.8 | 70.7-80.9 |
| 65+ | 619 | 406,766 | 268 | 39.4 | 34.7-44.1 | 351 | 60.6 | 55.9-65.3 |
| Less Than H.S. | 167 | 193,934 | 38 | 25.1 | 16.7-33.5 | 129 | 74.9 | 66.5-83.3 |
| H.S. or G.E.D. | 377 | 301,670 | 132 | 29.9 | 24.0-35.8 | 245 | 70.1 | 64.2-76.0 |
| Some Post-H.S. | 256 | 238,732 | 87 | 27.8 | 21.1-34.5 | 169 | 72.2 | 65.5-78.9 |
| College Graduate | 385 | 239,776 | 145 | 33.4 | 27.9-38.9 | 240 | 66.6 | 61.1-72.1 |
| Less than \$15,000 | 137 | 91,105 | 35 | 21.5 | 11.5-31.5 | 102 | 78.5 | 68.5-88.5 |
| \$15,000- 24,999 | 174 | 139,143 | 57 | 30.5 | 21.9-39.1 | 117 | 69.5 | 60.9-78.1 |
| \$25,000- 34,999 | 138 | 126,066 | 39 | 22.8 | 13.2-32.4 | 99 | 77.2 | 67.6-86.8 |
| \$35,000- 49,999 | 185 | 158,002 | 78 | 35.9 | 27.7-44.1 | 107 | 64.1 | 55.9-72.3 |
| \$50,000- 74,999 | 161 | 133,251 | 59 | 29.0 | 21.0-37.0 | 102 | 71.0 | 63.0-79.0 |
| \$75,000+ | 228 | 194,183 | 79 | 30.7 | 23.3-38.1 | 149 | 69.3 | 61.9-76.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2153 | 1,159,556 | 822 | 35.1 | 32.6-37.6 | 1331 | 64.9 | 62.4-67.4 |
| White/Non-Hisp | 1848 | 975,763 | 723 | 36.1 | 33.4-38.8 | 1125 | 63.9 | 61.2-66.6 |
| Black or Afr. Am./Non-Hisp | 245 | 145,523 | 79 | 29.0 | 21.7-36.3 | 166 | 71.0 | 63.7-78.3 |
| 45-54 | 261 | 231,280 | 49 | 16.2 | 10.9-21.5 | 212 | 83.8 | 78.5-89.1 |
| 55-64 | 661 | 401,568 | 227 | 34.5 | 30.0-39.0 | 434 | 65.5 | 61.0-70.0 |
| 65+ | 1231 | 526,708 | 546 | 43.7 | 40.2-47.2 | 685 | 56.3 | 52.8-59.8 |
| Less Than H.S. | 317 | 222,811 | 97 | 26.8 | 20.5-33.1 | 220 | 73.2 | 66.9-79.5 |
| H.S. or G.E.D. | 774 | 392,707 | 304 | 36.9 | 32.6-41.2 | 470 | 63.1 | 58.8-67.4 |
| Some Post-H.S. | 525 | 323,738 | 214 | 39.1 | 34.0-44.2 | 311 | 60.9 | 55.8-66.0 |
| College Graduate | 532 | 219,403 | 205 | 34.1 | 29.4-38.8 | 327 | 65.9 | 61.2-70.6 |
| Less than \$15,000 | 323 | 139,719 | 123 | 38.5 | 31.2-45.8 | 200 | 61.5 | 54.2-68.8 |
| \$15,000- 24,999 | 416 | 218,015 | 151 | 30.9 | 25.4-36.4 | 265 | 69.1 | 63.6-74.6 |
| \$25,000- 34,999 | 238 | 123,328 | 93 | 36.5 | 27.9-45.1 | 145 | 63.5 | 54.9-72.1 |
| \$35,000- 49,999 | 219 | 122,679 | 90 | 39.3 | 31.7-46.9 | 129 | 60.7 | 53.1-68.3 |
| \$50,000- 74,999 | 191 | 116,880 | 78 | 34.7 | 26.5-42.9 | 113 | 65.3 | 57.1-73.5 |
| \$75,000+ | 266 | 171,563 | 94 | 31.3 | 24.6-38.0 | 172 | 68.7 | 62.0-75.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1140 | 647,768 | 334 | 29.6 | 26.1-33.1 | 177 | 16.0 | 13.1-18.9 | 143 | 11.6 | 09.4-13.8 | 123 | 11.1 | 08.7-13.5 | 363 | 31.8 | 28.3-35.3 |
| Male | 382 | 271,163 | 123 | 31.0 | 24.9-37.1 | 60 | 17.1 | 11.8-22.4 | 46 | 11.2 | 07.7-14.7 | 37 | 9.0 | 05.1-12.9 | 116 | 31.6 | 25.5-37.7 |
| Female | 758 | 376,605 | 211 | 28.5 | 24.4-32.6 | 117 | 15.2 | 11.9-18.5 | 97 | 11.9 | 09.0-14.8 | 86 | 12.5 | 09.6-15.4 | 247 | 31.9 | 27.6-36.2 |
| White/Non-Hisp | 1011 | 553,498 | 295 | 30.4 | 26.7-34.1 | 153 | 15.2 | 12.3-18.1 | 128 | 12.2 | 09.7-14.7 | 103 | 9.6 | 07.4-11.8 | 332 | 32.6 | 28.9-36.3 |
| Black or Afr. Am./Non-Hisp | 98 | 70,531 | 30 | 25.0 | 11.7-38.3 | 18 | 19.1 | 05.4-32.8 | 11 | 9.2 | 02.7-15.7 | 16 | 17.3 | 07.9-26.7 | 23 | 29.3 | 16.2-42.4 |
| 45-54 | 73 | 74,293 | 17 | 24.7 | 11.6-37.8 | 13 | 19.3 | 07.3-31.3 | 12 | 15.6 | 06.0-25.2 | 7 | 10.5 | 00.1-20.9 | 24 | 29.9 | 16.8-43.0 |
| 55-64 | 324 | 218,592 | 99 | 29.2 | 22.9-35.5 | 51 | 17.0 | 11.1-22.9 | 41 | 11.1 | 07.2-15.0 | 30 | 9.0 | 05.3-12.7 | 103 | 33.7 | 27.2-40.2 |
| 65+ | 743 | 354,883 | 218 | 30.8 | 26.7-34.9 | 113 | 14.7 | 11.4-18.0 | 90 | 11.1 | 08.4-13.8 | 86 | 12.5 | 09.6-15.4 | 236 | 31.0 | 26.9-35.1 |
| Less Than H.S. | 123 | 98,491 | 45 | 36.6 | 25.2-48.0 | 19 | 16.8 | 06.8-26.8 | 17 | 12.3 | 05.8-18.8 | 11 | 10.9 | 02.5-19.3 | 31 | 23.4 | 13.6-33.2 |
| H.S. or G.E.D. | 403 | 221,586 | 109 | 27.4 | 21.3-33.5 | 67 | 17.2 | 11.9-22.5 | 47 | 10.8 | 07.1-14.5 | 53 | 12.3 | 08.6-16.0 | 127 | 32.2 | 26.3-38.1 |
| Some Post-H.S. | 285 | 182,625 | 84 | 26.3 | 20.2-32.4 | 44 | 15.8 | 10.5-21.1 | 39 | 13.3 | 08.6-18.0 | 30 | 10.2 | 05.9-14.5 | 88 | 34.5 | 27.4-41.6 |
| College Graduate | 327 | 144,511 | 96 | 32.3 | 26.0-38.6 | 47 | 14.0 | 09.3-18.7 | 40 | 10.1 | 06.6-13.6 | 29 | 10.4 | 06.3-14.5 | 115 | 33.2 | 27.1-39.3 |
| Less than \$15,000 | 145 | 68,510 | 51 | 37.0 | 26.0-48.0 | 21 | 9.6 | 02.7-16.5 | 22 | 14.5 | 07.4-21.6 | 15 | 13.7 | 02.9-24.5 | 36 | 25.3 | 14.7-35.9 |
| \$15,000- 24,999 | 191 | 99,812 | 69 | 33.9 | 25.5-42.3 | 23 | 13.8 | 05.6-22.0 | 27 | 14.9 | 08.2-21.6 | 16 | 7.5 | 02.8-12.2 | 56 | 29.9 | 21.7-38.1 |
| \$25,000- 34,999 | 124 | 70,223 | 30 | 23.2 | 10.3-36.1 | 23 | 24.3 | 12.7-35.9 | 18 | 13.7 | 06.3-21.1 | 17 | 14.7 | 06.5-22.9 | 36 | 24.1 | 13.9-34.3 |
| \$35,000- 49,999 | 158 | 99,747 | 37 | 23.1 | 15.3-30.9 | 32 | 18.6 | 11.2-26.0 | 13 | 6.9 | 02.8-11.0 | 22 | 13.8 | 07.7-19.9 | 54 | 37.6 | 28.4-46.8 |
| \$50,000- 74,999 | 133 | 76,836 | 38 | 27.3 | 18.7-35.9 | 23 | 22.6 | 13.6-31.6 | 20 | 13.0 | 06.1-19.9 | 11 | 9.5 | 03.0-16.0 | 41 | 27.7 | 18.9-36.5 |
| \$75,000+ | 169 | 110,542 | 49 | 31.5 | 22.7-40.3 | 21 | 14.4 | 06.6-22.2 | 23 | 12.0 | 06.3-17.7 | 17 | 7.8 | 03.7-11.9 | 59 | 34.3 | 25.3-43.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|--------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 382 | 271,163 | 123 | 31.0 | 24.7-37.3 | 60 | 17.1 | 11.6-22.6 | 46 | 11.2 | 07.7-14.7 | 37 | 9.0 | 05.1-12.9 | 116 | 31.6 | 25.5-37.7 |
| White/Non-Hisp | 343 | 226,872 | 113 | 33.2 | 26.7-39.7 | 51 | 15.3 | 10.6-20.0 | 41 | 11.7 | 07.8-15.6 | 33 | 8.0 | 04.9-11.1 | 105 | 31.8 | 25.7-37.9 |
| 55-64 | 107 | 87,044 | 29 | 25.5 | 14.7-36.3 | 16 | 16.9 | 06.9-26.9 | 16 | 15.1 | 07.3-22.9 | 8 | 6.4 | 01.7-11.1 | 38 | 36.1 | 24.7-47.5 |
| 65+ | 250 | 147,260 | 85 | 33.4 | 26.1-40.7 | 40 | 16.3 | 10.4-22.2 | 28 | 10.6 | 06.1-15.1 | 26 | 8.8 | 04.9-12.7 | 71 | 30.9 | 23.6-38.2 |
| H.S. or G.E.D. | 125 | 86,016 | 43 | 33.9 | 22.3-45.5 | 21 | 17.6 | 07.4-27.8 | 18 | 15.3 | 07.7-22.9 | 16 | 9.8 | 04.1-15.5 | 27 | 23.3 | 13.5-33.1 |
| Some Post-H.S. | 83 | 62,794 | 23 | 23.5 | 13.1-33.9 | 16 | 19.4 | 09.4-29.4 | 10 | 9.5 | 03.2-15.8 | 4 | 3.0 | 00.0-06.1 | 30 | 44.7 | 31.4-58.0 |
| College Graduate | 139 | 77,545 | 42 | 31.2 | 22.0-40.4 | 18 | 13.7 | 06.6-20.8 | 14 | 8.7 | 03.6-13.8 | 15 | 11.5 | 05.0-18.0 | 50 | 34.9 | 25.5-44.3 |
| \$15,000- 24,999 | 54 | 39,066 | 25 | 38.4 | 22.7-54.1 | 6 | 18.3 | 00.3-36.3 | 10 | 17.9 | 06.3-29.5 | 4 | 5.9 | 00.0-13.5 | 9 | 19.5 | 07.5-31.5 |
| \$35,000- 49,999 | 73 | 53,640 | 15 | 16.1 | 06.7-25.5 | 16 | 21.7 | 09.7-33.7 | 4 | 4.0 | 00.0-08.3 | 13 | 17.9 | 08.1-27.7 | 25 | 40.4 | 26.5-54.3 |
| \$50,000- 74,999 | 58 | 37,988 | 20 | 33.2 | 19.3-47.1 | 9 | 19.6 | 06.5-32.7 | 10 | 17.8 | 05.6-30.0 | 4 | 6.6 | 00.0-14.4 | 15 | 22.7 | 10.4-35.0 |
| \$75,000+ | 79 | 59,555 | 23 | 28.4 | 16.8-40.0 | 7 | 15.9 | 03.0-28.8 | 10 | 10.8 | 03.4-18.2 | 11 | 7.9 | 02.6-13.2 | 28 | 37.0 | 23.7-50.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 year but less than 2 years ago | | | 2 years but less than 5 years ago | | | 5 or more years ago | | | Never | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-----------------------------------|------|------------|---------------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 758 | 376,605 | 211 | 28.5 | 24.4-32.6 | 117 | 15.2 | 11.9-18.5 | 97 | 11.9 | 09.0-14.8 | 86 | 12.5 | 09.6-15.4 | 247 | 31.9 | 27.6-36.2 |
| White/Non-Hisp | 668 | 326,626 | 182 | 28.5 | 24.2-32.8 | 102 | 15.2 | 11.7-18.7 | 87 | 12.5 | 09.4-15.6 | 70 | 10.7 | 07.8-13.6 | 227 | 33.2 | 28.7-37.7 |
| Black or Afr. Am./Non-Hisp | 72 | 38,189 | 26 | 32.9 | 18.8-47.0 | 12 | 10.0 | 02.6-17.4 | 6 | 6.7 | 00.0-13.6 | 13 | 25.4 | 11.7-39.1 | 15 | 25.0 | 11.5-38.5 |
| 55-64 | 217 | 131,548 | 70 | 31.7 | 24.1-39.3 | 35 | 17.1 | 10.0-24.2 | 25 | 8.5 | 04.6-12.4 | 22 | 10.7 | 05.6-15.8 | 65 | 32.1 | 24.3-39.9 |
| 65+ | 493 | 207,623 | 133 | 28.9 | 24.0-33.8 | 73 | 13.6 | 09.9-17.3 | 62 | 11.4 | 08.1-14.7 | 60 | 15.0 | 10.9-19.1 | 165 | 31.0 | 26.1-35.9 |
| Less Than H.S. | 88 | 53,683 | 30 | 37.2 | 24.3-50.1 | 14 | 15.0 | 04.8-25.2 | 13 | 14.1 | 05.9-22.3 | 9 | 10.3 | 02.5-18.1 | 22 | 23.4 | 11.6-35.2 |
| H.S. or G.E.D. | 278 | 135,570 | 66 | 23.4 | 17.3-29.5 | 46 | 16.9 | 11.0-22.8 | 29 | 8.0 | 04.5-11.5 | 37 | 13.9 | 08.8-19.0 | 100 | 37.8 | 30.5-45.1 |
| Some Post-H.S. | 202 | 119,831 | 61 | 27.7 | 20.3-35.1 | 28 | 13.9 | 07.6-20.2 | 29 | 15.4 | 08.9-21.9 | 26 | 14.0 | 07.9-20.1 | 58 | 29.1 | 21.3-36.9 |
| College Graduate | 188 | 66,966 | 54 | 33.5 | 25.3-41.7 | 29 | 14.4 | 08.1-20.7 | 26 | 11.8 | 06.7-16.9 | 14 | 9.0 | 04.1-13.9 | 65 | 31.2 | 23.4-39.0 |
| Less than \$15,000 | 111 | 49,199 | 38 | 39.0 | 26.7-51.3 | 15 | 10.9 | 02.1-19.7 | 17 | 14.5 | 06.7-22.3 | 14 | 11.5 | 03.9-19.1 | 27 | 24.1 | 13.3-34.9 |
| \$15,000- 24,999 | 137 | 60,745 | 44 | 31.1 | 21.5-40.7 | 17 | 10.8 | 04.9-16.7 | 17 | 13.0 | 05.0-21.0 | 12 | 8.4 | 02.7-14.1 | 47 | 36.7 | 26.5-46.9 |
| \$25,000- 34,999 | 86 | 41,752 | 19 | 11.8 | 05.5-18.1 | 15 | 28.4 | 12.9-43.9 | 13 | 13.3 | 06.2-20.4 | 15 | 23.6 | 11.1-36.1 | 24 | 22.9 | 11.3-34.5 |
| \$35,000- 49,999 | 85 | 46,106 | 22 | 31.3 | 19.5-43.1 | 16 | 14.9 | 06.7-23.1 | 9 | 10.3 | 03.0-17.6 | 9 | 9.1 | 02.8-15.4 | 29 | 34.4 | 22.2-46.6 |
| \$50,000- 74,999 | 75 | 38,847 | 18 | 21.5 | 11.3-31.7 | 14 | 25.4 | 12.7-38.1 | 10 | 8.3 | 02.4-14.2 | 7 | 12.3 | 02.3-22.3 | 26 | 32.5 | 20.0-45.0 |
| \$75,000+ | 90 | 50,987 | 26 | 35.2 | 22.9-47.5 | 14 | 12.6 | 05.7-19.5 | 13 | 13.3 | 04.9-21.7 | 6 | 7.6 | 00.9-14.3 | 31 | 31.2 | 19.8-42.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3339 | 2,137,018 | 2421 | 68.7 | 66.5-70.9 | 918 | 31.3 | 29.1-33.5 |
| Male | 1186 | 973,836 | 831 | 66.7 | 63.2-70.2 | 355 | 33.3 | 29.8-36.8 |
| Female | 2153 | 1,163,182 | 1590 | 70.5 | 67.8-73.2 | 563 | 29.5 | 26.8-32.2 |
| White/Non-Hisp | 2865 | 1,768,816 | 2076 | 68.7 | 66.3-71.1 | 789 | 31.3 | 28.9-33.7 |
| Black or Afr. Am./Non-Hisp | 354 | 262,298 | 261 | 68.1 | 60.7-75.5 | 93 | 31.9 | 24.5-39.3 |
| Oth. Race/Non-Hisp. | 53 | 44,501 | 37 | 71.3 | 56.6-86.0 | 16 | 28.7 | 14.0-43.4 |
| 45-54 | 420 | 439,779 | 214 | 49.4 | 43.1-55.7 | 206 | 50.6 | 44.3-56.9 |
| 55-64 | 1070 | 765,147 | 744 | 67.3 | 63.6-71.0 | 326 | 32.7 | 29.0-36.4 |
| 65+ | 1849 | 932,093 | 1463 | 79.1 | 76.6-81.6 | 386 | 20.9 | 18.4-23.4 |
| Less Than H.S. | 483 | 416,658 | 310 | 54.2 | 47.9-60.5 | 173 | 45.8 | 39.5-52.1 |
| H.S. or G.E.D. | 1144 | 689,936 | 786 | 68.6 | 65.1-72.1 | 358 | 31.4 | 27.9-34.9 |
| Some Post-H.S. | 787 | 568,436 | 589 | 72.3 | 68.0-76.6 | 198 | 27.7 | 23.4-32.0 |
| College Graduate | 920 | 461,089 | 731 | 77.7 | 74.2-81.2 | 189 | 22.3 | 18.8-25.8 |
| Less than \$15,000 | 459 | 227,804 | 296 | 60.9 | 54.6-67.2 | 163 | 39.1 | 32.8-45.4 |
| \$15,000- 24,999 | 598 | 364,352 | 393 | 56.7 | 51.4-62.0 | 205 | 43.3 | 38.0-48.6 |
| \$25,000- 34,999 | 373 | 246,705 | 271 | 65.8 | 58.2-73.4 | 102 | 34.2 | 26.6-41.8 |
| \$35,000- 49,999 | 405 | 282,498 | 320 | 76.7 | 71.2-82.2 | 85 | 23.3 | 17.8-28.8 |
| \$50,000- 74,999 | 349 | 248,051 | 273 | 73.7 | 67.2-80.2 | 76 | 26.3 | 19.8-32.8 |
| \$75,000+ | 499 | 369,916 | 391 | 74.2 | 68.7-79.7 | 108 | 25.8 | 20.3-31.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1186 | 973,836 | 831 | 66.7 | 63.2-70.2 | 355 | 33.3 | 29.8-36.8 |
| White/Non-Hisp | 1019 | 790,566 | 716 | 67.0 | 63.3-70.7 | 303 | 33.0 | 29.3-36.7 |
| Black or Afr. Am./Non-Hisp | 106 | 115,318 | 72 | 63.1 | 49.8-76.4 | 34 | 36.9 | 23.6-50.2 |
| 45-54 | 160 | 206,644 | 78 | 51.1 | 41.3-60.9 | 82 | 48.9 | 39.1-58.7 |
| 55-64 | 408 | 362,079 | 279 | 65.2 | 59.3-71.1 | 129 | 34.8 | 28.9-40.7 |
| 65+ | 618 | 405,114 | 474 | 75.9 | 71.6-80.2 | 144 | 24.1 | 19.8-28.4 |
| Less Than H.S. | 167 | 192,607 | 85 | 46.7 | 37.5-55.9 | 82 | 53.3 | 44.1-62.5 |
| H.S. or G.E.D. | 377 | 300,002 | 252 | 68.4 | 62.3-74.5 | 125 | 31.6 | 25.5-37.7 |
| Some Post-H.S. | 259 | 241,858 | 191 | 69.2 | 61.4-77.0 | 68 | 30.8 | 23.0-38.6 |
| College Graduate | 383 | 239,369 | 303 | 78.0 | 72.7-83.3 | 80 | 22.0 | 16.7-27.3 |
| Less than \$15,000 | 136 | 87,894 | 68 | 52.4 | 41.0-63.8 | 68 | 47.6 | 36.2-59.0 |
| \$15,000- 24,999 | 178 | 142,831 | 104 | 48.1 | 38.9-57.3 | 74 | 51.9 | 42.7-61.1 |
| \$25,000- 34,999 | 137 | 124,110 | 94 | 60.7 | 49.1-72.3 | 43 | 39.3 | 27.7-50.9 |
| \$35,000- 49,999 | 185 | 158,218 | 145 | 74.7 | 66.3-83.1 | 40 | 25.3 | 16.9-33.7 |
| \$50,000- 74,999 | 159 | 131,939 | 125 | 75.2 | 66.0-84.4 | 34 | 24.8 | 15.6-34.0 |
| \$75,000+ | 230 | 196,457 | 185 | 78.1 | 70.8-85.4 | 45 | 21.9 | 14.6-29.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2153 | 1,163,182 | 1590 | 70.5 | 67.8-73.2 | 563 | 29.5 | 26.8-32.2 |
| White/Non-Hisp | 1846 | 978,250 | 1360 | 70.1 | 67.2-73.0 | 486 | 29.9 | 27.0-32.8 |
| Black or Afr. Am./Non-Hisp | 248 | 146,980 | 189 | 72.0 | 64.0-80.0 | 59 | 28.0 | 20.0-36.0 |
| 45-54 | 260 | 233,135 | 136 | 47.9 | 40.1-55.7 | 124 | 52.1 | 44.3-59.9 |
| 55-64 | 662 | 403,068 | 465 | 69.1 | 64.8-73.4 | 197 | 30.9 | 26.6-35.2 |
| 65+ | 1231 | 526,979 | 989 | 81.5 | 78.8-84.2 | 242 | 18.5 | 15.8-21.2 |
| Less Than H.S. | 316 | 224,051 | 225 | 60.7 | 52.3-69.1 | 91 | 39.3 | 30.9-47.7 |
| H.S. or G.E.D. | 767 | 389,934 | 534 | 68.8 | 64.5-73.1 | 233 | 31.2 | 26.9-35.5 |
| Some Post-H.S. | 528 | 326,578 | 398 | 74.5 | 70.0-79.0 | 130 | 25.5 | 21.0-30.0 |
| College Graduate | 537 | 221,720 | 428 | 77.3 | 72.6-82.0 | 109 | 22.7 | 18.0-27.4 |
| Less than \$15,000 | 323 | 139,910 | 228 | 66.2 | 58.9-73.5 | 95 | 33.8 | 26.5-41.1 |
| \$15,000- 24,999 | 420 | 221,521 | 289 | 62.3 | 55.8-68.8 | 131 | 37.7 | 31.2-44.2 |
| \$25,000- 34,999 | 236 | 122,595 | 177 | 70.9 | 61.1-80.7 | 59 | 29.1 | 19.3-38.9 |
| \$35,000- 49,999 | 220 | 124,280 | 175 | 79.2 | 72.7-85.7 | 45 | 20.8 | 14.3-27.3 |
| \$50,000- 74,999 | 190 | 116,112 | 148 | 71.9 | 63.3-80.5 | 42 | 28.1 | 19.5-36.7 |
| \$75,000+ | 269 | 173,459 | 206 | 69.8 | 61.8-77.8 | 63 | 30.2 | 22.2-38.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Sigmoidoscopy | | | Colonoscopy | | |
|----------------------------|-------------------|-----------|---------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2384 | 1,452,843 | 85 | 3.0 | 02.2-03.8 | 2299 | 97.0 | 96.2-97.8 |
| Male | 816 | 640,962 | 31 | 2.9 | 01.5-04.3 | 785 | 97.1 | 95.7-98.5 |
| Female | 1568 | 811,881 | 54 | 3.0 | 02.0-04.0 | 1514 | 97.0 | 96.0-98.0 |
| White/Non-Hisp | 2044 | 1,202,815 | 73 | 2.7 | 01.9-03.5 | 1971 | 97.3 | 96.5-98.1 |
| Black or Afr. Am./Non-Hisp | 259 | 176,440 | 9 | 3.3 | 00.8-05.8 | 250 | 96.7 | 94.2-99.2 |
| 45-54 | 213 | 217,131 | 7 | 2.8 | 00.6-05.0 | 206 | 97.2 | 95.0-99.4 |
| 55-64 | 739 | 512,780 | 24 | 3.0 | 01.6-04.4 | 715 | 97.0 | 95.6-98.4 |
| 65+ | 1432 | 722,932 | 54 | 3.0 | 02.0-04.0 | 1378 | 97.0 | 96.0-98.0 |
| Less Than H.S. | 303 | 220,772 | 11 | 2.9 | 00.7-05.1 | 292 | 97.1 | 94.9-99.3 |
| H.S. or G.E.D. | 776 | 468,544 | 22 | 2.6 | 01.2-04.0 | 754 | 97.4 | 96.0-98.8 |
| Some Post-H.S. | 578 | 408,237 | 24 | 3.5 | 01.7-05.3 | 554 | 96.5 | 94.7-98.3 |
| College Graduate | 722 | 354,392 | 28 | 2.8 | 01.4-04.2 | 694 | 97.2 | 95.8-98.6 |
| Less than \$15,000 | 288 | 134,948 | 9 | 2.6 | 00.4-04.8 | 279 | 97.4 | 95.2-99.6 |
| \$15,000- 24,999 | 386 | 204,112 | 15 | 3.1 | 01.3-04.9 | 371 | 96.9 | 95.1-98.7 |
| \$25,000- 34,999 | 264 | 159,644 | 11 | 4.1 | 01.0-07.2 | 253 | 95.9 | 92.8-99.0 |
| \$35,000- 49,999 | 316 | 214,918 | 12 | 2.9 | 00.9-04.9 | 304 | 97.1 | 95.1-99.1 |
| \$50,000- 74,999 | 272 | 182,287 | 13 | 3.7 | 01.2-06.2 | 259 | 96.3 | 93.8-98.8 |
| \$75,000+ | 389 | 273,569 | 14 | 2.7 | 01.1-04.3 | 375 | 97.3 | 95.7-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Sigmoidoscopy | | | Colonoscopy | | |
|----------------------------|-------------------|----------|---------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 816 | 640,962 | 31 | 2.9 | 01.5-04.3 | 785 | 97.1 | 95.7-98.5 |
| White/Non-Hisp | 702 | 523,446 | 25 | 2.3 | 01.3-03.3 | 677 | 97.7 | 96.7-98.7 |
| Black or Afr. Am./Non-Hisp | 71 | 70,683 | 4 | 5.7 | 00.0-11.6 | 67 | 94.3 | 88.4-0100 |
| 45-54 | 77 | 105,391 | 2 | 1.2 | 00.0-03.0 | 75 | 98.8 | 97.0-0100 |
| 55-64 | 278 | 235,758 | 7 | 2.6 | 00.4-04.8 | 271 | 97.4 | 95.2-99.6 |
| 65+ | 461 | 299,813 | 22 | 3.7 | 01.7-05.7 | 439 | 96.3 | 94.3-98.3 |
| Less Than H.S. | 83 | 86,485 | 3 | 1.6 | 00.0-03.8 | 80 | 98.4 | 96.2-0100 |
| H.S. or G.E.D. | 246 | 202,693 | 8 | 2.7 | 00.5-04.9 | 238 | 97.3 | 95.1-99.5 |
| Some Post-H.S. | 187 | 166,187 | 9 | 4.1 | 00.8-07.4 | 178 | 95.9 | 92.6-99.2 |
| College Graduate | 300 | 185,596 | 11 | 2.6 | 00.6-04.6 | 289 | 97.4 | 95.4-99.4 |
| Less than \$15,000 | 65 | 44,299 | 3 | 3.0 | 00.0-07.1 | 62 | 97.0 | 92.9-0100 |
| \$15,000- 24,999 | 100 | 66,649 | 5 | 4.1 | 00.2-08.0 | 95 | 95.9 | 92.0-99.8 |
| \$25,000- 34,999 | 91 | 74,352 | 5 | 3.7 | 00.0-07.4 | 86 | 96.3 | 92.6-0100 |
| \$35,000- 49,999 | 144 | 117,804 | 4 | 1.2 | 00.0-02.6 | 140 | 98.8 | 97.4-0100 |
| \$50,000- 74,999 | 124 | 98,778 | 5 | 4.1 | 00.0-08.2 | 119 | 95.9 | 91.8-0100 |
| \$75,000+ | 185 | 153,364 | 6 | 2.1 | 00.1-04.1 | 179 | 97.9 | 95.9-99.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Sigmoidoscopy | | | Colonoscopy | | |
|----------------------------|-------------------|----------|---------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1568 | 811,881 | 54 | 3.0 | 02.0-04.0 | 1514 | 97.0 | 96.0-98.0 |
| White/Non-Hisp | 1342 | 679,369 | 48 | 3.1 | 02.1-04.1 | 1294 | 96.9 | 95.9-97.9 |
| Black or Afr. Am./Non-Hisp | 188 | 105,757 | 5 | 1.8 | 00.0-03.6 | 183 | 98.2 | 96.4-0100 |
| 45-54 | 136 | 111,740 | 5 | 4.2 | 00.3-08.1 | 131 | 95.8 | 91.9-99.7 |
| 55-64 | 461 | 277,022 | 17 | 3.3 | 01.3-05.3 | 444 | 96.7 | 94.7-98.7 |
| 65+ | 971 | 423,119 | 32 | 2.5 | 01.5-03.5 | 939 | 97.5 | 96.5-98.5 |
| Less Than H.S. | 220 | 134,287 | 8 | 3.7 | 00.6-06.8 | 212 | 96.3 | 93.2-99.4 |
| H.S. or G.E.D. | 530 | 265,850 | 14 | 2.5 | 00.7-04.3 | 516 | 97.5 | 95.7-99.3 |
| Some Post-H.S. | 391 | 242,050 | 15 | 3.1 | 01.3-04.9 | 376 | 96.9 | 95.1-98.7 |
| College Graduate | 422 | 168,796 | 17 | 3.1 | 01.3-04.9 | 405 | 96.9 | 95.1-98.7 |
| Less than \$15,000 | 223 | 90,649 | 6 | 2.4 | 00.0-04.8 | 217 | 97.6 | 95.2-0100 |
| \$15,000- 24,999 | 286 | 137,463 | 10 | 2.7 | 00.9-04.5 | 276 | 97.3 | 95.5-99.1 |
| \$25,000- 34,999 | 173 | 85,293 | 6 | 4.4 | 00.0-09.1 | 167 | 95.6 | 90.9-0100 |
| \$35,000- 49,999 | 172 | 97,114 | 8 | 4.8 | 00.7-08.9 | 164 | 95.2 | 91.1-99.3 |
| \$50,000- 74,999 | 148 | 83,509 | 8 | 3.2 | 00.5-05.9 | 140 | 96.8 | 94.1-99.5 |
| \$75,000+ | 204 | 120,205 | 8 | 3.6 | 01.1-06.1 | 196 | 96.4 | 93.9-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 yr but less than 2 yrs ago | | | 2 yrs but less than 3 yrs ago | | | 3 yrs but less than 5 yrs ago | | | 5 yrs but less than 10 yrs ago | | | 10 or more yrs ago | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|------------------------------|------|------------|-------------------------------|------|------------|-------------------------------|------|------------|--------------------------------|------|------------|--------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2357 | 1,437,342 | 490 | 22.0 | 19.6-24.4 | 419 | 18.5 | 16.3-20.7 | 376 | 14.8 | 13.0-16.6 | 537 | 23.0 | 20.8-25.2 | 375 | 15.0 | 13.2-16.8 | 160 | 6.7 | 05.3-08.1 |
| Male | 812 | 634,469 | 173 | 22.5 | 18.6-26.4 | 141 | 18.2 | 14.9-21.5 | 129 | 14.7 | 11.8-17.6 | 190 | 22.8 | 19.1-26.5 | 129 | 15.8 | 12.7-18.9 | 50 | 5.9 | 03.9-07.9 |
| Female | 1545 | 802,873 | 317 | 21.5 | 18.8-24.2 | 278 | 18.8 | 16.3-21.3 | 247 | 14.8 | 12.6-17.0 | 347 | 23.2 | 20.5-25.9 | 246 | 14.4 | 12.2-16.6 | 110 | 7.4 | 05.6-09.2 |
| White/Non-Hisp | 2020 | 1,187,969 | 391 | 20.3 | 17.9-22.7 | 355 | 18.4 | 16.2-20.6 | 332 | 15.7 | 13.7-17.7 | 466 | 22.5 | 20.1-24.9 | 326 | 15.6 | 13.6-17.6 | 150 | 7.6 | 06.0-09.2 |
| Black or Afr. Am./Non-Hisp | 253 | 174,665 | 75 | 32.2 | 23.6-40.8 | 49 | 19.2 | 12.3-26.1 | 37 | 12.5 | 07.6-17.4 | 50 | 24.1 | 16.5-31.7 | 37 | 10.5 | 06.6-14.4 | 5 | 1.6 | 00.0-03.2 |
| 45-54 | 210 | 213,790 | 52 | 27.9 | 19.5-36.3 | 43 | 18.7 | 12.8-24.6 | 31 | 13.1 | 07.8-18.4 | 45 | 23.4 | 16.0-30.8 | 23 | 10.1 | 05.2-15.0 | 16 | 6.8 | 02.9-10.7 |
| 55-64 | 735 | 509,866 | 153 | 20.6 | 16.9-24.3 | 130 | 19.8 | 15.9-23.7 | 106 | 13.8 | 10.9-16.7 | 163 | 22.2 | 18.3-26.1 | 126 | 15.6 | 12.5-18.7 | 57 | 8.0 | 05.6-10.4 |
| 65+ | 1412 | 713,686 | 285 | 21.1 | 18.2-24.0 | 246 | 17.5 | 15.0-20.0 | 239 | 15.9 | 13.5-18.3 | 329 | 23.5 | 20.8-26.2 | 226 | 16.2 | 13.8-18.6 | 87 | 5.8 | 04.2-07.4 |
| Less Than H.S. | 298 | 217,597 | 62 | 23.6 | 16.9-30.3 | 60 | 21.3 | 14.6-28.0 | 46 | 14.0 | 09.1-18.9 | 67 | 21.5 | 15.2-27.8 | 41 | 12.7 | 08.2-17.2 | 22 | 6.8 | 03.3-10.3 |
| H.S. or G.E.D. | 755 | 460,181 | 172 | 23.3 | 19.2-27.4 | 133 | 18.0 | 14.3-21.7 | 121 | 14.9 | 11.8-18.0 | 169 | 22.6 | 18.7-26.5 | 107 | 13.4 | 10.3-16.5 | 53 | 7.9 | 05.4-10.4 |
| Some Post-H.S. | 580 | 408,341 | 129 | 22.7 | 18.0-27.4 | 112 | 19.5 | 15.4-23.6 | 85 | 13.3 | 10.0-16.6 | 125 | 23.5 | 19.0-28.0 | 92 | 15.2 | 11.7-18.7 | 37 | 5.8 | 03.4-08.2 |
| College Graduate | 719 | 350,323 | 126 | 18.3 | 14.8-21.8 | 114 | 16.5 | 13.2-19.8 | 123 | 16.7 | 13.4-20.0 | 174 | 23.8 | 20.1-27.5 | 134 | 18.5 | 15.0-22.0 | 48 | 6.1 | 03.9-08.3 |
| Less than \$15,000 | 288 | 136,562 | 65 | 26.2 | 18.8-33.6 | 61 | 21.2 | 14.5-27.9 | 47 | 12.7 | 08.2-17.2 | 60 | 22.9 | 15.3-30.5 | 41 | 11.4 | 07.1-15.7 | 14 | 5.6 | 02.3-08.9 |
| \$15,000- 24,999 | 379 | 199,143 | 84 | 20.2 | 15.1-25.3 | 64 | 19.8 | 13.9-25.7 | 57 | 14.8 | 10.3-19.3 | 75 | 19.3 | 14.4-24.2 | 61 | 15.2 | 10.7-19.7 | 38 | 10.6 | 06.3-14.9 |
| \$25,000- 34,999 | 264 | 157,168 | 45 | 18.1 | 10.7-25.5 | 41 | 15.1 | 09.2-21.0 | 49 | 16.8 | 11.1-22.5 | 70 | 29.7 | 21.9-37.5 | 38 | 12.7 | 07.6-17.8 | 21 | 7.6 | 03.9-11.3 |
| \$35,000- 49,999 | 316 | 213,849 | 67 | 20.0 | 14.5-25.5 | 62 | 19.8 | 14.3-25.3 | 42 | 13.8 | 09.1-18.5 | 76 | 25.6 | 19.3-31.9 | 52 | 16.2 | 11.3-21.1 | 17 | 4.7 | 02.2-07.2 |
| \$50,000- 74,999 | 271 | 182,052 | 45 | 17.0 | 11.1-22.9 | 44 | 15.5 | 10.2-20.8 | 46 | 19.0 | 13.1-24.9 | 66 | 24.5 | 18.2-30.8 | 51 | 18.1 | 12.4-23.8 | 19 | 5.9 | 02.2-09.6 |
| \$75,000+ | 386 | 271,048 | 92 | 26.9 | 20.8-33.0 | 71 | 19.8 | 14.9-24.7 | 49 | 11.0 | 07.5-14.5 | 89 | 20.8 | 15.9-25.7 | 63 | 15.9 | 11.6-20.2 | 22 | 5.6 | 02.9-08.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 yr but less than 2 yrs ago | | | 2 yrs but less than 3 yrs ago | | | 3 yrs but less than 5 yrs ago | | | 5 yrs but less than 10 yrs ago | | | 10 or more yrs ago | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|------------------------------|------|------------|-------------------------------|------|------------|-------------------------------|------|------------|--------------------------------|------|------------|--------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 812 | 634,469 | 173 | 22.5 | 18.6-26.4 | 141 | 18.2 | 14.9-21.5 | 129 | 14.7 | 11.8-17.6 | 190 | 22.8 | 19.1-26.5 | 129 | 15.8 | 12.7-18.9 | 50 | 5.9 | 03.9-07.9 |
| White/Non-Hisp | 697 | 514,813 | 136 | 21.1 | 17.0-25.2 | 122 | 18.3 | 14.8-21.8 | 110 | 15.4 | 12.3-18.5 | 166 | 21.8 | 18.1-25.5 | 116 | 16.8 | 13.5-20.1 | 47 | 6.6 | 04.4-08.8 |
| Black or Afr. Am./Non-Hisp | 72 | 72,823 | 23 | 35.5 | 19.6-51.4 | 13 | 17.9 | 05.6-30.2 | 16 | 17.6 | 07.8-27.4 | 13 | 22.7 | 09.2-36.2 | 7 | 6.3 | 01.0-11.6 | | | |
| 45-54 | 77 | 103,608 | 16 | 30.7 | 16.2-45.2 | 13 | 13.8 | 05.8-21.8 | 14 | 13.1 | 05.8-20.4 | 21 | 26.0 | 13.8-38.2 | 7 | 10.2 | 02.2-18.2 | 6 | 6.3 | 00.4-12.2 |
| 55-64 | 275 | 232,758 | 63 | 21.9 | 16.0-27.8 | 51 | 20.6 | 14.3-26.9 | 41 | 15.1 | 10.2-20.0 | 58 | 20.2 | 14.1-26.3 | 44 | 15.4 | 10.3-20.5 | 18 | 6.7 | 03.2-10.2 |
| 65+ | 460 | 298,103 | 94 | 20.1 | 15.6-24.6 | 77 | 17.9 | 13.4-22.4 | 74 | 15.0 | 11.1-18.9 | 111 | 23.7 | 19.0-28.4 | 78 | 18.2 | 13.9-22.5 | 26 | 5.1 | 02.7-07.5 |
| Less Than H.S. | 82 | 85,778 | 19 | 25.0 | 13.2-36.8 | 17 | 21.1 | 09.7-32.5 | 12 | 11.0 | 03.7-18.3 | 19 | 25.2 | 13.4-37.0 | 10 | 12.2 | 04.4-20.0 | 5 | 5.4 | 00.0-11.5 |
| H.S. or G.E.D. | 243 | 199,322 | 58 | 24.8 | 17.4-32.2 | 40 | 18.4 | 11.9-24.9 | 45 | 17.2 | 11.7-22.7 | 53 | 20.3 | 14.2-26.4 | 33 | 14.1 | 08.4-19.8 | 14 | 5.1 | 02.0-08.2 |
| Some Post-H.S. | 188 | 166,350 | 43 | 22.4 | 14.0-30.8 | 41 | 19.4 | 12.7-26.1 | 26 | 12.6 | 06.9-18.3 | 43 | 24.2 | 16.0-32.4 | 23 | 14.4 | 07.9-20.9 | 12 | 7.0 | 02.5-11.5 |
| College Graduate | 299 | 183,019 | 53 | 18.9 | 13.4-24.4 | 43 | 15.7 | 10.6-20.8 | 46 | 15.7 | 10.6-20.8 | 75 | 23.2 | 17.7-28.7 | 63 | 20.7 | 15.2-26.2 | 19 | 5.8 | 02.7-08.9 |
| Less than \$15,000 | 68 | 46,013 | 16 | 29.8 | 14.3-45.3 | 15 | 19.5 | 07.3-31.7 | 12 | 11.0 | 03.4-18.6 | 12 | 24.8 | 08.3-41.3 | 7 | 9.2 | 01.2-17.2 | 6 | 5.8 | 00.5-11.1 |
| \$15,000- 24,999 | 99 | 64,331 | 26 | 21.3 | 11.7-30.9 | 14 | 24.4 | 11.1-37.7 | 17 | 16.4 | 08.2-24.6 | 18 | 15.4 | 07.2-23.6 | 16 | 14.0 | 05.8-22.2 | 8 | 8.6 | 01.5-15.7 |
| \$25,000- 34,999 | 91 | 72,522 | 17 | 21.8 | 08.5-35.1 | 15 | 13.6 | 05.0-22.2 | 15 | 20.3 | 09.7-30.9 | 27 | 28.2 | 15.7-40.7 | 9 | 9.3 | 01.5-17.1 | 8 | 6.8 | 01.5-12.1 |
| \$35,000- 49,999 | 144 | 116,375 | 29 | 17.2 | 09.6-24.8 | 30 | 21.9 | 13.9-29.9 | 18 | 11.5 | 05.4-17.6 | 38 | 29.8 | 20.0-39.6 | 26 | 18.0 | 10.7-25.3 | 3 | 1.6 | 00.0-03.8 |
| \$50,000- 74,999 | 124 | 98,778 | 20 | 18.0 | 10.0-26.0 | 23 | 17.5 | 09.9-25.1 | 25 | 22.1 | 13.3-30.9 | 31 | 21.6 | 13.6-29.6 | 20 | 16.7 | 08.7-24.7 | 5 | 4.1 | 00.0-09.2 |
| \$75,000+ | 183 | 152,304 | 40 | 26.5 | 17.1-35.9 | 32 | 17.2 | 10.7-23.7 | 18 | 7.8 | 03.7-11.9 | 46 | 22.4 | 15.1-29.7 | 33 | 18.6 | 11.7-25.5 | 14 | 7.5 | 03.2-11.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0 to LT 12 months ago | | | 1 yr but less than 2 yrs ago | | | 2 yrs but less than 3 yrs ago | | | 3 yrs but less than 5 yrs ago | | | 5 yrs but less than 10 yrs ago | | | 10 or more yrs ago | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|------------------------------|------|------------|-------------------------------|------|------------|-------------------------------|------|------------|--------------------------------|------|------------|--------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1545 | 802,873 | 317 | 21.5 | 18.8-24.2 | 278 | 18.8 | 16.3-21.3 | 247 | 14.8 | 12.6-17.0 | 347 | 23.2 | 20.5-25.9 | 246 | 14.4 | 12.2-16.6 | 110 | 7.4 | 05.6-09.2 |
| White/Non-Hisp | 1323 | 673,157 | 255 | 19.7 | 17.0-22.4 | 233 | 18.4 | 15.7-21.1 | 222 | 15.9 | 13.4-18.4 | 300 | 23.0 | 20.1-25.9 | 210 | 14.6 | 12.2-17.0 | 103 | 8.3 | 06.3-10.3 |
| Black or Afr. Am./Non-Hisp | 181 | 101,842 | 52 | 29.8 | 20.6-39.0 | 36 | 20.1 | 12.7-27.5 | 21 | 8.8 | 04.3-13.3 | 37 | 25.0 | 16.2-33.8 | 30 | 13.5 | 08.0-19.0 | 5 | 2.7 | 00.0-05.4 |
| 45-54 | 133 | 110,181 | 36 | 25.4 | 16.8-34.0 | 30 | 23.4 | 15.0-31.8 | 17 | 13.1 | 05.8-20.4 | 24 | 20.8 | 12.0-29.6 | 16 | 10.0 | 04.5-15.5 | 10 | 7.2 | 01.9-12.5 |
| 55-64 | 460 | 277,108 | 90 | 19.5 | 15.0-24.0 | 79 | 19.2 | 14.1-24.3 | 65 | 12.8 | 09.3-16.3 | 105 | 23.8 | 18.9-28.7 | 82 | 15.7 | 11.8-19.6 | 39 | 9.1 | 06.0-12.2 |
| 65+ | 952 | 415,583 | 191 | 21.9 | 18.4-25.4 | 169 | 17.2 | 14.3-20.1 | 165 | 16.5 | 13.6-19.4 | 218 | 23.4 | 20.1-26.7 | 148 | 14.7 | 12.0-17.4 | 61 | 6.2 | 04.2-08.2 |
| Less Than H.S. | 216 | 131,819 | 43 | 22.7 | 14.7-30.7 | 43 | 21.4 | 13.4-29.4 | 34 | 16.0 | 09.5-22.5 | 48 | 19.1 | 12.4-25.8 | 31 | 13.1 | 07.6-18.6 | 17 | 7.7 | 03.4-12.0 |
| H.S. or G.E.D. | 512 | 260,860 | 114 | 22.1 | 17.6-26.6 | 93 | 17.7 | 13.6-21.8 | 76 | 13.1 | 09.6-16.6 | 116 | 24.4 | 19.3-29.5 | 74 | 12.8 | 09.3-16.3 | 39 | 10.0 | 06.3-13.7 |
| Some Post-H.S. | 392 | 241,991 | 86 | 22.9 | 17.4-28.4 | 71 | 19.6 | 14.5-24.7 | 59 | 13.8 | 09.7-17.9 | 82 | 23.0 | 17.7-28.3 | 69 | 15.7 | 11.6-19.8 | 25 | 5.0 | 02.6-07.4 |
| College Graduate | 420 | 167,304 | 73 | 17.7 | 13.4-22.0 | 71 | 17.3 | 12.8-21.8 | 77 | 17.9 | 13.6-22.2 | 99 | 24.6 | 19.5-29.7 | 71 | 16.2 | 12.1-20.3 | 29 | 6.4 | 03.7-09.1 |
| Less than \$15,000 | 220 | 90,549 | 49 | 24.4 | 16.6-32.2 | 46 | 22.0 | 14.2-29.8 | 35 | 13.6 | 08.1-19.1 | 48 | 21.9 | 14.1-29.7 | 34 | 12.5 | 07.6-17.4 | 8 | 5.5 | 01.4-09.6 |
| \$15,000- 24,999 | 280 | 134,811 | 58 | 19.8 | 13.7-25.9 | 50 | 17.7 | 11.8-23.6 | 40 | 14.1 | 08.6-19.6 | 57 | 21.2 | 15.1-27.3 | 45 | 15.8 | 10.5-21.1 | 30 | 11.5 | 06.0-17.0 |
| \$25,000- 34,999 | 173 | 84,646 | 28 | 14.9 | 07.3-22.5 | 26 | 16.4 | 08.6-24.2 | 34 | 13.8 | 08.3-19.3 | 43 | 31.1 | 21.5-40.7 | 29 | 15.5 | 08.6-22.4 | 13 | 8.4 | 03.1-13.7 |
| \$35,000- 49,999 | 172 | 97,473 | 38 | 23.4 | 15.6-31.2 | 32 | 17.4 | 10.7-24.1 | 24 | 16.4 | 08.8-24.0 | 38 | 20.5 | 13.2-27.8 | 26 | 14.0 | 07.9-20.1 | 14 | 8.3 | 03.4-13.2 |
| \$50,000- 74,999 | 147 | 83,274 | 25 | 15.9 | 08.3-23.5 | 21 | 13.2 | 06.1-20.3 | 21 | 15.3 | 08.0-22.6 | 35 | 28.0 | 18.4-37.6 | 31 | 19.7 | 11.5-27.9 | 14 | 8.1 | 02.8-13.4 |
| \$75,000+ | 203 | 118,744 | 52 | 27.5 | 20.2-34.8 | 39 | 23.1 | 16.0-30.2 | 31 | 15.0 | 09.3-20.7 | 43 | 18.7 | 12.6-24.8 | 30 | 12.4 | 07.5-17.3 | 8 | 3.1 | 00.7-05.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6) | |
| 1 MALES AND FEMALES | 257 |
| 2 MALES ONLY | 258 |
| 3 FEMALES ONLY | 259 |
| NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3) | |
| 4 MALES AND FEMALES | 260 |
| 5 MALES ONLY | 261 |
| 6 FEMALES ONLY | 262 |
| WHERE DID YOU HAVE YOUR LAST HIV TEST - AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10) | |
| 7 MALES AND FEMALES | 263 |
| 8 MALES ONLY | 264 |
| 9 FEMALES ONLY | 265 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4420 | 4,432,164 | 1387 | 39.5 | 37.3-41.7 | 3033 | 60.5 | 58.3-62.7 |
| Male | 1605 | 2,141,540 | 519 | 36.9 | 33.6-40.2 | 1086 | 63.1 | 59.8-66.4 |
| Female | 2815 | 2,290,625 | 868 | 41.9 | 39.2-44.6 | 1947 | 58.1 | 55.4-60.8 |
| White/Non-Hisp | 3654 | 3,363,819 | 1024 | 34.5 | 32.1-36.9 | 2630 | 65.5 | 63.1-67.9 |
| Black or Afr. Am./Non-Hisp | 546 | 715,280 | 279 | 62.9 | 57.2-68.6 | 267 | 37.1 | 31.4-42.8 |
| Oth. Race/Non-Hisp. | 81 | 107,613 | 28 | 43.7 | 29.2-58.2 | 53 | 56.3 | 41.8-70.8 |
| Hispanic | 56 | 130,494 | 18 | 28.5 | 15.2-41.8 | 38 | 71.5 | 58.2-84.8 |
| 18-24 | 186 | 573,351 | 77 | 40.4 | 32.2-48.6 | 109 | 59.6 | 51.4-67.8 |
| 25-34 | 364 | 771,956 | 202 | 55.9 | 49.8-62.0 | 162 | 44.1 | 38.0-50.2 |
| 35-44 | 424 | 736,102 | 253 | 57.6 | 51.5-63.7 | 171 | 42.4 | 36.3-48.5 |
| 45-54 | 703 | 752,208 | 296 | 42.6 | 37.9-47.3 | 407 | 57.4 | 52.7-62.1 |
| 55-64 | 1010 | 718,922 | 291 | 27.5 | 24.0-31.0 | 719 | 72.5 | 69.0-76.0 |
| 65+ | 1689 | 854,784 | 258 | 16.3 | 13.9-18.7 | 1431 | 83.7 | 81.3-86.1 |
| Less Than H.S. | 558 | 699,889 | 165 | 39.1 | 32.6-45.6 | 393 | 60.9 | 54.4-67.4 |
| H.S. or G.E.D. | 1500 | 1,465,085 | 417 | 37.6 | 33.9-41.3 | 1083 | 62.4 | 58.7-66.1 |
| Some Post-H.S. | 1088 | 1,289,201 | 379 | 41.1 | 37.0-45.2 | 709 | 58.9 | 54.8-63.0 |
| College Graduate | 1260 | 968,937 | 424 | 40.7 | 37.0-44.4 | 836 | 59.3 | 55.6-63.0 |
| Less than \$15,000 | 603 | 527,389 | 245 | 51.8 | 45.7-57.9 | 358 | 48.2 | 42.1-54.3 |
| \$15,000- 24,999 | 769 | 728,492 | 245 | 42.4 | 36.9-47.9 | 524 | 57.6 | 52.1-63.1 |
| \$25,000- 34,999 | 471 | 460,316 | 145 | 42.1 | 35.4-48.8 | 326 | 57.9 | 51.2-64.6 |
| \$35,000- 49,999 | 544 | 578,358 | 174 | 41.6 | 35.5-47.7 | 370 | 58.4 | 52.3-64.5 |
| \$50,000- 74,999 | 483 | 516,967 | 143 | 36.3 | 30.2-42.4 | 340 | 63.7 | 57.6-69.8 |
| \$75,000+ | 735 | 861,357 | 246 | 36.7 | 31.6-41.8 | 489 | 63.3 | 58.2-68.4 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1605 | 2,141,540 | 519 | 36.9 | 33.6-40.2 | 1086 | 63.1 | 59.8-66.4 |
| White/Non-Hisp | 1336 | 1,625,942 | 395 | 33.2 | 29.7-36.7 | 941 | 66.8 | 63.3-70.3 |
| Black or Afr. Am./Non-Hisp | 170 | 326,884 | 91 | 59.8 | 50.2-69.4 | 79 | 40.2 | 30.6-49.8 |
| 18-24 | 83 | 287,216 | 28 | 33.5 | 21.9-45.1 | 55 | 66.5 | 54.9-78.1 |
| 25-34 | 152 | 396,081 | 67 | 46.3 | 36.9-55.7 | 85 | 53.7 | 44.3-63.1 |
| 35-44 | 151 | 363,692 | 70 | 46.2 | 36.4-56.0 | 81 | 53.8 | 44.0-63.6 |
| 45-54 | 267 | 375,576 | 108 | 41.5 | 34.1-48.9 | 159 | 58.5 | 51.1-65.9 |
| 55-64 | 387 | 346,929 | 131 | 31.1 | 25.4-36.8 | 256 | 68.9 | 63.2-74.6 |
| 65+ | 553 | 364,365 | 111 | 21.0 | 16.7-25.3 | 442 | 79.0 | 74.7-83.3 |
| Less Than H.S. | 196 | 344,396 | 66 | 38.3 | 27.9-48.7 | 130 | 61.7 | 51.3-72.1 |
| H.S. or G.E.D. | 526 | 700,769 | 165 | 37.4 | 31.5-43.3 | 361 | 62.6 | 56.7-68.5 |
| Some Post-H.S. | 383 | 625,141 | 138 | 38.0 | 31.3-44.7 | 245 | 62.0 | 55.3-68.7 |
| College Graduate | 498 | 466,251 | 150 | 34.1 | 28.6-39.6 | 348 | 65.9 | 60.4-71.4 |
| Less than \$15,000 | 185 | 216,370 | 83 | 46.8 | 36.4-57.2 | 102 | 53.2 | 42.8-63.6 |
| \$15,000- 24,999 | 247 | 318,519 | 85 | 38.0 | 28.8-47.2 | 162 | 62.0 | 52.8-71.2 |
| \$25,000- 34,999 | 174 | 234,332 | 51 | 37.7 | 27.3-48.1 | 123 | 62.3 | 51.9-72.7 |
| \$35,000- 49,999 | 243 | 328,725 | 82 | 39.8 | 30.8-48.8 | 161 | 60.2 | 51.2-69.2 |
| \$50,000- 74,999 | 214 | 276,767 | 69 | 40.3 | 31.3-49.3 | 145 | 59.7 | 50.7-68.7 |
| \$75,000+ | 330 | 469,665 | 93 | 30.7 | 23.4-38.0 | 237 | 69.3 | 62.0-76.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2815 | 2,290,625 | 868 | 41.9 | 39.2-44.6 | 1947 | 58.1 | 55.4-60.8 |
| White/Non-Hisp | 2318 | 1,737,877 | 629 | 35.7 | 32.8-38.6 | 1689 | 64.3 | 61.4-67.2 |
| Black or Afr. Am./Non-Hisp | 376 | 388,396 | 188 | 65.4 | 58.7-72.1 | 188 | 34.6 | 27.9-41.3 |
| 18-24 | 103 | 286,136 | 49 | 47.4 | 35.8-59.0 | 54 | 52.6 | 41.0-64.2 |
| 25-34 | 212 | 375,875 | 135 | 65.9 | 58.5-73.3 | 77 | 34.1 | 26.7-41.5 |
| 35-44 | 273 | 372,409 | 183 | 68.7 | 62.0-75.4 | 90 | 31.3 | 24.6-38.0 |
| 45-54 | 436 | 376,632 | 188 | 43.8 | 37.7-49.9 | 248 | 56.2 | 50.1-62.3 |
| 55-64 | 623 | 371,994 | 160 | 24.1 | 20.0-28.2 | 463 | 75.9 | 71.8-80.0 |
| 65+ | 1136 | 490,418 | 147 | 12.9 | 10.4-15.4 | 989 | 87.1 | 84.6-89.6 |
| Less Than H.S. | 362 | 355,493 | 99 | 40.0 | 32.0-48.0 | 263 | 60.0 | 52.0-68.0 |
| H.S. or G.E.D. | 974 | 764,316 | 252 | 37.7 | 32.8-42.6 | 722 | 62.3 | 57.4-67.2 |
| Some Post-H.S. | 705 | 664,060 | 241 | 44.1 | 39.0-49.2 | 464 | 55.9 | 50.8-61.0 |
| College Graduate | 762 | 502,686 | 274 | 46.8 | 42.1-51.5 | 488 | 53.2 | 48.5-57.9 |
| Less than \$15,000 | 418 | 311,019 | 162 | 55.2 | 48.1-62.3 | 256 | 44.8 | 37.7-51.9 |
| \$15,000- 24,999 | 522 | 409,973 | 160 | 45.9 | 39.4-52.4 | 362 | 54.1 | 47.6-60.6 |
| \$25,000- 34,999 | 297 | 225,984 | 94 | 46.6 | 38.4-54.8 | 203 | 53.4 | 45.2-61.6 |
| \$35,000- 49,999 | 301 | 249,633 | 92 | 44.0 | 36.2-51.8 | 209 | 56.0 | 48.2-63.8 |
| \$50,000- 74,999 | 269 | 240,199 | 74 | 31.8 | 23.8-39.8 | 195 | 68.2 | 60.2-76.2 |
| \$75,000+ | 405 | 391,691 | 153 | 43.9 | 37.0-50.8 | 252 | 56.1 | 49.2-63.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1995 | | | 1996-2000 | | | 2001-2006 | | | 2007-2013 | | | 2014 | | |
|----------------------------|-------------------|-----------|-----------------|-----|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 806 | 1,133,954 | 17 | 1.5 | 00.5-02.5 | 41 | 3.0 | 01.8-04.2 | 63 | 4.8 | 03.2-06.4 | 101 | 8.8 | 06.4-11.2 | 428 | 57.8 | 53.1-62.5 | 156 | 24.1 | 19.6-28.6 |
| Male | 297 | 521,672 | 4 | 1.3 | 00.0-03.1 | 14 | 2.2 | 00.8-03.6 | 16 | 3.6 | 01.2-06.0 | 36 | 8.9 | 05.0-12.8 | 167 | 60.4 | 52.8-68.0 | 60 | 23.7 | 16.3-31.1 |
| Female | 509 | 612,282 | 13 | 1.7 | 00.5-02.9 | 27 | 3.7 | 01.9-05.5 | 47 | 5.9 | 03.7-08.1 | 65 | 8.7 | 06.0-11.4 | 261 | 55.6 | 49.7-61.5 | 96 | 24.4 | 18.9-29.9 |
| White/Non-Hisp | 567 | 675,406 | 16 | 2.3 | 00.5-04.1 | 37 | 4.1 | 02.5-05.7 | 57 | 6.9 | 04.7-09.1 | 83 | 12.9 | 09.4-16.4 | 281 | 53.7 | 48.0-59.4 | 93 | 20.0 | 14.9-25.1 |
| Black or Afr. Am./Non-Hisp | 181 | 349,977 | | | | 1 | 0.9 | 00.0-02.7 | 5 | 2.0 | 00.0-04.7 | 14 | 2.6 | 00.8-04.4 | 116 | 63.8 | 54.0-73.6 | 45 | 30.7 | 20.9-40.5 |
| 18-24 | 58 | 182,827 | | | | | | | 3 | 2.1 | 00.0-04.5 | 7 | 5.0 | 00.7-09.3 | 34 | 61.1 | 46.2-76.0 | 24 | 38.9 | 24.0-53.8 |
| 25-34 | 139 | 310,734 | | | | | | | 10 | 5.4 | 01.3-09.5 | 25 | 11.4 | 05.9-16.9 | 106 | 58.5 | 49.5-67.5 | 33 | 28.9 | 18.9-38.9 |
| 35-44 | 178 | 294,072 | 2 | 1.4 | 00.0-03.4 | 2 | 1.2 | 00.0-03.0 | 10 | 5.4 | 01.3-09.5 | 25 | 11.4 | 05.9-16.9 | 106 | 58.5 | 49.5-67.5 | 33 | 22.0 | 14.2-29.8 |
| 45-54 | 178 | 196,635 | 6 | 4.1 | 00.0-09.0 | 16 | 8.1 | 03.2-13.0 | 24 | 9.3 | 05.0-13.6 | 32 | 14.5 | 08.8-20.2 | 79 | 52.5 | 42.7-62.3 | 21 | 11.4 | 05.1-17.7 |
| 55-64 | 144 | 93,636 | 7 | 4.7 | 00.6-08.8 | 16 | 13.2 | 06.3-20.1 | 16 | 10.8 | 04.9-16.7 | 22 | 15.8 | 08.0-23.6 | 63 | 44.8 | 33.8-55.8 | 20 | 10.7 | 04.6-16.8 |
| 65+ | 103 | 53,673 | 2 | 1.2 | 00.0-02.8 | 7 | 4.5 | 00.4-08.6 | 10 | 7.5 | 02.2-12.8 | 15 | 13.1 | 04.5-21.7 | 47 | 49.4 | 37.1-61.7 | 22 | 24.2 | 13.4-35.0 |
| Less Than H.S. | 86 | 153,449 | 2 | 0.8 | 00.0-02.0 | 4 | 2.1 | 00.0-04.6 | 6 | 2.0 | 00.0-04.0 | 6 | 5.6 | 00.0-11.3 | 48 | 49.1 | 33.4-64.8 | 20 | 40.3 | 23.6-57.0 |
| H.S. or G.E.D. | 221 | 349,790 | 4 | 1.7 | 00.0-04.2 | 5 | 1.1 | 00.1-02.1 | 14 | 2.6 | 01.0-04.2 | 19 | 5.1 | 02.2-08.0 | 128 | 63.5 | 54.9-72.1 | 51 | 26.1 | 17.9-34.3 |
| Some Post-H.S. | 242 | 375,988 | 3 | 1.5 | 00.0-03.3 | 14 | 3.4 | 01.2-05.6 | 19 | 4.9 | 02.4-07.4 | 32 | 9.9 | 05.2-14.6 | 128 | 58.6 | 50.6-66.6 | 46 | 21.6 | 14.3-28.9 |
| College Graduate | 256 | 254,420 | 8 | 1.6 | 00.2-03.0 | 18 | 5.6 | 02.1-09.1 | 24 | 9.6 | 04.5-14.7 | 44 | 14.1 | 09.2-19.0 | 124 | 54.1 | 46.3-61.9 | 38 | 14.9 | 09.2-20.6 |
| Less than \$15,000 | 143 | 171,397 | 1 | 0.4 | 00.0-01.2 | 7 | 2.1 | 00.3-03.9 | 10 | 3.9 | 00.8-07.0 | 15 | 11.5 | 03.5-19.5 | 74 | 54.4 | 43.2-65.6 | 36 | 27.7 | 17.5-37.9 |
| \$15,000- 24,999 | 143 | 221,825 | 2 | 1.4 | 00.0-03.8 | 3 | 0.8 | 00.0-01.8 | 5 | 1.3 | 00.1-02.5 | 11 | 5.5 | 01.6-09.4 | 85 | 60.2 | 48.6-71.8 | 37 | 30.8 | 19.0-42.6 |
| \$25,000- 34,999 | 92 | 121,192 | 3 | 1.9 | 00.0-04.6 | 2 | 1.8 | 00.0-04.9 | 6 | 4.1 | 00.0-08.8 | 8 | 3.4 | 00.5-06.3 | 64 | 78.7 | 67.9-89.5 | 9 | 10.1 | 01.3-18.9 |
| \$35,000- 49,999 | 113 | 173,450 | 2 | 1.0 | 00.0-02.6 | 10 | 5.0 | 01.5-08.5 | 9 | 5.4 | 01.3-09.5 | 11 | 4.9 | 01.2-08.6 | 56 | 52.2 | 39.3-65.1 | 25 | 31.4 | 17.7-45.1 |
| \$50,000- 74,999 | 77 | 120,452 | 2 | 1.5 | 00.0-03.7 | 5 | 4.7 | 00.0-09.8 | 13 | 8.9 | 03.4-14.4 | 7 | 6.8 | 00.9-12.7 | 36 | 55.3 | 41.8-68.8 | 14 | 22.8 | 10.3-35.3 |
| \$75,000+ | 154 | 207,026 | 4 | 3.2 | 00.0-07.7 | 12 | 5.3 | 01.4-09.2 | 16 | 8.6 | 02.9-14.3 | 37 | 18.4 | 11.0-25.8 | 63 | 46.9 | 36.1-57.7 | 22 | 17.7 | 08.5-26.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1995 | | | 1996-2000 | | | 2001-2006 | | | 2007-2013 | | | 2014 | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-----------|-----|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 297 | 521,672 | 4 | 1.3 | 00.0-03.1 | 14 | 2.2 | 00.8-03.6 | 16 | 3.6 | 01.2-06.0 | 36 | 8.9 | 05.0-12.8 | 167 | 60.4 | 53.1-67.7 | 60 | 23.7 | 16.6-30.8 |
| White/Non-Hisp | 214 | 324,861 | 4 | 2.0 | 00.0-04.9 | 13 | 3.3 | 01.1-05.5 | 14 | 4.1 | 01.6-06.6 | 28 | 12.5 | 06.6-18.4 | 113 | 54.1 | 45.3-62.9 | 42 | 24.0 | 15.6-32.4 |
| Black or Afr. Am./Non-Hisp | 60 | 156,558 | | | | | | | 2 | 3.5 | 00.0-09.6 | 5 | 2.1 | 00.0-04.5 | 43 | 70.8 | 55.1-86.5 | 10 | 23.7 | 08.4-39.0 |
| 45-54 | 68 | 105,682 | 2 | 4.8 | 00.0-13.0 | 5 | 5.4 | 00.0-11.1 | 5 | 5.0 | 00.5-09.5 | 7 | 8.3 | 02.0-14.6 | 43 | 65.9 | 52.4-79.4 | 6 | 10.6 | 00.6-20.6 |
| 55-64 | 62 | 47,048 | 1 | 2.7 | 00.0-08.0 | 5 | 8.6 | 00.2-17.0 | 4 | 3.8 | 00.0-07.7 | 12 | 18.3 | 07.1-29.5 | 32 | 55.1 | 39.2-71.0 | 8 | 11.6 | 01.6-21.6 |
| H.S. or G.E.D. | 81 | 167,394 | 1 | 2.7 | 00.0-08.0 | 3 | 1.6 | 00.0-03.6 | 1 | 0.3 | 00.0-00.9 | 7 | 4.0 | 00.5-07.5 | 52 | 71.1 | 60.3-81.9 | 17 | 20.2 | 11.0-29.4 |
| Some Post-H.S. | 89 | 177,228 | | | | 4 | 3.4 | 00.0-07.1 | 3 | 1.7 | 00.0-03.9 | 12 | 11.6 | 03.4-19.8 | 52 | 62.9 | 50.4-75.4 | 18 | 20.4 | 09.4-31.4 |
| College Graduate | 96 | 100,772 | 3 | 2.1 | 00.0-04.8 | 6 | 2.4 | 00.2-04.6 | 11 | 14.0 | 03.4-24.6 | 15 | 14.1 | 05.3-22.9 | 46 | 53.2 | 40.5-65.9 | 15 | 14.2 | 06.2-22.2 |
| Less than \$15,000 | 50 | 71,073 | | | | 2 | 1.8 | 00.0-04.3 | 1 | 1.5 | 00.0-04.4 | 9 | 22.4 | 05.2-39.6 | 26 | 53.9 | 35.7-72.1 | 12 | 20.4 | 06.5-34.3 |
| \$75,000+ | 61 | 96,320 | 3 | 6.4 | 00.0-15.8 | 6 | 3.1 | 00.4-05.8 | 5 | 8.4 | 00.0-18.2 | 12 | 16.6 | 04.8-28.4 | 27 | 48.8 | 31.4-66.2 | 8 | 16.7 | 01.4-32.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1995 | | | 1996-2000 | | | 2001-2006 | | | 2007-2013 | | | 2014 | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 509 | 612,282 | 13 | 1.7 | 00.5-02.9 | 27 | 3.7 | 01.9-05.5 | 47 | 5.9 | 03.7-08.1 | 65 | 8.7 | 06.0-11.4 | 261 | 55.6 | 49.7-61.5 | 96 | 24.4 | 18.9-29.9 |
| White/Non-Hisp | 353 | 350,545 | 12 | 2.6 | 00.6-04.6 | 24 | 4.9 | 02.5-07.3 | 43 | 9.6 | 06.1-13.1 | 55 | 13.4 | 09.1-17.7 | 168 | 53.2 | 46.3-60.1 | 51 | 16.3 | 10.8-21.8 |
| Black or Afr. Am./Non-Hisp | 121 | 193,420 | | | | 1 | 1.7 | 00.0-04.8 | 3 | 0.8 | 00.0-01.8 | 9 | 3.1 | 00.7-05.5 | 73 | 58.1 | 46.1-70.1 | 35 | 36.4 | 24.4-48.4 |
| 25-34 | 94 | 171,468 | | | | | | | | | | | | | | | | | | |
| 35-44 | 129 | 180,092 | 2 | 2.2 | 00.0-05.3 | 2 | 2.0 | 00.0-04.7 | 2 | 2.2 | 00.0-05.3 | 5 | 4.2 | 00.1-08.3 | 66 | 65.2 | 53.4-77.0 | 21 | 28.4 | 16.8-40.0 |
| 45-54 | 110 | 90,953 | 4 | 3.3 | 00.0-07.4 | 11 | 11.2 | 03.2-19.2 | 19 | 14.4 | 06.6-22.2 | 25 | 21.8 | 12.4-31.2 | 36 | 37.0 | 23.7-50.3 | 15 | 12.4 | 05.0-19.8 |
| 55-64 | 82 | 46,588 | 6 | 6.7 | 00.6-12.8 | 11 | 17.8 | 07.0-28.6 | 12 | 17.8 | 07.4-28.2 | 10 | 13.3 | 02.5-24.1 | 31 | 34.5 | 22.3-46.7 | 12 | 9.9 | 03.2-16.6 |
| 65+ | 55 | 21,531 | 1 | 1.4 | 00.0-04.1 | 3 | 2.8 | 00.0-06.9 | 7 | 10.1 | 02.3-17.9 | 7 | 7.5 | 00.6-14.4 | 29 | 62.9 | 47.6-78.2 | 8 | 15.3 | 02.8-27.8 |
| Less Than H.S. | 55 | 77,171 | 2 | 1.5 | 00.0-03.7 | 3 | 3.6 | 00.0-08.3 | 5 | 2.6 | 00.0-05.3 | 4 | 5.1 | 00.0-11.6 | 31 | 57.8 | 40.0-75.6 | 10 | 29.3 | 12.1-46.5 |
| H.S. or G.E.D. | 140 | 182,397 | 3 | 0.8 | 00.0-01.8 | 2 | 0.6 | 00.0-01.6 | 13 | 4.7 | 01.8-07.6 | 12 | 6.0 | 01.5-10.5 | 76 | 56.5 | 45.1-67.9 | 34 | 31.5 | 20.1-42.9 |
| Some Post-H.S. | 153 | 198,759 | 3 | 2.9 | 00.0-06.2 | 10 | 3.4 | 01.0-05.8 | 16 | 7.7 | 03.2-12.2 | 20 | 8.4 | 03.5-13.3 | 76 | 54.8 | 44.6-65.0 | 28 | 22.8 | 13.4-32.2 |
| College Graduate | 160 | 153,648 | 5 | 1.3 | 00.0-02.9 | 12 | 7.7 | 02.2-13.2 | 13 | 6.7 | 02.4-11.0 | 29 | 14.2 | 08.5-19.9 | 78 | 54.7 | 44.9-64.5 | 23 | 15.3 | 07.7-22.9 |
| Less than \$15,000 | 93 | 100,324 | 1 | 0.7 | 00.0-02.1 | 5 | 2.4 | 00.0-04.8 | 9 | 5.5 | 00.8-10.2 | 6 | 3.8 | 00.0-08.7 | 48 | 54.7 | 41.0-68.4 | 24 | 32.8 | 19.1-46.5 |
| \$15,000- 24,999 | 99 | 142,532 | 2 | 2.2 | 00.0-05.9 | 3 | 1.2 | 00.0-02.6 | 3 | 1.1 | 00.0-02.7 | 8 | 5.6 | 00.5-10.7 | 55 | 55.1 | 42.2-68.0 | 28 | 34.8 | 21.7-47.9 |
| \$25,000- 34,999 | 60 | 62,402 | 3 | 3.6 | 00.0-09.1 | 2 | 3.5 | 00.0-09.6 | 5 | 3.6 | 00.3-06.9 | 7 | 5.4 | 00.1-10.7 | 37 | 73.8 | 60.1-87.5 | 6 | 10.1 | 00.1-20.1 |
| \$35,000- 49,999 | 64 | 76,115 | 1 | 1.8 | 00.0-05.3 | 7 | 7.6 | 01.5-13.7 | 9 | 12.3 | 03.3-21.3 | 7 | 5.5 | 01.0-10.0 | 31 | 54.9 | 38.8-71.0 | 9 | 17.9 | 01.4-34.4 |
| \$75,000+ | 93 | 110,706 | 1 | 0.4 | 00.0-01.2 | 6 | 7.1 | 00.2-14.0 | 11 | 8.7 | 02.8-14.6 | 25 | 20.0 | 10.8-29.2 | 36 | 45.2 | 31.7-58.7 | 14 | 18.6 | 07.6-29.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Private Doctor or HMO | | | Counseling and Testing Site | | | Hospital or Clinic Emergency Rm | | | Jail or Prison Other correction facility | | | Home or Somewhere Else | | | Drug Treatment Facility | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|-----------------------------|-----|------------|---------------------------------|------|------------|--|-----|------------|------------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1342 | 1,705,323 | 690 | 49.3 | 45.6-53.0 | 36 | 2.9 | 0.17-04.1 | 427 | 33.3 | 29.8-36.8 | 13 | 1.8 | 0.06-03.0 | 5 | 0.4 | 0.00-00.8 | 171 | 12.3 | 0.9-14.7 |
| Male | 503 | 771,311 | 222 | 42.5 | 36.4-48.6 | 11 | 3.1 | 0.09-05.3 | 178 | 36.2 | 30.5-41.9 | 12 | 3.6 | 0.12-06.0 | 2 | 0.2 | 0.00-00.4 | 78 | 14.4 | 10.5-18.3 |
| Female | 839 | 934,012 | 468 | 54.9 | 50.2-59.6 | 25 | 2.7 | 0.11-04.3 | 249 | 31.0 | 26.5-35.5 | 1 | 0.2 | 0.00-00.6 | 3 | 0.6 | 0.00-01.4 | 93 | 10.6 | 07.9-13.3 |
| White/Non-Hisp | 986 | 1,122,194 | 517 | 51.8 | 47.5-56.1 | 21 | 2.3 | 0.09-03.7 | 301 | 30.2 | 26.3-34.1 | 10 | 1.8 | 0.04-03.2 | 4 | 0.6 | 0.00-01.2 | 133 | 13.3 | 10.4-16.2 |
| Black or Afr. Am./Non-Hisp | 272 | 443,263 | 130 | 43.2 | 35.0-51.4 | 10 | 3.1 | 0.06-05.6 | 96 | 39.6 | 31.4-47.8 | 2 | 1.8 | 0.00-04.5 | 1 | 0.2 | 0.00-00.6 | 33 | 12.2 | 07.1-17.3 |
| 18-24 | 73 | 223,026 | 31 | 38.4 | 25.5-51.3 | 3 | 3.7 | 0.00-08.0 | 34 | 50.0 | 36.7-63.3 | 1 | 2.1 | 0.00-06.2 | | | | 4 | 5.8 | 0.00-11.9 |
| 25-34 | 199 | 424,806 | 102 | 48.8 | 40.6-57.0 | 6 | 4.2 | 0.07-07.7 | 62 | 31.7 | 24.1-39.3 | 1 | 0.4 | 0.00-01.2 | 1 | 0.8 | 0.00-02.4 | 27 | 14.1 | 08.4-19.8 |
| 35-44 | 249 | 418,991 | 142 | 54.0 | 46.4-61.6 | 5 | 2.4 | 0.00-04.8 | 69 | 29.5 | 22.4-36.6 | 7 | 4.1 | 0.04-07.8 | | | | 26 | 10.0 | 05.7-14.3 |
| 45-54 | 287 | 314,205 | 146 | 51.1 | 43.5-58.7 | 7 | 1.5 | 0.01-02.9 | 88 | 30.5 | 23.6-37.4 | 3 | 1.6 | 0.00-03.4 | 2 | 0.7 | 0.00-01.7 | 41 | 14.6 | 08.5-20.7 |
| 55-64 | 281 | 190,059 | 135 | 49.2 | 41.6-56.8 | 10 | 4.0 | 0.09-07.1 | 96 | 32.4 | 25.3-39.5 | 1 | 0.6 | 0.00-01.8 | 2 | 0.8 | 0.00-02.0 | 37 | 13.0 | 08.5-17.5 |
| 65+ | 243 | 129,683 | 129 | 50.2 | 42.2-58.2 | 4 | 0.6 | 0.00-01.4 | 75 | 31.1 | 23.8-38.4 | | | | | | | 35 | 18.1 | 11.4-24.8 |
| Less Than H.S. | 155 | 259,342 | 77 | 52.9 | 41.5-64.3 | 1 | 0.1 | 0.00-00.3 | 57 | 31.9 | 21.9-41.9 | 6 | 5.8 | 0.01-11.5 | 2 | 1.9 | 0.00-04.6 | 12 | 7.4 | 01.7-13.1 |
| H.S. or G.E.D. | 404 | 539,443 | 211 | 46.0 | 39.3-52.7 | 13 | 3.6 | 0.11-06.1 | 127 | 36.8 | 30.1-43.5 | 3 | 1.3 | 0.00-03.1 | 1 | 0.2 | 0.00-00.6 | 49 | 12.2 | 07.9-16.5 |
| Some Post-H.S. | 369 | 519,526 | 180 | 46.7 | 40.0-53.4 | 10 | 3.9 | 0.12-06.6 | 119 | 33.5 | 27.0-40.0 | 3 | 1.1 | 0.00-02.3 | 2 | 0.2 | 0.00-00.6 | 55 | 14.6 | 09.9-19.3 |
| College Graduate | 412 | 386,384 | 222 | 55.3 | 49.0-61.6 | 12 | 2.3 | 0.05-04.1 | 122 | 29.3 | 23.6-35.0 | 1 | 0.6 | 0.00-01.8 | | | | 55 | 12.6 | 08.7-16.5 |
| Less than \$15,000 | 241 | 269,554 | 117 | 46.4 | 37.8-55.0 | 9 | 3.6 | 0.01-07.1 | 84 | 35.6 | 27.2-44.0 | 7 | 4.4 | 0.05-08.3 | 3 | 2.1 | 0.00-04.8 | 21 | 7.9 | 03.4-12.4 |
| \$15,000- 24,999 | 236 | 298,466 | 116 | 43.4 | 34.4-52.4 | 4 | 1.9 | 0.00-03.9 | 89 | 45.2 | 36.2-54.2 | 1 | 0.6 | 0.00-01.8 | 1 | 0.2 | 0.00-00.6 | 25 | 8.8 | 04.3-13.3 |
| \$25,000- 34,999 | 142 | 189,807 | 79 | 53.2 | 41.8-64.6 | 5 | 5.3 | 0.02-10.4 | 42 | 31.8 | 21.0-42.6 | 1 | 1.2 | 0.00-03.6 | 1 | 0.4 | 0.00-01.2 | 14 | 8.1 | 02.0-14.2 |
| \$35,000- 49,999 | 167 | 234,078 | 87 | 50.6 | 40.2-61.0 | 2 | 1.1 | 0.00-03.3 | 48 | 26.1 | 17.3-34.9 | 1 | 0.7 | 0.00-02.1 | | | | 29 | 21.5 | 12.7-30.3 |
| \$50,000- 74,999 | 140 | 186,086 | 80 | 53.7 | 42.5-64.9 | 5 | 4.5 | 0.00-10.0 | 37 | 25.5 | 16.3-34.7 | 1 | 1.2 | 0.00-03.6 | | | | 17 | 15.1 | 06.9-23.3 |
| \$75,000+ | 240 | 312,021 | 132 | 56.6 | 48.0-65.2 | 5 | 2.2 | 0.00-04.6 | 60 | 24.2 | 16.8-31.6 | | | | | | | 43 | 17.0 | 10.7-23.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Private Doctor or HMO | | | Counseling and Testing Site | | | Hospital or Clinic Emergency Rm | | | Jail or Prison Other correction facility | | | Home or Somewhere Else | | | Drug Treatment Facility | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|-----------------------------|-----|------------|---------------------------------|------|------------|--|------|------------|------------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 503 | 771,311 | 222 | 42.5 | 36.4-48.6 | 11 | 3.1 | 00.9-05.3 | 178 | 36.2 | 30.5-41.9 | 12 | 3.6 | 01.2-06.0 | 2 | 0.2 | 00.0-00.4 | 78 | 14.4 | 10.5-18.3 |
| White/Non-Hisp | 381 | 522,327 | 167 | 42.4 | 35.5-49.3 | 6 | 2.4 | 00.0-04.8 | 132 | 34.7 | 28.2-41.2 | 10 | 4.0 | 01.1-06.9 | 1 | 0.2 | 00.0-00.6 | 65 | 16.5 | 11.8-21.2 |
| Black or Afr. Am./Non-Hisp | 89 | 193,956 | 41 | 43.1 | 28.8-57.4 | 3 | 3.8 | 00.0-08.5 | 33 | 39.3 | 25.6-53.0 | 1 | 2.9 | 00.0-08.4 | 1 | 0.4 | 00.0-01.2 | 10 | 10.5 | 02.1-18.9 |
| 25-34 | 67 | 183,521 | 21 | 33.4 | 19.3-47.5 | 4 | 7.2 | 00.1-14.3 | 26 | 38.4 | 24.9-51.9 | 1 | 1.0 | 00.0-03.0 | | | | 15 | 20.1 | 09.5-30.7 |
| 35-44 | 68 | 164,412 | 26 | 43.8 | 29.3-58.3 | 2 | 3.1 | 00.0-07.6 | 25 | 34.6 | 21.7-47.5 | 6 | 9.2 | 00.4-18.0 | | | | 9 | 9.3 | 02.6-16.0 |
| 45-54 | 107 | 154,264 | 47 | 45.8 | 34.0-57.6 | 2 | 1.0 | 00.0-02.4 | 38 | 36.7 | 25.5-47.9 | 3 | 3.2 | 00.0-06.9 | | | | 17 | 13.3 | 04.9-21.7 |
| 55-64 | 127 | 103,778 | 61 | 48.9 | 37.5-60.3 | 3 | 3.8 | 00.0-08.9 | 44 | 33.4 | 22.8-44.0 | 1 | 1.1 | 00.0-03.3 | 2 | 1.5 | 00.0-03.7 | 16 | 11.3 | 05.2-17.4 |
| 65+ | 103 | 69,775 | 53 | 47.5 | 35.7-59.3 | | | | 33 | 31.1 | 20.5-41.7 | | | | | | | 17 | 21.3 | 10.9-31.7 |
| Less Than H.S. | 61 | 123,893 | 24 | 48.9 | 30.3-67.5 | 1 | 0.3 | 00.0-00.9 | 27 | 36.2 | 20.1-52.3 | 6 | 12.1 | 00.5-23.7 | | | | 3 | 2.5 | 00.0-05.8 |
| H.S. or G.E.D. | 161 | 258,114 | 73 | 40.5 | 30.3-50.7 | 3 | 3.2 | 00.0-07.1 | 56 | 36.1 | 25.9-46.3 | 3 | 2.7 | 00.0-06.4 | 1 | 0.3 | 00.0-00.9 | 25 | 17.2 | 09.6-24.8 |
| Some Post-H.S. | 133 | 231,756 | 52 | 39.4 | 28.6-50.2 | 5 | 5.6 | 00.5-10.7 | 46 | 34.6 | 23.8-45.4 | 2 | 1.5 | 00.0-03.5 | 1 | 0.3 | 00.0-00.9 | 27 | 18.7 | 10.7-26.7 |
| College Graduate | 148 | 157,549 | 73 | 45.6 | 35.2-56.0 | 2 | 1.5 | 00.0-03.7 | 49 | 38.8 | 28.6-49.0 | 1 | 1.4 | 00.0-04.1 | | | | 23 | 12.7 | 06.4-19.0 |
| Less than \$15,000 | 80 | 99,613 | 34 | 34.6 | 20.7-48.5 | 3 | 7.4 | 00.0-16.2 | 29 | 38.0 | 23.3-52.7 | 7 | 11.9 | 01.5-22.3 | 1 | 0.8 | 00.0-02.4 | 6 | 7.3 | 00.2-14.4 |
| \$15,000- 24,999 | 82 | 116,719 | 36 | 45.0 | 28.3-61.7 | 2 | 2.0 | 00.0-04.9 | 35 | 45.7 | 29.8-61.6 | 1 | 1.4 | 00.0-04.1 | | | | 8 | 5.9 | 01.0-10.8 |
| \$35,000- 49,999 | 79 | 127,407 | 34 | 40.0 | 24.5-55.5 | 1 | 1.9 | 00.0-05.6 | 25 | 28.6 | 15.3-41.9 | 1 | 1.3 | 00.0-03.8 | | | | 18 | 28.1 | 14.2-42.0 |
| \$50,000- 74,999 | 69 | 111,435 | 33 | 46.9 | 31.2-62.6 | 1 | 4.1 | 00.0-12.1 | 21 | 27.4 | 14.5-40.3 | 1 | 1.9 | 00.0-05.6 | | | | 13 | 19.7 | 07.9-31.5 |
| \$75,000+ | 90 | 141,472 | 39 | 47.6 | 32.9-62.3 | 1 | 0.5 | 00.0-01.5 | 29 | 34.3 | 20.8-47.8 | | | | | | | 21 | 17.6 | 08.0-27.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WVRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Private Doctor or HMO | | | Counseling and Testing Site | | | Hospital or Clinic Emergency Rm | | | Jail or Prison Other correction facility | | | Home or Somewhere Else | | | Drug Treatment Facility | | |
|----------------------------|-------------------|----------|-----------------------|------|------------|-----------------------------|-----|------------|---------------------------------|------|------------|--|-----|------------|------------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 839 | 934,012 | 468 | 54.9 | 50.2-59.6 | 25 | 2.7 | 01.1-04.3 | 249 | 31.0 | 26.5-35.5 | 1 | 0.2 | 00.0-00.6 | 3 | 0.6 | 00.0-01.4 | 93 | 10.6 | 07.9-13.3 |
| White/Non-Hisp | 605 | 599,867 | 350 | 60.1 | 54.8-65.4 | 15 | 2.2 | 00.6-03.8 | 169 | 26.3 | 21.6-31.0 | | | | 3 | 0.9 | 00.0-02.1 | 68 | 10.5 | 07.0-14.0 |
| Black or Afr. Am./Non-Hisp | 183 | 249,308 | 89 | 43.2 | 33.4-53.0 | 7 | 2.5 | 00.0-05.0 | 63 | 39.8 | 29.6-50.0 | 1 | 0.9 | 00.0-02.7 | | | | 23 | 13.6 | 07.1-20.1 |
| 25-34 | 132 | 241,286 | 81 | 60.6 | 51.0-70.2 | 2 | 1.9 | 00.0-04.6 | 36 | 26.6 | 17.8-35.4 | | | | 1 | 1.4 | 00.0-03.9 | 12 | 9.6 | 03.7-15.5 |
| 35-44 | 181 | 254,579 | 116 | 60.6 | 51.8-69.4 | 3 | 1.9 | 00.0-04.3 | 44 | 26.2 | 18.2-34.2 | 1 | 0.9 | 00.0-02.7 | | | | 17 | 10.5 | 04.8-16.2 |
| 45-54 | 180 | 159,941 | 99 | 56.2 | 46.4-66.0 | 5 | 2.1 | 00.0-04.5 | 50 | 24.5 | 16.7-32.3 | | | | 2 | 1.3 | 00.0-03.3 | 24 | 15.9 | 07.3-24.5 |
| 55-64 | 154 | 86,282 | 74 | 49.6 | 39.8-59.4 | 7 | 4.2 | 00.7-07.7 | 52 | 31.2 | 22.6-39.8 | | | | | | | 21 | 15.0 | 08.1-21.9 |
| 65+ | 140 | 59,907 | 76 | 53.3 | 42.7-63.9 | 4 | 1.3 | 00.0-02.9 | 42 | 31.1 | 21.3-40.9 | | | | | | | 18 | 14.2 | 06.8-21.6 |
| Less Than H.S. | 94 | 135,449 | 53 | 56.6 | 42.7-70.5 | | | | 30 | 28.0 | 15.3-40.7 | | | | 2 | 3.5 | 00.0-08.6 | 9 | 11.9 | 01.7-22.1 |
| H.S. or G.E.D. | 243 | 281,329 | 138 | 51.0 | 42.2-59.8 | 10 | 4.0 | 00.7-07.3 | 71 | 37.4 | 28.4-46.4 | | | | | | | 24 | 7.6 | 04.1-11.1 |
| Some Post-H.S. | 236 | 287,770 | 128 | 52.5 | 44.3-60.7 | 5 | 2.6 | 00.0-05.5 | 73 | 32.6 | 24.8-40.4 | 1 | 0.8 | 00.0-02.4 | 1 | 0.2 | 00.0-00.6 | 28 | 11.3 | 06.0-16.6 |
| College Graduate | 264 | 228,835 | 149 | 62.0 | 54.6-69.4 | 10 | 2.8 | 00.1-05.5 | 73 | 22.7 | 16.4-29.0 | | | | | | | 32 | 12.4 | 07.5-17.3 |
| Less than \$15,000 | 161 | 169,940 | 83 | 53.3 | 42.5-64.1 | 6 | 1.3 | 00.0-02.9 | 55 | 34.3 | 24.1-44.5 | | | | 2 | 2.8 | 00.0-06.9 | 15 | 8.3 | 02.6-14.0 |
| \$15,000- 24,999 | 154 | 181,747 | 80 | 42.3 | 31.9-52.7 | 2 | 1.8 | 00.0-04.5 | 54 | 44.9 | 33.9-55.9 | | | | 1 | 0.3 | 00.0-00.9 | 17 | 10.7 | 04.2-17.2 |
| \$25,000- 34,999 | 93 | 103,582 | 56 | 60.8 | 47.3-74.3 | 2 | 3.7 | 00.0-08.8 | 25 | 26.5 | 14.2-38.8 | 1 | 2.1 | 00.0-06.2 | | | | 9 | 6.9 | 00.0-13.8 |
| \$35,000- 49,999 | 88 | 106,671 | 53 | 63.2 | 50.5-75.9 | 1 | 0.2 | 00.0-00.6 | 23 | 23.1 | 11.9-34.3 | | | | | | | 11 | 13.6 | 04.8-22.4 |
| \$50,000- 74,999 | 71 | 74,651 | 47 | 63.7 | 48.8-78.6 | 4 | 5.1 | 00.0-11.8 | 16 | 22.7 | 10.0-35.4 | | | | | | | 4 | 8.4 | 00.0-18.2 |
| \$75,000+ | 150 | 170,548 | 93 | 64.0 | 54.0-74.0 | 4 | 3.5 | 00.0-07.8 | 31 | 15.9 | 08.8-23.0 | | | | | | | 22 | 16.6 | 08.0-25.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CORE QUESTIONS DATA REPORT, 2014**

End of Core Data Report