

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	551,837	30,450
1	MALIGNANT NEOPLASMS	115,717	8,486
2	DISEASES OF HEART	94,882	6,399
3	ACCIDENTS AND ADVERSE EFFECTS	78,880	2,505
4	SUICIDE	25,831	875
5	CHRONIC LOWER RESPIRATORY DISEASES	19,511	1,722
6	ASSAULT (HOMICIDE)	18,358	447
7	CERTAIN PERINATAL CONDITIONS	18,157	244
8	DIABETES MELLITUS	15,867	1,050
9	CEREBROVASCULAR DISEASE	13,848	1,005
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	12,589	678

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,953	410
1	MALIGNANT NEOPLASMS	1,672	120
2	DISEASES OF HEART	1,421	102
3	ACCIDENTS AND ADVERSE EFFECTS	1,093	42
4	SUICIDE	239	7
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	215	10
6	CHRONIC LOWER RESPIRATORY DISEASES	209	18
7	SEPTICEMIA	165	10
8	ASSAULT (HOMICIDE)	152	4
9	CEREBROVASCULAR DISEASE	151	11
10	PNEUMONIA AND INFLUENZA	68	5

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,889	220
1	MALIGNANT NEOPLASMS	847	59
2	DISEASES OF HEART	710	49
3	ACCIDENTS AND ADVERSE EFFECTS	457	14
4	SUICIDE	300	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	210	9
6	DIABETES MELLITUS	103	6
7	CHRONIC LOWER RESPIRATORY DISEASES	96	12
8	CEREBROVASCULAR DISEASE	90	9
9	VIRAL HEPATITIS	82	4
10	PNEUMONIA AND INFLUENZA	52	4

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,347	139
1	ACCIDENTS AND ADVERSE EFFECTS	587	19
2	MALIGNANT NEOPLASMS	483	35
3	DISEASES OF HEART	413	35
4	SUICIDE	132	4
5	CHRONIC LOWER RESPIRATORY DISEASES	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,156	72
1	MALIGNANT NEOPLASMS	307	23
2	DISEASES OF HEART	222	13
3	CEREBROVASCULAR DISEASE	72	4
4	CHRONIC LOWER RESPIRATORY DISEASES	52	4

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,363	555
1	MALIGNANT NEOPLASMS	2,106	163
2	ACCIDENTS AND ADVERSE EFFECTS	1,526	52
3	DISEASES OF HEART	1,298	85
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	348	16
5	CHRONIC LOWER RESPIRATORY DISEASES	285	30
6	SUICIDE	275	10
7	DIABETES MELLITUS	269	18
8	CEREBROVASCULAR DISEASE	209	18
9	VIRAL HEPATITIS	123	6
10	SEPTICEMIA	114	8

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,171	461
1	ACCIDENTS AND ADVERSE EFFECTS	1,991	56
2	MALIGNANT NEOPLASMS	1,789	147
3	DISEASES OF HEART	1,397	96
4	SUICIDE	447	14
5	CHRONIC LOWER RESPIRATORY DISEASES	313	26
6	DIABETES MELLITUS	246	12
7	ASSAULT (HOMICIDE)	202	5
8	CEREBROVASCULAR DISEASE	181	13
9	VIRAL HEPATITIS	149	7
10	SEPTICEMIA	83	6

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,603	288
1	MALIGNANT NEOPLASMS	1,082	84
2	DISEASES OF HEART	788	56
3	ACCIDENTS AND ADVERSE EFFECTS	647	23
4	CEREBROVASCULAR DISEASE	197	14
5	CHRONIC LOWER RESPIRATORY DISEASES	191	22
6	SUICIDE	148	5
7	DIABETES MELLITUS	125	10
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	109	7
9	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	32	4
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	32	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,804	88
1	ACCIDENTS AND ADVERSE EFFECTS	540	16
2	MALIGNANT NEOPLASMS	372	24
3	DISEASES OF HEART	228	16

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,264	194
1	DISEASES OF HEART	873	57
2	MALIGNANT NEOPLASMS	696	52
3	ACCIDENTS AND ADVERSE EFFECTS	524	17
4	CEREBROVASCULAR DISEASE	124	8
5	CHRONIC LOWER RESPIRATORY DISEASES	64	8
6	DIABETES MELLITUS	63	6
7	SEPTICEMIA	42	4

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,868	298
1	MALIGNANT NEOPLASMS	1,012	84
2	ACCIDENTS AND ADVERSE EFFECTS	816	25
3	DISEASES OF HEART	744	57
4	CHRONIC LOWER RESPIRATORY DISEASES	282	24
5	SUICIDE	204	8
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	196	12
7	VIRAL HEPATITIS	98	5
8	CEREBROVASCULAR DISEASE	84	8
9	DIABETES MELLITUS	82	4
10	SEPTICEMIA	72	4

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,469	236
1	MALIGNANT NEOPLASMS	832	64
2	ACCIDENTS AND ADVERSE EFFECTS	724	24
3	DISEASES OF HEART	547	43
4	SUICIDE	527	14
5	CHRONIC LOWER RESPIRATORY DISEASES	166	12
6	CEREBROVASCULAR DISEASE	145	10
7	DIABETES MELLITUS	124	8
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	113	6
9	VIRAL HEPATITIS	108	5
10	ASSAULT (HOMICIDE)	72	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,163	77
1	DISEASES OF HEART	341	22
2	MALIGNANT NEOPLASMS	267	23
3	CHRONIC LOWER RESPIRATORY DISEASES	69	7

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,004	214
1	ACCIDENTS AND ADVERSE EFFECTS	867	25
2	DISEASES OF HEART	789	58
3	MALIGNANT NEOPLASMS	597	43
4	SUICIDE	193	6
5	PNEUMONIA AND INFLUENZA	144	8
6	CHRONIC LOWER RESPIRATORY DISEASES	132	13
7	CEREBROVASCULAR DISEASE	104	8
8	SEPTICEMIA	102	4
9	DIABETES MELLITUS	88	5
10	EVENTS OF UNDETERMINED INTENT	52	4

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,232	71
1	DISEASES OF HEART	299	18
2	MALIGNANT NEOPLASMS	287	23
3	CEREBROVASCULAR DISEASE	68	5
4	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,787	272
1	DISEASES OF HEART	1,094	68
2	MALIGNANT NEOPLASMS	1,085	79
3	ACCIDENTS AND ADVERSE EFFECTS	666	21
4	SUICIDE	189	7
5	CHRONIC LOWER RESPIRATORY DISEASES	147	14
6	EVENTS OF UNDETERMINED INTENT	98	5
7	SEPTICEMIA	92	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	92	4
9	CEREBROVASCULAR DISEASE	90	9
10	DIABETES MELLITUS	82	4

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,462	319
1	ACCIDENTS AND ADVERSE EFFECTS	944	28
2	MALIGNANT NEOPLASMS	925	70
3	DISEASES OF HEART	920	60
4	CHRONIC LOWER RESPIRATORY DISEASES	298	25

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
5	SUICIDE	285	10
6	DIABETES MELLITUS	193	15
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	174	8
8	CEREBROVASCULAR DISEASE	132	13
9	PNEUMONIA AND INFLUENZA	120	9
10	OTHER DISEASES OF CIRCULATORY SYSTEM	92	4

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,357	74
1	MALIGNANT NEOPLASMS	321	22
2	DISEASES OF HEART	208	16
3	ACCIDENTS AND ADVERSE EFFECTS	102	4
4	DIABETES MELLITUS	72	4

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,883	364
1	DISEASES OF HEART	1,514	97
2	MALIGNANT NEOPLASMS	1,183	98
3	ACCIDENTS AND ADVERSE EFFECTS	1,077	36
4	SUICIDE	383	15
5	DIABETES MELLITUS	215	19
6	CHRONIC LOWER RESPIRATORY DISEASES	121	11
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
8	CEREBROVASCULAR DISEASE	80	9
9	SEPTICEMIA	78	5
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	68	5

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	48,781	2,473
1	MALIGNANT NEOPLASMS	10,373	679
2	DISEASES OF HEART	7,025	466
3	ACCIDENTS AND ADVERSE EFFECTS	5,781	199
4	ASSAULT (HOMICIDE)	2,857	68
5	CERTAIN PERINATAL CONDITIONS	2,289	31
6	DIABETES MELLITUS	1,984	117
7	SUICIDE	1,939	67
8	CONGENITAL ANOMALIES	1,819	35
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,234	68
10	CEREBROVASCULAR DISEASE	1,232	84

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,325	79
1	ACCIDENTS AND ADVERSE EFFECTS	282	13
2	MALIGNANT NEOPLASMS	210	20
3	DISEASES OF HEART	189	18
4	CHRONIC LOWER RESPIRATORY DISEASES	108	5

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,072	108
1	ACCIDENTS AND ADVERSE EFFECTS	486	14
2	DISEASES OF HEART	393	26
3	MALIGNANT NEOPLASMS	357	23
4	CHRONIC LOWER RESPIRATORY DISEASES	135	10
5	DIABETES MELLITUS	52	4

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,705	224
1	MALIGNANT NEOPLASMS	890	65
2	ACCIDENTS AND ADVERSE EFFECTS	733	26
3	DISEASES OF HEART	715	50
4	SUICIDE	183	6
5	CHRONIC LOWER RESPIRATORY DISEASES	162	13
6	CEREBROVASCULAR DISEASE	89	7
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	83	6
8	DIABETES MELLITUS	79	7
9	PNEUMONIA AND INFLUENZA	62	4
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,255	222
1	DISEASES OF HEART	653	46
2	MALIGNANT NEOPLASMS	595	50
3	ACCIDENTS AND ADVERSE EFFECTS	586	19
4	CONGENITAL ANOMALIES	522	7
5	CHRONIC LOWER RESPIRATORY DISEASES	182	13
6	CEREBROVASCULAR DISEASE	136	12
7	DIABETES MELLITUS	114	8
8	OTHER DISEASES OF RESPIRATORY SYSTEM	42	4

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,374	144
1	MALIGNANT NEOPLASMS	569	43
2	DISEASES OF HEART	441	31
3	ACCIDENTS AND ADVERSE EFFECTS	422	13
4	CHRONIC LOWER RESPIRATORY DISEASES	187	14

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
5	OTHER DISEASES OF CIRCULATORY SYSTEM	92	4
6	CEREBROVASCULAR DISEASE	88	5
7	DIABETES MELLITUS	68	5
8	OTHER DISEASES OF RESPIRATORY SYSTEM	62	4

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,051	117
1	MALIGNANT NEOPLASMS	441	31
2	DISEASES OF HEART	261	22
3	ACCIDENTS AND ADVERSE EFFECTS	184	8
4	SUICIDE	112	4
5	CHRONIC LOWER RESPIRATORY DISEASES	105	10
6	DIABETES MELLITUS	88	5
7	CEREBROVASCULAR DISEASE	22	4

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,065	234
1	DISEASES OF HEART	965	61
2	MALIGNANT NEOPLASMS	823	66
3	ACCIDENTS AND ADVERSE EFFECTS	752	24
4	SUICIDE	189	7
5	DIABETES MELLITUS	170	9
6	SEPTICEMIA	134	4
7	CHRONIC LOWER RESPIRATORY DISEASES	132	13
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	78	5
9	CEREBROVASCULAR DISEASE	69	7
10	OTHER DISEASES OF RESPIRATORY SYSTEM	52	4

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,792	297
1	DISEASES OF HEART	994	77
2	MALIGNANT NEOPLASMS	993	75
3	ACCIDENTS AND ADVERSE EFFECTS	432	13
4	SUICIDE	265	10
5	DIABETES MELLITUS	253	15
6	CEREBROVASCULAR DISEASE	213	15
7	CHRONIC LOWER RESPIRATORY DISEASES	142	13
8	EVENTS OF UNDETERMINED INTENT	122	4
9	SEPTICEMIA	119	7
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,608	169
1	MALIGNANT NEOPLASMS	713	55
2	ACCIDENTS AND ADVERSE EFFECTS	452	15
3	DISEASES OF HEART	396	32
4	SUICIDE	189	7
5	CHRONIC LOWER RESPIRATORY DISEASES	163	15
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
7	OTHER DISEASES OF RESPIRATORY SYSTEM	73	6
8	CEREBROVASCULAR DISEASE	68	5
9	DIABETES MELLITUS	32	4

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,488	134
1	MALIGNANT NEOPLASMS	585	39
2	ACCIDENTS AND ADVERSE EFFECTS	465	15
3	DISEASES OF HEART	341	22
4	SUICIDE	128	5
5	DIABETES MELLITUS	93	6
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
7	CHRONIC LOWER RESPIRATORY DISEASES	74	8

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,125	427
1	MALIGNANT NEOPLASMS	1,666	132
2	ACCIDENTS AND ADVERSE EFFECTS	1,068	34
3	DISEASES OF HEART	930	69
4	SUICIDE	423	15
5	CHRONIC LOWER RESPIRATORY DISEASES	364	37
6	SEPTICEMIA	214	8
7	CONGENITAL ANOMALIES	200	4
8	DIABETES MELLITUS	194	17
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	190	9
10	EVENTS OF UNDETERMINED INTENT	124	8

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,146	117
1	ACCIDENTS AND ADVERSE EFFECTS	576	15
2	DISEASES OF HEART	342	24
3	MALIGNANT NEOPLASMS	308	25
4	PNEUMONIA AND INFLUENZA	72	4
5	CHRONIC LOWER RESPIRATORY DISEASES	58	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,997	317
1	ACCIDENTS AND ADVERSE EFFECTS	1,433	40
2	MALIGNANT NEOPLASMS	1,172	80
3	DISEASES OF HEART	1,072	64
4	CHRONIC LOWER RESPIRATORY DISEASES	298	25
5	SUICIDE	194	8
6	DIABETES MELLITUS	130	9
7	PNEUMONIA AND INFLUENZA	119	7
8	CEREBROVASCULAR DISEASE	105	10
9	VIRAL HEPATITIS	92	4
10	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	26,833	1,477
1	MALIGNANT NEOPLASMS	5,433	411
2	DISEASES OF HEART	4,647	303
3	ACCIDENTS AND ADVERSE EFFECTS	3,673	121
4	SUICIDE	1,191	42
5	ASSAULT (HOMICIDE)	1,028	23
6	CHRONIC LOWER RESPIRATORY DISEASES	924	88
7	CERTAIN PERINATAL CONDITIONS	894	12
8	DIABETES MELLITUS	817	54
9	CONGENITAL ANOMALIES	783	13
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	723	35

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	684	48
1	MALIGNANT NEOPLASMS	239	18
2	DISEASES OF HEART	115	10
3	ACCIDENTS AND ADVERSE EFFECTS	102	4

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,422	131
1	ACCIDENTS AND ADVERSE EFFECTS	433	15
2	MALIGNANT NEOPLASMS	432	33
3	DISEASES OF HEART	428	25
4	ASSAULT (HOMICIDE)	220	5
5	DIABETES MELLITUS	140	9
6	CEREBROVASCULAR DISEASE	79	7
7	CHRONIC LOWER RESPIRATORY DISEASES	69	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,972	184
1	DISEASES OF HEART	691	51
2	MALIGNANT NEOPLASMS	572	53
3	ACCIDENTS AND ADVERSE EFFECTS	476	17
4	SUICIDE	119	7
5	CHRONIC LOWER RESPIRATORY DISEASES	113	6
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	112	4
7	EVENTS OF UNDETERMINED INTENT	92	4
8	CEREBROVASCULAR DISEASE	48	5

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,104	328
1	MALIGNANT NEOPLASMS	1,251	87
2	ACCIDENTS AND ADVERSE EFFECTS	909	27
3	DISEASES OF HEART	860	60
4	SUICIDE	265	10
5	DIABETES MELLITUS	214	17
6	CHRONIC LOWER RESPIRATORY DISEASES	179	18
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	128	5
8	EVENTS OF UNDETERMINED INTENT	118	5
9	VIRAL HEPATITIS	108	5
10	PNEUMONIA AND INFLUENZA	104	4

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,079	109
1	ACCIDENTS AND ADVERSE EFFECTS	457	14
2	MALIGNANT NEOPLASMS	443	35
3	DISEASES OF HEART	299	20
4	DIABETES MELLITUS	88	5

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,184	164
1	ACCIDENTS AND ADVERSE EFFECTS	740	20
2	MALIGNANT NEOPLASMS	684	48
3	DISEASES OF HEART	384	28
4	DIABETES MELLITUS	184	8
5	CHRONIC LOWER RESPIRATORY DISEASES	146	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	133	6
7	BENIGN NEOPLASMS	22	4

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,101	226
1	DISEASES OF HEART	969	58
2	MALIGNANT NEOPLASMS	859	67
3	ACCIDENTS AND ADVERSE EFFECTS	509	18
4	SUICIDE	193	6
5	CHRONIC LOWER RESPIRATORY DISEASES	187	14
6	CEREBROVASCULAR DISEASE	129	7
7	DIABETES MELLITUS	120	9
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	82	4

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,508	145
1	MALIGNANT NEOPLASMS	661	42
2	ACCIDENTS AND ADVERSE EFFECTS	315	10
3	DISEASES OF HEART	232	13
4	CHRONIC LOWER RESPIRATORY DISEASES	155	10
5	SUICIDE	148	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
7	DIABETES MELLITUS	73	6
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	32	4

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	589	47
1	MALIGNANT NEOPLASMS	197	14
2	DISEASES OF HEART	100	9
3	CHRONIC LOWER RESPIRATORY DISEASES	22	4

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,988	114
1	MALIGNANT NEOPLASMS	518	36
2	ACCIDENTS AND ADVERSE EFFECTS	449	14
3	DISEASES OF HEART	219	18
4	SUICIDE	188	5
5	PNEUMONIA AND INFLUENZA	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	33	6

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,584	97
1	MALIGNANT NEOPLASMS	349	27
2	ACCIDENTS AND ADVERSE EFFECTS	295	10
3	DISEASES OF HEART	249	18
4	CHRONIC LOWER RESPIRATORY DISEASES	151	11
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,499	323
1	MALIGNANT NEOPLASMS	1,233	95
2	DISEASES OF HEART	1,113	75
3	ACCIDENTS AND ADVERSE EFFECTS	892	27
4	SUICIDE	230	9
5	ASSAULT (HOMICIDE)	204	4
6	CHRONIC LOWER RESPIRATORY DISEASES	151	11
7	DIABETES MELLITUS	141	11
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	140	9
9	CEREBROVASCULAR DISEASE	69	7
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	63	6

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,489	100
1	MALIGNANT NEOPLASMS	444	37
2	ACCIDENTS AND ADVERSE EFFECTS	279	7
3	DISEASES OF HEART	105	10
4	CHRONIC LOWER RESPIRATORY DISEASES	80	9

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	33,898	1,891
1	MALIGNANT NEOPLASMS	6,717	499
2	DISEASES OF HEART	6,275	408
3	ACCIDENTS AND ADVERSE EFFECTS	4,728	150
4	SUICIDE	1,957	74
5	CERTAIN PERINATAL CONDITIONS	1,416	19
6	CHRONIC LOWER RESPIRATORY DISEASES	1,240	109
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,032	53
8	DIABETES MELLITUS	894	57
9	ASSAULT (HOMICIDE)	822	20
10	CEREBROVASCULAR DISEASE	626	41

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	749	45
1	DISEASES OF HEART	166	12
2	ACCIDENTS AND ADVERSE EFFECTS	160	5
3	MALIGNANT NEOPLASMS	64	8
4	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,070	155
1	MALIGNANT NEOPLASMS	586	41
2	DISEASES OF HEART	514	37
3	ACCIDENTS AND ADVERSE EFFECTS	432	13

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
4	CERTAIN PERINATAL CONDITIONS	373	5
5	DIABETES MELLITUS	103	6
6	CEREBROVASCULAR DISEASE	94	8
7	CHRONIC LOWER RESPIRATORY DISEASES	74	8

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,696	261
1	ACCIDENTS AND ADVERSE EFFECTS	1,055	32
2	MALIGNANT NEOPLASMS	880	65
3	DISEASES OF HEART	783	55
4	SUICIDE	203	6
5	CHRONIC LOWER RESPIRATORY DISEASES	158	16
6	PNEUMONIA AND INFLUENZA	133	6
7	VIRAL HEPATITIS	123	6
8	CEREBROVASCULAR DISEASE	108	5
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
10	DIABETES MELLITUS	85	10

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,004	59
1	MALIGNANT NEOPLASMS	300	20
2	DISEASES OF HEART	208	16

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,544	186
1	DISEASES OF HEART	734	48
2	MALIGNANT NEOPLASMS	708	56
3	ACCIDENTS AND ADVERSE EFFECTS	483	11
4	CHRONIC LOWER RESPIRATORY DISEASES	181	13
5	CEREBROVASCULAR DISEASE	160	9
6	SUICIDE	148	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,982	275
1	MALIGNANT NEOPLASMS	1,014	88
2	DISEASES OF HEART	632	53
3	ACCIDENTS AND ADVERSE EFFECTS	479	18
4	SUICIDE	304	8
5	CHRONIC LOWER RESPIRATORY DISEASES	175	19
6	DIABETES MELLITUS	165	10
7	CEREBROVASCULAR DISEASE	140	9
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	119	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
9	EVENTS OF UNDETERMINED INTENT	52	4
10	OTHER DISEASES OF RESPIRATORY SYSTEM	38	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,146	307
1	MALIGNANT NEOPLASMS	1,128	85
2	DISEASES OF HEART	784	57
3	ACCIDENTS AND ADVERSE EFFECTS	720	22
4	CHRONIC LOWER RESPIRATORY DISEASES	231	22
5	SUICIDE	229	7
6	HYPERTENSION AND RENAL DISEASE	215	10
7	CEREBROVASCULAR DISEASE	202	13
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	190	9
9	ATHEROSCLEROSIS	150	9
10	PNEUMONIA AND INFLUENZA	145	10

COUNTY=MCAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,523	158
1	MALIGNANT NEOPLASMS	651	51
2	DISEASES OF HEART	530	40
3	ACCIDENTS AND ADVERSE EFFECTS	361	11
4	DIABETES MELLITUS	165	10
5	CHRONIC LOWER RESPIRATORY DISEASES	131	11

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,491	136
1	DISEASES OF HEART	566	32
2	ACCIDENTS AND ADVERSE EFFECTS	508	17
3	MALIGNANT NEOPLASMS	393	35
4	CHRONIC LOWER RESPIRATORY DISEASES	86	12

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,493	442
1	MALIGNANT NEOPLASMS	1,813	126
2	DISEASES OF HEART	1,410	91
3	ACCIDENTS AND ADVERSE EFFECTS	630	20
4	ASSAULT (HOMICIDE)	526	12
5	CERTAIN PERINATAL CONDITIONS	522	7
6	DIABETES MELLITUS	356	21
7	SUICIDE	353	15
8	CEREBROVASCULAR DISEASE	319	18
9	CHRONIC LOWER RESPIRATORY DISEASES	255	19
10	PNEUMONIA AND INFLUENZA	210	9

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,416	181
1	MALIGNANT NEOPLASMS	887	63
2	ACCIDENTS AND ADVERSE EFFECTS	767	19
3	DISEASES OF HEART	655	39
4	CHRONIC LOWER RESPIRATORY DISEASES	198	16
5	SEPTICEMIA	82	4
6	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	62	4
7	DIABETES MELLITUS	48	5

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,388	140
1	MALIGNANT NEOPLASMS	618	41
2	ACCIDENTS AND ADVERSE EFFECTS	367	14
3	DISEASES OF HEART	355	30
4	SUICIDE	234	8
5	DIABETES MELLITUS	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	64	8
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	58	5

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,955	388
1	MALIGNANT NEOPLASMS	1,460	109
2	DISEASES OF HEART	1,215	79
3	ACCIDENTS AND ADVERSE EFFECTS	1,044	35
4	CEREBROVASCULAR DISEASE	345	19
5	SUICIDE	342	13
6	ASSAULT (HOMICIDE)	232	6
7	CONGENITAL ANOMALIES	181	4
8	DIABETES MELLITUS	181	11
9	CHRONIC LOWER RESPIRATORY DISEASES	159	18
10	PNEUMONIA AND INFLUENZA	127	5

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,577	83
1	MALIGNANT NEOPLASMS	287	23
2	ACCIDENTS AND ADVERSE EFFECTS	249	7
3	DISEASES OF HEART	140	9
4	CEREBROVASCULAR DISEASE	73	6
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4
6	DIABETES MELLITUS	32	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,027	256
1	DISEASES OF HEART	761	51
2	MALIGNANT NEOPLASMS	742	64
3	ACCIDENTS AND ADVERSE EFFECTS	618	25
4	SUICIDE	194	8
5	DIABETES MELLITUS	191	11
6	CHRONIC LOWER RESPIRATORY DISEASES	190	20
7	ASSAULT (HOMICIDE)	172	4
8	CEREBROVASCULAR DISEASE	147	14
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	53	6
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,513	580
1	MALIGNANT NEOPLASMS	2,083	138
2	ACCIDENTS AND ADVERSE EFFECTS	1,836	51
3	DISEASES OF HEART	1,743	108
4	SUICIDE	1,115	30
5	ASSAULT (HOMICIDE)	651	13
6	CERTAIN PERINATAL CONDITIONS	596	8
7	CHRONIC LOWER RESPIRATORY DISEASES	452	44
8	DIABETES MELLITUS	367	23
9	CEREBROVASCULAR DISEASE	326	21
10	CONGENITAL ANOMALIES	255	5

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	392	24
1	MALIGNANT NEOPLASMS	73	6
2	DISEASES OF HEART	58	5

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,171	116
1	ACCIDENTS AND ADVERSE EFFECTS	405	12
2	MALIGNANT NEOPLASMS	381	31
3	DISEASES OF HEART	329	18
4	CHRONIC LOWER RESPIRATORY DISEASES	125	10
5	SUICIDE	112	4
6	CEREBROVASCULAR DISEASE	68	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	58	5

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,111	190
1	DISEASES OF HEART	713	46
2	MALIGNANT NEOPLASMS	674	57
3	ACCIDENTS AND ADVERSE EFFECTS	534	17
4	CHRONIC LOWER RESPIRATORY DISEASES	227	16
5	SUICIDE	98	5
6	DIABETES MELLITUS	73	6
7	PNEUMONIA AND INFLUENZA	52	4

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,382	148
1	MALIGNANT NEOPLASMS	538	45
2	DISEASES OF HEART	464	37
3	ACCIDENTS AND ADVERSE EFFECTS	314	8
4	CHRONIC LOWER RESPIRATORY DISEASES	121	11
5	CEREBROVASCULAR DISEASE	42	4

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	724	48
1	MALIGNANT NEOPLASMS	196	12
2	DISEASES OF HEART	178	16
3	ACCIDENTS AND ADVERSE EFFECTS	102	4
4	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	366	32
1	MALIGNANT NEOPLASMS	147	14
2	DISEASES OF HEART	64	8

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,267	136
1	MALIGNANT NEOPLASMS	532	44
2	ACCIDENTS AND ADVERSE EFFECTS	440	11
3	CHRONIC LOWER RESPIRATORY DISEASES	237	14
4	DISEASES OF HEART	207	23
5	ASSAULT (HOMICIDE)	102	4
6	DIABETES MELLITUS	43	6

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,383	340
1	MALIGNANT NEOPLASMS	1,335	99
2	DISEASES OF HEART	1,222	93
3	ACCIDENTS AND ADVERSE EFFECTS	572	20
4	CHRONIC LOWER RESPIRATORY DISEASES	381	31
5	SUICIDE	249	7
6	CEREBROVASCULAR DISEASE	161	11
7	SEPTICEMIA	108	5
8	DIABETES MELLITUS	99	7
9	OTHER DISEASES OF RESPIRATORY SYSTEM	78	5
10	PNEUMONIA AND INFLUENZA	63	6

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,323	193
1	ACCIDENTS AND ADVERSE EFFECTS	686	19
2	DISEASES OF HEART	657	41
3	MALIGNANT NEOPLASMS	564	44
4	CHRONIC LOWER RESPIRATORY DISEASES	174	17
5	SUICIDE	158	5
6	DIABETES MELLITUS	105	10
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	92	4
8	CEREBROVASCULAR DISEASE	73	6
9	OTHER DISEASES OF CIRCULATORY SYSTEM	42	4

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,722	322
1	MALIGNANT NEOPLASMS	1,252	86
2	DISEASES OF HEART	1,145	72
3	ACCIDENTS AND ADVERSE EFFECTS	816	32
4	SUICIDE	442	13
5	CEREBROVASCULAR DISEASE	196	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	196	12
7	DIABETES MELLITUS	145	10
8	OTHER DISEASES OF RESPIRATORY SYSTEM	142	6
9	CHRONIC LOWER RESPIRATORY DISEASES	123	15
10	EVENTS OF UNDETERMINED INTENT	122	4

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,824	309
1	MALIGNANT NEOPLASMS	1,264	88
2	ACCIDENTS AND ADVERSE EFFECTS	1,124	37
3	DISEASES OF HEART	896	61
4	SUICIDE	331	11
5	DIABETES MELLITUS	192	13
6	ASSAULT (HOMICIDE)	178	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
7	CEREBROVASCULAR DISEASE	175	10
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	140	9
9	CHRONIC LOWER RESPIRATORY DISEASES	122	13
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	68	5

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	17,112	890
1	MALIGNANT NEOPLASMS	3,904	257
2	DISEASES OF HEART	2,887	174
3	ACCIDENTS AND ADVERSE EFFECTS	1,978	60
4	SUICIDE	1,167	34
5	ASSAULT (HOMICIDE)	644	13
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	570	29
7	CEREBROVASCULAR DISEASE	501	38
8	CHRONIC LOWER RESPIRATORY DISEASES	479	47
9	DIABETES MELLITUS	371	22
10	PNEUMONIA AND INFLUENZA	276	17

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,729	154
1	MALIGNANT NEOPLASMS	646	41
2	DISEASES OF HEART	403	26
3	ACCIDENTS AND ADVERSE EFFECTS	357	10
4	CHRONIC LOWER RESPIRATORY DISEASES	182	13
5	SUICIDE	122	4
6	DIABETES MELLITUS	115	10
7	PNEUMONIA AND INFLUENZA	58	5

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,217	72
1	MALIGNANT NEOPLASMS	350	25
2	DISEASES OF HEART	176	12
3	ACCIDENTS AND ADVERSE EFFECTS	152	4
4	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,764	444
1	MALIGNANT NEOPLASMS	1,616	121
2	DISEASES OF HEART	1,460	100
3	ACCIDENTS AND ADVERSE EFFECTS	1,242	38
4	SUICIDE	568	16
5	CHRONIC LOWER RESPIRATORY DISEASES	258	25
6	CEREBROVASCULAR DISEASE	193	15
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	161	11

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
8	SEPTICEMIA	154	8
9	PNEUMONIA AND INFLUENZA	145	6
10	VIRAL HEPATITIS	118	5

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	84,131	4,111
1	MALIGNANT NEOPLASMS	16,285	1,119
2	DISEASES OF HEART	12,653	813
3	ACCIDENTS AND ADVERSE EFFECTS	9,021	280
4	ASSAULT (HOMICIDE)	6,493	152
5	CERTAIN PERINATAL CONDITIONS	5,513	74
6	DIABETES MELLITUS	2,625	159
7	CEREBROVASCULAR DISEASE	2,554	177
8	SUICIDE	2,531	78
9	CONGENITAL ANOMALIES	2,420	36
10	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS	2,332	73

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,749	105
1	MALIGNANT NEOPLASMS	402	33
2	DISEASES OF HEART	356	21
3	SUICIDE	226	8
4	ACCIDENTS AND ADVERSE EFFECTS	168	5
5	DIABETES MELLITUS	99	7
6	CHRONIC LOWER RESPIRATORY DISEASES	53	6
7	CEREBROVASCULAR DISEASE	42	4

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,365	72
1	MALIGNANT NEOPLASMS	454	28
2	ACCIDENTS AND ADVERSE EFFECTS	198	5
3	DISEASES OF HEART	150	9
4	CHRONIC LOWER RESPIRATORY DISEASES	84	8

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	14,988	900
1	MALIGNANT NEOPLASMS	3,236	257
2	DISEASES OF HEART	3,043	211
3	ACCIDENTS AND ADVERSE EFFECTS	1,920	53
4	SUICIDE	753	26
5	CHRONIC LOWER RESPIRATORY DISEASES	533	55
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	333	15
7	CEREBROVASCULAR DISEASE	302	24
8	OTHER DISEASES OF RESPIRATORY SYSTEM	288	16

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
9	DIABETES MELLITUS	256	21
10	EVENTS OF UNDETERMINED INTENT	211	11

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	11,149	661
1	MALIGNANT NEOPLASMS	2,433	175
2	DISEASES OF HEART	2,264	157
3	ACCIDENTS AND ADVERSE EFFECTS	1,381	51
4	SUICIDE	536	21
5	CERTAIN PERINATAL CONDITIONS	447	6
6	CHRONIC LOWER RESPIRATORY DISEASES	423	35
7	DIABETES MELLITUS	306	21
8	CEREBROVASCULAR DISEASE	291	22
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	279	18
10	PNEUMONIA AND INFLUENZA	201	11

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,524	259
1	DISEASES OF HEART	1,029	69
2	MALIGNANT NEOPLASMS	882	69
3	ACCIDENTS AND ADVERSE EFFECTS	655	19
4	ASSAULT (HOMICIDE)	228	5
5	SUICIDE	223	6
6	CEREBROVASCULAR DISEASE	141	11
7	CHRONIC LOWER RESPIRATORY DISEASES	128	16
8	DIABETES MELLITUS	62	4
9	HYPERTENSION AND RENAL DISEASE	58	5
10	PNEUMONIA AND INFLUENZA	58	5

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	938	56
1	MALIGNANT NEOPLASMS	274	17
2	DISEASES OF HEART	236	12
3	ACCIDENTS AND ADVERSE EFFECTS	178	5
4	CHRONIC LOWER RESPIRATORY DISEASES	28	5

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,502	106
1	MALIGNANT NEOPLASMS	382	33
2	DISEASES OF HEART	352	24
3	ACCIDENTS AND ADVERSE EFFECTS	148	5
4	DIABETES MELLITUS	83	6
5	SUICIDE	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	64	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,539	125
1	MALIGNANT NEOPLASMS	503	35
2	DISEASES OF HEART	443	26
3	ACCIDENTS AND ADVERSE EFFECTS	308	8
4	CHRONIC LOWER RESPIRATORY DISEASES	130	9
5	SUICIDE	108	5
6	CEREBROVASCULAR DISEASE	63	6
7	DIABETES MELLITUS	62	4

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	811	42
1	DISEASES OF HEART	223	15
2	MALIGNANT NEOPLASMS	94	8

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,213	244
1	ACCIDENTS AND ADVERSE EFFECTS	1,009	34
2	MALIGNANT NEOPLASMS	766	61
3	DISEASES OF HEART	722	53
4	CHRONIC LOWER RESPIRATORY DISEASES	240	20
5	CEREBROVASCULAR DISEASE	218	16
6	DIABETES MELLITUS	130	5

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,841	631
1	MALIGNANT NEOPLASMS	2,315	170
2	DISEASES OF HEART	2,299	167
3	ACCIDENTS AND ADVERSE EFFECTS	1,064	39
4	SUICIDE	727	23
5	CERTAIN PERINATAL CONDITIONS	671	9
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	498	25
7	CHRONIC LOWER RESPIRATORY DISEASES	447	34
8	EVENTS OF UNDETERMINED INTENT	209	7
9	DIABETES MELLITUS	206	12
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	206	12

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,484	92
1	DISEASES OF HEART	474	30
2	MALIGNANT NEOPLASMS	292	24
3	ACCIDENTS AND ADVERSE EFFECTS	183	6
4	CHRONIC LOWER RESPIRATORY DISEASES	83	6
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4
6	DIABETES MELLITUS	58	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=WEAKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,168	189
1	DISEASES OF HEART	764	48
2	MALIGNANT NEOPLASMS	551	51
3	ACCIDENTS AND ADVERSE EFFECTS	433	15
4	CERTAIN PERINATAL CONDITIONS	298	4
5	CHRONIC LOWER RESPIRATORY DISEASES	156	12
6	SUICIDE	153	6
7	OTHER DISEASES OF CIRCULATORY SYSTEM	62	4
8	ALZHEIMER'S DISEASE	42	4

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,807	176
1	MALIGNANT NEOPLASMS	704	57
2	ACCIDENTS AND ADVERSE EFFECTS	372	13
3	DISEASES OF HEART	304	28
4	CHRONIC LOWER RESPIRATORY DISEASES	183	15
5	DIABETES MELLITUS	146	12
6	CEREBROVASCULAR DISEASE	72	4
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	32	4

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,509	373
1	MALIGNANT NEOPLASMS	1,758	136
2	ACCIDENTS AND ADVERSE EFFECTS	1,198	36
3	DISEASES OF HEART	817	65
4	SUICIDE	728	25
5	CONGENITAL ANOMALIES	321	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	252	13
7	DIABETES MELLITUS	193	15
8	CEREBROVASCULAR DISEASE	180	11
9	CHRONIC LOWER RESPIRATORY DISEASES	70	9
10	BENIGN NEOPLASMS	62	4

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,585	440
1	MALIGNANT NEOPLASMS	1,738	132
2	DISEASES OF HEART	1,510	100
3	ACCIDENTS AND ADVERSE EFFECTS	1,204	37
4	CHRONIC LOWER RESPIRATORY DISEASES	477	34
5	SUICIDE	402	13
6	ASSAULT (HOMICIDE)	210	5
7	SEPTICEMIA	163	8
8	CEREBROVASCULAR DISEASE	154	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2012**

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	154	8
10	DIABETES MELLITUS	131	11