

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Parameters: **Product Category:** 31 - High Friction Surface Treatments
Approved Begin Date: 01/01/1990
Approved End Date: 01/01/2050
Display Expired Materials? No
Expired Begin Date: 01/01/1990
Expired End Date: 01/01/2050
Display Address Info For Sources? No

Product Category: 31 - High Friction Surface Treatments

Seciton: A-Asphalt Roadway

Material: QPL.31.002 Asphalt Roadway

89901524 - Cornerstone Construction Material

Trade Name

CEE330 Epoxy Binder

--

Evaluation #

19014

89901504 - E-Chem, LLC

Trade Name

HFP 1:1

calcined bauxite only

Evaluation #

18011

89900320 - Ennis-Flint, Inc

Trade Name

Tyregrip

--

Evaluation #

04027

89900328 - Epoplex

Trade Name

Safe-T-Grip

--

Evaluation #

08110

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 31 - High Friction Surface Treatments

Seciton: A-Asphalt Roadway

Material: QPL.31.002

Asphalt Roadway

89900696 - Olin Epoxy-Poly-Carb

Trade Name

Mark-154

--

Evaluation #

12035

89901471 - P3 Infrastructure, Inc.

Trade Name

ALTERRA

--

Evaluation #

24013

89900830 - Sherwin Williams Company

Trade Name

Sher-Friction

--

Evaluation #

--

89900836 - Sika Corp

Trade Name

Sikadur 22 LM Fast Set

--

Evaluation #

13055

Sikadur 25 Lo-Mod EPU

--

16057

89900981 - Unitex

Trade Name

Pro-Poxy Type III DOT

--

Evaluation #

07006

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 31 - High Friction Surface Treatments

Seciton: B-Concrete Roadway

Material: QPL.31.003

Concrete Roadway

89901524 - Cornerstone Construction Material

Trade Name

CEE330 Epoxy Binder

--

Evaluation #

19014

89901504 - E-Chem, LLC

Trade Name

HFP 1:1

calcined bauxite only

Evaluation #

18011

89900328 - Epoplex

Trade Name

Safe-T-Grip

--

Evaluation #

08110

89900696 - Olin Epoxy-Poly-Carb

Trade Name

Mark-154

--

Evaluation #

12035

89901471 - P3 Infrastructure, Inc.

Trade Name

ALTERRA

--

Evaluation #

24013

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 31 - High Friction Surface Treatments
Seciton: B-Concrete Roadway
Material: QPL.31.003 Concrete Roadway

89900830 - Sherwin Williams Company

<u>Trade Name</u>	<u>Evaluation #</u>
Sher-Friction	--
--	--

89900836 - Sika Corp

<u>Trade Name</u>	<u>Evaluation #</u>
Sikadur 22 LM Fast Set	13055
--	--
Sikadur 25 Lo-Mod EPU	16057
--	--

89900981 - Unitex

<u>Trade Name</u>	<u>Evaluation #</u>
Pro-Poxy Type III DOT	07006
--	--

Product Category: 31 - High Friction Surface Treatments
Seciton: C-Concrete Above Grade Surfaces
Material: QPL.31.004 Concrete Above Grade Surfaces

89901504 - E-Chem, LLC

<u>Trade Name</u>	<u>Evaluation #</u>
EPX50-Overlay	18012
calcined bauxite or flint	

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 31 - High Friction Surface Treatments

Seciton: C-Concrete Above Grade Surfaces

Material: QPL.31.004

Concrete Above Grade Surfaces

89900328 - Epoplex

Trade Name

Safe-T-Grip

--

Evaluation #

08110

89900343 - Euclid Chemical Co

Trade Name

Flexolith Broadcast Overlay System

--

Evaluation #

08126

89900696 - Olin Epoxy-Poly-Carb

Trade Name

Mark-154

--

Evaluation #

12035

Mark-163 Flexogrid

--

00070

89901471 - P3 Infrastructure, Inc.

Trade Name

ALTERRA

--

Evaluation #

24013

89900830 - Sherwin Williams Company

Trade Name

Sher-Friction

--

Evaluation #

--

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 31 - High Friction Surface Treatments
Seciton: C-Concrete Above Grade Surfaces
Material: QPL.31.004 Concrete Above Grade Surfaces

89900836 - Sika Corp

<u>Trade Name</u>	<u>Evaluation #</u>
Sikadur 22 LM Fast Set	13055
--	
Sikadur 25 Lo-Mod EPU	16057
--	
Sikadur Epoxy Broadcast Overlay System	10107
--	

89900981 - Unitex

<u>Trade Name</u>	<u>Evaluation #</u>
Pro-Poxy Type III DOT	07006
--	

Number of Approved Materials in Report:

30