Thompson's Station Greenway - Ph 3

Federal Project Number: STP-M-9400(66) State Project Number: 94LPLM-F3-117 TDOT PIN: 126661.01

> Bid Addendum #2 Issued 8/16/2024

Item 1 Plan/Bid Quantity Revisions

<u>Item #1</u>

There is a discrepancy on the plans on a demo item.

Item 202-01.13 Removal of pipe (12", 00+45) 27 LF. This is not called out on the plans to be removed (sheet C2-01), and on the later proposed drawings (sheet C3-01), there is a note stating that this existing 12" culvert is to be upgraded in a separate project.

Please advise if we are to remove the pipe per the quantities tab or to leave it in place per the existing and proposed plans.

• Item 202-01.13 can be ignored/redacted. The item will no longer be part of this project and was incorrectly left on the plans from before the redesign and rebid process.

End of Addendum #2



FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT	TOTAL
-	105-01	CONSTRUCTION STAKES, LINES AND GRADES	LS	1.00		
-	201-01	CLEARING AND GRUBBING		1.00		
-	202-01.14	REMOVAL OF PIPE (16", 01+74)		21.00		
-	202-01.15	REMOVAL OF PIPE (18", 04+47)	LF	21.00		
-	202-02.01	REMOVAL OF PIPE (18", 10+68)	LF	20.00		
1	202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	SY	2,275.56		
2	202-08.10	REMOVAL OF CURB (6" CURB)	LF	24.00		
3	203-01	ROAD AND DRAINAGE EXCAVATION (UNCLASSIFIED)	CY	4,722.78		
4	203-01.04	REMOVAL OF ROCK PAD	CY	42.17		
5	203-02.02	BORROW EXCAVATION (GRADED SOLID ROCK)	CY	480.00		
-	203-07	FURNISHING & SPREADING TOPSOIL	CY	870.56		
6	209-05	SEDIMENT REMOVAL	CY	87.40		
7	209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	LF	4,579.00		
8	303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D		3,255.00		
8	307-01.08	ASPHALT CONCRETE MIX (PG64-22 BPMB-HM) GRADING B-M2		1,223.00		
8	402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	TON	11.00		
8	403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	TON	3.00		
8	411-01.11	ACS MIX (PG64-22) GRADING E RDWY	TON	575		
9	602-03.02	PEDESTRIAN BRIDGE	LS	1.00		
10	602-03.03	PEDESTRIAN BRIDGE	LS	1.00		
11	604-01.20	BOX TUBE SAFETY RAIL	LF	910.00		
-	604-07.02	RETAINING WALL (STANDARD GRAVITY-TYPE RETAINING WALLS W-SG-1) (11+07.88-12+20.83, 11+78.04-12+51.79, 12+39.34-12+51.93, 13+02.23-13+09.94, 18+57.70-20+43.87)		1,500.00		
12	607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)		45.00		
12	607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	LF	60.00		
-	611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	EACH	2.00		

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT	TOTAL
-	611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	EACH	2.00		
13	701-01.01	CONCRETE SIDEWALK (4")	SF	1,241.00		
14	701-02.03	CONCRETE CURB RAMP	SF	91.00		
15	707-06.01	REMOVAL OF FENCE (13+00 to 42+00)	LF	445.00		
16	707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	LF	6,950.00		
17	709-05.06	MACHINED RIP-RAP (CLASS A-1)	TON	817.00		
-	712-01	TRAFFIC CONTROL	LS	1.00		
18	712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	EACH	80.00		
18	712-06	SIGNS (CONSTRUCTION)	SF	203.00		
19	713-15.02	REMOVAL AND RELOCATION OF SIGN AND SUPPORT	EACH	2.00		
-	713-16.20	SIGNS (MUTCD SIGN - W11-1)	EACH	1.00		
-	713-16.21	SIGNS (MUTCD SIGN - R4-11)	EACH	7.00		
-	713-16.22	SIGNS (MUTCD SIGN - D11-1)	EACH	9.00		
-	713-16.23	SIGNS (MUTCD SIGN - W16-7P)	EACH	1.00		
-	713-16.24	SIGNS (MUTCD SIGN - W1-2a)	EACH	8.00		
-	713-16.25	SIGNS (MUTCD SIGN - W1-4)	EACH	1.00		
20	713-16.26	SIGNS (MUTCD SIGN - R7-8)	EACH	1.00		
-	713-16.27	SIGNS (MUTCD SIGN - R7-8A)	EACH	1.00		
-	713-16.28	SIGNS (MUTCD SIGN - M5-1R)	EACH	2.00		
21	716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	LF	230.00		
21	716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	EACH	2.00		
21	716-04.15	PLASTIC PAVEMENT MARKING (BIKE SYMBOL/ARROW SHARED)	EACH	19.00		
-	716-05.50	PAINTED PAVEMENT MARKINGS (8" LINE)	LF	134.00		
-	717-01	MOBILIZATION	LS	1.00		
-	721-01.01	BENCH	EACH	6.00		
-	721-01.02	TRASH RECEPTACLE	EACH	3.00		

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT	TOTAL
22	740-10.03	GEOTEXTILE (TYPE III EROSION CONTROL)	SY	500.00		
-	801-01.02	CROWN VETCH MIXTURE (WITH MULCH)	UNIT	145.00		
-	801-02	SEEDING (WITHOUT MULCH)	UNIT	141.00		
-	801-03	WATER (SEEDING & SODDING)	M.G.	15.00		
23	802-01.10	TREES (CERCIS CANADENSIS 1.5"-2" CAL. B&B)	EACH	9.00		
-	802-01.11	TREES (MAGNOLIA GRANDIFLORA 'LITTLE GEM' 2" CAL; 6-8' HT.)	EACH	2.00		
-	802-04.01	GROUND COVER (RUDBECKIA FULGIDA 'GOLDSTRUM' #1 CONT.)	S.Y.	2.44		
24	955-02.01	FENCE	L.F.	1,550.00		

	and	/100 Dollars,
S		·
Note: This project shall be awarded to upon the sum of the base bids for the (Harpeth View Trail Neighborhood Con	is project (Various Locatio	ons in Kingston Spring
The Bidder acknowledges that h modifications to the Bid Documents are included in the Bid Sum.		_
A. Addendum Number	Dated	
B. Addendum Number	Dated	
C. Addendum Number	Dated	
NOTE: The penalty for making false statement is Company Address:	_	
Company Telephone #:	Fax #:	
Name of Person Signing Bid:		
Signature:		
Title of Person Signing Bid:		
Date:Bid Award		

END OF BID FORM

QUANTITY	INIT	ITEM DESCRIPTION	ITEM NO.	OOTNOTE
1.00	LS	CONSTRUCTION STAKES, LINES AND GRADES	105-01	-
1,00	LS	CLEARING AND GRUBBING	201-01	~~~
21.00	LF.	REMOVAL OF PIRE (16", 01+74)	202-01.14	
21.00	LF	REMOVAL OF PIPE (18", 04+47)	202-01.15	-
20.00	LF	REMOVAL OF PIPE (18", 10+68)	202-02.01	-
2,275.56	SY	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	202-03	1
24.00	LF	REMOVAL OF CURB (6" CURB)	202-08.10	2
4,722.78	CY	ROAD AND DRAINAGE EXCAVATION (UNCLASSIFIED)	203-01	3
42.17	CY	REMOVAL OF ROCK PAD	203-01.04	4
480.00	CY	BORROW EXCAVATION (GRADED SOLID ROCK)	203-02.02	5
870.56	CY	FURNISHING & SPREADING TOPSOIL	203-07	-
87.40	CY	SEDIMENT REMOVAL	209-05	6
4,579.00	LF	TEMPORARY SILT FENCE (WITH BACKING)	209-08.02	7
3,255.00	ON	MINERAL AGGREGATE, TYPE A BASE, GRADING D	303-01	8
1,223.00	ON	ASPHALT CONCRETE MIX (PG64-22 BPMB-HM) GRADING B-M2	307-01.08	8
11.00	ON	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	402-01	8
3.00	ON	BITUMINOUS MATERIAL FOR TACK COAT (TC)	403-01	8
575	ON	ACS MIX (PG64-22) GRADING E RDWY	411-01.11	8
1.00	LS	PEDESTRIAN BRIDGE	602-03.02	9
1.00	LS	PEDESTRIAN BRIDGE	602-03.03	10
910.00	LF	BOX TUBE SAFETY RAIL	604-01.20	11
1,500.00	SF	RETAINING WALL (STANDARD GRAVITY-TYPE RETAINING WALLS W-SG-1) (11+07.88-12+20.83, 11+78.04-12+51.79, 12+39.34-12+51.93, 13+02.23-	604-07.02	-
45.00		13+09.94, 18+57.70-20+43.87)	007.00.00	40
45.00	LF	18" CONCRETE PIPE CULVERT (CLASS III)	607-03.02	12
60.00	LF	24" CONCRETE PIPE CULVERT (CLASS III)	607-05.02	12
2.00		18IN ENDWALL (CROSS DRAIN) 3:1	611-07.54	-
2.00		24IN ENDWALL (CROSS DRAIN) 3:1	611-07.57	-
1,241.00	SF	CONCRETE SIDEWALK (4")	701-01.01	13
91.00	SF	CONCRETE CURB RAMP	701-02.03	14
445.00	LF	REMOVAL OF FENCE (13+00 to 42+00)	707-06.01	15
6,950.00	LF	HIGH-VISIBILITY CONSTRUCTION FENCE	707-08.11	16
817.00	ON	MACHINED RIP-RAP (CLASS A-1)	709-05.06	17
1.00	LS	TRAFFIC CONTROL	712-01	-
80.00	ACH	FLEXIBLE DRUMS (CHANNELIZING)	712-04.01	18
203.00	SF	SIGNS (CONSTRUCTION)	712-06	18
2.00	ACH	REMOVAL AND RELOCATION OF SIGN AND SUPPORT	713-15.02	19
1.00	ACH	SIGNS (MUTCD SIGN - W11-1)	713-16.20	-
7.00	ACH	SIGNS (MUTCD SIGN - R4-11)	713-16.21	-
9.00	ACH	SIGNS (MUTCD SIGN - D11-1)	713-16.22	-
1.00	ACH	SIGNS (MUTCD SIGN - W16-7P)	713-16.23	-
8.00	ACH	SIGNS (MUTCD SIGN - W1-2a)	713-16.24	-
1.00	ACH	SIGNS (MUTCD SIGN - W1-4)	713-16.25	-
1.00	ACH	SIGNS (MUTCD SIGN - R7-8)	713-16.26	20
1.00		SIGNS (MUTCD SIGN - R7-8A)	713-16.27	-
2.00		SIGNS (MUTCD SIGN - M5-1R)	713-16.28	-
230.00	LF	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	716-02.09	21
2.00		PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	716-04.10	21
19.00		PLASTIC PAVEMENT MARKING (BIKE SYMBOL/ARROW SHARED)	716-04.15	21
134.00	LF	PAINTED PAVEMENT MARKINGS (8" LINE)	716-05.50	-
1.00	LS	MOBILIZATION	717-01	_
6.00		BENCH	717-01	<u>-</u>
		TRASH RECEPTACLE		-
3.00			721-01.02	-
500.00	SY	GEOTEXTILE (TYPE III EROSION CONTROL)	740-10.03	22
145.00	JNIT	<u> </u>	801-01.02	-
141.00	JNIT	SEEDING (WITHOUT MULCH)	801-02	-
15.00	/I.G.	WATER (SEEDING & SODDING)	801-03	-
9.00		TREES (CERCIS CANADENSIS 1.5"-2" CAL. B&B)	802-01.10	23
2.00		TREES (MAGNOLIA GRANDIFLORA 'LITTLE GEM' 2" CAL; 6-8' HT.)	802-01.11	-
2.44	3.Y.	GROUND COVER (RUDBECKIA FULGIDA 'GOLDSTRUM' #1 CONT.)	802-04.01	-

	FOOTNOTES
1	REMOVAL OF EXISTING ASPHALT DRIVE (SHEET C2-01) AND PAVERS SHOWN (SHEET C2-04)
2	REMOVAL OF CURB ALONG PROPOSED CURB RAMPS (SHEET C2-04)
3	INCLUDES EXCAVATION FOR SIDEWALK SECTION, ALL CUT AREAS, AND EXCAVATION OF GRAVEL AREAS AND DRIVEWAYS. INCLUDES EXCAVATION OF FIRST 6" C TOPSOIL ON SITE AND STOCKPILE OF MATERIAL
4	REMOVAL OF GRAVEL (SHEET C2-03)
5	SURGE STONE OR SHOT ROCK SHALL BE USED FOR THIS LINE ITEM TO BACKFILL ANY AREAS OF THE TRAIL THAT HAVE BEEN UNDERCUT DUE TO POOR SOILS
6	TDOT DRAINAGE MANUAL 10.04.6.2, ASSUME 34 CY OF SEDIMENT PER ACRE OF DISTURBED AREA
7	SEE SUBSECTION 209.07 OF THE STANDARD SPECIFICATIONS FOR MAINTENANCE REPLACEMENT. ALL QUANTITIES ARE TO BE USED AS DIRECTED BY THE ENGINEER.
8	SEE ASPHALT FULL DEPTH PAVEMENT SECTION (SHEET C0-04)
9	STRUCTURE #1, SEE STRUCTURES SHEETS (S-01 - S-07)
10	STRUCTURE #2, SEE STRUCTURES SHEETS (S-01 - S-07)
11	TDOT STD DETAIL MM-BPR-1. LABELED "F" ON PROPOSED SITE LAYOUT PLANS (C3-01-C3-12)
12	TDOT STANDARD DESIGN GUIDELINES CHAPTER 7-204.01, BEDDING MATERIALS SHALL BE INCLUDED IN THE COST OF PIPE.
13	ITEM NUMBER INCLUDES 4" BASE STONE AND WELDED WIRE MESH
14	ITEM NUMBER SHALL CONSIST OF CONCRETE FOR CURB RAMPS, INCLUDING 4" OF BASE STONE, WELDED WIRE MESH PER THE STANDARD SIDEWALK DETAIL AND DETECTABLE WARNING SURFACES.
15	SEE SHEETS C2-02 AND C2-03
16	SEE LANDSCAPING PLANS
17	INCLUDES CONSTRUCTION ENTRANCE, OUTLET PROTECTION, AND STABILIZATION FOR BRIDGE END BENTS
18	SEE SHEETS TMP-01 - TMP-04. TEMPORARY TRAFFIC CONTROL SIGNS INCLUDE: W20-1, W20-4, W3-2, R1-2, R1-2AP, W1-4, W20-7, AND G20-2
19	ITEM NUMBER INCLUDES RELOCATION OF EXISTING SIGN AND SUPPORT TO A NEW LOCATION AS INDICATED ON THE PLANS.
20	VAN ACCESSIBLE PARKING SPOTS SHOWN ON SHEET C3-12
21	CONTRACTOR MAY ELECT TO SUBSTITUTE PERFORMED PLASTIC FOR THERMOPLASTIC. PERFORMED PLASTIC SHALL BE PAID FOR AT THE SAME UNIT PRICE A BID FOR THERMOPLASTIC
22	GEOTEXTILE FABRIC PROPOSED UNDER OUTLET DISSIPATION AND CONSTRUCTION ENTRANCE RIP RAP
23	INCLUDES PLANTING / STAKING
24	SEE SHEET C0-04

CONNECTIVITY - PHASE 3
(TDOT PIN # 126661.01)

NEAR SR-6 (COLUMBIA PIKE)
THOMPSON'S STATION, TN 3

ВҮ	AMA					
DATE	8/16/2024					
REVISIONS	STIMATED QUANTITY REMOVAL					

S - 0 ω 4 π ω ν ω 6

DESIGNED BY: DRAWN BY:

CHECKED BY: KIMLEY-HORN PROJECT NO. 118181003

ESTIMATED QUANTITIES

SHEET NUMBER C0-03